
TB-500 10mg

QUICK GUIDE

Thymosin β4 fragment, no human trials ♥



WHAT IS TB-500?

TB-500 is sold as the active fragment of thymosin β4, a natural protein that helps cells migrate and tissue repair. Nearly all the research is on the full protein, mostly in animals; its eye-drop form had mixed results. TB-500 itself has never been tested in people.

Strongest evidence: D · Animal / lab

RECONSTITUTION

Add 2 mL bacteriostatic water to the 10 mg vial.

This yields 5 mg/mL.

1. Swab both vial tops with an alcohol pad.
2. Draw 2 mL of water and inject it slowly down the vial wall.
3. Roll gently until dissolved; don't shake.
4. Label and refrigerate.

DOSING PROTOCOL

Catalog: 1 mg → 2 mg Mon/Thu (grade E)

WEEK	DOSE (Twice weekly)	UNITS (U-100 SYRINGE)
Week 1	1 mg	20 units
Weeks 2–8	2 mg	40 units

Cycle: catalog: 8 weeks on, 4–8 weeks off.

POTENTIAL BENEFITS

- **Repair biology:** Tβ4 drives cell migration and angiogenesis (animal/cell). D · Animal / lab
- **Humans:** No TB-500 trials; full Tβ4 eye drops mixed. C · Human observational
- **Sport:** WADA-prohibited at all times. C · Human observational

POTENTIAL SIDE EFFECTS

- No human data
- Injection-site reactions

Unit math: every unit value the catalog prints matches (5 mg/mL).

Active cancer (inferred)

For subcutaneous injection

Refrigerate after mixing. Catalog: use within 60 days.

Evidence grade D: Animal / lab

For educational use only.


PEPPERSDVO