System Validation Report

Project: Task Manager Application

Version: 2.0 | Section: J | Batch: 12 | Date: 05-11-2026 | Build under test: `v1.0.1` (Sprint 3)

Authors

SRN	Name
PES2UG24CS561	Tharunyah Sudhakar
PES2UG24CS594	Vishnu Narayanan Ajay
PES2UG24CS597	Vismay Chandra Dev
PES2UG24CS606	Yajat Mathur

Revision History

Version	Date	Author	Change Summary
1.0	04-11-2026	Student Team	Validation of tag v1.0 against the SRS.
2.0	05-11-2026	Student Team	Re-validation of v1.0.1 after the Sprint 3 defect fixes.

Approvals

Role	Name	Signature / Date
QA Lead	Tharunyah Sudhakar	
Course Coordinator		

1. Conclusion

Requirements checked	Fully met	Partly met	Not met
31	29	2	0

Build	Validation checks run	Pass	Partial	Fail
v1.0 (before Sprint 3)	54	43	2	9
v1.0.1 (after Sprint 3)	56	54	2	0

29 of 31 SRS requirements passed validation in full. The two partly met requirements, TMA-NF-002 and TMA-SR-001, depend on a deployed environment and are recorded as deviations D13 and D12. 0 checks failed on this build. The boundary-input checks that failed on v1.0 now pass, because Sprint 3 fixed the defects behind them (section 5).

Test Plan exit criteria (section 5)

Criterion	Status	Basis
All planned test cases are executed	**PASS**	All 30 test cases were executed.
No critical or high severity defects remain open	**PASS**	0 defects open and 0 checks failing on this build.
All SRS acceptance criteria are satisfied	**PARTIAL**	Not met for the 99.5% monthly uptime figure (not measured) or for a trusted TLS certificate (self-signed locally). The Course Coordinator needs to accept deviations D12 and D13 for this criterion to close.

2. Method and environment

The application was treated as a black box. `system_tests/run_system_validation.py` started the real server as a separate process, drove a real browser, sent real HTTP requests, and then inspected the real database file and server log. Each result below was recorded by the script during the run.

Item	Value
Build	v1.0.1: tag v1.0 plus the Sprint 3 defect fixes
Server	python run.py with APP_ENV=production, real scrypt, reminder thread polling every 2 s
Client	Chromium (Playwright), time zone Asia/Kolkata for the main flows
Platform	Python 3.13.18 on Linux (cloud container), SQLite
Run finished	2026-11-05T03:10:02Z
Normal load (assumption)	10 concurrent clients, 500 tasks per user. The SRS does not define normal load.

3. Requirement validation matrix

Requirement	Validated by test case	Checks	Result
TMA-F-001	Register a new user with valid required information	SV-01, SV-02	**PASS**
TMA-F-002	Log in with valid credentials	SV-05	**PASS**
TMA-F-003	Log in with invalid credentials	SV-04, SV-32	**PASS**
TMA-F-004	Log out	SV-03	**PASS**
TMA-F-010	Create a task with a title and optional description	SV-06	**PASS**
TMA-F-011	Edit an existing task	SV-10	**PASS**
TMA-F-012	Delete a task after confirmation	SV-18	**PASS**
TMA-F-013	Mark a task complete and reopen it	SV-13	**PASS**
TMA-F-014	Attempt to access another user's task	SV-21, SV-22	**PASS**
TMA-F-020	Assign a priority to a task	SV-07	**PASS**
TMA-F-021	Assign and update task status	SV-12	**PASS**
TMA-F-022	Create or select categories / tags	SV-09	**PASS**
TMA-F-023	Set or change a task due date	SV-08	**PASS**
TMA-F-024	Configure a reminder	SV-11, SV-19	**PASS**
TMA-F-030	Search tasks by title or description keyword	SV-15	**PASS**
TMA-F-031	Filter by status, priority and category	SV-16	**PASS**
TMA-F-032	Sort by due date, priority or status	SV-17	**PASS**
TMA-F-033	Progress summary	SV-14	**PASS**
TMA-F-040	Notification generated for a due reminder	SV-19	**PASS**
TMA-F-041	Manage notification and task preferences	SV-20	**PASS**
TMA-F-042	Administrator user management	SV-23	**PASS**
TMA-NF-001	Load the dashboard under normal load	SV-38, SV-39	**PASS**
TMA-NF-002	System availability	SV-44	**PARTIAL**
TMA-NF-003	Inspect stored password data and data protection	SV-29, SV-33, SV-34	**PASS**
TMA-NF-004	Data consistency across operations	SV-37, SV-40, SV-43	**PASS**
TMA-NF-005	Responsive and accessible user interface	SV-24, SV-25, SV-26, SV-27, SV-28	**PASS**

Requirement	Validated by test case	Checks	Result
TMA-SR-001	HTTPS / TLS for network communication	SV-41, SV-42	**PARTIAL**
TMA-SR-002	Inspect stored password data and data protection	SV-29	**PASS**
TMA-SR-003	Attempt to access another user's task	SV-21	**PASS**
TMA-SR-004	Session tokens are protected and invalidated	SV-03, SV-30	**PASS**
TMA-SR-005	Security events are logged without secrets	SV-31, SV-45	**PASS**

4. Performance results

Operation	Requests	Concurrent clients	Tasks per user	p50 (ms)	p95 (ms)	Max (ms)	Target
Dashboard	1000	10	500	20.3	33.0	46.9	p95 at most 3000 ms
Search and filter	500	10	500	35.1	64.3	91.6	p95 at most 3000 ms

5. Defects found and fixed

Defect	Severity	Checks	Summary	Cause	Fix	Status
DEF-01	Low	SV-36a, SV-36b, SV-36i	Very large integer in a URL or query gave HTTP 500	Values above SQLite's 64-bit limit raised OverflowError when bound to a query. Affected every route with an id in its URL, and the offset parameter.	One bounded <int> URL converter for the whole app, so such ids give the normal 404. An offset that is too large gets 400.	Fixed in v1.0.1
DEF-02	Low	SV-36d, SV-36e, SV-36j	Date at the edge of the supported range gave HTTP 500	Converting a year 1 or year 9999 date to UTC raised OverflowError, which was not caught. Years below 1000 were also stored in a form that could not be read back.	clean_optional_datetime catches OverflowError and refuses dates before 1900 with the normal 400.	Fixed in v1.0.1
DEF-03	Low	SV-36c	minutesBefore of 1e999 (infinity) gave HTTP 500	int(float('inf')) raised OverflowError, which resolve_reminder_time did not catch.	OverflowError added to the except clause, giving the normal 400.	Fixed in v1.0.1
DEF-04	Low	SV-36f, SV-36g	Lone Unicode surrogate in text gave HTTP 500	JSON such as "\ud800" decodes to text that cannot be encoded as UTF-8, so SQLite or the password hash raised UnicodeEncodeError.	get_json_body, which every route uses, refuses such text with 400. Emoji and other valid text are still accepted (SV-36l).	Fixed in v1.0.1
DEF-05	Low	SV-36k	Very deeply nested JSON gave HTTP 500	Found in Sprint 3 by the new route-wide tests. 12000 levels of nesting exhausted the JSON parser (RecursionError), which get_json(silent=True) does not catch.	get_json_body catches RecursionError and returns 400.	Fixed in v1.0.1

Impact at v1.0: in each case the global error handler returned a clean JSON 500 with no internal details. No data was changed and the application stayed healthy (SV-37). Normal use of the UI could not produce these inputs.

Regression result

Check	Input	v1.0 observed	v1.0	v1.0.1 observed	v1.0.1
SV-36a	huge task id in URL	HTTP 500 INTERNAL_ERROR	**FAIL**	HTTP 404 NOT_FOUND	**PASS**

Check	Input	v1.0 observed	v1.0	v1.0.1 observed	v1.0.1
SV-36b	huge offset in query	HTTP 500 INTERNAL_ERROR	**FAIL**	HTTP 400 VALIDATION_ERROR	**PASS**
SV-36c	minutesBefore = 1e999 (infinity)	HTTP 500 INTERNAL_ERROR	**FAIL**	HTTP 400 VALIDATION_ERROR	**PASS**
SV-36d	date at year 1 with an offset	HTTP 500 INTERNAL_ERROR	**FAIL**	HTTP 400 VALIDATION_ERROR	**PASS**
SV-36e	date at year 9999 with an offset	HTTP 500 INTERNAL_ERROR	**FAIL**	HTTP 400 VALIDATION_ERROR	**PASS**
SV-36f	lone surrogate in title	HTTP 500 INTERNAL_ERROR	**FAIL**	HTTP 400 VALIDATION_ERROR	**PASS**
SV-36g	lone surrogate in password at login	HTTP 500 INTERNAL_ERROR	**FAIL**	HTTP 400 VALIDATION_ERROR	**PASS**
SV-36h	lone surrogate in search	HTTP 200	**PASS**	HTTP 200	**PASS**
SV-36i	huge reminder id	HTTP 500 INTERNAL_ERROR	**FAIL**	HTTP 404 NOT_FOUND	**PASS**
SV-36j	due date at year 1, reminder before it	HTTP 500 INTERNAL_ERROR	**FAIL**	HTTP 400 VALIDATION_ERROR	**PASS**
SV-36k	JSON nested 12000 levels deep	Not in the v1.0 run		HTTP 400 VALIDATION_ERROR	**PASS**
SV-36l	emoji and Kannada text (must still be accepted)	Not in the v1.0 run		HTTP 201	**PASS**

Regressions: none. Every check that passed on v1.0 still passes.

6. Other observations


These are not SRS failures, and Sprint 3 did not change them. The team may want to decide on them.

Observation	Detail
Debugger reachable when following the README's phone-testing tip	Plain `python run.py` starts in development mode with the Werkzeug debugger on (verified: /console answers, protected by a PIN). The README suggests `python run.py --host 0.0.0.0` for phone testing, which exposes it to the local network. Suggest documenting APP_ENV=production for that command. Production mode is not affected.
A successful login does not clear earlier failed attempts	Verified: 4 failures, a success, then 1 more failure locks the account for 15 minutes. Also, anyone who knows an email address can lock that account out (a known trade-off of per-email limits; D11).
minutesBefore accepts true and 1.5	Verified: both return 201 and are converted to 1. The error text says it must be a whole number. Harmless, since the UI only sends fixed values.
The 'By email' preference has no effect in v1.0	E-mail is an interface-level stub, off by default (D9), yet the checkbox is offered to users without saying so.


7. Not covered by this validation

- Monthly availability (TMA-NF-002): needs a deployed system monitored for a month.
- Trusted certificates and the reverse proxy (TMA-SR-001): exist only in a deployment.
- Real phones and screen readers: widths were emulated in Chromium, and accessibility was checked through keyboard use and accessible names. Firefox and Safari were not run.
- A real e-mail provider: stubbed, and tested at the interface only, as the Test Plan allows.
- User acceptance by the Product Owner: planned for the final demo.


8. Evidence




SV-06: task created in the browser




SV-19: reminder delivered as a notification



SV-23: administrator after deactivating a user



SV-27: dark mode



SV-25: 390 px phone width

9. All validation checks

Check	Test Case	Requirement	What was checked and expected	Observed	Result
SV-01	TC-Auth-01	TMA-F-001	**Register a new account in the browser** A unique account is created and the user lands on their task page	Task page opened with 'Hello, Maya Rao'; exactly one row in users.	**PASS**
SV-02	TC-Auth-01	TMA-F-001	**Duplicate and invalid registration is refused** Clear error message; no second account is created	Duplicate 409 ('An account with this email already exists'), weak password 400, bad email 400.	**PASS**
SV-03	TC-Auth-04	TMA-F-004 / TMA-SR-004	**Log out in the browser, then protected pages are closed** Session ends; the old token no longer works; the login form is shown	Login form shown. Old token now gets 401 on /api/tasks.	**PASS**
SV-04	TC-Auth-03	TMA-F-003	**Wrong password in the browser** Login rejected with a clear message and no session created	Message 'Invalid email or password'; no token in the browser.	**PASS**
SV-05	TC-Auth-02	TMA-F-002	**Log in with valid credentials** User is authenticated and reaches the task dashboard	Task dashboard displayed.	**PASS**
SV-06	TC-Task-01	TMA-F-010	**Create a task from the form** Task is saved and appears in the list; an empty title is refused	Empty title showed 'Title is required.'; valid task appeared in the list.	**PASS**
SV-07	TC-Org-01	TMA-F-020	**Priority is saved and displayed** Selected priority is shown with the task	'High priority' shown on the task.	**PASS**
SV-08	TC-Org-04	TMA-F-023	**Due date entered in local time is stored as UTC** Stored and displayed due date are correct	Entered in IST; database holds UTC 2026-11-07T03:09:00, which converts back to the entered time. Shown as: Due Nov 7, 2026, 8:39 AM	**PASS**
SV-09	TC-Org-03	TMA-F-022	**Categories are created and reused** Task is linked to the selected categories; existing names are reused	'college' reused the existing 'College' category; one row in categories.	**PASS**
SV-10	TC-Task-02	TMA-F-011	**Edit a task** Updated information is saved and displayed correctly	New title and description shown; history row written.	**PASS**

Check	Test Case	Requirement	What was checked and expected	Observed	Result
SV-11	TC-Org-05	TMA-F-024	**Configure a reminder from the form** Configured reminder is stored and shown on the task	Task shows its 'Reminder ...' line; one pending row in reminders.	**PASS**
SV-12	TC-Org-02	TMA-F-021	**Status change and automatic Overdue** Status is saved and reflected in views; a past due date reads as Overdue	Past-due task showed Overdue; set to Completed through the form; reopened back to Overdue.	**PASS**
SV-13	TC-Task-04	TMA-F-013	**Complete and reopen with the buttons** Status changes correctly between active and completed	Active -> Completed -> Active, shown in the list each time.	**PASS**
SV-14	TC-Progress-01	TMA-F-033	**Dashboard counts match the task data** Counts equal what the database holds	Active / Overdue / Completed on screen [2, 1, 1] equal the database [2, 1, 1].	**PASS**
SV-15	TC-Search-01	TMA-F-030	**Search by keyword** Matching tasks are returned; others are excluded	Description keyword found one task; a non-match gave '0 matching tasks'.	**PASS**
SV-16	TC-Search-02	TMA-F-031	**Filter by status, priority and category** Only matching tasks are displayed	Each filter showed only the matching task; clearing restored all four.	**PASS**
SV-17	TC-Search-03	TMA-F-032	**Sort by due date, priority and status** The selected order is applied	Priority: ['Submit SE report', 'Old assignment', 'Lab record v2', 'Done already']. Due date: ['Old assignment', 'Submit SE report', 'Lab record v2', 'Done already']. Status: Overdue first, Completed last.	**PASS**
SV-18	TC-Task-03	TMA-F-012	**Delete needs confirmation** Cancel keeps the task; confirming removes it from every view	'Keep task' kept it. 'Delete task' removed it from the list and the database.	**PASS**
SV-19	TC-Notify-01	TMA-F-040 / TMA-F-024	**A due reminder becomes a notification without any client request** The background scheduler creates exactly one notification; the badge shows it	Scheduler delivered one notification, once. Badge showed 1, list named the task, 'Mark all as read' cleared it.	**PASS**

Check	Test Case	Requirement	What was checked and expected	Observed	Result
SV-20	TC-Notify-02	TMA-F-041	**Preferences are saved and applied to later work** Default priority and sort apply; switching in-app off stops later notifications	Sort and new-task priority followed the saved defaults; reminder fired with no notification while in-app was off.	**PASS**
SV-21	TC-Sec-01	TMA-F-014 / TMA-SR-003	**Another user cannot see or change my task** Every cross-user request is refused and recorded; the task is untouched	All 7 request types returned 403; task row unchanged; 7 ACCESS_DENIED events recorded.	**PASS**
SV-22	TC-Sec-01	TMA-F-014	**A task title containing HTML is shown as plain text (stored XSS)** The markup is displayed as text and never runs	Payload displayed literally; no script ran.	**PASS**
SV-23	TC-Admin-01	TMA-F-042	**Administrator manages users; a normal user cannot** Only authorised administrators reach admin functions; deactivation logs the user out	Normal user: no button and 403. Anonymous: 401. Admin deactivated a user: session dead, login 403, action in the log.	**PASS**
SV-24	TC-UX-01	TMA-NF-005	**No JavaScript errors during the whole browser session** The browser reports no uncaught errors	No uncaught JavaScript errors across all flows above.	**PASS**
SV-25	TC-UX-01	TMA-NF-005	**Responsive layout at phone, tablet and desktop widths** No sideways page scroll at 360, 390, 768 and 1280 px; controls stay inside the screen	Overflow px / off-screen controls per width: 360: 0/0, 390: 0/0, 768: 0/0, 1280: 0/0	**PASS**
SV-26	TC-UX-01	TMA-NF-005	**Keyboard-only use of the main flow** Tab reaches the controls, a visible focus style appears, Esc closes a dialog, a task can be created without a mouse	Login, new task, Esc and save all worked with the keyboard. First Tab reached the skip link (focus outline: solid 3px).	**PASS**
SV-27	TC-UX-01	TMA-NF-005	**Accessible names and dark mode** Every visible control has an accessible name; the page follows the system dark setting	Body background rgb(20, 27, 31). No unnamed controls. Row buttons have task-specific names, e.g. 'Delete Buy groceries'.	**PASS**

Check	Test Case	Requirement	What was checked and expected	Observed	Result
SV-28	TC-UX-01	TMA-NF-005	**A failed request shows a clear message (temporary network failure)** The user sees an understandable error and no data is lost	Offline: 'Can't reach the server...' and the form stayed open. Online again: the same form saved exactly one task.	**PASS**
SV-29	TC-Sec-02	TMA-SR-002 / TMA-NF-003	**Inspect stored credentials in the real database file** Only secure salted hashes; no plaintext passwords or session tokens anywhere in the file	Hashes start with scrypt:32768:8:1; two users with one password have different hashes; password and raw token absent from the raw DB and WAL bytes; API never returns the hash.	**PASS**
SV-30	TC-Sec-04	TMA-SR-004	**Forged, logged-out and expired tokens are refused** All get 401; protected data is not returned	Forged 401, no token 401, session expired in the database 401, logged out 401.	**PASS**
SV-31	TC-Sec-05	TMA-SR-005	**Security events are recorded without secrets** Failed login, success, logout, denied access and admin actions are logged; no passwords or tokens	43 events of 6 types recorded, with IP addresses; the attempted passwords do not appear; administrators can read them through the API.	**PASS**
SV-32	TC-Auth-03	TMA-F-003 / SAD 3.9	**Repeated failed logins are locked out** After 5 failures the account refuses login, even with the right password	Codes [401, 401, 401, 401, 401, 429]; correct password then 429; the already-open session keeps working.	**PASS**
SV-33	TC-Sec-02	TMA-NF-003	**Security headers on real responses; no-store on API data** Headers present on pages and API responses	nosniff, frame DENY, no-referrer, CSP and no-store all present. CSP: default-src 'self'; img-src 'self' data:; style-src 'self'; ...	**PASS**
SV-34	TC-Sec-02	TMA-NF-003	**SQL injection attempts in login, search, filters and sort** Treated as data or refused; no extra rows returned; no server error	Status codes {'login': 401, 'q': 200, 'cat': 200, 'sort': 400, 'order': 400, 'status': 400}; no other user's data returned; table intact.	**PASS**
SV-35	TC-Val-01	Test Plan 5.1 / SAD 4.4	**Fuzz: malformed input gets a clear 4xx** Every malformed request returns a 4xx in the standard error format	All 19 probes returned a 4xx with the standard error body.	**PASS**

Check	Test Case	Requirement	What was checked and expected	Observed	Result
SV-36a	TC-Val-01	Test Plan 5.1 / SAD 4.4	**Boundary input: huge task id in URL** A controlled 4xx (or a normal success); never a 500	HTTP 404 NOT_FOUND	**PASS**
SV-36b	TC-Val-01	Test Plan 5.1 / SAD 4.4	**Boundary input: huge offset in query** A controlled 4xx (or a normal success); never a 500	HTTP 400 VALIDATION_ERROR	**PASS**
SV-36c	TC-Val-01	Test Plan 5.1 / SAD 4.4	**Boundary input: minutesBefore = 1e999 (infinity)** A controlled 4xx (or a normal success); never a 500	HTTP 400 VALIDATION_ERROR	**PASS**
SV-36d	TC-Val-01	Test Plan 5.1 / SAD 4.4	**Boundary input: date at year 1 with an offset** A controlled 4xx (or a normal success); never a 500	HTTP 400 VALIDATION_ERROR	**PASS**
SV-36e	TC-Val-01	Test Plan 5.1 / SAD 4.4	**Boundary input: date at year 9999 with an offset** A controlled 4xx (or a normal success); never a 500	HTTP 400 VALIDATION_ERROR	**PASS**
SV-36f	TC-Val-01	Test Plan 5.1 / SAD 4.4	**Boundary input: lone surrogate in title** A controlled 4xx (or a normal success); never a 500	HTTP 400 VALIDATION_ERROR	**PASS**
SV-36g	TC-Val-01	Test Plan 5.1 / SAD 4.4	**Boundary input: lone surrogate in password at login** A controlled 4xx (or a normal success); never a 500	HTTP 400 VALIDATION_ERROR	**PASS**
SV-36h	TC-Val-01	Test Plan 5.1 / SAD 4.4	**Boundary input: lone surrogate in search** A controlled 4xx (or a normal success); never a 500	HTTP 200	**PASS**
SV-36i	TC-Val-01	Test Plan 5.1 / SAD 4.4	**Boundary input: huge reminder id** A controlled 4xx (or a normal success); never a 500	HTTP 404 NOT_FOUND	**PASS**

Check	Test Case	Requirement	What was checked and expected	Observed	Result
SV-36j	TC-Val-01	Test Plan 5.1 / SAD 4.4	**Boundary input: due date at year 1, reminder before it** A controlled 4xx (or a normal success); never a 500	HTTP 400 VALIDATION_ERROR	**PASS**
SV-36k	TC-Val-01	Test Plan 5.1 / SAD 4.4	**Boundary input: JSON nested 12000 levels deep** A controlled 4xx (or a normal success); never a 500	HTTP 400 VALIDATION_ERROR	**PASS**
SV-36l	TC-Val-01	Test Plan 5.1 / SAD 4.4	**Boundary input: emoji and Kannada text (must still be accepted)** A controlled 4xx (or a normal success); never a 500	HTTP 201	**PASS**
SV-37	TC-Integrity-01	TMA-NF-004	**The application still works after all the bad input** Health is ok and the user's data is unchanged	Health ok; base task unchanged.	**PASS**
SV-38	TC-Perf-01	TMA-NF-001	**Dashboard response time under normal load** 95th percentile at most 3 seconds	1000 requests from 10 concurrent clients, 500 tasks per user: p50 20 ms, p95 33 ms, max 47 ms, 0 errors.	**PASS**
SV-39	TC-Perf-01	TMA-NF-001 / Test Plan 5	**Search and filter response time under normal load** 95th percentile at most 3 seconds	500 requests from 10 concurrent clients (up to 100 tasks per response): p50 35 ms, p95 64 ms, max 92 ms, 0 errors.	**PASS**
SV-40	TC-Integrity-01	TMA-NF-004	**Simultaneous writes from many clients** Every confirmed create is stored once, with its history; no 'database is locked' errors	200 creates from 20 threads: 200 returned 201, 200 new task rows, 200 history rows.	**PASS**
SV-41	TC-Sec-03	TMA-SR-001	**HTTP is redirected to HTTPS when FORCE_HTTPS is on** 301 to the https:// address	301, Location: https://127.0.0.1:53869/api/health	**PASS**
SV-42	TC-Sec-03	TMA-SR-001	**Traffic is really encrypted with `run.py --https`** A real TLS handshake succeeds, HSTS is sent over HTTPS, and plain HTTP is not served on that port	TLSv1.3 handshake OK; HSTS sent; plain HTTP not served on that port. Partial because the certificate is self-signed: a trusted certificate and reverse proxy exist only in a deployment (D12).	**PARTIAL**

Check	Test Case	Requirement	What was checked and expected	Observed	Result
SV-43	TC-Integrity-01	TMA-NF-004 / SRS 6	**Server killed abruptly (kill -9): confirmed data survives** After a restart every confirmed change is present and the database passes its integrity check	All 24 remaining tasks, the edit, the completion and the delete survived; the session token stayed valid; integrity_check ok; no foreign-key violations.	**PASS**
SV-44	TC-Reliability-01	TMA-NF-002	**Availability: health check and recovery** Health endpoint reports status; monthly uptime of at least 99.5%	Health returns 200 with database ok; back up 0.2 s after a kill and restart. NOT measured: the 99.5% monthly figure needs a deployed system monitored for a month (D13).	**PARTIAL**
SV-45	TC-Sec-05	TMA-SR-005 / SAD 4.4	**Server log contains no passwords or session tokens** The test passwords and bearer tokens do not appear in the application log	2167 log lines scanned: no passwords, no tokens. Tracebacks logged: 0 (from the boundary-input defects, if any).	**PASS**