PG - DAC SEPT 22

MODULE NAME - DATABASE TECHNOLOGIES

## NAME - ATUL VITTHAL LONKAR

ROLL NO - 220950320071

Exercise 1

A university DB contains information about professors (identified by SIN) and courses (identified by course ID). Professors teach courses; each of the following situations concerns the Teaches relationship set.

List all candidate keys of the Teaches relationship set.

a. Professors can teach the same course in several semesters, and each offering must be recorded.

Ans - Candidate key -> SSN , COURSE_ID , SEMESTER_ID

b. Professors can teach the same course in several semesters, but only the most recent such offering needs to be records.Assume the above Situation (b) applies in all subsequent situations.

Ans -> Candidate key -> SSN , COURSE_ID , SEMESTER_ID , RECORDS_NO

List all the keys possible in each of the following situations.

a. Every professor teaches a course, and every course is taught by some professor.

Ans -> PRIMARY KEY -> SSN

Candidate Key -> SSN , COURSE_ID , SEMESTER_ID , RECORDS_NO

ALTERNATE KEY -> COURSE_ID , SEMESTER_ID , RECORDS_NO

Super key -> { SSN } , {COURSE_ID } , { SEMESTER_ID } , { RECORDS_NO } {SSN , COURSE_ID } , { SSN , SEMESTER_ID } , {SSN ,
RECORDS_NO } , { SSN , COURSE_ID , SEMESTER_ID , RECORDS_NO } , {
COURSE_ID , SEMESTER_ID } , { COURSE_ID , RECORDS_NO } ,
{
SEMESTER_ID , RECORDS_NO } { SEMESTER_ID , COURSE_ID , RECORDS_NO }

b. Every professor teaches exactly one course, and every course is taught by exactly one professor.

Ans -> PRIMARY KEY -> SSN

Candidate Key -> SSN , COURSE_ID , COURSE_NAME SEMESTER_ID , RECORDS_NO

ALTERNATE KEY -> COURSE_ID , SEMESTER_ID , RECORDS_NO

Super key -> { SSN } , {COURSE_ID } , { SEMESTER_ID } ,

{ RECORDS_NO } {SSN , COURSE_ID } ,{SSN , PROFESSOR_NAME } , { SSN , SEMESTER_ID } , {SSN , RECORDS_NO } , { SSN , COURSE_ID , COURSE_NAME , SEMESTER_ID , RECORDS_NO } , { COURSE_ID , SEMESTER_ID } , { COURSE_ID , RECORDS_NO } , { SEMESTER_ID , RECORDS_NO } { SEMESTER_ID , COURSE_ID , COURSE_NAME , RECORDS_NO } etc.