

ITE 2952 - Programming Group Project

THE MARKET BASKET

WEB - BASED

GROCERY SHOP

Created By :

“Code Crushers”

E2240038 - Samaraweera SAKR

E2240318 - Prabhashwara PAK

E2240258 - Dulanjana PGH



Table of content

Abstract.....	1
Chapter 01: Introduction.....	2
1.1 Overview.....	2
1.2 Background and Motivation.....	2
1.3 Aims and Objectives.....	2
1.4 Project Scope.....	3
1.5 Problem in Brief.....	4
1.6 Document Conventions.....	5
1.7 Intended Audience and Reading Suggestions.....	5
Chapter 02: Related Research.....	6-9
2.6 Summary Table.....	9
Chapter 03: System Analysis And Design.....	6
3.1 Overview.....	10
3.2 ER Diagram.....	11
3.3 Class Diagram.....	12
3.4 Use Case Diagram.....	13-18
3.5 Activity Diagram.....	19-21
3.6 Design Diagrams(Flow Charts).....	22
Chapter 04: Technologies Adopted.....	31
4.1 Overview.....	31

4.2 Software Development Methodology.....	31
4.3 Software Architecture.....	33
4.4 Software Requirements.....	34
4.5 Hardware Requirements.....	35
4.6 Communication Requirements.....	35
4.7 Other Requirements.....	36
4.8 Summary.....	36

Chapter 05: Implementation.....37

Chapter 06: Conclusion And Future Works.....268

6.1 Conclusion.....	268
6.2 Challenges And Overcomes.....	269
6.3 Future Works.....	270
6.4 Reflection.....	271
6.5 Testing.....	272

Chapter 07: Responsibility Matrix.....274

References

Abstract

This report presents The Market Basket, a web-based grocery shopping platform designed to simplify the shopping experience by offering a range of products, easy navigation, and convenient ordering. Our aim was to create a responsive, efficient platform that meets the needs of both customers and administrators through a robust set of functionalities, including order management, product listings, and cart features. This report details our development approach, chosen technologies, system design, and challenges encountered. We conclude by discussing future enhancements and reflecting on each member's contributions.

Chapter 01: Introduction

1.1 Overview

The Market Basket project was developed to provide both customers and administrators with an efficient platform for online grocery shopping. This SRS outlines the functional and non-functional requirements so all stakeholders understand the project's goals and expected features. Customers will have a simple interface to browse and search for products, manage their shopping cart, add comments, contact details, and locations, and securely check out. Administrators will manage product catalogs, user accounts, orders, and delivery fees to ensure smooth operations. The SRS also highlights performance, security, and scalability, ensuring the platform can grow with increasing user demand while safeguarding user data.

1.2 Background and Motivation

The increasing demand for online shopping, especially in the grocery sector, has prompted the development of The Market Basket, a web-based platform designed to simplify the grocery shopping experience. The shift from traditional in-store shopping to online platforms has been accelerated by modern consumer expectations for convenience, quick access to products, and efficient service. As a response, The Market Basket aims to offer an accessible and easy-to-use solution for customers while providing shop owners with a streamlined way to manage their inventory, orders, and delivery fees.

Motivated by the need to bridge the gap between customers and grocery vendors, this platform offers key functionalities such as product browsing, shopping cart management, and secure checkout. Additionally, based on user feedback and market trends, new features have been introduced, allowing users to leave comments, provide contact information, and specify locations for more accurate order processing. This enhances communication between users and vendors, fostering better customer satisfaction without compromising privacy through location tracking.

The motivation behind The Market Basket stems from a desire to create a platform that addresses both consumer and business needs in a way that is both efficient and user-friendly. By leveraging technologies like PHP, jQuery, and Bootstrap, the platform ensures smooth interactions and performance, making it an essential tool for modern-day grocery shopping.

1.3 Aims and Objectives

1.3.1 Aim

The primary aim of The Market Basket is to provide a seamless and efficient online platform for grocery shopping that meets the needs of both customers and administrators. By offering a user-friendly interface, the platform aims to simplify the entire process of grocery shopping, from product browsing to order placement and delivery fee calculation, while ensuring a smooth experience for customers and effective management tools for shop owners.

1.3.2 Objectives

➤ Provide a user-friendly shopping experience

Develop a platform where customers can easily browse through product categories, manage their shopping carts, and complete orders without technical difficulties.

➤ Allow users to add comments and details

Implement features where users can provide comments, contact numbers, and locations for better order accuracy, while maintaining privacy (no location tracking).

➤ Efficient inventory and order management for shop owners

Ensure that shop owners can effectively manage their product inventory, monitor orders, and handle user accounts through an organized administrative interface.

➤ Implement secure and transparent checkout process

Enable customers to view delivery fees and securely check out, with transparent information about charges before finalizing their purchases.

➤ Ensure platform scalability and performance

Design the system to handle increasing numbers of users and transactions while maintaining performance and minimizing downtime.

➤ Maintain high security standards

Protect sensitive user data, ensuring the system is secure against breaches and unauthorized access, complying with best practices in data security.

1.4 Project Scope

The Market Basket is an online grocery shopping platform designed to improve both the customer experience and the ease of store management. The system is built using core PHP, jQuery, and Bootstrap, and it's divided into two parts: the front-end, which customers interact with, and the back-end, where administrators manage operations.

Front-End:

The platform allows for two main types of users: unregistered and registered.

- **Unregistered users:** These users can browse through the product listings, check prices, and explore delivery options, but they will not be able to make any purchases without registering.
- **Registered users:** Registered users have full access to the platform's features. They can add products to their shopping cart, provide additional details like comments, contact numbers, and location (for delivery purposes), and proceed with their orders. They can also manage their previous orders, view delivery charges, and make adjustments as necessary.

Back-End (Admin Portal):

Administrators are responsible for managing the platform and ensuring its smooth operation.

- **Product management:** Admins can add, edit, and remove products from the inventory. They also handle pricing, stock levels, and promotional offers to ensure the product catalog remains up-to-date.
- **Order management:** Admins oversee customer orders, ensuring accurate processing and updating the system as necessary, including handling delivery fees and product availability.
- **User management:** Admins also manage user accounts, handling customer registrations and ensuring secure access to the platform.
- **Delivery fee management:** The admin sets and adjusts delivery charges based on factors such as order size and customer location, which users provide when placing an order.

Additional Features:

- **Comment and Contact Information:** Users can leave comments, add their contact details, and specify their location when placing an order, making it easier for shop owners to manage deliveries without the need for location tracking.
- **Order Review:** Customers can track their current and past orders through the system, enhancing their control over the shopping process.
- Overall, The Market Basket aims to streamline grocery shopping by offering a simple, user-friendly platform for customers and an efficient management system for store owners. It is designed to scale as demand grows, ensuring a smooth and reliable experience for everyone involved.

1.5 Problem in Brief

In today's fast-paced digital world, online shopping has become a preferred way for customers to conveniently purchase groceries and other essential items. However, many online grocery platforms lack essential user-friendly features, which creates multiple challenges. Customers often face issues like inaccurate stock information, leading to unexpected unavailability of products during checkout, which disrupts their shopping experience. Additionally, the absence of clear, real-time order updates and limited communication options make it difficult for customers to feel connected or informed about their purchases.

For administrators, managing product listings, updating inventory, and processing orders in a timely manner are often complicated by poorly optimized systems. This lack of efficiency can result in delays, errors in order fulfillment, and difficulties in handling customer feedback effectively. These challenges ultimately reduce customer satisfaction and impact the overall reliability of the platform.

This project aims to address these shortcomings by developing a web-based grocery shop platform with a user-centered design. By focusing on improved usability, real-time product availability, efficient order management, and enhanced customer engagement, the platform will provide a seamless, reliable shopping experience that meets the needs of both customers and administrators.

1.6 Document Conventions

This document follows a clear structure with sections and subsections numbered for easy reference (e.g., 1.0, 1.1). Important terms like Admin (system administrator) and User (customer) are defined, while acronyms such as SRS, HTTP, and SQL are explained in Section 1.3.2. Bold and italic text are used to emphasize headings and key terms. External references are cited in square brackets and listed in Section 1.4 for further reading.

1.7 Intended Audience and Reading Suggestions


This document is primarily intended for developers, administrators, and stakeholders involved in the development and management of The Market Basket platform. Developers will use the detailed requirements to guide the implementation of the system, while administrators will gain an understanding of the platform's management features. Stakeholders, including business owners, can refer to this document for an overview of the system's capabilities and expectations. It is recommended that developers focus on the functional and non-functional requirements sections, while administrators review the product management and user account sections.

Chapter 02: Related Research

Our research reviewed various e-commerce and grocery platforms to identify effective features and best practices in online grocery shopping. Sites like Amazon Fresh, Target Grocery, Instacart, FreshDirect, and Walmart Grocery were examined to understand their user-friendly interfaces, filtering systems, and efficient checkout processes. Additionally, research on user behavior in online shopping helped inform design choices aimed at enhancing user engagement and retention. The study of secure payment gateways and data privacy laws further influenced the security measures implemented in our platform.

2.1 Instacart

Instacart is a popular online grocery delivery service that allows users to shop for groceries from local stores through its app or website. It offers a wide selection of products, real-time inventory updates, and same-day delivery options. Users can easily search for items, create shopping lists, and receive personalized recommendations based on their shopping history.



2.2 Amazon Fresh

Amazon Fresh is an online grocery service offered by Amazon, providing users with the convenience of shopping for groceries online and having them delivered to their doorsteps. It features a vast selection of products, including fresh produce, pantry staples, and household essentials. Users can enjoy benefits such as subscription options for regular deliveries and integration with Amazon Prime for faster shipping.

The screenshot shows the Amazon Fresh website at https://www.amazon.com/fmc/storefront?almBrandId=QW1hem9uIEZyZX... The page is set to 'Deliver to Sri Lanka'. The top navigation bar includes 'AmazonFresh', a search bar, and links for 'Hello, sign in', '>Returns & Orders', and a shopping cart with 0 items. Below the header, a message says 'To continue shopping for Amazon Fresh, choose another address.' The main content area features a large banner with 'grocery favorites love, for less.' and images of beef and chicken. A yellow 'Shop this week's savings' button and a red 'Sale' button are prominently displayed. Other sections include 'Breakfast Foods' and a link to 'Activate Windows'.

2.3 Walmart Grocery

Walmart Grocery offers a comprehensive online shopping experience, allowing users to browse and purchase groceries for delivery or pickup at their nearest Walmart store. The platform features an extensive catalog of products, including fresh food items, pantry essentials, and household goods. Users can create shopping lists, access special discounts, and enjoy the convenience of flexible pickup or delivery options.

The screenshot shows the Walmart Grocery website at https://www.walmart.com/cp/food/976759. The top navigation bar includes the Walmart logo, a search bar, and a shopping cart icon showing \$0.00. A dropdown menu asks 'How do you want your items?' with options for delivery or pickup. The main content area features a section titled 'Autumn yums' with four images: 'Fall Flavors' (cookies), 'Halloween candy' (candy corn), 'Tailgating food' (chicken wings), and 'Cozy recipes' (soup). Below this are sections for 'Now Trending' (Tailgating Food) and 'Crave-worthy food Deals' (with various grocery items like chips, coffee, and snacks). A 'Shop now' button is also present.

2.4 Target Grocery

This service offers a wide range of grocery items with same-day delivery and pickup options. It also features special promotions, integration with Target Circle rewards, and a personalized shopping experience.

The screenshot shows the Target grocery homepage. At the top, there's a navigation bar with links for 'Ship to 52404', 'Cedar Rapids South', 'Target Circle™ Card', 'Target Circle 360™', 'Registry', 'Weekly Ad', and 'Find Stores'. Below the navigation is a search bar with the placeholder 'What can we help you find?'. A red banner at the top says 'Ocircle™ week is here! Save now with deals on 1000s of items. Ends 10/12. Explore now.' The main content area is titled 'Grocery' and shows categories like 'Grocery Deals', 'Bakery & Bread', 'Beverages', 'Breakfast & Cereal', 'Candy', and 'Coffee'. A button 'Show all 24' is visible. At the bottom, there's a promotional message about same-day delivery for orders above \$35 with a Target Circle 360 membership, along with links to 'Learn more', 'Activate Windows', and 'Go to Settings to activate Windows.'

2.5 FreshDirect

FreshDirect is an online grocery delivery service focused on delivering fresh, high-quality food directly to customers' homes. The platform offers a variety of products, including organic and locally sourced items. Users can explore meal kits, prepared foods, and a broad selection of groceries. FreshDirect provides personalized shopping experiences and allows customers to schedule deliveries that suit their needs.

The screenshot shows the FreshDirect homepage. At the top, there's a logo and a search bar. A green banner at the top says 'Fuel Your Fall giveaway: Freebies all month long! Claim yours now >'. Below the banner, there's a section for 'High holiday feasts' with a link 'Order your prepared meal today. Shop now >' and an image of various dishes. The main navigation menu includes 'Shop by' with an 'EXPRESS' toggle, and filters for 'Peak Quality', 'New', 'Gluten-Free', 'Organic', 'Kosher', and 'Local'. A 'Fresh Deals: The week's best for less' section with a 'View all' link is shown, featuring items like a box of raspberries, salmon fillets, and a package of meat. A sponsored product for 'Pork Tenderloin' is also displayed. At the bottom right, there's a message 'Activate Windows Go to Settings to activate Windows.'

2.6 Summary Table

Feature	Instacart	Amazon Fresh	Walmart Grocery	Target Grocery	Fresh Direct
User Friendly Interfaces	YES	YES	YES	YES	YES
Online Shopping	YES	YES	YES	YES	YES
Delivery Options	Island-wide Delivery	World-wide Delivery	World-wide Delivery	World-wide Delivery	Island-wide Delivery
Discounts	YES	YES	YES	YES	YES
Payment Options	Multiple Options	Multiple Options	Multiple Options	Multiple Options	Multiple Options

Table 2.6 Summary Table

Chapter 03: System Analysis And Design

3.1 Overview

The System Analysis and Design chapter provides an in-depth look at the requirements and structural design for The Market Basket, a web-based grocery shopping platform. This chapter lays the groundwork for development, ensuring a clear understanding of the system's functions and architecture that aligns with user needs and expectations.

The System Analysis phase focuses on identifying what the platform should accomplish and any constraints it must work within. This involves gathering and documenting the requirements of both users and administrators, defining the scope of the system, and creating models that outline its functionality and data flow. This step is critical for aligning the project's goals with user expectations and ensuring that every requirement—such as viewing products, managing orders, and updating stock—is thoroughly captured.

The System Design phase translates these requirements into a structured plan for building the platform. Here, we develop visual diagrams, including use case diagrams, activity diagrams, sequence diagrams, class diagrams, and ER diagrams, that showcase how the system will operate, interact with users, and handle data. These diagrams offer a clear picture of the system's setup and interactions, serving as a roadmap for development.

This chapter includes the following sections:

1. UML Diagrams: These diagrams visually represent the platform's structure and interactions.

- **Use Case Diagram:** Shows the functional requirements by depicting how users (customers and administrators) will interact with the system, such as browsing products, adding items to the cart, and managing inventory.
- **Activity Diagram:** Lays out the process flows, like placing an order or checking out, highlighting each step and decision point in these processes.
- **Class Diagram:** Defines the system's structure, including classes like Product, Cart, Order, and User, each with its attributes and functions.

2. ER Diagram: The Entity-Relationship diagram outlines the data model, displaying key entities like Product, Customer, Order, and Category, and their relationships. This diagram is crucial for understanding how data will be stored, managed, and used to support functions like stock management and order fulfillment.

3. Database Design: This section covers the database setup, including the schema, table structure, and any design assumptions. The design ensures the database can handle all the platform's requirements effectively, supporting functions like real-time inventory updates, order history tracking, and user account management.

With a structured approach to system analysis and design, this chapter provides a strong framework for building a reliable, efficient, and user-friendly grocery shopping platform. The goal is to meet the needs of users and administrators, streamline order management, and enhance the overall shopping experience.

3.2 ER Diagram




Figure 3.2 ER Diagram

3.3 Class Diagram




Figure 3.3 Class Diagram

3.4 Use Case Diagram

3.4.1 High Level Use Case Diagram




Figure 3.4.1 High Level Use Case Diagram

3.4.2 Use Case Diagram For Admin Management




Figure 3.4.2 Use Case Diagram For Admin Management

3.4.3 Use Case Diagram For Customer Management



Figure 3.4.3 Use Case Diagram For Customer Management

3.4.4 Use Case Diagram For Login System




Figure 3.4.4 Use Case Diagram For Login System

3.4.5 Use Case Diagram For Order Management




Figure 3.4.5 Use Case Diagram For Order Management

3.4.6 Use Case Diagram For Product Perspective




Figure 3.4.6 Use Case Diagram For Product Perspective

3.5 Activity Diagram

3.5.1 Activity Diagram For Admin Dashboard




Figure 3.5.1 Activity Diagram For Admin Dashboard

3.5.2 Activity Diagram For Customer Dashboard




Figure 3.5.2 Activity Diagram For Customer Dashboard

3.5.3 Activity Diagram For Login




Figure 3.5.3 Activity Diagram For Login

3.6 Design Diagrams

3.6.1 Flow Charts

3.6.1.1 Flow chart for Admin Registration




Figure 3.6.1.1 Flow chart for Admin Registration

3.6.1.2 Flow chart for Admin Login




Figure 3.6.1.2 Flow chart for Admin Login

3.6.1.3 Flow chart for Add New Category To The System




Figure 3.6.1.3 Flow chart for Add New Category To The System

3.6.1.4 Flow chart for Delete Category




Figure 3.6.1.4 Flow chart for Delete Category

3.6.1.5 Flow chart for Print Bill




Figure 3.6.1.5 Flow chart for Print Bill

3.6.1.6 Flow chart for Customer Registration




Figure 3.6.1.6 Flow chart for Customer Registration

3.6.1.7 Flow chart for Customer Login




Figure 3.6.1.7 Flow chart for Customer Login

3.6.1.8 Flow chart for Add To Cart




Figure 3.6.1.8 Flow chart for Add To Cart

3.6.1.9 Flow chart for Checkout Process




Figure 3.6.1.9 Flow chart for Checkout Process

Chapter 04: Technologies Adopted

4.1 Overview

The Technologies Adapted section highlights the key technologies, tools, and methodologies employed in developing The Market Basket, a web-based grocery store application. As a team of undergraduate students working on this project over the course of a semester, our choice of technologies was guided by accessibility, educational value, and the need for a functional, scalable, and secure system. This section provides a detailed explanation of the software, hardware, and communication components we utilized, as well as how these technologies contributed to the successful development of our project.

By leveraging a combination of modern tools and best practices, we aim to build an application that is both practical and easy to use, while also offering a learning opportunity. The technologies we selected streamline the development process, helping us create a reliable system that aligns with the project's goals. In addition, these technologies have enhanced our collaboration, enabling us to efficiently address evolving requirements and improve the project as we move forward.

4.2 Software Development Methodology

For the development of The Market Basket, we adopted the Agile methodology, which is well-suited for managing the dynamic nature of our project. Agile promotes iterative development, close collaboration, and continuous feedback, making it ideal for our team of undergraduates working within a limited timeframe. This methodology provides flexibility, allowing us to quickly respond to changing requirements and incorporate new features as needed.

Key Agile Principles:

- 1. Iterative Development:** We broke down the project into smaller, manageable phases called sprints, each lasting two weeks. At the end of each sprint, we aimed to deliver a functional version of the application, incorporating feedback and making improvements where necessary.
- 2. Collaboration:** Regular communication within the team is crucial for our project's success. We hold frequent meetings to discuss our progress, share challenges, and plan our next steps. This helps ensure everyone is on the same page and contributes effectively.
- 3. Customer Feedback:** Even though our project doesn't have external stakeholders, we simulate feedback by reviewing the project at various stages and consulting peers and mentors. This feedback helps guide our decisions and ensures the project stays on track.
- 4. Flexibility:** One of the core advantages of Agile is its ability to adapt. Whether it's adding a new feature, revising an existing one, or adjusting our project goals, we can accommodate changes without derailing the overall progress.

5. Continuous Improvement: After every sprint, we hold retrospectives to discuss what went well, what could be improved, and how we can streamline our workflow. This allows us to refine our approach and improve efficiency in the upcoming sprints.

6. Test-Driven Development (TDD): We practice test-driven development by writing tests before implementing features. This helps ensure the quality and functionality of the code from the outset, reducing the risk of bugs and simplifying the debugging process.

Agile Implementation in The Market Basket Project:

In our web-based grocery store project, we used Agile as follows:

- **Sprint Planning:** At the start of each sprint, we collaborate to establish clear goals, assign tasks, and decide what deliverables we aim to achieve. Prioritizing tasks based on their importance ensures that we focus on what matters most.
- **Daily Stand-Ups:** Each day, we hold short meetings to review what we accomplished the previous day, what we plan to work on today, and identify any challenges that might hinder progress. This keeps the team aligned and allows for quick resolution of any issues.
- **Sprint Reviews:** After each sprint, we review the work completed and simulate a feedback session. This gives us the opportunity to assess our progress and make adjustments for the next sprint.
- **Retrospectives:** Following every sprint, we reflect on the process to determine areas of improvement. We discuss what worked well, what didn't, and how we can adapt our approach to improve efficiency and outcomes in future sprints.

By applying the Agile methodology, we ensure that the development of The Market Basket is efficient, flexible, and continuously improving. This approach not only helps us meet our project goals but also ensures that we deliver a high-quality application that meets the expectations of our users.

4.3 Software Architecture

The software architecture for the Market Basket web application is designed to provide a smooth and scalable shopping experience. It integrates both front-end and back-end components to deliver a reliable and user-friendly interface for customers and administrators.

Front-End Development

1. Technologies Used:

HTML, CSS, and Bootstrap: The front-end is built using HTML and CSS for structure and design. Bootstrap is used to create a responsive and visually appealing layout that adjusts smoothly across various devices.

2. Development Environment:

Visual Studio Code: We use Visual Studio Code for writing and editing the application's code, leveraging its extensions to enhance development efficiency and maintain code quality.

3. Browser Compatibility:

The application is optimized for modern browsers like Google Chrome, ensuring compatibility and smooth performance across different platforms.

4. Responsive Design:

The front-end is designed to be responsive, ensuring a consistent user experience across desktops, tablets, and smartphones.

5. User Experience Alignment:

The interface is designed with simplicity in mind, offering easy navigation and clear layouts for efficient task completion, backed by user feedback for continuous improvement.

Back-End Development

The back-end architecture supports the core functionalities of the system, including user management, order processing, and product management, ensuring a secure and scalable platform for the application.

4.4 Software Requirements

The Market Basket web application has specific functional and non-functional requirements designed to meet user expectations and ensure the application's performance.

1. Functional Requirements:

- Browse Products: Users should be able to explore available products and categories.
- Add to Cart: Users must be able to add items to their cart, view the cart, and proceed to checkout.
- Manage Profiles: Users should have the ability to register, log in, and manage personal details.
- Order Management: Admins should be able to view, update, and manage customer orders.

2. Non-Functional Requirements:

- Performance: The application should handle multiple users simultaneously with fast response times.
- Security: Robust security measures, such as secure login and data encryption, will be implemented to protect user information.
- Reliability: The system should be stable and available, with minimal downtime.
- Usability: The application will be easy to use, with clear navigation and quick access to important features.
- Compatibility: It will work on major browsers like Google Chrome and Firefox.

3. Development Tools and Technologies:

- Front-End: HTML, CSS, Bootstrap, Visual Studio Code
- Back-End: PHP, MySQL, and core JavaScript for server-side logic.
- Testing: Unit testing and integration testing will ensure the application's functionality.

4.5 Hardware Requirements

The Market Basket web application will be hosted on reliable cloud infrastructure, with the following specifications:

1. Server Requirements:

Hosting Environment: A cloud-based hosting service (e.g., AWS or similar) will be used to host the application, ensuring scalability and accessibility.

Compute Resources: The server will be equipped with sufficient CPU and RAM to handle traffic efficiently.

Storage: Adequate storage will be allocated to handle product details, user profiles, and transaction history.

2. Networking:

Internet Connectivity: High-speed internet is essential for ensuring seamless communication between the user and server.

Security: Secure protocols (e.g., HTTPS) will be employed to protect sensitive data.

3. Client Devices:

The application will be accessible on desktops, laptops, tablets, and smartphones, with a responsive design ensuring accessibility on all screen sizes.

4.6 Communication Requirements

The Market Basket web application will ensure secure and efficient communication through various protocols and technologies.

1. Client-Server Communication:

HTTPS: Secure communication between clients (users) and the server will be enabled using HTTPS to protect sensitive data.

2. API Integration:

RESTful APIs: APIs will be used to connect with external services, such as payment gateways, ensuring secure transactions.

3. Real-Time Updates:

The application will provide real-time updates on order status and product availability using WebSocket for instant communication.

4. Security:

Authentication: Strong authentication mechanisms will be implemented for secure user logins.

Encryption: Data encryption will protect sensitive information during transactions and storage.

4.7 Other Requirements

The Market Basket application will also address several additional requirements to ensure regulatory compliance, smooth operation, and scalability.

1. Regulatory Compliance:

Data Protection: The system will comply with data protection laws (e.g., GDPR) to ensure privacy and secure handling of user data.

2. Localization:

Multi-Language Support: The application will support multiple languages to cater to a diverse user base.

3. Backup and Recovery:

Data Backup: Regular backups will be scheduled to prevent data loss and ensure recovery in case of hardware failure.

4. Documentation and Training:

User Guides: Clear user documentation will be provided for easy navigation and troubleshooting.

5. Third-Party Integration:

Payment Systems: Secure payment gateways (e.g., PayPal, Stripe) will be integrated for seamless transactions.

4.8 Summary


In this section, we have outlined the requirements for the Market Basket web application, focusing on software architecture, hardware, communication, and other essential aspects. The application will be designed to provide a responsive, secure, and user-friendly shopping experience, supported by robust back-end infrastructure and effective communication protocols. By meeting these requirements, we aim to deliver an efficient and reliable grocery shopping platform that meets user expectations and provides scalability for future growth.

Chapter 05: Implementation

Admin side

Admin Login:

This interface is where administrators enter their credentials to access the system. It typically consists of fields for the username and password, along with a "Login" button. A clean and simple design is essential for ease of use.



Admin login

```
<?php  
  
    session_start();  
  
    include("conn.php");  
  
    $message = "";  
  
    if(isset($_POST["singUpBtn"])){
  
        $userName = $_POST["userName"];
  
        $password = $_POST["password"];
  
        $query = "SELECT * FROM admin WHERE username = '$userName'";
  
        $reuslt = mysqli_query($con,$query);
  
        if(mysqli_num_rows($reuslt) > 0){
  
            $row = mysqli_fetch_assoc($reuslt);
  
            $uname = $row['username'];
  
        }
    }
}
```

```

$_SESSION["userName"] = $uname;

$_SESSION["image"] = $row['image'];

$verifyPassword = password_verify($password,$row['password']);

if($userName == $uname && $verifyPassword == TRUE){

    header("Location:index.php");

}else{

    $message = '<div class="alert alert-primary d-flex align-items-center" role="alert">

        <svg xmlns="http://www.w3.org/2000/svg" width="24" height="24" fill="currentColor" class="bi bi-exclamation-triangle-fill flex-shrink-0 me-2" viewBox="0 0 16 16" role="img" aria-label="Warning:>

            <path d="M8.982 1.566a1.13 1.13 0 0 0-1.96 0L1.165 13.233c-.457.778.091 1.767.98 1.767h13.713c.889 0 1.438-.99.98-1.767L8.982 1.566zM8.5c.535 0 .954.462.9.995l-.35 3.507a.552.552 0 0 1-1.1 0L7.1 5.995A.905.905 0 0 1 8.5zm.002 6a1 1 0 1 1 0 2 1 1 0 0 1 0-2z"/>

        </svg>

        <div>

            Invalid username or password !

        </div>

    </div>';

}

}else{

    $message = '<div class="alert alert-primary d-flex align-items-center" role="alert">

        <svg xmlns="http://www.w3.org/2000/svg" width="24" height="24" fill="currentColor" class="bi bi-exclamation-triangle-fill flex-shrink-0 me-2" viewBox="0 0 16 16" role="img" aria-label="Warning:>

            <path d="M8.982 1.566a1.13 1.13 0 0 0-1.96 0L1.165 13.233c-.457.778.091 1.767.98 1.767h13.713c.889 0 1.438-.99.98-1.767L8.982 1.566zM8.5c.535 0 .954.462.9.995l-.35 3.507a.552.552 0 0 1-1.1 0L7.1 5.995A.905.905 0 0 1 8.5zm.002 6a1 1 0 1 1 0 2 1 1 0 0 1 0-2z"/>

        </svg>

        <div>

    
```

```

<div>
    No result found !
</div>
</div>';
}

?

<!DOCTYPE html>
<html lang="en">

<head>
    <title>The Market Basket Admin Sing In</title>
    <!-- HTML5 Shim and Respond.js IE10 support of HTML5 elements and media queries -->
    <!-- WARNING: Respond.js doesn't work if you view the page via file:// -->
    <!--[if lt IE 10]>
        <script
            src="https://oss.maxcdn.com/libs/html5shiv/3.7.0/html5shiv.js"></script>
        <script
            src="https://oss.maxcdn.com/libs/respond.js/1.4.2/respond.min.js"></script>
    <![endif]-->
    <!-- Meta -->
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0, user-scalable=0, minimal-ui">
    <meta http-equiv="X-UA-Compatible" content="IE=edge" />

```

```

<meta name="keywords" content="bootstrap, bootstrap admin template,
admin theme, admin dashboard, dashboard template, admin template,
responsive" />

<meta name="author" content="Codedthemes" />

<!-- Favicon icon -->

<link rel="icon" href="images/favicon.ico" type="image/x-icon">

<!-- Google font-->

<link href="https://fonts.googleapis.com/css?family=Open+Sans:400,600,700"
rel="stylesheet">

<!-- Required Framework -->

<link rel="stylesheet" href="assets/css/bootstrap/css/bootstrap.min.css" type="text/css"

<!-- waves.css -->

<link rel="stylesheet" href="assets/pages/waves/css/waves.min.css" type="text/css" media="all">

<!-- themify-icons line icon -->

<link rel="stylesheet" type="text/css" href="assets/icon/themify-icons/themify-
icons.css">

<!-- ico font -->

<link rel="stylesheet" href="assets/icon/icofont/css/icofont.css" type="text/css"

<!-- Font Awesome -->

<link rel="stylesheet" type="text/css" href="assets/icon/font-
awesome/css/font-awesome.min.css">

<!-- Style.css -->

<link rel="stylesheet" type="text/css" href="assets/css/style.css">

</head>

<body themebg-pattern="theme1">

```

```
<!-- Pre-loader start -->

<div class="theme-loader">

    <div class="loader-track">

        <div class="preloader-wrapper">

            <div class="spinner-layer spinner-blue">

                <div class="circle-clipper left">

                    <div class="circle"></div>

                </div>

                <div class="gap-patch">

                    <div class="circle"></div>

                </div>

                <div class="circle-clipper right">

                    <div class="circle"></div>

                </div>

            </div>

            <div class="spinner-layer spinner-red">

                <div class="circle-clipper left">

                    <div class="circle"></div>

                </div>

                <div class="gap-patch">

                    <div class="circle"></div>

                </div>

                <div class="circle-clipper right">

                    <div class="circle"></div>

                </div>

            </div>

        </div>

    </div>

</div>
```

```
<div class="spinner-layer spinner-yellow">  
    <div class="circle-clipper left">  
        <div class="circle"></div>  
    </div>  
    <div class="gap-patch">  
        <div class="circle"></div>  
    </div>  
    <div class="circle-clipper right">  
        <div class="circle"></div>  
    </div>  
</div>  
  
<div class="spinner-layer spinner-green">  
    <div class="circle-clipper left">  
        <div class="circle"></div>  
    </div>  
    <div class="gap-patch">  
        <div class="circle"></div>  
    </div>  
    <div class="circle-clipper right">  
        <div class="circle"></div>  
    </div>  
</div>  
</div>  
</div>  
<!-- Pre-loader end -->
```

```

<section class="login-block">

    <!-- Container-fluid starts -->

    <div class="container">

        <div class="row">

            <div class="col-sm-12">

                <!-- Authentication card start -->

                <form class="md-float-material form-material" method="post">

                    <div class="text-center">

                    </div>

                    <div class="auth-box card">

                        <div class="card-block">

                            <div class="row m-b-20">

                                <div class="col-md-12">

                                    <h3 class="text-center">Sign In</h3>

                                </div>

                            </div>

                            <form method = "post">

                                <div class="form-group form-primary">

                                    <input type="text" name="userName" class="form-control">

                                    <span class="form-bar"></span>

                                    <label class="float-label">User Name</label>

                                </div>

                            </form>

                        </div>

                    </div>

                </form>

            </div>

        </div>

    </div>

</section>

```

```

<div class="form-group form-primary">
    <input type="password" name="password" class="form-control">
    <span class="form-bar"></span>
    <label class="float-label">Password</label>
</div>
<div class="row m-t-25 text-left">
</div>
<div class="row m-t-30">
    <div class="col-md-12">
        <button type="submit" name="singUpBtn" class="btn btn-primary btn-md btn-block waves-effect waves-light text-center m-b-20">Sign in</button>
    </div>
</form>
</div>
<?=$message ?>
<hr/>
<div class="row">
    <div class="col-md-10">
        <p class="text-inverse text-left m-b-0">Thank you.</p>
        <!--      <p      class="text-inverse      text-left"><a href="index.html"><b>Back to website</b></a></p> -->
    </div>
    <div class="col-md-2">
        
    </div>

```

```

        </div>

        </div>

        </div>

        </form>

        <!-- end of form -->

    </div>

    <!-- end of col-sm-12 -->

</div>

<!-- end of row -->

</div>

<!-- end of container-fluid -->

</section>

<!-- Required Jquery -->

<script type="text/javascript" src="assets/js/jquery.min.js "></script>

<script type="text/javascript" src="assets/js/jquery-ui/jquery-ui.min.js "></script>

<script type="text/javascript" src="assets/js/popper.js/popper.min.js"></script>

<script      type="text/javascript"      src="assets/js/bootstrap/js/bootstrap.min.js"
"></script>

<!-- waves js -->

<script src="assets/pages/waves/js/waves.min.js"></script>

<!-- jquery slimscroll js -->

<script          type="text/javascript"          src="assets/js/jquery-
slimscroll/jquery.slimscroll.js"></script>

<script type="text/javascript" src="assets/js/common-pages.js"></script>


</body>

</html>

```

Admin Dashboard:

The admin dashboard serves as the main hub for managing the application. It displays key metrics such as total sales, active users, and recent orders. The layout usually features navigation links to various sections like orders, products, categories, and user management. Widgets or graphs may provide visual representations of performance over time, helping admins to monitor the system effectively.



Admin dashboard

```
<?php  
include("conn.php");  
session_start();  
$userName = $_SESSION["userName"];  
$image = $_SESSION["image"] ;  
  
//Calculating number of district  
$districtQuery = "SELECT * FROM deliveryfee";  
$numOfDistrict = mysqli_num_rows(mysqli_query($con,$districtQuery));  
//Calculating Number of customers  
$customerQuery = "SELECT * FROM users";  
$numOfCustomers= mysqli_num_rows(mysqli_query($con,$customerQuery));  
  
?>
```

```

<!DOCTYPE html>

<html lang="en">

    <head>

        <title>The Market Basket Admin</title>

        <meta charset="utf-8">

        <meta name="viewport" content="width=device-width, initial-scale=1.0, user-scalable=0, minimal-ui">

        <meta http-equiv="X-UA-Compatible" content="IE=edge" />

        <meta name="keywords" content="bootstrap, bootstrap admin template, admin theme, admin dashboard, dashboard template, admin template, responsive" />

        <meta name="author" content="Codedthemes" />

        <!-- Favicon icon -->

        <link rel="icon" href="images/favicon.ico" type="image/x-icon">

        <!-- Google font-->

        <link href="https://fonts.googleapis.com/css?family=Open+Sans:400,600,700" rel="stylesheet">

        <!-- waves.css -->

        <link rel="stylesheet" href="assets/pages/waves/css/waves.min.css" type="text/css" media="all">

        <!-- Required Framework -->

        <link rel="stylesheet" href="assets/css/bootstrap/css/bootstrap.min.css" type="text/css">

        <!-- waves.css -->

        <link rel="stylesheet" href="assets/pages/waves/css/waves.min.css" type="text/css" media="all">

        <!-- themify icon -->

        <link rel="stylesheet" type="text/css" href="assets/icon/themify-icons/themify-icons.css">

```

```
<!-- font-awesome-n -->

<link rel="stylesheet" type="text/css" href="assets/css/font-awesome-n.min.css">

<link rel="stylesheet" type="text/css" href="assets/css/font-awesome.min.css">

<!-- scrollbar.css -->

<link rel="stylesheet" type="text/css" href="assets/css/jquery.mCustomScrollbar.css">

<!-- Style.css -->

<link rel="stylesheet" type="text/css" href="assets/css/style.css">

</head>
```

```
<body>

<!-- Pre-loader start -->

<div class="theme-loader">

  <div class="loader-track">

    <div class="preloader-wrapper">

      <div class="spinner-layer spinner-blue">

        <div class="circle-clipper left">

          <div class="circle"></div>

        </div>

        <div class="gap-patch">

          <div class="circle"></div>

        </div>

        <div class="circle-clipper right">

          <div class="circle"></div>

        </div>

      </div>

      <div class="spinner-layer spinner-red">
```

```
<div class="circle-clipper left">  
    <div class="circle"></div>  
  </div>  
  
<div class="gap-patch">  
    <div class="circle"></div>  
  </div>  
  
<div class="circle-clipper right">  
    <div class="circle"></div>  
  </div>  
  
</div>  
  
  
<div class="spinner-layer spinner-yellow">  
  <div class="circle-clipper left">  
    <div class="circle"></div>  
  </div>  
  
<div class="gap-patch">  
    <div class="circle"></div>  
  </div>  
  
<div class="circle-clipper right">  
    <div class="circle"></div>  
  </div>  
  
</div>  
  
  
<div class="spinner-layer spinner-green">  
  <div class="circle-clipper left">  
    <div class="circle"></div>  
  </div>
```

```

<div class="gap-patch">
    <div class="circle"></div>
</div>

<div class="circle-clipper right">
    <div class="circle"></div>
</div>

</div>
</div>

</div>
</div>

<!-- Pre-loader end -->

<div id="pcoded" class="pcoded">
    <div class="pcoded-overlay-box"></div>
    <div class="pcoded-container navbar-wrapper">
        <nav class="navbar header-navbar pcoded-header">
            <div class="navbar-wrapper">
                <div class="navbar-logo">
                    <a class="mobile-menu waves-effect waves-light" id="mobile-collapse" href="#">
                        <i class="ti-menu"></i>
                    </a>
                <div class="mobile-search waves-effect waves-light">
                    <div class="header-search">
                        <div class="main-search morphsearch-search">
                            <div class="input-group">
                                <span class="input-group-prepend search-close"><i class="ti-close input-group-text"></i></span>

```

```

        <input type="text" class="form-control" placeholder="Enter
Keyword">

            <span class="input-group-append search-btn"><i class="ti-
search input-group-text"></i></span>

        </div>

    </div>

    </div>

<a href="index.php">

</a>

<a class="mobile-options waves-effect waves-light">

    <i class="ti-more"></i>

</a>

</div>

<div class="navbar-container container-fluid">

    <ul class="nav-left">

        <li>

            <div class="sidebar_toggle"><a href="javascript:void(0)"><i
class="ti-menu"></i></a></div>

        </li>

        <li>

            <a href="#" onclick="javascript:toggleFullScreen()"
class="waves-effect waves-light">

                <i class="ti-fullscreen"></i>

            </a>

        </li>

    </ul>

```

```

<ul class="nav-right">

    <li class="user-profile header-notification">
        <a href="#" class="waves-effect waves-light">
            
            <span><?=$userName?></span>
            <i class="ti-angle-down"></i>
        </a>
        <ul class="show-notification profile-notification">
            <li class="waves-effect waves-light">
                <a href="#">
                    <i class="ti-settings"></i> Settings
                </a>
            </li>
            <li class="waves-effect waves-light">
                <a href="singup.php">
                    <i class="ti-user"></i> Add new Addmin
                </a>
            </li>
            <li class="waves-effect waves-light">
                <a href="singin.php">
                    <i class="ti-layout-sidebar-left"></i> Logout
                </a>
            </li>
        </ul>
    </li>
</ul>
</div>

```

```

</div>

</nav>

<div class="pcoded-main-container">
  <div class="pcoded-wrapper">
    <nav class="pcoded-navbar">
      <div class="sidebar_toggle"><a href="#"><i class="icon-close icons"></i></a></div>
      <div class="pcoded-inner-navbar main-menu">
        <div class="">
          <div class="main-menu-header">
            
            <div class="user-details">
              <span id="more-details"><?=$userName ?><i class="fa fa-caret-down"></i></span>
            </div>
          </div>
        <div class="main-menu-content">
          <ul>
            <li class="more-details">
              <a href="user-profile.html"><i class="ti-user"></i>View Profile</a>
              <a href="#!"><i class="ti-settings"></i>Settings</a>
              <a href="singin.php"><i class="ti-layout-sidebar-left"></i>Logout</a>
            </li>
          </ul>
        </div>
      </div>
    </nav>
  </div>
</div>

```

```

</div>

<div class="pcoded-navigation-label">Dashboard</div>

<ul class="pcoded-item pcoded-left-item">

    <li class="active">
        <a href="index.php" class="waves-effect waves-dark">
            <span class="pcoded-micon"><i class="ti-home"></i><b>D</b></span>
            <span class="pcoded-mtext">Dashboard</span>
            <span class="pcoded-mcaret"></span>
        </a>
    </li>
</ul>

<div class="pcoded-navigation-label">Eliments</div>

<ul class="pcoded-item pcoded-left-item">

    <li class="pcoded-hasmenu">
        <a href="javascript:void(0)" class="waves-effect waves-dark">
            <span class="pcoded-micon"><i class="ti-layout-grid2-alt"></i><b>BC</b></span>
            <span class="pcoded-mtext">Basic</span>
            <span class="pcoded-mcaret"></span>
        </a>
        <ul class="pcoded-submenu">
            <li class=" " >
                <a href="addcategory.php" class="waves-effect waves-dark">
                    <span class="pcoded-micon"><i class="ti-angle-right"></i></span>
                    <span class="pcoded-mtext">add category</span>
                    <span class="pcoded-mcaret"></span>
                </a>
            </li>
        </ul>
    </li>
</ul>

```

```

        </a>
    </li>
    <li class=" " >
        <a href="deleteCategory.php" class="waves-effect waves-dark">
            <span class="pcoded-micon"><i class="ti-angle-right"></i></span>
            <span class="pcoded-mtext">Delete Category</span>
            <span class="pcoded-mcaret"></span>
        </a>
    </li>
    <li class="" >
        <a href="deliveryFee.php" class="waves-effect waves-dark">
            <span class="pcoded-micon"><i class="ti-angle-right"></i></span>
            <span class="pcoded-mtext">Delivery fee</span>
            <span class="pcoded-mcaret"></span>
        </a>
    </li>
    <li class=" " >
        <a href="pendingoders.php" class="waves-effect waves-dark">
            <span class="pcoded-micon"><i class="ti-angle-right"></i></span>
            <span class="pcoded-mtext">Pending Oders</span>
            <span class="pcoded-mcaret"></span>
        </a>
    </li>
    <li class=" " >

```

```

        <a href="completetoders.php" class="waves-effect waves-dark">
            <span class="pcoded-micon"><i class="ti-angle-right"></i></span>
            <span class="pcoded-mtext">Complete Oders</span>
            <span class="pcoded-mcaret"></span>
        </a>
    </li>
</ul>
</li>
</ul>
</li>
</ul>
</div>
</nav>
<div class="pcoded-content">
    <!-- Page-header start -->
    <div class="page-header">
        <div class="page-block">
            <div class="row align-items-center">
                <div class="col-md-8">
                    <div class="page-header-title">
                        <h5 class="m-b-10">The Market Basket</h5>
                        <p class="m-b-0">Powerd by Code Crashers </p>
                    </div>
                </div>
                <div class="col-md-4">

```

```

<ul class="breadcrumb">
    <li class="breadcrumb-item">
        <a href="index.php" > <i class="fa fa-home" ></i> </a>
    </li>
    <li class="breadcrumb-item"><a href="index.php" >Dashboard</a>
    </li>
</ul>
</div>
</div>
</div>
</div>
</div>

```

```

<!-- Page-header end -->
<div class="pcoded-inner-content">
    <!-- Main-body start -->
    <div class="main-body">
        <div class="page-wrapper">
            <!-- Page-body start -->
            <div class="page-body">
                <div class="row">
                    <!-- sale analytics start -->
                    <div class="col-xl-6 col-md-12">
                        <div class="card table-card">
                            <div class="card-header">
                                <h5>Currently available admins</h5>
                            <div class="card-header-right">

```

```

<ul class="list-unstyled card-option">
    <li><i class="fa fa-wrench open-card-option"></i></li>
    <li><i class="fa fa-window-maximize full-card"></i></li>
    <li><i class="fa fa-minus minimize-card"></i></li>
    <li><i class="fa fa-refresh reload-card"></i></li>
    <li><i class="fa fa-trash close-card"></i></li>
</ul>
</div>
</div>
<div class="card-block">
    <div class="table-responsive">
        <?php
            $selectQuery = "SELECT * FROM admin";
            $result = mysqli_query($con,$selectQuery);
            if(mysqli_num_rows($result) > 0 ){
                echo '<table class="table table-hover"><th>Full name</th><th>Unique Name</th><th>Contact number</th>';
                while($row = mysqli_fetch_assoc($result)){
                    echo "<tr>";
                    echo "<td> ".$row['fullname']."</td>";
                    echo "<td> ".$row['username']."</td>";
                    echo "<td> ".$row['cnumber']."</td>";
                    echo "</tr>";
                }
            }?
        </table>
    </div>

```

```
<?php }  
    ?>  
    </div>  
    </div>  
    </div>  
    </div>  
  
<div class="col-xl-6 col-md-12">  
    <div class="row">  
        <!-- sale card start -->  
  
<?php  
$totalErnin = 0;  
  
//checking new oders  
  
$checkNewOderQuery = "SELECT * FROM pendingoders";  
  
$newOderResult  
mysqli_num_rows(mysqli_query($con,$checkNewOderQuery));  
  
= =  
  
//checking compliet oders  
  
$checkCompleteQuery = "SELECT * FROM completeoders";  
  
$completeOderResult  
mysqli_num_rows(mysqli_query($con,$checkCompleteQuery));  
  
= =  
  
//Calculate total erner  
  
$calculateQuery = "SELECT * FROM completeoders";  
  
$calculateResult = mysqli_query($con,$calculateQuery);  
  
if(mysqli_num_rows($calculateResult) > 0){  
  
    while($calRow = mysqli_fetch_assoc($calculateResult)){  
  
        $totalErnin += $calRow["quantity"] * $calRow["catprice"];  
    }  
}
```

```

        }

    }

?>

<div class="col-md-6">
    <div class="card text-center order-visitor-card">
        <div class="card-block">
            <h6 class="m-b-0">New Oders</h6>
            <h4 class="m-t-15 m-b-15"><i class="fa fa-arrow-up m-r-15 text-c-green"></i><?= $newOderResult ?></h4>
            <p class="m-b-0">Have to compliet oders</p>
        </div>
    </div>
</div>

<div class="col-md-6">
    <div class="card text-center order-visitor-card">
        <div class="card-block">
            <h6 class="m-b-0">Compliet Oders</h6>
            <h4 class="m-t-15 m-b-15"><i class="fa fa-arrow-up m-r-15 text-c-green"></i><?= $completeOderResult ?></h4>
            <p class="m-b-0">Our Copliet Oders</p>
        </div>
    </div>
</div>

<div class="col-md-6">
    <div class="card bg-c-red total-card">
        <div class="card-block">
            <div class="text-left">
                <h4><?= $numOfCustomers ?></h4>

```

```
<p class="m-0">Available number of  
customer base</p>  
  
</div>  
  
</div>  
  
</div>  
  
</div>  
  
<div class="col-md-6">  
  
<div class="card bg-c-green total-card">  
  
<div class="card-block">  
  
<div class="text-left">  
  
<h4><?=$numOfDistrict ?></h4>  
  
<p class="m-0">Number of District provide  
our service</p>  
  
</div>  
  
</div>  
  
</div>  
  
</div>  
  
<div class="col-md-6">  
  
<div class="card text-center order-visitor-card">  
  
<div class="card-block">  
  
<h4 class="m-t-15 m-b-15"><i class="fa fa-  
arrow-up m-r-15 text-c-green"></i><?=$totalErnin?></h4>  
  
<p class="m-b-0">Total Erning</p>  
  
</div>  
  
</div>  
  
</div>  
  
<div class="col-md-6">  
  
<div class="card text-center order-visitor-card">
```

```
<div class="card-block">

    <h4 class="m-t-15 m-b-15"><i class="fa fa-arrow-up m-r-15 text-c-green"></i><?= $completeOderResult?></h4>

    <p class="m-b-0">Total Compliet Packages</p>

</div>

</div>

</div>

</div>

</div>

<!-- sale analytics end -->

</div>

</div>

<!-- Page-body end -->

</div>

<div id="styleSelector"> </div>

<!-- Required Jquery -->

<script type="text/javascript" src="assets/js/jquery/jquery.min.js "></script>
```

```
<script type="text/javascript" src="assets/js/jquery-ui/jquery-ui.min.js"></script>

<script type="text/javascript" src="assets/js/popper.js/popper.min.js"></script>

<script type="text/javascript" src="assets/js/bootstrap/js/bootstrap.min.js"></script>

<!-- waves js -->

<script src="assets/pages/waves/js/waves.min.js"></script>

<!-- jquery slimscroll js -->

<script type="text/javascript" src="assets/js/jquery-slimscroll/jquery.slimscroll.js"></script>

<!-- slimscroll js -->

<script src="assets/js/jquery.mCustomScrollbar.concat.min.js "></script>

<!-- menu js -->

<script src="assets/js/pcoded.min.js"></script>

<script src="assets/js/vertical/vertical-layout.min.js "></script>


<script type="text/javascript" src="assets/js/script.js "></script>

</body>

</html>
```

Adding Category to System:

This interface allows the admin to create and add new product categories to the system. It typically includes fields for entering the category name and a brief description. There may also be options to upload images representing the category. A button to save the new category is prominently displayed, ensuring easy access for the admin.



Adding Category to System:

```
<?php  
  
session_start();  
  
$userName = $_SESSION["userName"];  
  
$imagees = $_SESSION["image"] ;  
  
include("conn.php");  
  
$message ="";  
  
if(isset($_POST["catAddBtn"])){  
  
    //Category Adding  
  
    $catName = $_POST["catName"];  
  
    $price = $_POST["price"];  
  
    $qunty = $_POST["quantity"];  
  
    $discription = $_POST["discription"];  
  
    $cattype = $_POST["catType"];  
  
    $image = $_FILES["image"]["name"];  
  
    $tempname = $_FILES["image"]["tmp_name"];
```

```

$folder = "images/".$image;

$addingQuery = "INSERT INTO
category(catname,catdescription,cattype,quantity,price,image)
VALUES
('{$catName}', '{$discription}', '{$cattype}', '{$qunty}', '{$price}', '{$image}');

$checkQuery ="SELECT*FROM category WHERE catname = '$catName'";

$check = mysqli_query($con,$checkQuery);

if(!mysqli_num_rows($check) >= 1){

    if(move_uploaded_file($tempname,$folder)) {

        if(mysqli_query($con,$addingQuery)) {

            $message = '<div class="alert alert-primary d-flex align-items-center" role="alert">

<svg xmlns="http://www.w3.org/2000/svg" width="24" height="24"
fill="currentColor" class="bi bi-exclamation-triangle-fill flex-shrink-0 me-2"
viewBox="0 0 16 16" role="img" aria-label="Warning:>

<path d="M8.982 1.566a1.13 1.13 0 0 0-1.96 0L.165 13.233c-.457.778.091
1.767.98 1.767h13.713c.889 0 1.438-.99.98-1.767L8.982 1.566zM8 5c.535
0 .954.462.9.995l-.35 3.507a.552.552 0 0 1-1.1 0L7.1 5.995A.905.905 0 0 1 8
5zm.002 6a1 1 0 1 1 0 2 1 1 0 0 1 0-2z"/>

</svg>
</div>

Category Added Successfull !

</div>

</div>';

} else{

    $message = '<div class="alert alert-primary d-flex align-items-center" role="alert">

<svg xmlns="http://www.w3.org/2000/svg" width="24" height="24"
fill="currentColor" class="bi bi-exclamation-triangle-fill flex-shrink-0 me-2"
viewBox="0 0 16 16" role="img" aria-label="Warning:>

<path d="M8.982 1.566a1.13 1.13 0 0 0-1.96 0L.165 13.233c-.457.778.091
1.767.98 1.767h13.713c.889 0 1.438-.99.98-1.767L8.982 1.566zM8 5c.535
0 .954.462.9.995l-.35 3.507a.552.552 0 0 1-1.1 0L7.1 5.995A.905.905 0 0 1 8
5zm.002 6a1 1 0 1 1 0 2 1 1 0 0 1 0-2z"/>

</svg>
</div>

Category Added Successfull !

</div>

</div>';

}
}

```

```

        </svg>

        <div>
            Somthing Went Wrong try again later !
        </div>
    </div>';

}

}else{

    $message = '<div class="alert alert-primary d-flex align-items-center" role="alert">

        <svg xmlns="http://www.w3.org/2000/svg" width="24" height="24" fill="currentColor" class="bi bi-exclamation-triangle-fill flex-shrink-0 me-2" viewBox="0 0 16 16" role="img" aria-label="Warning:>

            <path d="M8.982 1.566a1.13 1.13 0 0 0-1.96 0L.165 13.233c-.457.778.091 1.767.98 1.767h13.713c.889 0 1.438-.99.98-1.767L8.982 1.566zM8 5c.535 0 .954.462.9.995l-.35 3.507a.552.552 0 0 1-1.1 0L7.1 5.995A.905.905 0 0 1 8.5zm.002 6a1 1 0 1 1 0 2 1 1 0 0 1 0-2z"/>

        </svg>
    <div>
        Image Move upload Error !
    </div>
</div>';

}

}else{

    $message = '<div class="alert alert-primary d-flex align-items-center" role="alert">

        <svg xmlns="http://www.w3.org/2000/svg" width="24" height="24" fill="currentColor" class="bi bi-exclamation-triangle-fill flex-shrink-0 me-2" viewBox="0 0 16 16" role="img" aria-label="Warning:>

            <path d="M8.982 1.566a1.13 1.13 0 0 0-1.96 0L.165 13.233c-.457.778.091 1.767.98 1.767h13.713c.889 0 1.438-.99.98-1.767L8.982 1.566zM8 5c.535 0 .954.462.9.995l-.35 3.507a.552.552 0 0 1-1.1 0L7.1 5.995A.905.905 0 0 1 8.5zm.002 6a1 1 0 1 1 0 2 1 1 0 0 1 0-2z"/>

        </svg>
    <div>
        Image Move upload Error !
    </div>
</div>';

}

```

```

        </svg>

        <div>
            Category name is already exist !
        </div>
    </div>';

    }
}

?>

<!DOCTYPE html>

<html lang="en">
    <head>
        <title>The Market Basket Admin</title>
        <meta charset="utf-8">
        <meta name="viewport" content="width=device-width, initial-scale=1.0, user-scalable=0, minimal-ui">
        <meta http-equiv="X-UA-Compatible" content="IE=edge" />
        <meta name="keywords" content="bootstrap, bootstrap admin template, admin theme, admin dashboard, dashboard template, admin template, responsive" />
        <meta name="author" content="Codedthemes" />
        <!-- Favicon icon -->
        <link rel="icon" href="images/favicon.ico" type="image/x-icon">
        <link href="https://fonts.googleapis.com/css?family=Open+Sans:400,600,700" rel="stylesheet">
        <!-- Required Framework -->
        <link rel="stylesheet" type="text/css" href="assets/css/bootstrap/css/bootstrap.min.css">

```

```

<!-- waves.css -->

<link rel="stylesheet" href="assets/pages/waves/css/waves.min.css"
type="text/css" media="all">

<!-- themify-icons line icon -->

<link rel="stylesheet" type="text/css" href="assets/icon/themify-icons/themify-
icons.css">

<!-- ico font -->

<link rel="stylesheet" href="assets/icon/icofont/css/icofont.css" type="text/css"

<!-- Font Awesome -->

<link rel="stylesheet" type="text/css" href="assets/icon/font-
awesome/css/font-awesome.min.css" type="text/css"

<!-- Style.css -->

<link rel="stylesheet" type="text/css" href="assets/css/style.css">

<link rel="stylesheet" href="assets/css/jquery.mCustomScrollbar.css" type="text/css"

<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
rel="stylesheet" integrity="sha384-EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWspd3yD65VohhpuuCOMLASjC"
crossorigin="anonymous">

</head>

<body>

<!-- Pre-loader start -->

<div class="theme-loader">

<div class="loader-track">

<div class="preloader-wrapper">

<div class="spinner-layer spinner-blue">

<div class="circle-clipper left">

<div class="circle"></div>

</div>

```

```
<div class="gap-patch">  
    <div class="circle"></div>  
</div>  
  
<div class="circle-clipper right">  
    <div class="circle"></div>  
</div>  
</div>  
  
<div class="spinner-layer spinner-red">  
    <div class="circle-clipper left">  
        <div class="circle"></div>  
</div>  
  
<div class="gap-patch">  
    <div class="circle"></div>  
</div>  
  
<div class="circle-clipper right">  
    <div class="circle"></div>  
</div>  
</div>  
  
<div class="spinner-layer spinner-yellow">  
    <div class="circle-clipper left">  
        <div class="circle"></div>  
</div>  
  
<div class="gap-patch">  
    <div class="circle"></div>  
</div>  
  
<div class="circle-clipper right">
```

```

<div class="circle"></div>

</div>

</div>

<div class="spinner-layer spinner-green">

    <div class="circle-clipper left">

        <div class="circle"></div>

    </div>

    <div class="gap-patch">

        <div class="circle"></div>

    </div>

    <div class="circle-clipper right">

        <div class="circle"></div>

    </div>

    </div>

</div>

</div>

</div>

<!-- Pre-loader end -->

<div id="pcoded" class="pcoded">

    <div class="pcoded-overlay-box"></div>

    <div class="pcoded-container navbar-wrapper">

        <nav class="navbar header-navbar pcoded-header">

            <div class="navbar-wrapper">

                <div class="navbar-logo">

                    <a class="mobile-menu waves-effect waves-light" id="mobile-collapse" href="#">

```

```

<i class="ti-menu"></i>

</a>

<div class="mobile-search waves-effect waves-light">

    <div class="header-search">

        <div class="main-search morphsearch-search">

            <div class="input-group">

                <span class="input-group-prepend search-close"><i class="ti-close input-group-text"></i></span>

                <input type="text" class="form-control" placeholder="Enter Keyword">

                <span class="input-group-append search-btn"><i class="ti-search input-group-text"></i></span>

            </div>

        </div>

    </div>

<a href="index.php">

</a>

<a class="mobile-options waves-effect waves-light">

    <i class="ti-more"></i>

</a>

</div>

<div class="navbar-container container-fluid">

    <ul class="nav-left">

        <li>

            <div class="sidebar_toggle"><a href="javascript:void(0)"><i class="ti-menu"></i></a></div>

```

```

</li>

<li>

    <a href="#" onclick="javascript:toggleFullScreen()" class="waves-effect waves-light">

        <i class="ti-fullscreen"></i>

    </a>

</li>

</ul>

<ul class="nav-right">

    <li class="user-profile header-notification">

        <a href="#" class="waves-effect waves-light">

            <span><?=$userName?></span>

            <i class="ti-angle-down"></i>

        </a>

        <ul class="show-notification profile-notification">

            <li class="waves-effect waves-light">

                <a href="#">

                    <i class="ti-settings"></i> Settings

                </a>

            </li>

            <li class="waves-effect waves-light">

                <a href="user-profile.html">

                    <i class="ti-user"></i> Profile

                </a>

            </li>

            <li class="waves-effect waves-light">

```

```

        <a href="auth-normal-sign-in.html">
            <i class="ti-layout-sidebar-left"></i> Logout
        </a>
    </li>
</ul>
</li>
</ul>
</div>
</div>
</nav>

<div class="pcoded-main-container">
    <div class="pcoded-wrapper">
        <nav class="pcoded-navbar">
            <div class="sidebar_toggle"><a href="#"><i class="icon-close icons"></i></a></div>
            <div class="pcoded-inner-navbar main-menu">
                <div class="">
                    <div class="main-menu-header">
                        
                    <div class="user-details">
                        <span id="more-details"><?=$userName?><i class="fa fa-caret-down"></i></span>
                    </div>
                </div>
                <div class="main-menu-content">
                    <ul>

```

```

<li class="more-details">

    <a href="user-profile.html"><i class="ti-user"></i>View
Profile</a>

    <a href="#"><i class="ti-settings"></i>Settings</a>

    <a href="auth-normal-sign-in.html"><i class="ti-layout-
sidebar-left"></i>Logout</a>

</li>

</ul>

</div>

</div>

<div class="pcoded-navigation-label">Dashboard</div>

<ul class="pcoded-item pcoded-left-item">

<li class="active">

<a href="index.php" class="waves-effect waves-dark">

    <span class="pcoded-micon"><i class="ti-
home"></i><b>D</b></span>

    <span class="pcoded-mtext">Dashboard</span>

    <span class="pcoded-mcaret"></span>

</a>

</li>

</ul>

<div class="pcoded-navigation-label">Eliments</div>

<ul class="pcoded-item pcoded-left-item">

<li class="pcoded-hasmenu">

<a href="javascript:void(0)" class="waves-effect waves-dark">

    <span class="pcoded-micon"><i class="ti-layout-grid2-
alt"></i><b>BC</b></span>

    <span class="pcoded-mtext">Basic</span>


```

```

<span class="pcoded-mcaret"></span>

</a>

<ul class="pcoded-submenu">

<li class=" " >

<a href="addcategory.php" class="waves-effect waves-dark">

<span class="pcoded-micon"><i class="ti-angle-right"></i></span>

<span class="pcoded-mtext">add category</span>

<span class="pcoded-mcaret"></span>

</a>

</li>

<li class=" " >

<a href="deleteCategory.php" class="waves-effect waves-dark">

<span class="pcoded-micon"><i class="ti-angle-right"></i></span>

<span class="pcoded-mtext">Delete Category</span>

<span class="pcoded-mcaret"></span>

</a>

</li>

<li class="" >

<a href="deliveryFee.php" class="waves-effect waves-dark">

<span class="pcoded-micon"><i class="ti-angle-right"></i></span>

<span class="pcoded-mtext">Dilivery fee</span>

<span class="pcoded-mcaret"></span>

</a>

</li>

```

```

<li class=" " >

    <a href="pendingOders.php" class="waves-effect waves-dark">

        <span class="pcoded-micon"><i class="ti-angle-right"></i></span>

        <span class="pcoded-mtext">Pending Oders</span>

        <span class="pcoded-mcaret"></span>

    </a>

</li>

<li class=" " >

    <a href="completetoders.php" class="waves-effect waves-dark">

        <span class="pcoded-micon"><i class="ti-angle-right"></i></span>

        <span class="pcoded-mtext">Complete Oders</span>

        <span class="pcoded-mcaret"></span>

    </a>

</li>

</ul>

</li>

</ul>

</li>

</ul>

</div>

</nav>

<div class="pcoded-content">

    <!-- Page-header start -->

    <div class="page-header">

```

```
<div class="page-block">

    <div class="row align-items-center">

        <div class="col-md-8">

            <div class="page-header-title">

                <h5 class="m-b-10">The Market Basket</h5>

                <p class="m-b-0">Powered by Code Crashers</p>

            </div>

        </div>

        <div class="col-md-4">

            <ul class="breadcrumb">

                <li class="breadcrumb-item">
                    <a href="index.html" ><i class="fa fa-home" ></i> </a>
                </li>

                <li class="breadcrumb-item" ><a href="index.php" >Dashboard</a>
                </li>

                <li class="breadcrumb-item" ><a href="addCategory.php" >Add Category</a>
                </li>

            </ul>

        </div>

    </div>

</div>

<!-- Page-header end -->

<div class="pcoded-inner-content">

    <!-- Main-body start -->
```

```

<div class="main-body">

    <div class="page-wrapper">

        <!-- Page-body start -->

        <div class="page-body breadcrumb-page">

            <!-- Simple Breadcrumb card start -->

            <div class="card">

                <div class="card-block">

                    <h5>Add Product</h5>

                    <form      class="row"      g-3      needs-validation"
enctype="multipart/form-data" method="post">

                        <div class="col-md-4">

                            <label   for="validationCustom01"   class="form-
label">Category Name</label>

                            <input      type="text"      class="form-control"
name="catName" value="Chicken" required>

                        </div>

                        <div class="col-md-4">

                            <label   for="validationCustom02"   class="form-
label">Price</label>

                            <input      type="text"      class="form-control"
name="price" required>

                        </div>

                        <div class="col-md-4">

                            <label           for="validationCustomUsername"
class="form-label">Quantity</label>

                            <div class="input-group has-validation">

                                <input      type="text"      class="form-control"
name="quantity" required>

                            </div>

```

```

        </div>

        </div>

        <div class="col-md-6">

            <label for="validationCustom03" class="form-
label">Description</label>

            <input type="text" class="form-control" name="description" required>

        </div>

        <div class="col-md-3">

            <label for="validationCustom04" class="form-
label">Category type</label>

            <select class="form-select" name="catType" required>

                <option selected disabled value="">Choose...</option>

                <option value="Fruits">Fruits</option>

                <option value="Vegetables">Vegetables</option>

                <option value="Meats">Meats</option>

                <option value="SeaFood">Sea Food</option>

                <option value="Bakery">Bakery</option>

                <option value="Rice">Rice</option>

                <option value="Beverage">Beverage</option>

                <option value="Household">Household</option>

            </select>

        </div>

        <div class="col-md-3">

            <label for="validationCustom05" class="form-
label">Picture</label>

            <input type="file" class="form-control" name="image" required>

        </div>
    
```

```
</div>

<div class="col-12">

    <div class="form-check">
        </div>
    </div>

    <div class="col-12">
        <button class="btn btn-primary" name="catAddBtn" type="submit">Submit form</button>
    </div>

    <?=$message ?>
</form>

</div>

</div>

<!-- Simple Breadcrumb card start -->
</div>

<!-- Page-body start -->

</div>

</div>

<!-- Main-body start -->

<div id="styleSelector">

    </div>
</div>
</div>
</div>
</div>
```

```
</div>

</div>

<!-- Required Jquery -->

<script type="text/javascript" src="assets/js/jquery/jquery.min.js "></script>

<script type="text/javascript" src="assets/js/jquery-ui/jquery-ui.min.js "></script>

<script type="text/javascript" src="assets/js/popper.js/popper.min.js"></script>

<script      type="text/javascript"      src="assets/js/bootstrap/js/bootstrap.min.js"
"></script>

<!-- waves js -->

<script src="assets/pages/waves/js/waves.min.js"></script>

<!-- jquery slimscroll js -->

<script          type="text/javascript"          src="assets/js/jquery-
slimscroll/jquery.slimscroll.js"></script>

<!-- Custom js -->

<script src="assets/js/p coded.min.js"></script>

<script src="assets/js/vertical/vertical-layout.min.js"></script>

<script src="assets/js/jquery.mCustomScrollbar.concat.min.js"></script>

<script type="text/javascript" src="assets/js/script.js"></script>

</body>

</html>
```

Delete Category in System:

This interface allows the admin to remove existing product categories from the system. It typically presents a list of categories with checkboxes next to each name. After selecting the desired categories, the admin can confirm deletion through a button. This interface may include a warning message to prevent accidental deletions.

Delete Category in System:

```
<?php  
  
    session_start();  
  
    $userName = $_SESSION["userName"];  
  
    $image = $_SESSION["image"] ;  
  
?>  
  
<!DOCTYPE html>  
  
<html lang="en">  
  
<head>  
  
    <title>Material Able bootstrap admin template by Codedthemes</title>  
  
    <!-- HTML5 Shim and Respond.js IE10 support of HTML5 elements and media  
    queries -->  
  
    <!-- WARNING: Respond.js doesn't work if you view the page via file:// -->  
  
    <!--[if lt IE 10]>  
  
        <script  
        src="https://oss.maxcdn.com/libs/html5shiv/3.7.0/html5shiv.js"></script>
```

```

<script
src="https://oss.maxcdn.com/libs/respond.js/1.4.2/respond.min.js"></script>

<![endif]-->

<!-- Meta -->

<meta charset="utf-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0, user-scalable=0, minimal-ui">

<meta http-equiv="X-UA-Compatible" content="IE=edge" />

<meta name="keywords" content="bootstrap, bootstrap admin template, admin theme, admin dashboard, dashboard template, admin template, responsive" />

<meta name="author" content="Codedthemes" />

<!-- Favicon icon -->

<link rel="icon" href="images/favicon.ico" type="image/x-icon">

<!-- Google font-->

<link href="https://fonts.googleapis.com/css?family=Open+Sans:400,600,700" rel="stylesheet">

<!-- waves.css -->

<link rel="stylesheet" href="assets/pages/waves/css/waves.min.css" type="text/css" media="all">

<!-- Required Framework -->

<link rel="stylesheet" href="assets/css/bootstrap/css/bootstrap.min.css" type="text/css">

<!-- themify-icons line icon -->

<link rel="stylesheet" type="text/css" href="assets/icon/themify-icons/themify-icons.css">

<!-- ico font -->

<link rel="stylesheet" href="assets/icon/icofont/css/icofont.css" type="text/css">

<!-- Font Awesome -->

```

```

<link rel="stylesheet" type="text/css" href="assets/icon/font-awesome/css/font-
awesome.min.css">

<!-- Style.css -->

<link rel="stylesheet" type="text/css" href="assets/css/style.css">

<link rel="stylesheet" href="assets/css/jquery.mCustomScrollbar.css" type="text/css">

<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" integrity="sha384-EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWspd3yD65VohhpuuCOMLASjC" crossorigin="anonymous">

</head>

<body>

<!-- Pre-loader start -->

<div class="theme-loader">

<div class="loader-track">

<div class="preloader-wrapper">

<div class="spinner-layer spinner-blue">

<div class="circle-clipper left">

<div class="circle"></div>

</div>

<div class="gap-patch">

<div class="circle"></div>

</div>

</div>

<div class="circle-clipper right">

<div class="circle"></div>

</div>

</div>

<div class="spinner-layer spinner-red">

```

```
<div class="circle-clipper left">  
    <div class="circle"></div>  
  </div>  
  
<div class="gap-patch">  
    <div class="circle"></div>  
  </div>  
  
<div class="circle-clipper right">  
    <div class="circle"></div>  
  </div>  
  
</div>  
  
  
<div class="spinner-layer spinner-yellow">  
  <div class="circle-clipper left">  
    <div class="circle"></div>  
  </div>  
  
<div class="gap-patch">  
    <div class="circle"></div>  
  </div>  
  
<div class="circle-clipper right">  
    <div class="circle"></div>  
  </div>  
  
</div>  
  
  
<div class="spinner-layer spinner-green">  
  <div class="circle-clipper left">  
    <div class="circle"></div>  
  </div>
```

```

<div class="gap-patch">
    <div class="circle"></div>
</div>

<div class="circle-clipper right">
    <div class="circle"></div>
</div>

</div>
</div>

</div>
</div>

<!-- Pre-loader end -->

<div id="pcoded" class="pcoded">
    <div class="pcoded-overlay-box"></div>
    <div class="pcoded-container navbar-wrapper">
        <nav class="navbar header-navbar pcoded-header">
            <div class="navbar-wrapper">
                <div class="navbar-logo">
                    <a class="mobile-menu waves-effect waves-light" id="mobile-collapse" href="#">
                        <i class="ti-menu"></i>
                    </a>
                <div class="mobile-search waves-effect waves-light">
                    <div class="header-search">
                        <div class="main-search morphsearch-search">
                            <div class="input-group">
                                <span class="input-group-prepend search-close"><i class="ti-close input-group-text"></i></span>

```

```

        <input type="text" class="form-control" placeholder="Enter
Keyword">

            <span class="input-group-append search-btn"><i class="ti-
search input-group-text"></i></span>

        </div>

    </div>

    </div>

<a href="index.php">

</a>

<a class="mobile-options waves-effect waves-light">

    <i class="ti-more"></i>

</a>

</div>

<div class="navbar-container container-fluid">

    <ul class="nav-left">

        <li>

            <div class="sidebar_toggle"><a href="javascript:void(0)"><i
class="ti-menu"></i></a></div>

        </li>

        <li>

            <a href="#" onclick="javascript:toggleFullScreen()"
class="waves-effect waves-light">

                <i class="ti-fullscreen"></i>

            </a>

        </li>

    </ul>

```

```

<ul class="nav-right">

    <li class="user-profile header-notification">
        <a href="#" class="waves-effect waves-light">
            
            <span><?=$userName?></span>
            <i class="ti-angle-down"></i>
        </a>
        <ul class="show-notification profile-notification">
            <li class="waves-effect waves-light">
                <a href="#">
                    <i class="ti-settings"></i> Settings
                </a>
            </li>
            <li class="waves-effect waves-light">
                <a href="user-profile.html">
                    <i class="ti-user"></i> Profile
                </a>
            </li>
            <li class="waves-effect waves-light">
                <a href="auth-normal-sign-in.html">
                    <i class="ti-layout-sidebar-left"></i> Logout
                </a>
            </li>
        </ul>
    </li>
</ul>
</div>

```

```

</div>

</nav>

<div class="pcoded-main-container">

    <div class="pcoded-wrapper">

        <nav class="pcoded-navbar">

            <div class="sidebar_toggle"><a href="#"><i class="icon-close icons"></i></a></div>

            <div class="pcoded-inner-navbar main-menu">

                <div class="">

                    <div class="main-menu-header">

                        <div class="user-details">

                            <span id="more-details"><?= $userName ?><i class="fa fa-caret-down"></i></span>

                        </div>

                    </div>

                    <div class="main-menu-content">

                        <ul>

                            <li class="more-details">

                                <a href="user-profile.html"><i class="ti-user"></i>View Profile</a>

                                <a href="#"><i class="ti-settings"></i>Settings</a>

                                <a href="auth-normal-sign-in.html"><i class="ti-layout-sidebar-left"></i>Logout</a>

                            </li>

                        </ul>

                    </div>

                </div>

            </div>

        </nav>

```

```

</div>

<div class="pcoded-navigation-label">Dashboard</div>

<ul class="pcoded-item pcoded-left-item">

    <li class="active">
        <a href="index.php" class="waves-effect waves-dark">
            <span class="pcoded-micon"><i class="ti-home"></i><b>D</b></span>
            <span class="pcoded-mtext">Dashboard</span>
            <span class="pcoded-mcaret"></span>
        </a>
    </li>
</ul>

<div class="pcoded-navigation-label">Eliments</div>

<ul class="pcoded-item pcoded-left-item">

    <li class="pcoded-hasmenu">
        <a href="javascript:void(0)" class="waves-effect waves-dark">
            <span class="pcoded-micon"><i class="ti-layout-grid2-alt"></i><b>BC</b></span>
            <span class="pcoded-mtext">Basic</span>
            <span class="pcoded-mcaret"></span>
        </a>
        <ul class="pcoded-submenu">
            <li class=" " >
                <a href="addcategory.php" class="waves-effect waves-dark">
                    <span class="pcoded-micon"><i class="ti-angle-right"></i></span>
                    <span class="pcoded-mtext">add category</span>
                    <span class="pcoded-mcaret"></span>
                </a>
            </li>
        </ul>
    </li>
</ul>

```

```

        </a>
    </li>
    <li class=" " >
        <a href="deleteCategory.php" class="waves-effect waves-dark">
            <span class="pcoded-micon"><i class="ti-angle-right"></i></span>
            <span class="pcoded-mtext">Delete Category</span>
            <span class="pcoded-mcaret"></span>
        </a>
    </li>
    <li class="" >
        <a href="deliveryFee.php" class="waves-effect waves-dark">
            <span class="pcoded-micon"><i class="ti-angle-right"></i></span>
            <span class="pcoded-mtext">Delivery fee</span>
            <span class="pcoded-mcaret"></span>
        </a>
    </li>
    <li class=" " >
        <a href="pendingoders.php" class="waves-effect waves-dark">
            <span class="pcoded-micon"><i class="ti-angle-right"></i></span>
            <span class="pcoded-mtext">Pending Oders</span>
            <span class="pcoded-mcaret"></span>
        </a>
    </li>
    <li class=" " >

```

```

        <a href="completetoders.php" class="waves-effect waves-dark">
            <span class="pcoded-micon"><i class="ti-angle-right"></i></span>
            <span class="pcoded-mtext">Complete Oders</span>
            <span class="pcoded-mcaret"></span>
        </a>
    </li>
</ul>
</li>
</ul>
</li>
</ul>
</div>
</nav>
<div class="pcoded-content">
    <!-- Page-header start -->
    <div class="page-header">
        <div class="page-block">
            <div class="row align-items-center">
                <div class="col-md-8">
                    <div class="page-header-title">
                        <h5 class="m-b-10">The Market Basket</h5>
                        <p class="m-b-0">Powerd by Code Crashers</p>
                    </div>
                </div>
                <div class="col-md-4">

```

```

<ul class="breadcrumb">
    <li class="breadcrumb-item">
        <a href="index.php" > <i class="fa fa-home" ></i> </a>
    </li>
    <li class="breadcrumb-item"><a href="index.php" >Dashboard</a>
    </li>
    <li class="breadcrumb-item"><a href="deleteCategory.php" >Delete Category</a>
    </li>
</ul>
</div>
</div>
</div>
<!-- Page-header end -->
<div class="pcoded-inner-content">
    <!-- Main-body start -->
    <div class="main-body">
        <div class="page-wrapper">
<?php
    include("conn.php");
    $message = "";
    if(isset($_GET["catName"])){
        $catName = $_GET["catName"];
        $checkQuery = "SELECT * FROM category WHERE catname = '$catName'";
        $deleteQuery = "DELETE FROM category WHERE catname = '$catName'";
        $result = mysqli_query($con,$checkQuery);

```

```

if(mysqli_num_rows($result) > 0){

    if(mysqli_query($con,$deleteQuery)){

        $message = '<div class="alert alert-primary d-flex align-items-center" role="alert">

            <svg xmlns="http://www.w3.org/2000/svg" width="24" height="24" fill="currentColor" class="bi bi-exclamation-triangle-fill flex-shrink-0 me-2" viewBox="0 0 16 16" role="img" aria-label="Warning:>

                <path d="M8.982 1.566a1.13 1.13 0 0 0-1.96 0L.165 13.233c-.457.778.091 1.767.98 1.767h13.713c.889 0 1.438-.99.98-1.767L8.982 1.566zM8.5c.535 0 .954.462.9.995l-.35 3.507a.552.552 0 0 1-1.1 0L7.1 5.995A.905.905 0 0 1 8.5zm.002 6a1 1 0 1 1 0 2 1 1 0 0 1 0-2z"/>

            </svg>

        <div>

            Successfully Deleted Category !

        </div>

        </div>';

    }

} else{

    $message = '<div class="alert alert-primary d-flex align-items-center" role="alert">

        <svg xmlns="http://www.w3.org/2000/svg" width="24" height="24" fill="currentColor" class="bi bi-exclamation-triangle-fill flex-shrink-0 me-2" viewBox="0 0 16 16" role="img" aria-label="Warning:>

            <path d="M8.982 1.566a1.13 1.13 0 0 0-1.96 0L.165 13.233c-.457.778.091 1.767.98 1.767h13.713c.889 0 1.438-.99.98-1.767L8.982 1.566zM8.5c.535 0 .954.462.9.995l-.35 3.507a.552.552 0 0 1-1.1 0L7.1 5.995A.905.905 0 0 1 8.5zm.002 6a1 1 0 1 1 0 2 1 1 0 0 1 0-2z"/>

        </svg>

        <div>

            No Result Found !

        </div>

        </div>';

}

```

```

        }

    }

?>

<!-- Page-body start -->

<div class="page-body breadcrumb-page">

<!-- Simple Breadcrumb card start -->

<div class="card">

    <div class="card-block">

        <h5>Delete Category</h5>

        <form action="">

            <div class="row">

                <div class="col">

                    <input class="form-control" name="catName"
placeholder="CategoryName" type="text" required>

                </div>

                <div class="col">

                    <button type="submit" name="catDeleteBtn"
class="btn btn-danger">Delete Category</button>

                </div>

            <div><?= $message ?></div>

        </div>

    </div>

</form>

<br>

<form method="Get">

    <div class="row">

        <div class="col">

            <select class="form-select" name="catType"
required>


```

```

        <option selected="selected" disabled="disabled" value="">Choose...</option>

        <option value="Fruits">Fruits</option>
        <option value="Vegetables">Vegetables</option>
        <option value="Meats">Meats</option>
        <option value="SeaFood">Sea Food</option>
        <option value="Bakery">Bakery</option>
        <option value="Rice">Rice</option>
        <option value="Beverage">Beverage</option>
        <option value="Household">Household</option>
    </select>
</div>
<div class="col">
    <button type="submit" name="catSearchBtn" class="btn btn-success">Search Category</button>
</div>
</div>
</form><br>
<?php
$mes = "";
if(isset($_GET["catSearchBtn"])){
    $catType = $_GET["catType"];
    $selectQuery = "SELECT * FROM category WHERE cattype = '$catType'";
    $searchResult = mysqli_query($con,$selectQuery);
    if(mysqli_num_rows($searchResult) > 0){
        echo '<table class="table table-striped table-hover"><thead><tr><th>category name</th><th>Discription</th><th>Category type</th><th>Quantity</th><th>Price</th></tr></thead><tbody>';
    }
}

```

```

        while($row = mysqli_fetch_assoc($searchResult)){
            echo "<tr>";
            echo "<td> ". $row['catname'] . "</td>";
            echo "<td> ". $row['catdescription'] . "</td>";
            echo "<td> ". $row['cattype'] . "</td>";
            echo "<td> ". $row['quantity'] . "</td>";
            echo "<td> ". $row['price'] . "</td>";
            echo "</tr>";
        }

        echo "</table>";
    }else{
        $mes = '<div class="alert alert-primary d-flex align-items-center" role="alert">
                    <svg xmlns="http://www.w3.org/2000/svg" width="24" height="24" fill="currentColor" class="bi bi-exclamation-triangle-fill flex-shrink-0 me-2" viewBox="0 0 16 16" role="img" aria-label="Warning:>
                        <path d="M8.982 1.566a1.13 1.13 0 0 0-1.96 0L.165 13.233c-.457.778.091 1.767.98 1.767h13.713c.889 0 1.438-.99.98-1.767L8.982 1.566zM8 5c.535 0 .954.462.9.995l-.35 3.507a.552.552 0 0 1-1.1 0L7.1 5.995A.905.905 0 0 1 8.5zm.002 6a1 1 0 1 0 2 1 1 0 0 1 0-2z"/>
                    </svg>
                <div>
                    No Result Found !
                </div>
            </div>';
    }
}

?>

<?=$mes ?>
</div>

```

```
</div>

<!-- Simple Breadcrumb card start -->

</div>

<!-- Page-body end -->

</div>

</div>

<!-- Warning Section Starts -->

<div id="styleSelector">

</div>

<!-- Required Jquery -->

<script type="text/javascript" src="assets/js/jquery/jquery.min.js"></script>

<script type="text/javascript" src="assets/js/jquery-ui/jquery-ui.min.js"></script>

<script type="text/javascript" src="assets/js/popper.js/popper.min.js"></script>

<script type="text/javascript" src="assets/js/bootstrap/js/bootstrap.min.js"></script>

<!-- waves js -->

<script src="assets/pages/waves/js/waves.min.js"></script>
```

```

<!-- jquery slimscroll js -->

<script type="text/javascript" src="assets/js/jquery-
slimscroll/jquery.slimscroll.js"></script>

<!-- Custom js -->

<script src="assets/js/pcoded.min.js"></script>

<script src="assets/js/vertical/vertical-layout.min.js"></script>

<script src="assets/js/jquery.mCustomScrollbar.concat.min.js"></script>




<!-- Custom js -->

<script>

$(document).ready(function() {

    $('[data-toggle="popover"]').popover({

        html: true,

        content: function() {

            return $('#primary-popover-content').html();

        }

    });

});

</script>

<script type="text/javascript" src="assets/js/script.js"></script>

</body>

</html>

```

Complete Orders:

This screen displays a list of orders that have been successfully processed and completed. Each entry generally includes details like order ID, customer information, order date, and total amount. The admin may have options to view more details or generate invoices for each completed order.

The screenshot shows a web-based application interface for 'The Market Basket' system. At the top, there's a header bar with the logo 'The Market Basket' and the text 'Powered by Code Crashers'. On the right side of the header, there's a user profile icon for 'kavishka1' and a link to 'Dashboard'. Below the header, on the left, is a sidebar with a 'Dashboard' button highlighted in blue, and a 'Basic' element under 'Elements'. The main content area is titled 'Complete orders' and contains a table with three rows of data. The table columns are 'UserNmae', 'Category Name', 'Category Price', 'quantity', and 'Category type'. The data entries are as follows:

UserNmae	Category Name	Category Price	quantity	Category type
Kavishka1	Mutton Leg Slices	2600	1	Meats
kavishka1	Mutton Leg Slices	2600	1	Meats
kavishka1	Mutton Leg Slices	2600	1	Meats

Complete Orders:

```
<?php  
include("conn.php");  
session_start();  
$userName = $_SESSION["userName"];  
$image = $_SESSION["image"] ;  
  
//Calculating number of district  
$districtQuery = "SELECT * FROM deliveryfee";  
$numOfDistrict = mysqli_num_rows(mysqli_query($con,$districtQuery));  
//Calculating Number of customers  
$customerQuery = "SELECT * FROM users";  
$numOfCustomers= mysqli_num_rows(mysqli_query($con,$customerQuery));  
  
?>
```

```
<!DOCTYPE html>

<html lang="en">

    <head>

        <title>The Market Basket Admin</title>

        <meta charset="utf-8">

            <meta name="viewport" content="width=device-width, initial-scale=1.0, user-scalable=0, minimal-ui">

            <meta http-equiv="X-UA-Compatible" content="IE=edge" />

            <meta name="keywords" content="bootstrap, bootstrap admin template, admin theme, admin dashboard, dashboard template, admin template, responsive" />

            <meta name="author" content="Codedthemes" />

        <!-- Favicon icon -->

        <link rel="icon" href="images/favicon.ico" type="image/x-icon">

        <!-- Google font-->

        <link href="https://fonts.googleapis.com/css?family=Open+Sans:400,600,700" rel="stylesheet">

        <!-- waves.css -->

        <link rel="stylesheet" href="assets/pages/waves/css/waves.min.css" type="text/css" media="all">

        <!-- Required Framework -->

        <link rel="stylesheet" href="assets/css/bootstrap/css/bootstrap.min.css" type="text/css">

        <!-- waves.css -->

        <link rel="stylesheet" href="assets/pages/waves/css/waves.min.css" type="text/css" media="all">

        <!-- themify icon -->
```

```
<link rel="stylesheet" type="text/css" href="assets/icon/themify-icons/themify-
icons.css">

<!-- font-awesome-n -->

<link rel="stylesheet" type="text/css" href="assets/css/font-awesome-
n.min.css">

<link rel="stylesheet" type="text/css" href="assets/css/font-awesome.min.css">

<!-- scrollbar.css -->

<link rel="stylesheet" type="text/css" href="assets/css/jquery.mCustomScrollbar.css">

<!-- Style.css -->

<link rel="stylesheet" type="text/css" href="assets/css/style.css">

<link
  href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
  rel="stylesheet"
  integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWspd3yD65VohhpuuC0mLASjC"
  crossorigin="anonymous">
```

```
</head>
```

```
<body>
```

```
<!-- Pre-loader start -->

<div class="theme-loader">
  <div class="loader-track">
    <div class="preloader-wrapper">
      <div class="spinner-layer spinner-blue">
        <div class="circle-clipper left">
          <div class="circle"></div>
        </div>
        <div class="gap-patch">
          <div class="circle"></div>
        </div>
      </div>
    </div>
  </div>
</div>
```

```
</div>

<div class="circle-clipper right">
    <div class="circle"></div>
</div>

<div class="circle-clipper left">
    <div class="circle"></div>
</div>

<div class="gap-patch">
    <div class="circle"></div>
</div>

<div class="circle-clipper right">
    <div class="circle"></div>
</div>

</div>
```

```
<div class="spinner-layer spinner-yellow">
    <div class="circle-clipper left">
        <div class="circle"></div>
    </div>

    <div class="gap-patch">
        <div class="circle"></div>
    </div>

    <div class="circle-clipper right">
        <div class="circle"></div>
    </div>
```

```

</div>

<div class="spinner-layer spinner-green">
  <div class="circle-clipper left">
    <div class="circle"></div>
  </div>
  <div class="gap-patch">
    <div class="circle"></div>
  </div>
  <div class="circle-clipper right">
    <div class="circle"></div>
  </div>
</div>
</div>
</div>
<!-- Pre-loader end -->
<div id="pcoded" class="pcoded">
  <div class="pcoded-overlay-box"></div>
  <div class="pcoded-container navbar-wrapper">
    <nav class="navbar header-navbar pcoded-header">
      <div class="navbar-wrapper">
        <div class="navbar-logo">
          <a class="mobile-menu waves-effect waves-light" id="mobile-collapse" href="#!">
            <i class="ti-menu"></i>
          </a>
        <div class="mobile-search waves-effect waves-light">

```

```

<div class="header-search">

    <div class="main-search morphsearch-search">

        <div class="input-group">

            <span class="input-group-prepend search-close"><i class="ti-close input-group-text"></i></span>

            <input type="text" class="form-control" placeholder="Enter Keyword">

            <span class="input-group-append search-btn"><i class="ti-search input-group-text"></i></span>

        </div>

    </div>

</div>

</div>

<a href="index.php">

</a>

<a class="mobile-options waves-effect waves-light">

    <i class="ti-more"></i>

</a>

</div>

<div class="navbar-container container-fluid">

    <ul class="nav-left">

        <li>

            <div class="sidebar_toggle"><a href="javascript:void(0)"><i class="ti-menu"></i></a></div>

        </li>

        <li>

            <a href="#" onclick="javascript:toggleFullScreen()" class="waves-effect waves-light">

```

```

<i class="ti-fullscreen"></i>
</a>
</li>
</ul>
<ul class="nav-right">
<li class="user-profile header-notification">
<a href="#" class="waves-effect waves-light">

<span><?=$userName?></span>
<i class="ti-angle-down"></i>
</a>
<ul class="show-notification profile-notification">
<li class="waves-effect waves-light">
<a href="#">
<i class="ti-settings"></i> Settings
</a>
</li>
<li class="waves-effect waves-light">
<a href="singup.php">
<i class="ti-user"></i> Add new Admin
</a>
</li>
<li class="waves-effect waves-light">
<a href="auth-normal-sign-in.html">
<i class="ti-layout-sidebar-left"></i> Logout
</a>
</li>

```

```

        </ul>

    </li>

</ul>

</div>

</div>

</nav>

<div class="pcoded-main-container">

    <div class="pcoded-wrapper">

        <nav class="pcoded-navbar">

            <div class="sidebar_toggle"><a href="#"><i class="icon-close icons"></i></a></div>

            <div class="pcoded-inner-navbar main-menu">

                <div class="">

                    <div class="main-menu-header">

                        <div class="user-details">

                            <span id="more-details"><?= $userName ?><i class="fa fa-caret-down"></i></span>

                        </div>

                    </div>

                    <div class="main-menu-content">

                        <ul>

                            <li class="more-details">

                                <a href="user-profile.html"><i class="ti-user"></i>View Profile</a>

                                <a href="#!"><i class="ti-settings"></i>Settings</a>

                            </li>
                        
```

```

        <a href="auth-normal-sign-in.html"><i class="ti-layout-sidebar-left"></i>Logout</a>

    </li>
</ul>
</div>
</div>

<div class="pcoded-navigation-label">Dashboard</div>

<ul class="pcoded-item pcoded-left-item">

<li class="active">
    <a href="index.php" class="waves-effect waves-dark">
        <span class="pcoded-micon"><i class="ti-home"></i><b>D</b></span>
        <span class="pcoded-mtext">Dashboard</span>
        <span class="pcoded-mcaret"></span>
    </a>
</li>
</ul>

<div class="pcoded-navigation-label">Eliments</div>

<ul class="pcoded-item pcoded-left-item">

<li class="pcoded-hasmenu">
    <a href="javascript:void(0)" class="waves-effect waves-dark">
        <span class="pcoded-micon"><i class="ti-layout-grid2-alt"></i><b>BC</b></span>
        <span class="pcoded-mtext">Basic</span>
        <span class="pcoded-mcaret"></span>
    </a>
    <ul class="pcoded-submenu">
        <li class=" " >

```

```

        <a href="addcategory.php" class="waves-effect waves-
dark">

            <span class="pcoded-micon"><i class="ti-angle-
right"></i></span>

            <span class="pcoded-mtext">add category</span>

            <span class="pcoded-mcaret"></span>

        </a>

    </li>

    <li class=" ">

        <a href="deleteCategory.php" class="waves-effect waves-
dark">

            <span class="pcoded-micon"><i class="ti-angle-
right"></i></span>

            <span class="pcoded-mtext">Delete Category</span>

            <span class="pcoded-mcaret"></span>

        </a>

    </li>

    <li class="">

        <a href="deliveryFee.php" class="waves-effect waves-
dark">

            <span class="pcoded-micon"><i class="ti-angle-
right"></i></span>

            <span class="pcoded-mtext">Dilivery fee</span>

            <span class="pcoded-mcaret"></span>

        </a>

    </li>

    <li class=" ">

        <a href="pendingoders.php" class="waves-effect waves-
dark">

```

```

        <span class="pcoded-micon"><i class="ti-angle-right"></i></span>

        <span class="pcoded-mtext">Pending Oders</span>

        <span class="pcoded-mcaret"></span>

    </a>

</li>

<li class=" ">

    <a href="completetoders.php" class="waves-effect waves-dark">

        <span class="pcoded-micon"><i class="ti-angle-right"></i></span>

        <span class="pcoded-mtext">Complete Oders</span>

        <span class="pcoded-mcaret"></span>

    </a>

</li>

</ul>

</li>

</ul>

</li>

</ul>

</div>

</nav>

<div class="pcoded-content">

    <!-- Page-header start -->

    <div class="page-header">

        <div class="page-block">

            <div class="row align-items-center">

```

```
<div class="col-md-8">
```

```
    <div class="page-header-title">
```

```
        <h5 class="m-b-10">The Market Basket</h5>
```

```
        <p class="m-b-0">Powered by Code Crashers </p>
```

```
    </div>
```

```
</div>
```

```
<div class="col-md-4">
```

```
    <ul class="breadcrumb">
```

```
        <li class="breadcrumb-item">
```

```
            <a href="index.php"> <i class="fa fa-home"></i> </a>
```

```
        </li>
```

```
        <li class="breadcrumb-item"><a
```

```
            href="index.php">Dashboard</a>
```

```
        </li>
```

```
    </ul>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- Page-header end -->
```

```
<div class="pcoded-inner-content">
```

```
    <!-- Main-body start -->
```

```
    <div class="main-body">
```

```
        <div class="page-wrapper">
```

```
            <!-- Page-body start -->
```

```
            <div class="page-body">
```

```
                <div class="row">
```

```

<!-- sale analytics start -->

<!-- Page-body start -->

<div class="page-body breadcrumb-page">

    <!-- Simple Breadcrumb card start -->

    <div class="card">

        <div class="card-block">

            <h5>Complite oders</h5><br>

            <?php

                $selectcomplite = "SELECT * FROM completeoders";

                $compliteResult = mysqli_query($con,$selectcomplite);

                if(mysqli_num_rows($compliteResult) > 0){

                    echo      '<table      class="table      table-
hover"><th>UserNmae</th><th>Category           Name</th><th>Category
Price</th><th>quantity</th><th>Category type</th>';

                    while($complitegRows
                        = mysqli_fetch_assoc($compliteResult)){

                        echo "<tr>";

                        echo "<th>".$complitegRows['username'] . "</th>";

                        echo "<th>".$complitegRows['catname'] . "</th>";

                        echo "<th>".$complitegRows['catprice'] . "</th>";

                        echo "<th>".$complitegRows['quantity'] . "</th>";

                        echo "<th>".$complitegRows['cattype'] . "</th>";

                    }
                }
            </?php>
        </div>
    </div>
</div>

```

```
echo "</tr>";  
}  
echo "</table>";  
}  
?  
</div>  
</div>  
</div>  
  
<!-- sale analytics end -->  
  
</div>  
</div>  
<!-- Page-body end -->  
</div>  
<div id="styleSelector"></div>  
</div>  
</div>  
</div>  
</div>  
</div>  
</div>  
  
<!-- Warning Section Ends -->  
  
<!-- Required Jquery -->
```

```
<script type="text/javascript" src="assets/js/jquery/jquery.min.js "></script>

<script      type="text/javascript"      src="assets/js/jquery-ui/jquery-ui.min.js
"></script>

<script type="text/javascript" src="assets/js/popper.js/popper.min.js"></script>

<script      type="text/javascript"      src="assets/js/bootstrap/js/bootstrap.min.js
"></script>

<!-- waves js -->

<script src="assets/pages/waves/js/waves.min.js"></script>

<!-- jquery slimscroll js -->

<script          type="text/javascript"          src="assets/js/jquery-
slimscroll/jquery.slimscroll.js"></script>

<!-- slimscroll js -->

<script src="assets/js/jquery.mCustomScrollbar.concat.min.js "></script>

<!-- menu js -->

<script src="assets/js/p coded.min.js"></script>

<script src="assets/js/vertical/vertical-layout.min.js "></script>

<script type="text/javascript" src="assets/js/script.js "></script>

</body>

</html>
```

Pending Orders:

This interface lists orders that are yet to be processed. It generally includes information such as order ID, customer details, order status, and timestamps. Admins can review pending orders and may have the option to change their status or take action directly from this screen, ensuring timely processing.

The screenshot shows a web application titled "The Market Basket" powered by "Code Crashers". The user is logged in as "kavishka1". The left sidebar has a "Dashboard" button highlighted in blue, and a "Basic" element under "Elements". The main content area is titled "Pending orders" and contains a table with one row of data. The table columns are: User Name, Category Name, Category Price, quantity, and Category type. The data row is: Kavishka1, Mutton Leg Slices, 2600, 1, Meats. There is also a search bar labeled "Enter customer name" and a "Print Bill" button.

Pending Orders:

```
<?php  
include("conn.php");  
session_start();  
$userName = $_SESSION["userName"];  
$image = $_SESSION["image"] ;  
  
//Calculating number of district  
$districtQuery = "SELECT * FROM deliveryfee";  
$numOfDistrict = mysqli_num_rows(mysqli_query($con,$districtQuery));  
//Calculating Number of customers  
$customerQuery = "SELECT * FROM users";  
$numOfCustomers= mysqli_num_rows(mysqli_query($con,$customerQuery));  
  
?>  
<?php  
if(isset($_GET["printBillBtn"])){
```

```

$custName = $_GET["custName"];

$checkCustName = "SELECT * FROM pendingoders WHERE username =
'$custName';

$custResult = mysqli_query($con,$checkCustName);

if($pendingNumber = mysqli_num_rows($custResult) > 0){

    while($custRow = mysqli_fetch_assoc($custResult)){

        $castUserNmme = $custRow["username"];

        $catName = $custRow["catname"];

        $image = $custRow["image"];

        $catprice = $custRow["catprice"];

        $qunty = $custRow["quantity"];

        $cattype = $custRow["cattype"];

        $insertToComplete = "INSERT INTO
completeoders(username,catname,image,quantity,cattype,catprice)VALUES('$cast
UserNmme','$catName','$image','$qunty','$cattype','$catprice')";

        mysqli_query($con,$insertToComplete);

    }

    $_SESSION["customerName"] = $castUserNmme;

    // mysqli_query($con,"DELETE FROM pendingoders WHERE username =
'$castUserNmme');

    header("Location:bill.php");

}

?>

```

```

<!DOCTYPE html>

<html lang="en">
```

```
<head>
```

```

<title>The Market Basket Admin</title>

<meta charset="utf-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0, user-scalable=0, minimal-ui">

<meta http-equiv="X-UA-Compatible" content="IE=edge" />




<meta name="keywords" content="bootstrap, bootstrap admin template, admin theme, admin dashboard, dashboard template, admin template, responsive" />

<meta name="author" content="Codedthemes" />

<!-- Favicon icon -->

<link rel="icon" href="images/favicon.ico" type="image/x-icon">

<!-- Google font-->

<link href="https://fonts.googleapis.com/css?family=Open+Sans:400,600,700" rel="stylesheet">

<!-- waves.css -->

<link rel="stylesheet" href="assets/pages/waves/css/waves.min.css" type="text/css" media="all">

<!-- Required Framework -->

<link rel="stylesheet" href="assets/css/bootstrap/css/bootstrap.min.css" type="text/css">

<!-- waves.css -->

<link rel="stylesheet" href="assets/pages/waves/css/waves.min.css" type="text/css" media="all">

<!-- themify icon -->

<link rel="stylesheet" type="text/css" href="assets/icon/themify-icons/themify-icons.css">

<!-- font-awesome-n -->

<link rel="stylesheet" type="text/css" href="assets/css/font-awesome-n.min.css">

<link rel="stylesheet" type="text/css" href="assets/css/font-awesome.min.css">

```

```

<!-- scrollbar.css -->

<link rel="stylesheet" type="text/css"
      href="assets/css/jquery.mCustomScrollbar.css">

<!-- Style.css -->

<link rel="stylesheet" type="text/css" href="assets/css/style.css">

<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css"
      rel="stylesheet" integrity="sha384-EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztQTwFspd3yD65VohhpuuCOmLASjC"
      crossorigin="anonymous">

</head>

<body>

<!-- Pre-loader start -->

<div class="theme-loader">

  <div class="loader-track">

    <div class="preloader-wrapper">

      <div class="spinner-layer spinner-blue">

        <div class="circle-clipper left">

          <div class="circle"></div>

        </div>

        <div class="gap-patch">

          <div class="circle"></div>

        </div>

        <div class="circle-clipper right">

          <div class="circle"></div>

        </div>

      </div>

    </div>

  </div>

</div>

```

```
<div class="spinner-layer spinner-red">  
  <div class="circle-clipper left">  
    <div class="circle"></div>  
  </div>  
  <div class="gap-patch">  
    <div class="circle"></div>  
  </div>  
  <div class="circle-clipper right">  
    <div class="circle"></div>  
  </div>  
</div>
```

```
<div class="spinner-layer spinner-yellow">  
  <div class="circle-clipper left">  
    <div class="circle"></div>  
  </div>  
  <div class="gap-patch">  
    <div class="circle"></div>  
  </div>  
  <div class="circle-clipper right">  
    <div class="circle"></div>  
  </div>  
</div>
```

```
<div class="spinner-layer spinner-green">  
  <div class="circle-clipper left">  
    <div class="circle"></div>
```

```

</div>

<div class="gap-patch">

    <div class="circle"></div>

</div>

<div class="circle-clipper right">

    <div class="circle"></div>

</div>

</div>

</div>

</div>

</div>

<!-- Pre-loader end -->

<div id="pcoded" class="pcoded">

    <div class="pcoded-overlay-box"></div>

    <div class="pcoded-container navbar-wrapper">

        <nav class="navbar header-navbar pcoded-header">

            <div class="navbar-wrapper">

                <div class="navbar-logo">

                    <a class="mobile-menu waves-effect waves-light" id="mobile-collapse" href="#">

                        <i class="ti-menu"></i>

                    </a>

                <div class="mobile-search waves-effect waves-light">

                    <div class="header-search">

                        <div class="main-search morphsearch-search">

                            <div class="input-group">

                                <span class="input-group-prepend search-close"><i class="ti-close input-group-text"></i></span>

```

```

        <input type="text" class="form-control" placeholder="Enter
Keyword">

            <span class="input-group-append search-btn"><i class="ti-
search input-group-text"></i></span>

        </div>

    </div>

    </div>

<a href="index.php">

</a>

<a class="mobile-options waves-effect waves-light">

    <i class="ti-more"></i>

</a>

</div>

<div class="navbar-container container-fluid">

    <ul class="nav-left">

        <li>

            <div class="sidebar_toggle"><a href="javascript:void(0)"><i
class="ti-menu"></i></a></div>

        </li>

        <li>

            <a href="#" onclick="javascript:toggleFullScreen()"
class="waves-effect waves-light">

                <i class="ti-fullscreen"></i>

            </a>

        </li>

    </ul>

```

```

<ul class="nav-right">

    <li class="user-profile header-notification">
        <a href="#" class="waves-effect waves-light">
            
            <span><?=$userName?></span>
            <i class="ti-angle-down"></i>
        </a>
        <ul class="show-notification profile-notification">
            <li class="waves-effect waves-light">
                <a href="#">
                    <i class="ti-settings"></i> Settings
                </a>
            </li>
            <li class="waves-effect waves-light">
                <a href="singup.php">
                    <i class="ti-user"></i> Add new Addmin
                </a>
            </li>
            <li class="waves-effect waves-light">
                <a href="auth-normal-sign-in.html">
                    <i class="ti-layout-sidebar-left"></i> Logout
                </a>
            </li>
        </ul>
    </li>
</ul>
</div>

```

```

</div>

</nav>

<div class="pcoded-main-container">
  <div class="pcoded-wrapper">
    <nav class="pcoded-navbar">
      <div class="sidebar_toggle"><a href="#"><i class="icon-close icons"></i></a></div>
      <div class="pcoded-inner-navbar main-menu">
        <div class="">
          <div class="main-menu-header">
            
            <div class="user-details">
              <span id="more-details"><?=$userName ?><i class="fa fa-caret-down"></i></span>
            </div>
          </div>
          <div class="main-menu-content">
            <ul>
              <li class="more-details">
                <a href="user-profile.html"><i class="ti-user"></i>View Profile</a>
                <a href="#"><i class="ti-settings"></i>Settings</a>
                <a href="auth-normal-sign-in.html"><i class="ti-layout-sidebar-left"></i>Logout</a>
              </li>
            </ul>
          </div>
        </div>
      </div>
    </nav>
  </div>
</div>

```

```

</div>

<div class="pcoded-navigation-label">Dashboard</div>

<ul class="pcoded-item pcoded-left-item">

    <li class="active">

        <a href="index.php" class="waves-effect waves-dark">

            <span class="pcoded-micon"><i class="ti-home"></i><b>D</b></span>

            <span class="pcoded-mtext">Dashboard</span>

            <span class="pcoded-mcaret"></span>

        </a>

    </li>

</ul>

<div class="pcoded-navigation-label">Eliments</div>

<ul class="pcoded-item pcoded-left-item">

    <li class="pcoded-hasmenu">

        <a href="javascript:void(0)" class="waves-effect waves-dark">

            <span class="pcoded-micon"><i class="ti-layout-grid2-alt"></i><b>BC</b></span>

            <span class="pcoded-mtext">Basic</span>

            <span class="pcoded-mcaret"></span>

        </a>

        <ul class="pcoded-submenu">

            <li class=" " >

                <a href="addcategory.php" class="waves-effect waves-dark">

                    <span class="pcoded-micon"><i class="ti-angle-right"></i></span>

                    <span class="pcoded-mtext">add category</span>

                    <span class="pcoded-mcaret"></span>

                </a>

            </li>

        </ul>

    </li>

</ul>

```

```

        </a>
    </li>
    <li class=" " >
        <a href="deleteCategory.php" class="waves-effect waves-dark">
            <span class="pcoded-micon"><i class="ti-angle-right"></i></span>
            <span class="pcoded-mtext">Delete Category</span>
            <span class="pcoded-mcaret"></span>
        </a>
    </li>
    <li class="" >
        <a href="deliveryFee.php" class="waves-effect waves-dark">
            <span class="pcoded-micon"><i class="ti-angle-right"></i></span>
            <span class="pcoded-mtext">Delivery fee</span>
            <span class="pcoded-mcaret"></span>
        </a>
    </li>
    <li class=" " >
        <a href="pendingoders.php" class="waves-effect waves-dark">
            <span class="pcoded-micon"><i class="ti-angle-right"></i></span>
            <span class="pcoded-mtext">Pending Oders</span>
            <span class="pcoded-mcaret"></span>
        </a>
    </li>
    <li class=" " >

```

```
<a href="completetoders.php" class="waves-effect waves-dark">

    <span class="pcoded-micon"><i class="ti-angle-right"></i></span>

    <span class="pcoded-mtext">Complete Oders</span>

    <span class="pcoded-mcaret"></span>

</a>

</li>

</ul>

</li>

</ul>

</li>

</ul>

</div>

</nav>

<div class="pcoded-content">

    <!-- Page-header start -->

    <div class="page-header">

        <div class="page-block">

            <div class="row align-items-center">

                <div class="col-md-8">

                    <div class="page-header-title">

                        <h5 class="m-b-10">The Market Basket</h5>

                        <p class="m-b-0">Powerd by Code Crashers </p>

                    </div>

                </div>

                <div class="col-md-4">
```

```
<ul class="breadcrumb">  
    <li class="breadcrumb-item">  
        <a href="index.php" > <i class="fa fa-home" ></i> </a>  
    </li>  
    <li class="breadcrumb-item"><a href="index.php" >Dashboard</a>  
    </li>  
</ul>  
</div>  
</div>  
</div>  
</div>
```

```
<!-- Page-header end -->  
<div class="pcoded-inner-content">  
    <!-- Main-body start -->  
    <div class="main-body">  
        <div class="page-wrapper">  
            <!-- Page-body start -->  
            <div class="page-body">  
                <div class="row">  
                    <!-- Page-body start -->  
                    <div class="page-body breadcrumb-page">  
                        <!-- Simple Breadcrumb card start -->  
                        <div class="card">  
                            <div class="card-block">  
                                <h5>Pending orders</h5><br>
```

```

<form method="Get">

    <div class="row">
        <div class="col">
            <input type="text" placeholder="Enter customer name"
name="custName" required class="form-control col-lg-10">
        </div>
        <div class="col">
            <input type="submit" value="Print Bill"
name="printBillBtn" class="btn btn-primary">
        </div>
    </div>
</form><br>

<?php

$selectPendingOrders = "SELECT * FROM pendingorders";

$pendingResult =
mysqli_query($con,$selectPendingOrders);

if(mysqli_num_rows($pendingResult) > 0){

    echo '<table class="table table-hover"><th>User Name</th><th>Category Name</th><th>Category Price</th><th>Quantity</th><th>Category Type</th>';

    while($pendingRows =
mysqli_fetch_assoc($pendingResult)) {

        echo "<tr>";
        echo "<th>".$pendingRows['username']."'</th>";
        echo "<th>".$pendingRows['catname']."'</th>";
        echo "<th>".$pendingRows['catprice']."'</th>";
        echo "<th>".$pendingRows['quantity']."'</th>";
        echo "<th>".$pendingRows['cattype']."'</th>";
        echo "</tr>";

    }
}

```

```

        echo "</table>";

    }

    ?>

</div>

</div>

</div>

</div>

</div>

<!-- Page-body end -->

</div>

<div id="styleSelector"></div>

</div>

<?php

if(isset($_GET["printBillBtn"])){
    if(!$pendingNumber > 0){ ?>
        <script src="https://cdn.jsdelivr.net/npm/sweetalert2@11"></script>
        <script>Swal.fire({icon: "error", title: "Oops...",text: "No Result Found !",});</script>
    <?php
}
}

```

```
?>

<!-- Required Jquery -->

<script type="text/javascript" src="assets/js/jquery/jquery.min.js "></script>

<script      type="text/javascript"      src="assets/js/jquery-ui/jquery-ui.min.js
"></script>

<script type="text/javascript" src="assets/js/popper.js/popper.min.js"></script>

<script      type="text/javascript"      src="assets/js/bootstrap/js/bootstrap.min.js
"></script>

<!-- waves js -->

<script src="assets/pages/waves/js/waves.min.js"></script>

<!-- jquery slimscroll js -->

<script          type="text/javascript"          src="assets/js/jquery-
slimscroll/jquery.slimscroll.js"></script>

<!-- slimscroll js -->

<script src="assets/js/jquery.mCustomScrollbar.concat.min.js "></script>

<!-- menu js -->

<script src="assets/js/pcoded.min.js"></script>

<script src="assets/js/vertical/vertical-layout.min.js "></script>

<script type="text/javascript" src="assets/js/script.js "></script>

</body>

</html>
```

Delivery Fee:

This screen enables the admin to set or adjust delivery fees for different zones or order sizes. It usually includes input fields for entering fee amounts and options for specifying conditions under which certain fees apply.

District	Price
Colombo	250
Anuradhapura	450
Badulla	350
Galle	350
Gampaha	300

Delivery Fee:

```
<?php  
session_start();  
  
$userName = $_SESSION["userName"];  
  
$image = $_SESSION["image"] ;  
  
?>  
  
<!DOCTYPE html>  
  
<html lang="en">  
  
<head>  
  
    <title>The market Basket Admin</title>  
  
    <!-- HTML5 Shim and Respond.js IE10 support of HTML5 elements and media  
    queries -->  
  
    <!-- WARNING: Respond.js doesn't work if you view the page via file:// -->  
  
    <!--[if lt IE 10]>  
  
        <script  
src="https://oss.maxcdn.com/libs/html5shiv/3.7.0/html5shiv.js"></script>
```

```
<script  
src="https://oss.maxcdn.com/libs/respond.js/1.4.2/respond.min.js"></script>  
  
<![endif]-->  
  
<!-- Meta -->  
  
<meta charset="utf-8">  
  
<meta name="viewport" content="width=device-width, initial-scale=1.0, user-scalable=0, minimal-ui">  
  
<meta http-equiv="X-UA-Compatible" content="IE=edge" />  
  
  
  
<meta name="keywords" content="bootstrap, bootstrap admin template, admin theme, admin dashboard, dashboard template, admin template, responsive" />  
  
<meta name="author" content="Codedthemes" />  
  
<!-- Favicon icon -->  
  
<link rel="icon" href="images/favicon.ico" type="image/x-icon">  
  
<!-- Google font-->  
  
<link href="https://fonts.googleapis.com/css?family=Open+Sans:400,600,700" rel="stylesheet">  
  
<!-- waves.css -->  
  
<link rel="stylesheet" href="assets/pages/waves/css/waves.min.css" type="text/css" media="all">  
  
<!-- Required Framework -->  
  
<link rel="stylesheet" href="assets/css/bootstrap/css/bootstrap.min.css" type="text/css">  
  
<!-- themify-icons line icon -->  
  
<link rel="stylesheet" type="text/css" href="assets/icon/themify-icons/themify-icons.css">  
  
<!-- ico font -->  
  
<link rel="stylesheet" href="assets/icon/icofont/css/icofont.css" type="text/css">  
  
<!-- Font Awesome -->
```

```
<link rel="stylesheet" type="text/css" href="assets/icon/font-awesome/css/font-awesome.min.css">

<!-- Style.css -->

<link rel="stylesheet" type="text/css" href="assets/css/style.css">

<link rel="stylesheet" href="assets/css/jquery.mCustomScrollbar.css" type="text/css">

<link href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min.css" integrity="sha384-EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTWspd3yD65VohhpuuCOMLASjC" crossorigin="anonymous">

</head>
```

```
<body>

<!-- Pre-loader start -->

<div class="theme-loader">

    <div class="loader-track">

        <div class="preloader-wrapper">

            <div class="spinner-layer spinner-blue">

                <div class="circle-clipper left">

                    <div class="circle"></div>

                </div>

                <div class="gap-patch">

                    <div class="circle"></div>

                </div>

                <div class="circle-clipper right">

                    <div class="circle"></div>

                </div>

            </div>

            <div class="spinner-layer spinner-red">
```

```
<div class="circle-clipper left">  
    <div class="circle"></div>  
  </div>  
  
<div class="gap-patch">  
    <div class="circle"></div>  
  </div>  
  
<div class="circle-clipper right">  
    <div class="circle"></div>  
  </div>  
  
</div>  
  
  
<div class="spinner-layer spinner-yellow">  
  <div class="circle-clipper left">  
    <div class="circle"></div>  
  </div>  
  
<div class="gap-patch">  
    <div class="circle"></div>  
  </div>  
  
<div class="circle-clipper right">  
    <div class="circle"></div>  
  </div>  
  
</div>  
  
  
<div class="spinner-layer spinner-green">  
  <div class="circle-clipper left">  
    <div class="circle"></div>  
  </div>
```

```

<div class="gap-patch">
    <div class="circle"></div>
</div>

<div class="circle-clipper right">
    <div class="circle"></div>
</div>

</div>
</div>

</div>
</div>

<!-- Pre-loader end -->

<div id="pcoded" class="pcoded">
    <div class="pcoded-overlay-box"></div>
    <div class="pcoded-container navbar-wrapper">
        <nav class="navbar header-navbar pcoded-header">
            <div class="navbar-wrapper">
                <div class="navbar-logo">
                    <a class="mobile-menu waves-effect waves-light" id="mobile-collapse" href="#">
                        <i class="ti-menu"></i>
                    </a>
                <div class="mobile-search waves-effect waves-light">
                    <div class="header-search">
                        <div class="main-search morphsearch-search">
                            <div class="input-group">
                                <span class="input-group-prepend search-close"><i class="ti-close input-group-text"></i></span>

```

```

        <input type="text" class="form-control" placeholder="Enter
Keyword">

        <span class="input-group-append search-btn"><i class="ti-
search input-group-text"></i></span>

        </div>

    </div>

    </div>

<a href="index.php">

    </a>

    <a class="mobile-options waves-effect waves-light">

        <i class="ti-more"></i>

    </a>

</div>

<div class="navbar-container container-fluid">

    <ul class="nav-left">

        <li>

            <div class="sidebar_toggle"><a href="javascript:void(0)"><i
class="ti-menu"></i></a></div>

            </li>

        <li>

            <a href="#" onclick="javascript:toggleFullScreen()"
class="waves-effect waves-light">

                <i class="ti-fullscreen"></i>

            </a>

        </li>

    </ul>

```

```

<ul class="nav-right">

    <li class="user-profile header-notification">
        <a href="#" class="waves-effect waves-light">
            
            <span><?=$userName?></span>
            <i class="ti-angle-down"></i>
        </a>
        <ul class="show-notification profile-notification">
            <li class="waves-effect waves-light">
                <a href="#">
                    <i class="ti-settings"></i> Settings
                </a>
            </li>
            <li class="waves-effect waves-light">
                <a href="user-profile.html">
                    <i class="ti-user"></i> Profile
                </a>
            </li>
            <li class="waves-effect waves-light">
                <a href="auth-normal-sign-in.html">
                    <i class="ti-layout-sidebar-left"></i> Logout
                </a>
            </li>
        </ul>
    </li>
</ul>
</div>

```

```

</div>

</nav>

<div class="pcoded-main-container">
    <div class="pcoded-wrapper">
        <nav class="pcoded-navbar">
            <div class="sidebar_toggle"><a href="#"><i class="icon-close icons"></i></a></div>
            <div class="pcoded-inner-navbar main-menu">
                <div class="">
                    <div class="main-menu-header">
                        
                        <div class="user-details">
                            <span id="more-details"><?= $userName ?><i class="fa fa-caret-down"></i></span>
                        </div>
                    </div>
                    <div class="main-menu-content">
                        <ul>
                            <li class="more-details">
                                <a href="user-profile.html"><i class="ti-user"></i>View Profile</a>
                                <a href="#"><i class="ti-settings"></i>Settings</a>
                                <a href="auth-normal-sign-in.html"><i class="ti-layout-sidebar-left"></i>Logout</a>
                            </li>
                        </ul>
                    </div>
                </div>
            </div>
        </nav>
    </div>
</div>

```

```

</div>

<div class="pcoded-navigation-label">Dashboard</div>

<ul class="pcoded-item pcoded-left-item">

    <li class="active">
        <a href="index.php" class="waves-effect waves-dark">
            <span class="pcoded-micon"><i class="ti-home"></i><b>D</b></span>
            <span class="pcoded-mtext">Dashboard</span>
            <span class="pcoded-mcaret"></span>
        </a>
    </li>
</ul>

<div class="pcoded-navigation-label">Eliments</div>

<ul class="pcoded-item pcoded-left-item">

    <li class="pcoded-hasmenu">
        <a href="javascript:void(0)" class="waves-effect waves-dark">
            <span class="pcoded-micon"><i class="ti-layout-grid2-alt"></i><b>BC</b></span>
            <span class="pcoded-mtext">Basic</span>
            <span class="pcoded-mcaret"></span>
        </a>
        <ul class="pcoded-submenu">
            <li class=" " >
                <a href="addcategory.php" class="waves-effect waves-dark">
                    <span class="pcoded-micon"><i class="ti-angle-right"></i></span>
                    <span class="pcoded-mtext">add category</span>
                    <span class="pcoded-mcaret"></span>
                </a>
            </li>
        </ul>
    </li>
</ul>

```

```
</a>

</li>

<li class=" " >

    <a href="deleteCategory.php" class="waves-effect waves-dark">

        <span class="pcoded-micon"><i class="ti-angle-right"></i></span>

        <span class="pcoded-mtext">Delete Category</span>

        <span class="pcoded-mcaret"></span>

    </a>

</li>

<li class="" >

    <a href="deliveryFee.php" class="waves-effect waves-dark">

        <span class="pcoded-micon"><i class="ti-angle-right"></i></span>

        <span class="pcoded-mtext">Delivery fee</span>

        <span class="pcoded-mcaret"></span>

    </a>

</li>

<li class=" " >

    <a href="pendingoders.php" class="waves-effect waves-dark">

        <span class="pcoded-micon"><i class="ti-angle-right"></i></span>

        <span class="pcoded-mtext">Pending Oders</span>

        <span class="pcoded-mcaret"></span>

    </a>

</li>

<li class=" " >
```

```

        <a href="completetoders.php" class="waves-effect waves-dark">
            <span class="pcoded-micon"><i class="ti-angle-right"></i></span>
            <span class="pcoded-mtext">Complete Oders</span>
            <span class="pcoded-mcaret"></span>
        </a>
    </li>
</ul>
</li>
</ul>
</li>
</ul>
</div>
</nav>
<div class="pcoded-content">
    <!-- Page-header start -->
    <div class="page-header">
        <div class="page-block">
            <div class="row align-items-center">
                <div class="col-md-8">
                    <div class="page-header-title">
                        <h5 class="m-b-10">The Market Basket</h5>
                        <p class="m-b-0">Powerd by Code Crashers</p>
                    </div>
                </div>
                <div class="col-md-4">

```

```

<ul class="breadcrumb">
    <li class="breadcrumb-item">
        <a href="index.php"> <i class="fa fa-home"></i> </a>
    </li>
    <li class="breadcrumb-item"><a href="index.php">Dashboard</a>
    </li>
    <li class="breadcrumb-item"><a href="deleteCategory.php">Delete Category</a>
    </li>
</ul>
</div>
</div>
</div>
<!-- Page-header end -->
<div class="pcoded-inner-content">
    <!-- Main-body start -->
    <div class="main-body">
        <div class="page-wrapper">
            <div class="page-wrapper">
                <?php
                    //delivery price update Query
                    $message = "";
                    include("conn.php");
                    if(isset($_GET["changeBtn"])){

```

```

$dPrice = $_GET["dPrice"];

$district = $_GET["district"];

$updateQuery = "UPDATE deliveryfee SET deliveryprice =
'$dPrice' WHERE district = '$district'";

if(mysqli_query($con,$updateQuery)){

    $message = '<div class="alert alert-primary d-flex align-
items-center" role="alert">

<svg xmlns="http://www.w3.org/2000/svg" width="24" height="24"
fill="currentColor" class="bi bi-exclamation-triangle-fill flex-shrink-0 me-2"
viewBox="0 0 16 16" role="img" aria-label="Warning:">

<path d="M8.982 1.566a1.13 1.13 0 0 0-1.96 0L.165 13.233c
.457.778.091 1.767.98 1.767h13.713c.889 0 1.438-.99.98-1.767L8.982 1.566zM8
5c.535 0 .954.462.9.995l-.35 3.507a.552.552 0 0 1-1.1 0L7.1 5.995A.905.905 0 0 1
8 5zm.002 6a1 1 0 1 1 0 2 1 1 0 0 1 0-2z"/>

</svg>
<div>

Successfully Delivery price updated !
</div>
</div>';

}else{

    $message = '<div class="alert alert-primary d-flex align-
items-center" role="alert">

<svg xmlns="http://www.w3.org/2000/svg" width="24" height="24"
fill="currentColor" class="bi bi-exclamation-triangle-fill flex-shrink-0 me-2"
viewBox="0 0 16 16" role="img" aria-label="Warning:">

<path d="M8.982 1.566a1.13 1.13 0 0 0-1.96 0L.165 13.233c
.457.778.091 1.767.98 1.767h13.713c.889 0 1.438-.99.98-1.767L8.982 1.566zM8
5c.535 0 .954.462.9.995l-.35 3.507a.552.552 0 0 1-1.1 0L7.1 5.995A.905.905 0 0 1
8 5zm.002 6a1 1 0 1 1 0 2 1 1 0 0 1 0-2z"/>

</svg>
<div>

there is some error !
</div>

```

```

</div>';

}

}

?>

<!-- Page-body start -->

<div class="page-body breadcrumb-page">

<!-- Simple Breadcrumb card start -->

<div class="card">

<div class="card-block">

<h5>Change Delivery Price</h5><br>

<form method = "Get">

<div class = "row">

<div class="col">

<select      class="form-select"      name="district"
required>

          <option      selected      disabled
value="">Choose...</option>

          <option value="Colombo">Colombo</option>

          <option
value="Anuradhapura">Anuradhapura</option>

          <option value="Badulla">Badulla</option>

          <option value="Galle">Galle</option>

          <option value="Gampaha">Gampaha</option>

          <option
value="Hambanthota">Hambanthota</option>

          <option value="Kaluthara">Kaluthara</option>

          <option value="Kandy">Kandy</option>

          <option value="Kegalle">Kegalle</option>

```

```

        <option value="Matale">Matale</option>
    </select>
</div>

<div class = "col">

    <input    class="form-control"    type="number"
placeholder="Delivery Price" name="dPrice" required>

</div>

<div class = "col">

    <input type="submit"   name   =  "changeBtn"
class="btn btn-success" value="Change">

</div><br>

<?=$message ?>

</form><br>

<h5>Dilivery fee Chart</h5><br>

<?php

$selectQuery = "SELECT * FROM deliveryfee";

$result = mysqli_query($con,$selectQuery);

if(mysqli_num_rows($result) > 0){

    echo '<table  class="table  table-striped  table-
hover"> <th>District</th><th>Price</th>';

    while($row = mysqli_fetch_assoc($result)) {

        echo "<tr>";
        echo "<td>".$row['district']."</td>";
        echo "<td>".$row['deliveryprice']."</td>";
        echo "</tr>";

    }

    echo'</table>';
}

```

```
        }

    ?>

    </div>

    </div>

    </div>

    <!-- Page-body end -->

    </div>

    </div>

    <!-- Page-body end -->

    </div>

    </div>

    <!-- Warning Section Starts -->

    <div id="styleSelector">

        </div>

    </div>

    </div>

    </div>

    </div>

    </div>

    </div>

    <!-- Required Jquery -->

<script type="text/javascript" src="assets/js/jquery/jquery.min.js "></script>

<script      type="text/javascript"      src="assets/js/jquery-ui/jquery-ui.min.js
"></script>
```

```

<script type="text/javascript" src="assets/js/popper.js/popper.min.js"></script>

<script type="text/javascript" src="assets/js/bootstrap/js/bootstrap.min.js"></script>

<!-- waves js --&gt;

&lt;script src="assets/pages/waves/js/waves.min.js"&gt;&lt;/script&gt;

<!-- jquery slimscroll js --&gt;

&lt;script type="text/javascript" src="assets/js/jquery-slimscroll/jquery.slimscroll.js"&gt;&lt;/script&gt;

<!-- Custom js --&gt;

&lt;script src="assets/js/p coded.min.js"&gt;&lt;/script&gt;

&lt;script src="assets/js/vertical/vertical-layout.min.js"&gt;&lt;/script&gt;

&lt;script src="assets/js/jquery.mCustomScrollbar.concat.min.js"&gt;&lt;/script&gt;

<!-- Custom js --&gt;

&lt;script&gt;

$(document).ready(function() {

    $('[data-toggle="popover"]').popover({

        html: true,

        content: function() {

            return $('#primary-popover-content').html();

        }

    });

});

&lt;/script&gt;

&lt;script type="text/javascript" src="assets/js/script.js"&gt;&lt;/script&gt;

&lt;/body&gt;


&lt;/html&gt;
</pre>

```

Customer Side

Customer Registration:

The customer registration form for new users to sign up.



Customer Registration:

```
<?php  
//Register  
  
if(isset($_POST["btnSingUp"])){  
    $fullname = $_POST["fullNameSingUp"];  
    $userName = $_POST["userNameSingUp"];  
    $district = $_POST["district"];  
    $password = password_hash($_POST["passwordSingUp"],PASSWORD_DEFAULT);  
    $insertQuery = "INSERT INTO users(fullname,username,district,password)VALUES('$fullname','$userName','$district','$password');";  
    $checkQuery = "SELECT * FROM users WHERE username = '$userName'";  
    $userresult = mysqli_query($con,$checkQuery);
```

```

if(!mysqli_num_rows($userresult) >=1){

    if(mysqli_query($con,$insertQuery)){ ?>

        <script src="https://cdn.jsdelivr.net/npm/sweetalert2@11"></script>

            <script>Swal.fire({icon: "success", title: "success",text: "successfully
Registered !",});</script>

    <?php }else{

        die("There is somme error detected !");

    }

} else{ ?>

    <script src="https://cdn.jsdelivr.net/npm/sweetalert2@11"></script>

        <script>Swal.fire({icon: "error", title: "Oops...",text: "UserName is already
exist !",});</script>

    <?php }

}

?>

<div class="cont">

<div class="form sign-in">

<form method="post">

<h2>Sign In</h2>

<label>

<span>User Name</span>

<input type="text" name="loginUsernaem" required>

</label>

<label>

<span>Password</span>

```

```
<input type="password" name="loginPassword" required>
</label>

<button class="submit" type="submit" name="signInBtn">Sign In</button>

</form>

<div class="social-media">

<p><?=$message ?></p>

</div>

</div>

<div class="sub-cont">

<div class="img">

<div class="img-text m-up">

<h1>New here to</h1>

<h2>The Market Basket</h2>

<p>sign up and discover</p>

</div>

<div class="img-text m-in">

<h1>One of us to</h1>

<h2>The Market Basket</h2>

<p>just sign in</p>

</div>

<div class="img-btn">

<span class="m-up">Sign Up</span>

<span class="m-in">Sign In</span>


```

```
</div>

</div>

<div class="form sign-up">

<form method="post">

<h2>Sign Up</h2>

<label>

<span>Full name</span>

<input type="text" name="fullNameSingUp" required>

</label>

<label>

<span>UserName</span>

<input type="text" name="userNameSingUp" required>

</label>

<label>

<span>Select District</span>

<select class="selct" name="district" required>

<option value="Colombo">Colombo</option>

<option value="Anuradhapura">Anuradhapura</option>

<option value="Badulla">Badulla</option>

<option value="Galle">Galle</option>

<option value="Gampaha">Gampaha</option>

<option value="Hambanthota">Hambanthota</option>

<option value="Kaluthara">Kaluthara</option>

<option value="Kandy">Kandy</option>

<option value="Kegalle">Kegalle</option>

<option value="Matale">Matale</option>
```

```
</select>

</label>

<label>

    <span>Password</span>

    <input type="password" name="passwordSingUp" required>

</label>

    <button type="submit" class="submit" name="btnSingUp">Sign Up Now</button>

</div>

</form>

</div>

</div>


<script type="text/javascript" src="js/firstPage.js"></script>

</body>

</html>
```

Customer Login:

The customer login screen for authentication.



Customer Login:

```
<?php
session_start();
//Login
include("conn.php");
$message = "";
if(isset($_POST["singInBtn"])){
    $uname = $_POST["loginUsernaem"];
    $pass = $_POST["loginPassword"];
    $selectQuery = "SELECT * FROM users WHERE username = '$uname'";
    $result = mysqli_query($con,$selectQuery);
    if(mysqli_num_rows($result) > 0){
        $rows = mysqli_fetch_assoc($result);
        $usersName = $rows['username'];
        $deliveryDistrict = $rows['district'];
        $_SESSION["diliveryDistrict"] = $deliveryDistrict;
    }
}
```

```

$_SESSION["userName"] = $usersName;

$verifyPassword = password_verify($pass,$rows['password']);

if($uname == $usersName && $verifyPassword){

header("Location:index.php");

}else{

$message = '<div class="alert alert-primary d-flex align-items-center" role="alert">

<svg xmlns="http://www.w3.org/2000/svg" width="24" height="24" fill="currentColor" class="bi bi-exclamation-triangle-fill flex-shrink-0 me-2" viewBox="0 0 16 16" role="img" aria-label="Warning:">

<path d="M8.982 1.566a1.13 1.13 0 0 0-1.96 0L.165 13.233c-.457.778.091 1.767.981.767h13.713c.889 0 1.438-.99.98-1.767L8.982 1.566zM8 5c.535 0 .954.462.9.995l-.353.507a.552.552 0 0 1-1.1 0L7.1 5.995A.905.905 0 0 1 8 5zm.002 6a1 1 0 1 1 0 2 1 1 0 0 1 0-2z"/>

</svg>

<div>

Invalid user name or password !

</div>

</div>';

}

```

```

}else{

$message = '<div class="alert alert-primary d-flex align-items-center" role="alert">

<svg      xmlns="http://www.w3.org/2000/svg"      width="24"      height="24"
fill="currentColor"  class="bi  bi-exclamation-triangle-fill  flex-shrink-0  me-2"
viewBox="0 0 16 16" role="img" aria-label="Warning:">

<path d="M8.982 1.566a1.13 1.13 0 0 0-1.96 0L.165 13.233c-.457.778.091
1.767.98 1.767h13.713c.889 0 1.438-.99.98-1.767L8.982 1.566zM8 5c.535
0 .954.462.9.995l-.35 3.507a.552.552 0 0 1-1.1 0L7.1 5.995A.905.905 0 0 1 8
5zm.002 6a1 1 0 1 1 0 2 1 1 0 0 1 0-2z"/>

</svg>

<div>

No record found !

</div>

```

```

</div>

</div>';

}


}

?>

```

Customer Dashboard:

The customer dashboard, where users can manage their orders, profile, and activity on the platform.



Customer Dashboard

```

<?php

session_start();

include("conn.php");

$userName = $_SESSION["userName"];

if(empty($userName)){

header("Location:firstpage.php");

}

$diliveryDistrict = $_SESSION["diliveryDistrict"];

//counting tuples in cart

```

```

$countQuery = "SELECT * FROM cart WHERE username = '$userName'";
$numberOfRows = mysqli_num_rows(mysqli_query($con,$countQuery));
$_SESSION["numberOfRows"] = $numberOfRows;

if(isset($_GET["Fruits"])){
    $_SESSION["categoryType"] = "Fruits";
    header("Location:shop.php");
}

if(isset($_GET["Vegetables"])){
    $_SESSION["categoryType"] = "Vegetables";
    header("Location:shop.php");
}

if(isset($_GET["Meats"])){
    $_SESSION["categoryType"] = "Meats";
    header("Location:shop.php");
}

if(isset($_GET["SeaFood"])){
    $_SESSION["categoryType"] = "SeaFood";
    header("Location:shop.php");
}

if(isset($_GET["Bakery"])){
    $_SESSION["categoryType"] = "Bakery";
    header("Location:shop.php");
}

if(isset($_GET["Rice"])){
    $_SESSION["categoryType"] = "Rice";
    header("Location:shop.php");
}

```

```

if(isset($_GET["Beverage"])){
    $_SESSION["catogoryType"] = "Beverage";
    header("Location:shop.php");
}

if(isset($_GET["Household"])){
    $_SESSION["catogoryType"] = "Household";
    header("Location:shop.php");
}

?>

<!DOCTYPE html>

<html lang="en">

    <head>
        <meta charset="utf-8">
        <title>Fruitables - Vegetable Website Template</title>
        <meta content="width=device-width, initial-scale=1.0" name="viewport">
        <meta content="" name="keywords">
        <meta content="" name="description">

        <!-- Google Web Fonts -->
        <link rel="preconnect" href="https://fonts.googleapis.com">
        <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
        <link href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@400;600&family=Raleway:wght@600;800&display=swap" rel="stylesheet">

        <!-- Icon Font Stylesheet -->

```

```
<link rel="stylesheet"  
      href="https://use.fontawesome.com/releases/v5.15.4/css/all.css"/>  
  
<link href="https://cdn.jsdelivr.net/npm/bootstrap-  
icons@1.4.1/font/bootstrap-icons.css" rel="stylesheet">
```

```
<!-- Libraries Stylesheet -->  
  
<link href="lib/lightbox/css/lightbox.min.css" rel="stylesheet">  
  
<link href="lib/owlcarousel/assets/owl.carousel.min.css" rel="stylesheet">
```

```
<!-- Customized Bootstrap Stylesheet -->  
  
<link href="css/bootstrap.min.css" rel="stylesheet">
```

```
<!-- Template Stylesheet -->  
  
<link href="css/style.css" rel="stylesheet">
```

```
<!-- favicon -->  
  
<link rel="icon" href="img/userimg/favicon.ico" type="image/x-icon">  
  
</head>
```

```
<body>
```

```
<!-- Spinner Start -->  
  
<div id="spinner" class="show w-100 vh-100 bg-white position-fixed translate-  
middle top-50 start-50 d-flex align-items-center justify-content-center">  
  
  <div class="spinner-grow text-primary" role="status"></div>  
  
</div>  
  
<!-- Spinner End -->
```

```

<!-- Navbar start -->

<div class="container-fluid fixed-top">

    <div class="container topbar bg-primary d-none d-lg-block">

        <div class="d-flex justify-content-between">

            <div class="top-info ps-2">

                <small class="me-3"><i class="fas fa-map-marker-alt me-2 text-secondary"></i> <a href="#" class="text-white">59/E clock tower junction/Piliyandala</a></small>

                <small class="me-3"><i class="fas fa-envelope me-2 text-secondary"></i><a href="#" class="text-white">ThemarketBasket@gmail.com</a></small>

                <small class="me-3"><i class="fas fa-envelope me-2 text-secondary"></i><a href="#" class="text-white"><?= $userName ?></a></small>

                <small class="me-3"><i class="fas fa-envelope me-2 text-secondary"></i><a href="#" class="text-white"><?= $deliveryDistrict ?></a></small>

            </div>

            <div class="top-link pe-2">

                <a href="details.php" class="text-white"><small class="text-white mx-2">Privacy Policy</small></a>

                <a href="details.php" class="text-white"><small class="text-white mx-2">Terms of Use</small></a>

                <a href="firstpage.php" class="text-white"><small class="text-white ms-2">LogOut</small></a>

            </div>

        </div>

    </div>

<div class="container px-0">

    <nav class="navbar navbar-light bg-white navbar-expand-xl">

```

```

<a href="index.php" class="navbar-brand"><h1 class="text-primary display-6">The Market Basket</h1></a>

    <button class="navbar-toggler py-2 px-3" type="button" data-bs-toggle="collapse" data-bs-target="#navbarCollapse">
        <span class="fa fa-bars text-primary"></span>
    </button>

    <div class="collapse navbar-collapse bg-white" id="navbarCollapse">
        <div class="navbar-nav mx-auto">
            <a href="index.php" class="nav-item nav-link active">Home</a>
            <!-- <a href="shop.html" class="nav-item nav-link">Shop</a> -->
            <a href="details.php" class="nav-item nav-link">About Us</a>
            <a href="pendingoders.php" class="nav-item nav-link">Pending Oders</a>
            <a href="previousoders.php" class="nav-item nav-link">previous Oders</a>
        </div>
        <div class="d-flex m-3 me-0">
            <a href="cart.php" class="position-relative me-4 my-auto">
                <i class="fa fa-shopping-bag fa-2x"></i>
                <span class="position-absolute bg-secondary rounded-circle d-flex align-items-center justify-content-center text-dark px-1" style="top: -5px; left: 15px; height: 20px; min-width: 20px;"><?= $numberOfRows ?></span>
            </a>
            <a href="userProfile.php" class="my-auto">
                <i class="fas fa-user fa-2x"></i>
            </a>
        </div>
    </div>
</nav>
</div>

```

```

</div>

<!-- Navbar End -->




<!-- Hero Start -->

<div class="container-fluid py-5 mb-5 hero-header">

    <div class="container py-5">

        <div class="row g-5 align-items-center">

            <div class="col-md-12 col-lg-7">

                <h4 class="mb-3 text-secondary">100% Organic Foods</h4>

                <h1 class="mb-5 display-3 text-primary">Organic Veggies & Fruits
Foods</h1>

            </div>

            <div class="col-md-12 col-lg-5">

                <div id="carouselId" class="carousel slide position-relative" data-bs-
ride="carousel">

                    <div class="carousel-inner" role="listbox">

                        <div class="carousel-item active rounded">

                            <a href="#" class="btn px-4 py-2 text-white
rounded">Fruites</a>

                        </div>

                        <div class="carousel-item rounded">

                            <a href="#" class="btn px-4 py-2 text-white
rounded">Vesitables</a>

                        </div>

                    </div>

                </div>

            </div>

        </div>

    </div>

</div>

```

```
        <button class="carousel-control-prev" type="button" data-bs-target="#carouselId" data-bs-slide="prev">  
            <span class="carousel-control-prev-icon" aria-hidden="true"></span>  
            <span class="visually-hidden">Previous</span>  
        </button>  
  
        <button class="carousel-control-next" type="button" data-bs-target="#carouselId" data-bs-slide="next">  
            <span class="carousel-control-next-icon" aria-hidden="true"></span>  
            <span class="visually-hidden">Next</span>  
        </button>  
    </div>  
    </div>  
    </div>  
    </div>  
    </div>  
    </div>  
    <!-- Hero End -->
```

```
<!-- Features Section Start -->  
<div class="container-fluid features py-5">  
    <div class="container py-5">  
        <div class="row g-4">  
            <div class="col-md-6 col-lg-3">  
                <div class="features-item text-center rounded bg-light p-4">  
                    <div class="features-icon btn-square rounded-circle bg-secondary mb-5 mx-auto">  
                        <i class="fas fa-car-side fa-3x text-white"></i>
```

```
</div>

<div class="featurs-content text-center">

    <h5>Fast Shipping</h5>

    <p class="mb-0">Fast Home delivery Service</p>

</div>

</div>

<div class="col-md-6 col-lg-3">

    <div class="featurs-item text-center rounded bg-light p-4">

        <div class="featurs-icon btn-square rounded-circle bg-secondary mb-5 mx-auto">

            <i class="fas fa-user-shield fa-3x text-white"></i>

        </div>

        <div class="featurs-content text-center">

            <h5>Security Payment</h5>

            <p class="mb-0">100% security (COD) payment</p>

        </div>

    </div>

</div>

<div class="col-md-6 col-lg-3">

    <div class="featurs-item text-center rounded bg-light p-4">

        <div class="featurs-icon btn-square rounded-circle bg-secondary mb-5 mx-auto">

            <i class="fas fa-exchange-alt fa-3x text-white"></i>

        </div>

        <div class="featurs-content text-center">

            <h5>Cannot Return</h5>

            <p class="mb-0">Not acceptiong Returns</p>

        </div>

    </div>


```

```

        </div>

        </div>

        </div>

        <div class="col-md-6 col-lg-3">

            <div class="featurs-item text-center rounded bg-light p-4">

                <div class="featurs-icon btn-square rounded-circle bg-secondary mb-5 mx-auto">

                    <i class="fa fa-phone-alt fa-3x text-white"></i>

                </div>

                <div class="featurs-content text-center">

                    <h5>24/7 Support</h5>

                    <p class="mb-0">Support every time fast</p>

                </div>

            </div>

            </div>

            </div>

        </div>

        <!-- Features Section End -->

```

```

<!-- Fruits Shop Start-->

<div class="container-fluid fruite py-5">

    <div class="container py-5">

        <div class="tab-class text-center">

            <div class="row g-4">

                <div class="col-lg-4 text-start">

                    <h1>Products List</h1>

```

```

        </div>

        </div>

<div class="tab-content">

    <div id="tab-1" class="tab-pane fade show p-0 active">

        <div class="row g-4">

            <div class="col-lg-12">

                <div class="row g-4">

                    <div class="col-md-6 col-lg-4 col-xl-3">

                        <form method = "Get">

                            <div class="rounded position-relative fruite-item">

                                <div class="fruite-img">

                                </div>

                                <div class="text-white bg-secondary px-3 py-1 rounded position-absolute" style="top: 10px; left: 10px;">Fruits</div>

                            <div class="p-4 border border-secondary border-top-0 rounded-bottom">

                                <h4>Fruits</h4>

                                <p>Fresh Fruits form The Market Basket,Oder from us now,</p>

                                <div class="d-flex justify-content-between flex-lg-wrap">

                                    <p class="text-dark fs-5 fw-bold mb-0"></p>

                                    <p class="text-dark fs-5 fw-bold mb-0">Items</p>

                                    <button type="submit" name="Fruits" class="btn border border-secondary rounded-pill px-3 text-primary"><i class="fa fa-shopping-bag me-2 text-primary"></i>See Items</button>

                                </div>

                            </div>

                        </div>

                    </div>

                </div>

            </div>

        </div>

    </div>

```

```

        </div>

        </div>

        <div class="col-md-6 col-lg-4 col-xl-3">

            <div class="rounded position-relative fruite-item">

                <div class="fruite-img">

                </div>

                <div class="text-white bg-secondary px-3 py-1 rounded position-absolute" style="top: 10px; left: 10px;">Vegetables</div>

                <div class="p-4 border border-secondary border-top-0 rounded-bottom">

                    <h4>Vegetables</h4>

                    <p>Fresh Vegetables form The Market Basket,Oder from us now,</p>

                    <div class="d-flex justify-content-between flex-lg-wrap">

                        <p class="text-dark fs-5 fw-bold mb-0">Items</p>

                        <button type="submit" name="Vegetables" class="btn border border-secondary rounded-pill px-3 text-primary"><i class="fa fa-shopping-bag me-2 text-primary"></i>See Items</button>

                    </div>

                </div>

            </div>

        <div class="col-md-6 col-lg-4 col-xl-3">

            <div class="rounded position-relative fruite-item">

                <div class="fruite-img">


```

```
</div>

<div class="text-white bg-secondary px-3 py-1 rounded position-absolute" style="top: 10px; left: 10px;">Meats</div>

<div class="p-4 border border-secondary border-top-0 rounded-bottom">

    <h4>Meats</h4>

    <p>Fresh Meats form The Market Basket,Oder from us now,</p>

    <div class="d-flex justify-content-between flex-lg-wrap">

        <p class="text-dark fs-5 fw-bold mb-0">Items</p>

        <button type="submit" name="Meats" class="btn border border-secondary rounded-pill px-3 text-primary"><i class="fa fa-shopping-bag me-2 text-primary"></i>See Items</button>

    </div>

    </div>

    </div>

</div>

<div class="col-md-6 col-lg-4 col-xl-3">

    <div class="rounded position-relative fruite-item">

        <div class="fruite-img">

        </div>

        <div class="text-white bg-secondary px-3 py-1 rounded position-absolute" style="top: 10px; left: 10px;">Sea Food</div>

        <div class="p-4 border border-secondary border-top-0 rounded-bottom">

            <h4>Sea Food</h4>

            <p>Fresh Sea Food form The Market Basket,Oder from us now,</p>


```

```

        <div class="d-flex justify-content-between flex-lg-wrap">

            <p class="text-dark fs-5 fw-bold mb-0">Items</p>

            <button type="submit" name="SeaFood" class="btn border border-secondary rounded-pill px-3 text-primary"><i class="fa fa-shopping-bag me-2 text-primary"></i>See Items</button>

        </div>

    </div>

    </div>

    </div>

    <div class="col-md-6 col-lg-4 col-xl-3">

        <div class="rounded position-relative fruite-item">

            <div class="fruite-img">

            </div>

            <div class="text-white bg-secondary px-3 py-1 rounded position-absolute" style="top: 10px; left: 10px;">Bakery</div>

            <div class="p-4 border border-secondary border-top-0 rounded-bottom">

                <h4>Bakery</h4>

                <p>Fresh Bakery form The Market Basket,Oder from us now,</p>

            <div class="d-flex justify-content-between flex-lg-wrap">

                <p class="text-dark fs-5 fw-bold mb-0">Items</p>

                <button type="submit" name="Bakery" class="btn border border-secondary rounded-pill px-3 text-primary"><i class="fa fa-shopping-bag me-2 text-primary"></i>See Items</button>

            </div>

        </div>

    </div>

```

```

        </div>

        </div>

<div class="col-md-6 col-lg-4 col-xl-3">

    <div class="rounded position-relative fruite-item">

        <div class="fruite-img">

        </div>

        <div class="text-white bg-secondary px-3 py-1 rounded position-absolute" style="top: 10px; left: 10px;">Rice</div>

        <div class="p-4 border border-secondary border-top-0 rounded-bottom">

            <h4>Rice</h4>

            <p>Fresh Rice form The Market Basket,Oder from us now,</p>

            <div  class="d-flex justify-content-between flex-lg-wrap">

                <p class="text-dark fs-5 fw-bold mb-0">Items</p>

                <button  type="submit"  name="Rice"  class="btn border border-secondary rounded-pill px-3 text-primary"><i class="fa fa-shopping-bag me-2 text-primary"></i>See Items</button>

            </div>

        </div>

    </div>

<div class="col-md-6 col-lg-4 col-xl-3">

    <div class="rounded position-relative fruite-item">

        <div class="fruite-img">

```

```
</div>

    <div class="text-white bg-secondary px-3 py-1 rounded position-absolute" style="top: 10px; left: 10px;">Beverage</div>

        <div class="p-4 border border-secondary border-top-0 rounded-bottom">

            <h4>Beverage</h4>

            <p>Fresh Beverage form The Market Basket,Oder from us now,</p>

            <div class="d-flex justify-content-between flex-lg-wrap">

                <p class="text-dark fs-5 fw-bold mb-0">Item</p>

                <button type="submit" name="Beverage" class="btn border border-secondary rounded-pill px-3 text-primary"><i class="fa fa-shopping-bag me-2 text-primary"></i>See Items</button>

            </div>

        </div>

        </div>

    </div>

    <div class="col-md-6 col-lg-4 col-xl-3">

        <div class="rounded position-relative fruite-item">

            <div class="fruite-img">

            </div>

            <div class="text-white bg-secondary px-3 py-1 rounded position-absolute" style="top: 10px; left: 10px;">Household</div>

            <div class="p-4 border border-secondary border-top-0 rounded-bottom">

                <h4>Household</h4>

                <p>Lorem ipsum dolor sit amet consectetur adipisicing elit sed do eiusmod te incididunt</p>

            </div>

        </div>

    </div>
```

<!-- Features Start -->

<div class="container-fluid service py-5">

```

<div class="container py-5">

    <div class="row g-4 justify-content-center">

        <div class="col-md-6 col-lg-4">

            <a href="#">

                <div class="service-item bg-secondary rounded border border-secondary">

                    <div class="px-4 rounded-bottom">

                        <div class="service-content bg-primary text-center p-4 rounded">

                            <h5 class="text-white">Fresh Apples</h5>

                            <h3 class="mb-0">Red Apple</h3>

                        </div>

                    </div>

                </div>

            </a>

        </div>

        <div class="col-md-6 col-lg-4">

            <a href="#">

                <div class="service-item bg-dark rounded border border-dark">

                    <div class="px-4 rounded-bottom">

                        <div class="service-content bg-light text-center p-4 rounded">

                            <h5 class="text-primary">Tasty Fruits</h5>

                            <h3 class="mb-0">Fresh Fruits</h3>

                        </div>

                    </div>

                </div>

            </a>

        </div>

```

```

        </div>

        </a>

    </div>

    <div class="col-md-6 col-lg-4">
        <a href="#">
            <div class="service-item bg-primary rounded border border-primary">
                
                <div class="px-4 rounded-bottom">
                    <div class="service-content bg-secondary text-center p-4 rounded">
                        <h5 class="text-white">Exotic Vegetable</h5>
                        <h3 class="mb-0">Fresh Vegi</h3>
                    </div>
                </div>
            </a>
        </div>
    </div>
<!-- Features End -->

```

```

<!-- Vesitable Shop Start-->
<div class="container-fluid fruite py-5">
    <div class="container py-5">

```

```
<h1 class="mb-0">Fresh Organic Vegetables</h1>

<div class="owl-carousel vegetable-carousel justify-content-center">

    <div class="border border-primary rounded position-relative vesitable-item">

        <div class="vesitable-img">

        </div>

        <div class="text-white bg-primary px-3 py-1 rounded position-absolute" style="top: 10px; right: 10px;">Vegetable</div>

        <div class="p-4 rounded-bottom">

            <h4>Parsely</h4>

            <p>Lorem ipsum dolor sit amet consectetur adipisicing elit sed do eiusmod te incididunt</p>

        </div>

    </div>

    <div class="border border-primary rounded position-relative vesitable-item">

        <div class="vesitable-img">

        </div>

        <div class="text-white bg-primary px-3 py-1 rounded position-absolute" style="top: 10px; right: 10px;">Vegetable</div>

        <div class="p-4 rounded-bottom">

            <h4>Parsely</h4>

            <p>Lorem ipsum dolor sit amet consectetur adipisicing elit sed do eiusmod te incididunt</p>

        </div>

    </div>


```

```
<div class="border border-primary rounded position-relative vesitable-item">

    <div class="vesitable-img">

    </div>

    <div class="text-white bg-primary px-3 py-1 rounded position-absolute" style="top: 10px; right: 10px;">Vegetable</div>

    <div class="p-4 rounded-bottom">

        <h4>Banana</h4>

        <p>Lorem ipsum dolor sit amet consectetur adipisicing elit sed do eiusmod te incididunt</p>

    </div>

    </div>

    <div class="border border-primary rounded position-relative vesitable-item">

        <div class="vesitable-img">

        </div>

        <div class="text-white bg-primary px-3 py-1 rounded position-absolute" style="top: 10px; right: 10px;">Vegetable</div>

        <div class="p-4 rounded-bottom">

            <h4>Bell Papper</h4>

            <p>Lorem ipsum dolor sit amet consectetur adipisicing elit sed do eiusmod te incididunt</p>

        </div>

        </div>

        <div class="border border-primary rounded position-relative vesitable-item">

            <div class="vesitable-img">
```

```


</div>

<div class="text-white bg-primary px-3 py-1 rounded position-absolute" style="top: 10px; right: 10px;">Vegetable</div>

<div class="p-4 rounded-bottom">

    <h4>Potatoes</h4>

    <p>Lorem ipsum dolor sit amet consectetur adipisicing elit sed do eiusmod te incididunt</p>

    </div>

</div>

<div class="border border-primary rounded position-relative vesitable-item">

    <div class="vesitable-img">

    </div>

    <div class="text-white bg-primary px-3 py-1 rounded position-absolute" style="top: 10px; right: 10px;">Vegetable</div>

    <div class="p-4 rounded-bottom">

        <h4>Parsely</h4>

        <p>Lorem ipsum dolor sit amet consectetur adipisicing elit sed do eiusmod te incididunt</p>

        </div>

    </div>

    <div class="border border-primary rounded position-relative vesitable-item">

        <div class="vesitable-img">

        </div>

    </div>


```

```
<div class="text-white bg-primary px-3 py-1 rounded position-absolute" style="top: 10px; right: 10px;">Vegetable</div>
```

```
<div class="p-4 rounded-bottom">
```

```
<h4>Potatoes</h4>
```

```
<p>Lorem ipsum dolor sit amet consectetur adipisicing elit sed do eiusmod te incidunt</p>
```

```
</div>
```

```
</div>
```

```
<div class="border border-primary rounded position-relative vesitable-item">
```

```
<div class="vesitable-img">
```

```

```

```
</div>
```

```
<div class="text-white bg-primary px-3 py-1 rounded position-absolute" style="top: 10px; right: 10px;">Vegetable</div>
```

```
<div class="p-4 rounded-bottom">
```

```
<h4>Parsely</h4>
```

```
<p>Lorem ipsum dolor sit amet consectetur adipisicing elit sed do eiusmod te incidunt</p>
```

```
</div>
```

```
<!-- Vesitable Shop End -->
```

```
<!-- Banner Section Start-->
```

```
<div class="container-fluid banner bg-secondary my-5">
```

```
<div class="container py-5">

    <div class="row g-4 align-items-center">

        <div class="col-lg-6">

            <div class="py-4">

                <h1 class="display-3 text-white">Fresh Exotic Fruits</h1>

                <p class="fw-normal display-3 text-dark mb-4">in Our Store</p>

                <p class="mb-4 text-dark">The generated Lorem Ipsum is therefore always free from repetition injected humour, or non-characteristic words etc.</p>

            </div>

        </div>

        <div class="col-lg-6">

            <div class="position-relative">

            </div>

        </div>

    </div>

</div>

<!-- Banner Section End -->

<!-- Bestsaler Product Start -->

<div class="container-fluid py-5">

    <div class="container py-5">

        <div class="text-center mx-auto mb-5" style="max-width: 700px;">

            <h1 class="display-4">Bestseller Products</h1>

        </div>

    </div>

</div>
```

<p>Latin words, combined with a handful of model sentence structures, to generate Lorem Ipsum which looks reasonable.</p>

</div>

<div class="row g-4">

<div class="col-lg-6 col-xl-4">

<div class="p-4 rounded bg-light">

<div class="row align-items-center">

<div class="col-6">

</div>

<div class="col-6">

<p class="h5">Organic Tomato</p>

<div class="d-flex my-3">

<i class="fas fa-star text-primary"></i>

<i class="fas fa-star text-primary"></i>

<i class="fas fa-star text-primary"></i>

<i class="fas fa-star text-primary"></i>

<i class="fas fa-star"></i>

</div>

</div>

</div>

</div>

<div class="col-lg-6 col-xl-4">

<div class="p-4 rounded bg-light">

<div class="row align-items-center">

<div class="col-6">

```


</div>

<div class="col-6">

<p class="h5">Organic Tomato</p>

<div class="d-flex my-3">

<i class="fas fa-star text-primary"></i>

<i class="fas fa-star text-primary"></i>

<i class="fas fa-star text-primary"></i>

<i class="fas fa-star text-primary"></i>

<i class="fas fa-star"></i>

</div>

</div>

</div>

</div>

</div>

<div class="col-lg-6 col-xl-4">

<div class="p-4 rounded bg-light">

<div class="row align-items-center">

<div class="col-6">



</div>

<div class="col-6">

<p class="h5">Organic Tomato</p>

<div class="d-flex my-3">

<i class="fas fa-star text-primary"></i>

<i class="fas fa-star text-primary"></i>
```

```
<i class="fas fa-star text-primary"></i>
<i class="fas fa-star text-primary"></i>
<i class="fas fa-star"></i>
</div>
</div>
</div>
</div>
</div>
<div class="col-lg-6 col-xl-4">
<div class="p-4 rounded bg-light">
<div class="row align-items-center">
<div class="col-6">

</div>
<div class="col-6">
<p class="h5">Organic Tomato</p>
<div class="d-flex my-3">
<i class="fas fa-star text-primary"></i>
<i class="fas fa-star text-primary"></i>
<i class="fas fa-star text-primary"></i>
<i class="fas fa-star text-primary"></i>
<i class="fas fa-star"></i>
</div>
</div>
</div>
</div>
</div>
```

```
<div class="col-lg-6 col-xl-4">  
  <div class="p-4 rounded bg-light">  
    <div class="row align-items-center">  
      <div class="col-6">  
          
      </div>  
      <div class="col-6">  
        <p class="h5">Organic Tomato</p>  
        <div class="d-flex my-3">  
          <i class="fas fa-star text-primary"></i>  
          <i class="fas fa-star text-primary"></i>  
          <i class="fas fa-star text-primary"></i>  
          <i class="fas fa-star text-primary"></i>  
          <i class="fas fa-star"></i>  
        </div>  
      </div>  
    </div>  
  </div>  
</div>  
  
<div class="col-lg-6 col-xl-4">  
  <div class="p-4 rounded bg-light">  
    <div class="row align-items-center">  
      <div class="col-6">  
          
      </div>  
      <div class="col-6">
```

```
<p class="h5">Organic Tomato</p>

<div class="d-flex my-3">

    <i class="fas fa-star text-primary"></i>
    <i class="fas fa-star text-primary"></i>
    <i class="fas fa-star text-primary"></i>
    <i class="fas fa-star text-primary"></i>
    <i class="fas fa-star"></i>

</div>

</div>

</div>

</div>

<div class="col-md-6 col-lg-6 col-xl-3">

    <div class="text-center">

        <div class="py-4">

            <p class="h5">Organic Tomato</p>

            <div class="d-flex my-3 justify-content-center">

                <i class="fas fa-star text-primary"></i>
                <i class="fas fa-star text-primary"></i>
                <i class="fas fa-star text-primary"></i>
                <i class="fas fa-star text-primary"></i>
                <i class="fas fa-star"></i>

            </div>

        </div>

    </div>

</div>
```

```
<div class="col-md-6 col-lg-6 col-xl-3">

    <div class="text-center">

        <div class="py-4">

            <p class="h5">Organic Tomato</p>

            <div class="d-flex my-3 justify-content-center">

                <i class="fas fa-star text-primary"></i>

                <i class="fas fa-star text-primary"></i>

                <i class="fas fa-star text-primary"></i>

                <i class="fas fa-star text-primary"></i>

                <i class="fas fa-star"></i>

            </div>

        </div>

    </div>

</div>

<div class="col-md-6 col-lg-6 col-xl-3">

    <div class="text-center">

        <div class="py-4">

            <p class="h5">Organic Tomato</p>

            <div class="d-flex my-3 justify-content-center">

                <i class="fas fa-star text-primary"></i>

                <i class="fas fa-star text-primary"></i>

                <i class="fas fa-star text-primary"></i>

                <i class="fas fa-star text-primary"></i>

                <i class="fas fa-star"></i>

            </div>

        </div>

    </div>


```

```
</div>

</div>

</div>

<div class="col-md-6 col-lg-6 col-xl-3">

<div class="text-center">

    <div class="py-2">

        <p class="h5">Organic Tomato</p>

        <div class="d-flex my-3 justify-content-center">

            <i class="fas fa-star text-primary"></i>

            <i class="fas fa-star text-primary"></i>

            <i class="fas fa-star text-primary"></i>

            <i class="fas fa-star text-primary"></i>

            <i class="fas fa-star"></i>

        </div>

    </div>

</div>

</div>

</div>

</div>

</div>

<!-- Bestsaler Product End -->
```

```
<!-- Fact Start -->

<div class="container-fluid py-5">

    <div class="container">
```

```
<div class="bg-light p-5 rounded">

    <div class="row g-4 justify-content-center">

        <div class="col-md-6 col-lg-6 col-xl-3">

            <div class="counter bg-white rounded p-5">

                <i class="fa fa-users text-secondary"></i>

                <h4>satisfied customers</h4>

            </div>

        </div>

        <div class="col-md-6 col-lg-6 col-xl-3">

            <div class="counter bg-white rounded p-5">

                <i class="fa fa-users text-secondary"></i>

                <h4>quality of service</h4>

            </div>

        </div>

        <div class="col-md-6 col-lg-6 col-xl-3">

            <div class="counter bg-white rounded p-5">

                <i class="fa fa-users text-secondary"></i>

                <h4>quality certificates</h4>

            </div>

        </div>

        <div class="col-md-6 col-lg-6 col-xl-3">

            <div class="counter bg-white rounded p-5">

                <i class="fa fa-users text-secondary"></i>

                <h4>Available Products</h4>

            </div>

        </div>

    </div>
```

```

</div>

</div>

</div>

<!-- Fact Start -->

<!-- Tastimonial Start -->

<div class="container-fluid testimonial py-5">

<div class="container py-5">

<div class="testimonial-header text-center">

<h4 class="text-primary">Our Testimonial</h4>

<h1 class="display-5 mb-5 text-dark">Our Client Saying!</h1>

</div>

<div class="owl-carousel testimonial-carousel">

<div class="testimonial-item img-border-radius bg-light rounded p-4">

<div class="position-relative">

<i class="fa fa-quote-right fa-2x text-secondary position-absolute" style="bottom: 30px; right: 0;"></i>

<div class="mb-4 pb-4 border-bottom border-secondary">

<?php

$reviewSelect = "SELECT * FROM userinfo WHERE username = '$userName';

$reviewResult = mysqli_query($con,$reviewSelect);

if(mysqli_num_rows($reviewResult) > 0){

while($rowsRevies = mysqli_fetch_assoc($reviewResult)){ ?>

<p class="mb-0"><?= $rowsRevies["review"] ?></p>

</div>

```

<!-- Footer Start -->

<div class="container-fluid bg-dark text-white-50 footer pt-5 mt-5">

<div class="container py-5">

<div class="pb-4 mb-4" style="border-bottom: 1px solid rgba(226, 175, 24,

<div class="row g-4">

```
<div class="col-lg-3">
```

<#>

```

<h1 class="text-primary mb-0">The <br>Market Basket</h1>

<p class="text-secondary mb-0">Fresh products</p>

</a>

</div>

<div class="col-lg-3">

    <div class="d-flex justify-content-end pt-3">

        <a class="btn btn-outline-secondary me-2 btn-md-square rounded-circle" href=""><i class="fab fa-twitter"></i></a>

        <a class="btn btn-outline-secondary me-2 btn-md-square rounded-circle" href=""><i class="fab fa-facebook-f"></i></a>

        <a class="btn btn-outline-secondary me-2 btn-md-square rounded-circle" href=""><i class="fab fa-youtube"></i></a>

        <a class="btn btn-outline-secondary btn-md-square rounded-circle" href=""><i class="fab fa-linkedin-in"></i></a>

    </div>

</div>

</div>

</div>

<div class="row g-5">

    <div class="col-lg-3 col-md-6">

        <div class="footer-item">

            <h4 class="text-light mb-3">Why People Like us!</h4>

            <p class="mb-4">typesetting, remaining essentially unchanged. It was popularised in the 1960s with the like Aldus PageMaker including of Lorem Ipsum.</p>

            <a href="details.php" class="btn border-secondary py-2 px-4 rounded-pill text-primary">Read More</a>

        </div>

    </div>

```

```

<div class="col-lg-3 col-md-6">

    <div class="d-flex flex-column text-start footer-item">

        <h4 class="text-light mb-3">Shop Info</h4>

        <a class="btn-link" href="details.php">About Us</a>

        <a class="btn-link" href="details.php">Contact Us</a>

        <a class="btn-link" href="details.php">Privacy Policy</a>

        <a class="btn-link" href="details.php">Terms & Condition</a>

        <a class="btn-link" href="details.php">FAQs & Help</a>

    </div>

</div>

<div class="col-lg-3 col-md-6">

    <div class="d-flex flex-column text-start footer-item">

        <h4 class="text-light mb-3">Account</h4>

        <a class="btn-link" href="userprofile.php">My Account</a>

        <a class="btn-link" href="cart.php">Shopping Cart</a>

        <a class="btn-link" href="details.php">Order History</a>

    </div>

</div>

<div class="col-lg-3 col-md-6">

    <div class="footer-item">

        <h4 class="text-light mb-3">Contact</h4>

        <p>59/E clock tower junction/Piliyandala</p>

        <p>TheMarketBasket@gmail.com</p>

        <p>Phone: +94783715777</p>

        <p>Payment Accepted</p>

    </div>

</div>

```

```

        </div>

        </div>

        </div>

        </div>

        <!-- Footer End -->

        <!-- Copyright Start -->

<div class="container-fluid copyright bg-dark py-4">

    <div class="container">

        <div class="row">

            <div class="col-md-6 text-center text-md-start mb-3 mb-md-0">

                <span class="text-light"><a href="details.php"><i class="fas fa-copyright text-light me-2"></i>The Market Basket</a>, All right reserved.</span>

            </div>

            <div class="col-md-6 my-auto text-center text-md-end text-white">

                Designed By <a class="border-bottom" href="">Code Crashers</a>
                Distributed By <a class="border-bottom" href="">Code Crashers</a>

            </div>

        </div>

    </div>

</div>

        <!-- Copyright End -->

        <!-- Back to Top -->

<a href="#" class="btn btn-primary border-3 border-primary rounded-circle back-to-top"><i class="fa fa-arrow-up"></i></a>

```

```
<!-- JavaScript Libraries -->

<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.4/jquery.min.js"></script>

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0/dist/js/bootstrap.bundle.min.js"></script>

<script src="lib/easing/easing.min.js"></script>

<script src="lib/waypoints/waypoints.min.js"></script>

<script src="lib/lightbox/js/lightbox.min.js"></script>

<script src="lib/owlcarousel/owl.carousel.min.js"></script>

<!-- Template Javascript -->

<script src="js/main.js"></script>

</body>

</html>
```

Customer Profile:

The customer profile page where users can view or edit their personal details.

The screenshot shows the 'User Profile' section of the website. At the top, there's a navigation bar with links for Home, About Us, Pending Oders, previous Oders, Privacy Policy, Terms of Use, and LogOut. Below the navigation is a banner featuring a close-up image of peaches. The main title 'User Profile' is centered above a breadcrumb trail: Home / Pages / User Profile. A large button labeled 'Add new informations' is visible. Below it, there are two input fields: one for 'Enter your mobile number' and another for 'Our Address' with a location pin icon.

Customer profile

```
<?php  
session_start();  
include("conn.php");  
$userName = $_SESSION["userName"];  
if(empty($userName)){  
    header("Location:firstpage.php");  
}  
$numberOfRows = $_SESSION["numberOfRows"];  
$deliveryDistrict = $_SESSION["diliveryDistrict"];  
$pNumber = "";  
$address = "";  
//showing current informations  
$selectinfoQuery = "SELECT * FROM userinfo WHERE username = '$userName';  
$userInfoResult = mysqli_query($con,$selectinfoQuery);  
if(mysqli_num_rows($userInfoResult) > 0){  
    $rows = mysqli_fetch_assoc($userInfoResult);  
    $pNumber = $rows['pnumber'];
```

```

    $address = $rows['address'];

}

?>

<!DOCTYPE html>

<html lang="en">

<head>

<meta charset="utf-8">

<title>The Market Basket</title>

<meta content="width=device-width, initial-scale=1.0" name="viewport">

<meta content="" name="keywords">

<meta content="" name="description">

<!-- Google Web Fonts -->

<link rel="preconnect" href="https://fonts.googleapis.com">

<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>

<link
  href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@400;600&family=Raleway:wght@600;800&display=swap" rel="stylesheet">

<!-- Icon Font Stylesheet -->

<link
  href="https://use.fontawesome.com/releases/v5.15.4/css/all.css" rel="stylesheet">

<link
  href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.1/font/bootstrap-icons.css" rel="stylesheet">

<!-- Libraries Stylesheet -->

<link href="lib/lightbox/css/lightbox.min.css" rel="stylesheet">

```

```
<link href="lib/owlcarousel/assets/owl.carousel.min.css" rel="stylesheet">

<!-- Customized Bootstrap Stylesheet -->
<link href="css/bootstrap.min.css" rel="stylesheet">

<!-- Template Stylesheet -->
<link href="css/style.css" rel="stylesheet">

<!-- favicon -->
<link rel="icon" href="img/userimg/favicon.ico" type="image/x-icon">

</head>

<body>

<!-- Spinner Start -->
<div id="spinner" class="show w-100 vh-100 bg-white position-fixed translate-middle top-50 start-50 d-flex align-items-center justify-content-center">
    <div class="spinner-grow text-primary" role="status"></div>
</div>
<!-- Spinner End -->

<!-- Navbar start -->
<div class="container-fluid fixed-top">
    <div class="container topbar bg-primary d-none d-lg-block">
        <div class="d-flex justify-content-between">
            <div class="top-info ps-2">
```

```

        <small class="me-3"><i class="fas fa-map-marker-alt me-2 text-secondary"></i> <a href="#" class="text-white">59/E clock tower junction/Piliyandala</a></small>

        <small class="me-3"><i class="fas fa-envelope me-2 text-secondary"></i><a href="#" class="text-white">ThemarketBasket@gmail.com</a></small>

        <small class="me-3"><i class="fas fa-envelope me-2 text-secondary"></i><a href="#" class="text-white"><?=$userName ?></a></small>

        <small class="me-3"><i class="fas fa-envelope me-2 text-secondary"></i><a href="#" class="text-white"><?=$deliveryDistrict ?></a></small>

    </div>

    <div class="top-link pe-2">

        <a href="details.php" class="text-white"><small class="text-white mx-2">Privacy Policy</small></a>

        <a href="details.php" class="text-white"><small class="text-white mx-2">Terms of Use</small></a>

        <a href="firstpage.php" class="text-white"><small class="text-white ms-2">LogOut</small></a>

    </div>

    </div>

    </div>

    <div class="container px-0">

        <nav class="navbar navbar-light bg-white navbar-expand-xl">

            <a href="index.php" class="navbar-brand"><h1 class="text-primary display-6">The Market Basket</h1></a>

            <button class="navbar-toggler py-2 px-3" type="button" data-bs-toggle="collapse" data-bs-target="#navbarCollapse">

                <span class="fa fa-bars text-primary"></span>

            </button>

            <div class="collapse navbar-collapse bg-white" id="navbarCollapse">

                <div class="navbar-nav mx-auto">

```

```

        <a href="index.php" class="nav-item nav-link">Home</a>

        <a href="details.php" class="nav-item nav-link">About Us</a>

        <a href="pendingoders.php" class="nav-item nav-link">Pending
Oders</a>

        <a href="previousoders.php" class="nav-item nav-link">previous
Oders</a>

    </div>

    <div class="d-flex m-3 me-0">

        <a href="cart.php" class="position-relative me-4 my-auto">

            <i class="fa fa-shopping-bag fa-2x"></i>

            <span class="position-absolute bg-secondary rounded-circle d-
flex align-items-center justify-content-center text-dark px-1" style="top: -5px; left:
15px; height: 20px; min-width: 20px;"><?= $numberofRows?></span>

        </a>

        <a href="userprofile.php" class="my-auto">

            <i class="fas fa-user fa-2x"></i>

        </a>

    </div>

    </div>

</nav>

</div>

</div>

<!-- Navbar End -->

```

```

<!-- Single Page Header start -->

<div class="container-fluid page-header py-5">

    <h1 class="text-center text-white display-6">User Prifile</h1>

    <ol class="breadcrumb justify-content-center mb-0">

```

```

<li class="breadcrumb-item"><a href="#">Home</a></li>
<li class="breadcrumb-item"><a href="#">Pages</a></li>
<li class="breadcrumb-item active text-white">User Prifile</li>
</ol>
</div>

<!-- Single Page Header End -->
<div class="container-fluid contact py-5">
<div class="container py-5">

</div>
</div>

<?php
if(isset($_GET["submitBtn"])){
    $mobileNumber = $_GET["pnumber"];
    $address = $_GET["address"];
    $comment = $_GET["comment"];
    $checkQuery = "SELECT * FROM userinfo WHERE username = '$userName'";
    $insertQuery = "INSERT INTO userinfo(pnumber,username,review,address)VALUES('$mobileNumber','$userNam
e','$comment','$address')";
    $checkResult = mysqli_query($con,$checkQuery);
    if(!mysqli_num_rows($checkResult) >= 1){
        if(mysqli_query($con,$insertQuery)){
            <script
src="https://cdn.jsdelivr.net/npm/sweetalert2@11"></script>
<script>Swal.fire({icon: "success", title: "success !",text: "Information successfully added to the System !",});</script>
        }
    }
}

```

```

<?php      }else{ ?>

    <script
src="https://cdn.jsdelivr.net/npm/sweetalert2@11"></script>

    <script>Swal.fire({icon: "error", title: "Oops...",text: "Somthing
went Wrong try Again later !",});</script>

<?php    }

}else{ ?>

    <script
src="https://cdn.jsdelivr.net/npm/sweetalert2@11"></script>

    <script>Swal.fire({icon: "error", title: "Oops...",text: "Your
information already Exist !",});</script>

<?php  }

}

?>

<!-- Tastimonial Start -->

<!-- <div class="container-fluid contact py-5"> -->

<div class="container py-5">

<div class="p-5 bg-light rounded">

<div class="row g-4">

<h2>Add new informations</h2>

<div class="col-lg-7">

<form method = "Get">

    <input type="number" class="w-100 form-control border-0 py-3
mb-4" name="pnumber" required placeholder="Enter your mobile number">

    <input type="text" class="w-100 form-control border-0 py-3 mb-
4" name="address" required placeholder="Enter Your Address">

    <textarea class="w-100 form-control border-0 mb-4" rows="5"
cols="10" name="comment" placeholder="Rewiew us"></textarea>

```

```
        <button class="w-100 btn form-control border-secondary py-3 bg-white text-primary" name="submitBtn" type="submit">Submit</button>

    </form>

</div>

<div class="col-lg-5">

    <div class="d-flex p-4 rounded mb-4 bg-white">

        <i class="fas fa-map-marker-alt fa-2x text-primary me-4"></i>

        <div>

            <h4>Our Address</h4>

            <p class="mb-2">59/E clock tower junction/Piliyandala</p>

        </div>

    </div>

    <div class="d-flex p-4 rounded mb-4 bg-white">

        <i class="fas fa-envelope fa-2x text-primary me-4"></i>

        <div>

            <h4>Mail Us</h4>

            <p class="mb-2">ThemarketBasket@gmail.com </p>

        </div>

    </div>

    <div class="d-flex p-4 rounded bg-white">

        <i class="fa fa-phone-alt fa-2x text-primary me-4"></i>

        <div>

            <h4>Contact Us</h4>

            <p class="mb-2">(078) 3715 777</p>

            <p class="mb-2">(070) 2455 137</p>

            <!-- <p class="mb-2">(074) 1192 090</p> -->

        </div>

    </div>

</div>
```

```

        </div>

        </div>

        </div>

        <?php

            if(isset($_GET["changeBtn"])){
                $changeNumber = $_GET["changePnumber"];
                $changeAddress = $_GET["changeAddress"];
                $updateQuery = "UPDATE userinfo SET pnumber = '$changeNumber', address = '$changeAddress' WHERE username = '$userName'";
                if(mysqli_query($con,$updateQuery)){ ?>
                    <script
src="https://cdn.jsdelivr.net/npm/sweetalert2@11"></script>
                    <script>Swal.fire({icon: "success", title: "success !",text: "Information successfully updated !",});</script>
                <?php }else{ ?>
                    <script
src="https://cdn.jsdelivr.net/npm/sweetalert2@11"></script>
                    <script>Swal.fire({icon: "error", title: "Oops...",text: "Cannot update your informations !",});</script>
                <?php }
            }
        ?>

<div class="container py-5">
    <div class="p-5 bg-light rounded">
        <div class="row g-4">
            <h2>Change your informations</h2>
            <div class="col-lg-7">

```

```

<form method = "Get">

    <input type="number" class="w-100 form-control border-0 py-3 mb-4" name="changePnumber" required placeholder="Enter your mobile number">

    <input type="text" class="w-100 form-control border-0 py-3 mb-4" name="changeAddress" placeholder="Enter Your Address">

    <button class="w-100 btn form-control border-secondary py-3 bg-white text-primary" name="changeBtn" type="submit">Change info</button>

</form>

</div>

<div class="col-lg-5">

    <div class="d-flex p-4 rounded mb-4 bg-white">

        <i class="fas fa-map-marker-alt fa-2x text-primary me-4"></i>

        <div>

            <h4>Your Address</h4>

            <p class="mb-2"><?=$address?></p>

        </div>

    </div>

    <div class="d-flex p-4 rounded bg-white">

        <i class="fa fa-phone-alt fa-2x text-primary me-4"></i>

        <div>

            <h4>Your Contactnumber</h4>

            <p class="mb-2"><?=$pNumber?></p>

            <!-- <p class="mb-2">(074) 1192 090</p> -->

        </div>

    </div>

</div>

</div>

```

```

</div>

<!-- </div> -->

<!-- Tastimonial End -->

<!-- Footer Start -->

<div class="container-fluid bg-dark text-white-50 footer pt-5 mt-5">

    <div class="container py-5">

        <div class="pb-4 mb-4" style="border-bottom: 1px solid rgba(226, 175, 24, 0.5) ;">

            <div class="row g-4">

                <div class="col-lg-3">

                    <a href="#">

                        <h1 class="text-primary mb-0">The <br>Market Basket</h1>

                        <p class="text-secondary mb-0">Fresh products</p>

                    </a>

                </div>

                <div class="col-lg-3">

                    <div class="d-flex justify-content-end pt-3">

                        <a class="btn btn-outline-secondary me-2 btn-md-square rounded-circle" href=""><i class="fab fa-twitter"></i></a>

                        <a class="btn btn-outline-secondary me-2 btn-md-square rounded-circle" href=""><i class="fab fa-facebook-f"></i></a>

                        <a class="btn btn-outline-secondary me-2 btn-md-square rounded-circle" href=""><i class="fab fa-youtube"></i></a>

                        <a class="btn btn-outline-secondary btn-md-square rounded-circle" href=""><i class="fab fa-linkedin-in"></i></a>

                    </div>

                </div>

            </div>

        </div>

    </div>

</div>

```

```
</div>

</div>

</div>

<div class="row g-5">

    <div class="col-lg-3 col-md-6">

        <div class="footer-item">

            <h4 class="text-light mb-3">Why People Like us!</h4>

            <p class="mb-4">typesetting, remaining essentially unchanged. It  
was  
popularised in the 1960s with the like Aldus PageMaker including  
of Lorem Ipsum.</p>

            <a href="details.php" class="btn border-secondary py-2 px-4  
rounded-pill text-primary">Read More</a>

        </div>

    </div>

    <div class="col-lg-3 col-md-6">

        <div class="d-flex flex-column text-start footer-item">

            <h4 class="text-light mb-3">Shop Info</h4>

            <a class="btn-link" href="details.php">About Us</a>

            <a class="btn-link" href="details.php">Contact Us</a>

            <a class="btn-link" href="details.php">Privacy Policy</a>

            <a class="btn-link" href="details.php">Terms & Condition</a>

            <a class="btn-link" href="details.php">FAQs & Help</a>

        </div>

    </div>

    <div class="col-lg-3 col-md-6">

        <div class="d-flex flex-column text-start footer-item">

            <h4 class="text-light mb-3">Account</h4>
```

```

        <a class="btn-link" href="userprofile.php">My Account</a>

        <a class="btn-link" href="cart.php">Shopping Cart</a>

        <a class="btn-link" href="details.php">Order History</a>

    </div>

</div>

<div class="col-lg-3 col-md-6">

    <div class="footer-item">

        <h4 class="text-light mb-3">Contact</h4>

        <p>59/E clock tower junction/Piliyandala</p>

        <p>ThemarketBasket@gmail.com</p>

        <p>Phone: +94783715777</p>

        <p>Payment Accepted</p>

    </div>

</div>

</div>

</div>

</div>

<!-- Footer End -->




<!-- Copyright Start -->

<div class="container-fluid copyright bg-dark py-4">

    <div class="container">

        <div class="row">

            <div class="col-md-6 text-center text-md-start mb-3 mb-md-0">

                <span class="text-light"><a href="details.php"><i class="fas fa-copyright text-light me-2"></i>The Market Basket</a>, All right reserved.</span>

            </div>

        </div>

    </div>

</div>

```

```
</div>

<div class="col-md-6 my-auto text-center text-md-end text-white">

    Designed By <a class="border-bottom" href="">Code Crashers</a>
    Distributed By <a class="border-bottom" href="">Code Crashers</a>

</div>

</div>

</div>

</div>

<!-- Copyright End -->

<!-- Back to Top -->

<a href="#" class="btn btn-primary border-3 border-primary rounded-circle back-to-top"><i class="fa fa-arrow-up"></i></a>

<!-- JavaScript Libraries -->

<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.4/jquery.min.js"></script>

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0/dist/js/bootstrap.bundle.min.js"></script>

<script src="lib/easing/easing.min.js"></script>

<script src="lib/waypoints/waypoints.min.js"></script>

<script src="lib/lightbox/js/lightbox.min.js"></script>

<script src="lib/owlcarousel/owl.carousel.min.js"></script>

<!-- Template Javascript -->
```

```

<script src="js/main.js"></script>
</body>
</html>

```

Cart:

Likely the shopping cart page where customers can review their selected items before making a purchase.

Products	Name	Price	Quantity	Total	Handle
	chicken	1260	1	1260	

Cart Total

Subtotal:	1260 RS/=
Contact Number:	0783715777

Cart

```

<?php

session_start();

include("conn.php");

$userName = $_SESSION["userName"];

if(empty($userName)){

header("Location:firstpage.php");

}

$numberOfRows = $_SESSION["numberOfRows"];

$diliveryDistrict = $_SESSION["diliveryDistrict"];

```

```

$totalItemPrice = 0;

$totalPrice = 0;

$totalCost = 0;

//Selecting Address

$userAddress = "";

$userPhoneNumber = "";

$infoSelectQuery = "SELECT * FROM userinfo WHERE username = '$userName'";

if(mysqli_num_rows(mysqli_query($con,$infoSelectQuery)) > 0){

    $userRows = mysqli_fetch_assoc(mysqli_query($con,$infoSelectQuery));

    $userPhoneNumber = $userRows['pnumber'];

    $userAddress = $userRows['address'];

}

//Selecting delivery price

$selectDeliveryFeeQuery = "SELECT * FROM deliveryfee WHERE district = '$deliveryDistrict'";

$deliveryResult = mysqli_query($con,$selectDeliveryFeeQuery);

if(mysqli_num_rows($deliveryResult) > 0){

    $deliveryRow = mysqli_fetch_assoc($deliveryResult);

    $deliveryPrice = $deliveryRow['deliveryprice'];

}

?>

<!DOCTYPE html>

<html lang="en">

```

```
<head>

    <meta charset="utf-8">

    <title>The Market Basket</title>

    <meta content="width=device-width, initial-scale=1.0" name="viewport">

    <meta content="" name="keywords">

    <meta content="" name="description">




    <!-- Google Web Fonts -->

    <link rel="preconnect" href="https://fonts.googleapis.com">

    <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>

    <link
        href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@400;600&family=Raleway:wght@600;800&display=swap" rel="stylesheet">




    <!-- Icon Font Stylesheet -->

    <link
        href="https://use.fontawesome.com/releases/v5.15.4/css/all.css" rel="stylesheet"

    <link
        href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.1/font/bootstrap-icons.css" rel="stylesheet">




    <!-- Libraries Stylesheet -->

    <link href="lib/lightbox/css/lightbox.min.css" rel="stylesheet">

    <link href="lib/owlcarousel/assets/owl.carousel.min.css" rel="stylesheet">




    <!-- Customized Bootstrap Stylesheet -->

    <link href="css/bootstrap.min.css" rel="stylesheet">




    <!-- Template Stylesheet -->
```

```

<link href="css/style.css" rel="stylesheet">


<link rel="icon" href="img/userimg/favicon.ico" type="image/x-icon">

</head>

<body>

<!-- Spinner Start --&gt;
&lt;div id="spinner" class="show w-100 vh-100 bg-white position-fixed translate-middle top-50 start-50 d-flex align-items-center justify-content-center"&gt;
    &lt;div class="spinner-grow text-primary" role="status"&gt;&lt;/div&gt;
&lt;/div&gt;

<!-- Spinner End --&gt;

<!-- Navbar start --&gt;
&lt;div class="container-fluid fixed-top"&gt;
    &lt;div class="container topbar bg-primary d-none d-lg-block"&gt;
        &lt;div class="d-flex justify-content-between"&gt;
            &lt;div class="top-info ps-2"&gt;
                &lt;small class="me-3"&gt;&lt;i class="fas fa-map-marker-alt me-2 text-secondary"&gt;&lt;/i&gt; &lt;a href="#" class="text-white"&gt;59/E clock tower junction/Piliyandala&lt;/a&gt;&lt;/small&gt;
                &lt;small class="me-3"&gt;&lt;i class="fas fa-envelope me-2 text-secondary"&gt;&lt;/i&gt;&lt;a href="#" class="text-white"&gt;TheMarketBasket@gmail.com&lt;/a&gt;&lt;/small&gt;
                &lt;small class="me-3"&gt;&lt;i class="fas fa-envelope me-2 text-secondary"&gt;&lt;/i&gt;&lt;a href="#" class="text-white"&gt;&lt;?=$userName ?&gt;&lt;/a&gt;&lt;/small&gt;
            &lt;/div&gt;
        &lt;/div&gt;
    &lt;/div&gt;
&lt;/div&gt;
</pre>

```

```

        <small class="me-3"><i class="fas fa-envelope me-2 text-secondary"></i><a href="#" class="text-white"><?=$deliveryDistrict ?></a></small>

    </div>

    <div class="top-link pe-2">

        <a href="details.php" class="text-white"><small class="text-white mx-2">Privacy Policy</small></a>

        <a href="details.php" class="text-white"><small class="text-white mx-2">Terms of Use</small></a>

        <a href="firstpage.php" class="text-white"><small class="text-white ms-2">LogOut</small></a>

    </div>

    </div>

    </div>

    <div class="container px-0">

        <nav class="navbar navbar-light bg-white navbar-expand-xl">

            <a href="index.php" class="navbar-brand"><h1 class="text-primary display-6">The Market Basket</h1></a>

            <button class="navbar-toggler py-2 px-3" type="button" data-bs-toggle="collapse" data-bs-target="#navbarCollapse">

                <span class="fa fa-bars text-primary"></span>

            </button>

            <div class="collapse navbar-collapse bg-white" id="navbarCollapse">

                <div class="navbar-nav mx-auto">

                    <a href="index.php" class="nav-item nav-link">Home</a>

                    <!-- <a href="shop.html" class="nav-item nav-link">Shop</a> -->

                    <a href="details.php" class="nav-item nav-link">About Us</a>

                    <a href="pendingoders.php" class="nav-item nav-link">Pending Oders</a>

                    <a href="previousoders.php" class="nav-item nav-link">previous Oders</a>

                </div>

```

```

</div>

<div class="d-flex m-3 me-0">

    <a href="#" class="position-relative me-4 my-auto">

        <i class="fa fa-shopping-bag fa-2x"></i>

        <span class="position-absolute bg-secondary rounded-circle d-
flex align-items-center justify-content-center text-dark px-1" style="top: -5px; left:
15px; height: 20px; min-width: 20px;"><?= $numberOfRows ?></span>

    </a>

    <a href="userprofile.php" class="my-auto">

        <i class="fas fa-user fa-2x"></i>

    </a>

</div>

</div>

</nav>

</div>

</div>

<!-- Navbar End -->

<!-- Single Page Header start -->

<div class="container-fluid page-header py-5">

    <h1 class="text-center text-white display-6">Cart</h1>

    <ol class="breadcrumb justify-content-center mb-0">

        <li class="breadcrumb-item"><a href="#">Home</a></li>

        <li class="breadcrumb-item"><a href="#">Pages</a></li>

        <li class="breadcrumb-item active text-white">Cart</li>

    </ol>

</div>

<!-- Single Page Header End -->

```

```

<?php

if(isset($_GET["removeCartBtn"])){
    $itemname = $_GET["Item"];
    $deleteQuery = "DELETE FROM cart WHERE username = '$userName' AND catname = '$itemname'";
    if(mysqli_query($con,$deleteQuery)){?>
        <script src="https://cdn.jsdelivr.net/npm/sweetalert2@11"></script>
        <script>Swal.fire({icon: "success", title: "success !",text: "This item removed from cart !",});</script>
    <?php }else{ ?>
        <script src="https://cdn.jsdelivr.net/npm/sweetalert2@11"></script>
        <script>Swal.fire({icon: "error", title: "Oops...",text: "Cannot remove from cart !",});</script>
    <?php     }
}
?>

<!-- Cart Page Start -->
<div class="container-fluid py-5">
    <div class="container py-5">
        <div class="table-responsive">
            <?php
                $selectQuery = "SELECT * FROM cart WHERE username = '$userName'";
                $cartResult = mysqli_query($con,$selectQuery);
                if(mysqli_num_rows($cartResult) > 0){?>
                    <table class="table">
                        <thead>

```

```

<tr>

    <th scope="col">Products</th>

    <th scope="col">Name</th>

    <th scope="col">Price</th>

    <th scope="col">Quantity</th>

    <th scope="col">Total</th>

    <th scope="col">Handle</th>

</tr>

</thead>

<?php      while($rows = mysqli_fetch_assoc($cartResult)){?>

<tbody>

<tr>

    <th scope="row">

        <div class="d-flex align-items-center">

    </th>

    <td>

        <p class="mb-0 mt-4"><?=$rows['catname'] ?></p>

    </td>

    <td>

        <p class="mb-0 mt-4"><?=$rows['catprice'] ?></p>

    </td>

    <td>

        <p class="mb-0 mt-4"><?=$rows['quantity'] ?></p>

    </td>

```

```

        </td>

        <td>

            <p class="mb-0 mt-4"><?=$totalItemPrice = $rows['quantity'] * $rows['catprice'] ?></p>

            <?php $totalPrice += $rows['quantity'] * $rows['catprice']?>

        </td>

        <td>

            <form method="Get">

                <input type="hidden" value = "<?=$rows['catname'] ?>" name = "Item">

                <button class="btn btn-md rounded-circle bg-light border mt-4" type="submit" name="removeCartBtn">

                    <i class="fa fa-times text-danger"></i>

                </button>

            </form>

        </td>

    </tr>

</tbody>

<?php }?>

</table>

<?php      }

if($totalPrice == 0){

    $totalCost = 0;

}else{

    $totalCost = $totalPrice + $deliveryPrice;

```

```

}

?>

<?php

if(isset($_GET["chechOut"])){
    if(!empty($userAddress) && !empty($userPhoneNumber)){
        $selectingCartQuery = "SELECT * FROM cart WHERE username = '$userName'";
        $SelectCartResult = mysqli_query($con,$selectingCartQuery);
        if(mysqli_num_rows($SelectCartResult) > 0){
            while($cartRows = mysqli_fetch_assoc($SelectCartResult)){
                $catName = $cartRows['catname'];
                $images = $cartRows['image'];
                $catPrice = $cartRows['catprice'];
                $catQunty = $cartRows['quantity'];
                $catType = $cartRows['cattype'];

                $selectCartQuery = "SELECT * FROM category WHERE catname = '$catName'";
                $categoryResult = mysqli_query($con,$selectCartQuery);
                $rowCart = mysqli_fetch_assoc($categoryResult);
                $qunty = $rowCart['quantity'] - $catQunty;

                $categoryUpdateQuery = "UPDATE category SET quantity = '$qunty' WHERE catname = '$catName'";
                mysqli_query($con,$categoryUpdateQuery);

                $insertPendingQuery = "INSERT INTO pendingoders(username,catname,image,catprice,quantity,cattype)

```

```

VALUES('$userName','$catName','$images','$catPrice','$catQunty','$catType');");
    mysqli_query($con,$insertPendingQuery);
}

if(mysqli_query($con,"DELETE FROM cart WHERE username = '$userName'")){
    <script
src="https://cdn.jsdelivr.net/npm/sweetalert2@11"></script>
<script>Swal.fire({icon: "success", title: "success !",text: "Successfully Place an oder!"});</script>
<?php }else{?>
    <script
src="https://cdn.jsdelivr.net/npm/sweetalert2@11"></script>
<script>Swal.fire({icon: "error", title: "Oops...",text: "Cannot place an oder somthing went wrong !"});</script>
<?php }>

    }
}else{?>
    <script src="https://cdn.jsdelivr.net/npm/sweetalert2@11"></script>
<script>Swal.fire({icon: "error", title: "Oops...",text: "Go to profile and add phone number and current Address !"});</script>
<?php }>
    }
?>

</div>
<div class="row g-4 justify-content-end">
    <div class="col-8"></div>
    <div class="col-sm-8 col-md-7 col-lg-6 col-xl-4">

```

```

<div class="bg-light rounded">

    <div class="p-4">

        <h1      class="display-6      mb-4">Cart      <span      class="fw-
normal">Total</span></h1>

        <div class="d-flex justify-content-between mb-4">

            <h5 class="mb-0 me-4">Subtotal:</h5>

            <p class="mb-0"><?= $totalPrice ?> RS/=</p>

        </div>

        <div class="d-flex justify-content-between mb-4">

            <h5 class="mb-0 me-4">Contact Number:</h5>

            <p class="mb-0"><?= $userPhoneNumber ?></p>

        </div>

        <div class="d-flex justify-content-between">

            <h5 class="mb-0 me-4">Shipping</h5>

            <div class="">

                <p  class="mb-0">Shipping rate : <?= $deliveryPrice ?>
RS/=</p>

            </div>

        </div>

        <p class="mb-0 text-end"><?= $userAddress ?>.</p>

    </div>


```



```

<div class="py-4 mb-4 border-top border-bottom d-flex justify-
content-between">

    <h5 class="mb-0 ps-4 me-4">Total</h5>

    <p class="mb-0 pe-4"><?= $totalCost ?> RS/=</p>


```

<form method = "Get">

```
        <button class="btn border-secondary rounded-pill px-4 py-3 text-primary text-uppercase mb-4 ms-4" type="button" data-bs-toggle="modal" data-bs-target="#chechOut">Proceed Checkout</button>

    </div>
```

```
<!-- Modelt -->

<!-- Button trigger modal -->
```

```
<!-- Modal -->

    <div class="modal fade" id="chechOut" data-bs-backdrop="static"
        data-bs-keyboard="false" tabindex="-1" aria-labelledby="staticBackdropLabel"
        aria-hidden="true">

        <div class="modal-dialog">

            <div class="modal-content">

                <div class="modal-header">

                    <h5 class="modal-title" id="staticBackdropLabel">Confermation</h5>

                    <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>

                </div>

                <div class="modal-body">

                    Are you sure you want to place an oder ?

                </div>

                <div class="modal-footer">

                    <button type="button" class="btn btn-secondary" data-bs-dismiss="modal">No</button>

                    <button type="submit" name="chechOut" class="btn btn-primary">yes</button>

                </div>

            </div>
        
```

```

        </div>

        </div>

        </form>

    </div>

</div>

</div>

</div>

<!-- Cart Page End -->

<!-- Footer Start -->

<div class="container-fluid bg-dark text-white-50 footer pt-5 mt-5">

    <div class="container py-5">

        <div class="pb-4 mb-4" style="border-bottom: 1px solid rgba(226, 175, 24, 0.5) ;">

            <div class="row g-4">

                <div class="col-lg-3">

                    <a href="#">

                        <h1 class="text-primary mb-0">The <br>Market Basket</h1>

                        <p class="text-secondary mb-0">Fresh products</p>

                    </a>

                </div>

                <div class="col-lg-3">

                    <div class="d-flex justify-content-end pt-3">

                        <a class="btn btn-outline-secondary me-2 btn-md-square rounded-circle" href=""><i class="fab fa-twitter" style="font-size: 2em;"></i></a>

                    </div>

                </div>

            <div class="col-lg-3">

                <div class="d-flex justify-content-end pt-3">

                    <a class="btn btn-outline-secondary me-2 btn-md-square rounded-circle" href=""><i class="fab fa-facebook-f" style="font-size: 2em;"></i></a>

                    <a class="btn btn-outline-secondary me-2 btn-md-square rounded-circle" href=""><i class="fab fa-instagram" style="font-size: 2em;"></i></a>

                </div>

            </div>

        </div>

    </div>

</div>

```

```

        <a class="btn btn-outline-secondary me-2 btn-md-square rounded-circle" href=""><i class="fab fa-facebook-f"></i></a>

        <a class="btn btn-outline-secondary me-2 btn-md-square rounded-circle" href=""><i class="fab fa-youtube"></i></a>

        <a class="btn btn-outline-secondary btn-md-square rounded-circle" href=""><i class="fab fa-linkedin-in"></i></a>

    </div>

</div>

</div>

</div>

<div class="row g-5">

    <div class="col-lg-3 col-md-6">

        <div class="footer-item">

            <h4 class="text-light mb-3">Why People Like us!</h4>

            <p class="mb-4">typesetting, remaining essentially unchanged. It was

                popularised in the 1960s with the like Aldus PageMaker including of Lorem Ipsum.</p>

```

was

popularised in the 1960s with the like Aldus PageMaker including of Lorem Ipsum.</p>

```

            <a href="details.php" class="btn border-secondary py-2 px-4 rounded-pill text-primary">Read More</a>

        </div>

    </div>

    <div class="col-lg-3 col-md-6">

        <div class="d-flex flex-column text-start footer-item">

            <h4 class="text-light mb-3">Shop Info</h4>

            <a class="btn-link" href="details.php">About Us</a>

            <a class="btn-link" href="details.php">Contact Us</a>

            <a class="btn-link" href="details.php">Privacy Policy</a>

            <a class="btn-link" href="details.php">Terms & Condition</a>

            <a class="btn-link" href="details.php">FAQs & Help</a>

```

```
</div>

</div>

<div class="col-lg-3 col-md-6">

    <div class="d-flex flex-column text-start footer-item">

        <h4 class="text-light mb-3">Account</h4>

        <a class="btn-link" href="userprofile.php">My Account</a>

        <a class="btn-link" href="cart.php">Shopping Cart</a>

        <a class="btn-link" href="details.php">Order History</a>

    </div>

</div>

<div class="col-lg-3 col-md-6">

    <div class="footer-item">

        <h4 class="text-light mb-3">Contact</h4>

        <p>59/E clock tower junction/Piliyandala</p>

        <p>ThemarketBasket@gmail.com</p>

        <p>Phone: +94783715777</p>

        <p>Payment Accepted</p>

    </div>

</div>

</div>

</div>

<!-- Footer End -->
```

```
<!-- Copyright Start -->
```

```
<div class="container-fluid copyright bg-dark py-4">
```

```

<div class="container">

    <div class="row">

        <div class="col-md-6 text-center text-md-start mb-3 mb-md-0">

            <span class="text-light"><a href="details.php"><i class="fas fa-copyright text-light me-2"></i>The Market Basket</a>, All right reserved.</span>

        </div>

        <div class="col-md-6 my-auto text-center text-md-end text-white">

            Designed By <a class="border-bottom" href="">Code Crashers</a>
            Distributed By <a class="border-bottom" href="">Code Crashers</a>

        </div>

    </div>

    </div>

    </div>

    <!-- Copyright End -->

    <!-- Back to Top -->

    <a href="#" class="btn btn-primary border-3 border-primary rounded-circle back-to-top"><i class="fa fa-arrow-up"></i></a>

    <!-- JavaScript Libraries -->

    <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.4/jquery.min.js"></script>

    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0/dist/js/bootstrap.bundle.min.js"></script>

    <script src="lib/easing/easing.min.js"></script>

    <script src="lib/waypoints/waypoints.min.js"></script>

```

```

<script src="lib/lightbox/js/lightbox.min.js"></script>
<script src="lib/owlcarousel/owl.carousel.min.js"></script>

<!-- Template Javascript -->
<script src="js/main.js"></script>
</body>

</html>

```

Pending Orders:

A page showing customers their pending or in-progress orders.

Products	Name	Price	Quantity	Total
	Mutton Leg Slices	2600	1	2600

Cart

```

<?php

session_start();

include("conn.php");

$UserName = $_SESSION["userName"];

if(empty($UserName)){

```

```

        header("Location:firstpage.php");

    }

$numberOfRows = $_SESSION["numberOfRows"];
$deliveryDistrict = $_SESSION["diliveryDistrict"];
$totalItemPrice = 0;
$totalPrice = 0;
$totalCost = 0;

//Selecting Address

$userAddress = "";
$userPhoneNumber = "";
$infoSelectQuery = "SELECT * FROM userinfo WHERE username = '$userName'";
if(mysqli_num_rows(mysqli_query($con,$infoSelectQuery)) > 0){

    $userRows = mysqli_fetch_assoc(mysqli_query($con,$infoSelectQuery));
    $userPhoneNumber = $userRows['pnumber'];
    $userAddress = $userRows['address'];
}

//Selecting delivery price

$selectDeliveryFeeQuery = "SELECT * FROM deliveryfee WHERE district = '$deliveryDistrict'";
$deliveryResult = mysqli_query($con,$selectDeliveryFeeQuery);
if(mysqli_num_rows($deliveryResult) > 0){

    $deliveryRow = mysqli_fetch_assoc($deliveryResult);
    $deliveryPrice = $deliveryRow['deliveryprice'];
}

?>

```

```
<!DOCTYPE html>

<html lang="en">

    <head>

        <meta charset="utf-8">

        <title>The Market Basket</title>

        <meta content="width=device-width, initial-scale=1.0" name="viewport">

        <meta content="" name="keywords">

        <meta content="" name="description">

        <!-- Google Web Fonts -->

        <link rel="preconnect" href="https://fonts.googleapis.com">

        <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>

        <link
            href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@400;600&family=Raleway:wght@600;800&display=swap" rel="stylesheet">

        <!-- Icon Font Stylesheet -->

        <link
            href="https://use.fontawesome.com/releases/v5.15.4/css/all.css" rel="stylesheet">

        <link
            href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.1/font/bootstrap-icons.css" rel="stylesheet">

        <!-- Libraries Stylesheet -->

        <link href="lib/lightbox/css/lightbox.min.css" rel="stylesheet">

        <link href="lib/owlcarousel/assets/owl.carousel.min.css" rel="stylesheet">
```

```

<!-- Customized Bootstrap Stylesheet -->
<link href="css/bootstrap.min.css" rel="stylesheet">

<!-- Template Stylesheet -->
<link href="css/style.css" rel="stylesheet">

<!-- favicon -->
<link rel="icon" href="img/userimg/favicon.ico" type="image/x-icon">

</head>

<body>

<!-- Spinner Start -->
<div id="spinner" class="show w-100 vh-100 bg-white position-fixed translate-middle top-50 start-50 d-flex align-items-center justify-content-center">
    <div class="spinner-grow text-primary" role="status"></div>
</div>

<!-- Spinner End -->

<!-- Navbar start -->
<div class="container-fluid fixed-top">
    <div class="container topbar bg-primary d-none d-lg-block">
        <div class="d-flex justify-content-between">
            <div class="top-info ps-2">
                <small class="me-3"><i class="fas fa-map-marker-alt me-2 text-secondary"></i> <a href="#" class="text-white">59/E clock tower junction/Piliyandala</a></small>
            </div>
        </div>
    </div>
</div>

```

```

        <small class="me-3"><i class="fas fa-envelope me-2 text-secondary"></i><a href="#" class="text-white">TheMarketBasket@gmail.com</a></small>

        <small class="me-3"><i class="fas fa-envelope me-2 text-secondary"></i><a href="#" class="text-white"><?= $userName ?></a></small>

        <small class="me-3"><i class="fas fa-envelope me-2 text-secondary"></i><a href="#" class="text-white"><?= $deliveryDistrict ?></a></small>

    </div>

    <div class="top-link pe-2">

        <a href="details.php" class="text-white"><small class="text-white mx-2">Privacy Policy</small></a>

        <a href="details.php" class="text-white"><small class="text-white mx-2">Terms of Use</small></a>

        <a href="firstpage.php" class="text-white"><small class="text-white ms-2">LogOut</small></a>

    </div>

    </div>

    </div>

    <div class="container px-0">

        <nav class="navbar navbar-light bg-white navbar-expand-xl">

            <a href="index.php" class="navbar-brand"><h1 class="text-primary display-6">The Market Basket</h1></a>

            <button class="navbar-toggler py-2 px-3" type="button" data-bs-toggle="collapse" data-bs-target="#navbarCollapse">

                <span class="fa fa-bars text-primary"></span>

            </button>

            <div class="collapse navbar-collapse bg-white" id="navbarCollapse">

                <div class="navbar-nav mx-auto">

                    <a href="index.php" class="nav-item nav-link">Home</a>

                    <!-- <a href="shop.html" class="nav-item nav-link">Shop</a> -->

                </div>

```

```

        <a href="details.php" class="nav-item nav-link">About Us</a>

        <a href="pendingoders.php" class="nav-item nav-link">Pending
Oders</a>

        <a href="previousoders.php" class="nav-item nav-link">previous
Oders</a>

    </div>

    <div class="d-flex m-3 me-0">

        <a href="#" class="position-relative me-4 my-auto">

            <i class="fa fa-shopping-bag fa-2x"></i>

            <span class="position-absolute bg-secondary rounded-circle d-
flex align-items-center justify-content-center text-dark px-1" style="top: -5px; left:
15px; height: 20px; min-width: 20px;"><?= $numberofRows ?></span>

        </a>

        <a href="userprofile.php" class="my-auto">

            <i class="fas fa-user fa-2x"></i>

        </a>

    </div>

    </div>

</nav>

</div>

</div>

<!-- Navbar End -->

```

```

<!-- Single Page Header start -->

<div class="container-fluid page-header py-5">

    <h1 class="text-center text-white display-6">Cart</h1>

    <ol class="breadcrumb justify-content-center mb-0">

        <li class="breadcrumb-item"><a href="#">Home</a></li>

        <li class="breadcrumb-item"><a href="#">Pages</a></li>

```

```

<li class="breadcrumb-item active text-white">Cart</li>
</ol>
</div>

<!-- Single Page Header End -->

<?php

if(isset($_GET["removeCartBtn"])){
    $itemname = $_GET["Item"];
    $deleteQuery = "DELETE FROM cart WHERE username = '$userName' AND catname = '$itemname'";
    if(mysql_query($con,$deleteQuery)){?>
        <script src="https://cdn.jsdelivr.net/npm/sweetalert2@11"></script>
        <script>Swal.fire({icon: "success", title: "success !",text: "This item removed from cart !",});</script>
    <?php }else{ ?>
        <script src="https://cdn.jsdelivr.net/npm/sweetalert2@11"></script>
        <script>Swal.fire({icon: "error", title: "Oops...",text: "Cannot remove from cart !",});</script>
    <?php     }
}
?>

<!-- Cart Page Start -->

<div class="container-fluid py-5">
    <div class="container py-5">
        <div class="table-responsive">
            <?php
                $selectQuery = "SELECT * FROM cart WHERE username = '$userName'";

```

```

$cartResult = mysqli_query($con,$selectQuery);

if(mysqli_num_rows($cartResult) > 0){?>

    <table class="table">

        <thead>

            <tr>

                <th scope="col">Products</th>

                <th scope="col">Name</th>

                <th scope="col">Price</th>

                <th scope="col">Quantity</th>

                <th scope="col">Total</th>

                <th scope="col">Handle</th>

            </tr>

        </thead>

        <?php    while($rows = mysqli_fetch_assoc($cartResult)){?>

            <tbody>

                <tr>

                    <th scope="row">

                        <div class="d-flex align-items-center">

                        </div>

                    </th>

                    <td>

                        <p class="mb-0 mt-4"><?=$rows['catname'] ?></p>

                    </td>

                    <td>

                        <p class="mb-0 mt-4"><?=$rows['catprice'] ?></p>


```

```

        </td>

        <td>

            <p class="mb-0 mt-4"><?=$rows['quantity'] ?></p>

        </td>

        <td>

            <p    class="mb-0    mt-4"><?=$totalItemPrice    =    $rows['quantity']      *
$rows['catprice'] ?></p>

            <?php $totalPrice += $rows['quantity'] * $rows['catprice']?>

        </td>

        <td>

            <form method="Get">

                <input type="hidden" value = "<?=$rows['catname'] ?>" name = "Item">

                <button    class="btn    btn-md    rounded-circle    bg-light    border    mt-4"
type="submit" name="removeCartBtn">

                    <i class="fa fa-times text-danger"></i>

                </button>

            </form>

        </td>

    </tr>

</tbody>

<?php  }?>

</table>

<?php      }


```

```

if($totalPrice == 0){

    $totalCost = 0;

}else{

    $totalCost = $totalPrice + $deliveryPrice;

}

?>

<?php

if(isset($_GET["chechOut"])){

    if(!empty($userAddress) && !empty($userPhoneNumber)){

        $selectingCartQuery = "SELECT * FROM cart WHERE username =
'$userName'";

        $SelectCartResult = mysqli_query($con,$selectingCartQuery);

        if(mysqli_num_rows($SelectCartResult) > 0){

            while($cartRows = mysqli_fetch_assoc($SelectCartResult)){

                $catName = $cartRows['catname'];

                $images = $cartRows['image'];

                $catPrice = $cartRows['catprice'];

                $catQunty = $cartRows['quantity'];

                $catType = $cartRows['cattype'];




                $selectCartQuery = "SELECT * FROM category WHERE catname =
'$catName'";

                $categoryResult = mysqli_query($con,$selectCartQuery);

                $rowCart = mysqli_fetch_assoc($categoryResult);

                $qunty = $rowCart['quantity'] - $catQunty;

```

```

$categoryUpdateQuery = "UPDATE category SET quantity = '$qunty'
WHERE catname = '$catName'";

mysqli_query($con,$categoryUpdateQuery);

$insertPendingQuery      =      "INSERT      INTO
pendingoders(username,catname,image,catprice,quantity,cattype)
VALUES('$userName','$catName','$images','$catPrice','$catQunty','$catType')";

mysqli_query($con,$insertPendingQuery);

}

if(mysqli_query($con,"DELETE FROM cart WHERE username =
'$userName'")){
?>

<script
src="https://cdn.jsdelivr.net/npm/sweetalert2@11"></script>

<script>Swal.fire({icon: "success", title: "success !",text:
"Successfully Place an oder!",});</script>

<?php      }else{?>

<script
src="https://cdn.jsdelivr.net/npm/sweetalert2@11"></script>

<script>Swal.fire({icon: "error", title: "Oops...",text: "Cannot
place an oder somthing went wrong !",});</script>

<?php }

}

}else{?>

<script src="https://cdn.jsdelivr.net/npm/sweetalert2@11"></script>

<script>Swal.fire({icon: "error", title: "Oops...",text: "Go to profile and
add phone number and current Address !",});</script>

<?php  }

}

?>

```

```
</div>

<div class="row g-4 justify-content-end">

    <div class="col-8"></div>

    <div class="col-sm-8 col-md-7 col-lg-6 col-xl-4">

        <div class="bg-light rounded">

            <div class="p-4">

                <h1      class="display-6      mb-4">Cart      <span      class="fw-
normal">Total</span></h1>

                <div class="d-flex justify-content-between mb-4">

                    <h5 class="mb-0 me-4">Subtotal:</h5>

                    <p class="mb-0"><?=$totalPrice ?> RS/=</p>

                </div>

                <div class="d-flex justify-content-between mb-4">

                    <h5 class="mb-0 me-4">Contact Number:</h5>

                    <p class="mb-0"><?=$userPhoneNumber ?></p>

                </div>

                <div class="d-flex justify-content-between">

                    <h5 class="mb-0 me-4">Shipping</h5>

                    <div class="">

                        <p  class="mb-0">Shipping rate : <?=$deliveryPrice ?>
RS/=</p>

                    </div>

                </div>

                <p class="mb-0 text-end"><?=$userAddress?>.</p>

            </div>
```

```

<div class="py-4 mb-4 border-top border-bottom d-flex justify-content-between">

    <h5 class="mb-0 ps-4 me-4">Total</h5>

    <p class="mb-0 pe-4"><?= $totalCost ?> RS/=</p>

</div>

<form method = "Get">

    <button class="btn border-secondary rounded-pill px-4 py-3 text-primary text-uppercase mb-4 ms-4" type="button" data-bs-toggle="modal" data-bs-target="#chechOut">Proceed Checkout</button>

</div>

<!-- Modelt --&gt;

<!-- Button trigger modal --&gt;

&lt;!-- Modal --&gt;

&lt;div class="modal fade" id="chechOut" data-bs-backdrop="static" data-bs-keyboard="false" tabindex="-1" aria-labelledby="staticBackdropLabel" aria-hidden="true"&gt;

    &lt;div class="modal-dialog"&gt;

        &lt;div class="modal-content"&gt;

            &lt;div class="modal-header"&gt;

                &lt;h5 id="staticBackdropLabel" class="modal-title"&gt;Confermation&lt;/h5&gt;

                &lt;button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"&gt;&lt;/button&gt;

            &lt;/div&gt;

            &lt;div class="modal-body"&gt;

                Are you sure you want to place an oder ?

            &lt;/div&gt;

            &lt;div class="modal-footer"&gt;
</pre>

```

```
        <button type="button" class="btn btn-secondary" data-bs-
dismiss="modal">No</button>

        <button type="submit" name="chechOut" class="btn btn-
primary">yes</button>

    </div>

    </div>

    </div>

    </div>

    </form>

</div>

</div>

</div>

<!-- Cart Page End -->
```

```
<!-- Footer Start -->

<div class="container-fluid bg-dark text-white-50 footer pt-5 mt-5">

    <div class="container py-5">

        <div class="pb-4 mb-4" style="border-bottom: 1px solid rgba(226, 175, 24,
0.5) ;">

            <div class="row g-4">

                <div class="col-lg-3">

                    <a href="#">

                        <h1 class="text-primary mb-0">The <br>Market Basket</h1>

                        <p class="text-secondary mb-0">Fresh products</p>

                    </a>

                </div>

            </div>

        </div>

    </div>

</div>
```

```

</div>

<div class="col-lg-3">

    <div class="d-flex justify-content-end pt-3">

        <a class="btn btn-outline-secondary me-2 btn-md-square rounded-circle" href=""><i class="fab fa-twitter"></i></a>

        <a class="btn btn-outline-secondary me-2 btn-md-square rounded-circle" href=""><i class="fab fa-facebook-f"></i></a>

        <a class="btn btn-outline-secondary me-2 btn-md-square rounded-circle" href=""><i class="fab fa-youtube"></i></a>

        <a class="btn btn-outline-secondary btn-md-square rounded-circle" href=""><i class="fab fa-linkedin-in"></i></a>

    </div>

</div>

</div>

</div>

<div class="row g-5">

    <div class="col-lg-3 col-md-6">

        <div class="footer-item">

            <h4 class="text-light mb-3">Why People Like us!</h4>

            <p class="mb-4">typesetting, remaining essentially unchanged. It was popularised in the 1960s with the like Aldus PageMaker including of Lorem Ipsum.</p>

            <a href="details.php" class="btn border-secondary py-2 px-4 rounded-pill text-primary">Read More</a>

        </div>

    </div>

    <div class="col-lg-3 col-md-6">

        <div class="d-flex flex-column text-start footer-item">

            <h4 class="text-light mb-3">Shop Info</h4>

```

```

        <a class="btn-link" href="details.php">About Us</a>

        <a class="btn-link" href="details.php">Contact Us</a>

        <a class="btn-link" href="details.php">Privacy Policy</a>

        <a class="btn-link" href="details.php">Terms & Condition</a>

        <a class="btn-link" href="details.php">FAQs & Help</a>

    </div>

</div>

<div class="col-lg-3 col-md-6">

    <div class="d-flex flex-column text-start footer-item">

        <h4 class="text-light mb-3">Account</h4>

        <a class="btn-link" href="userprofile.php">My Account</a>

        <a class="btn-link" href="cart.php">Shopping Cart</a>

        <a class="btn-link" href="details.php">Order History</a>

    </div>

</div>

<div class="col-lg-3 col-md-6">

    <div class="footer-item">

        <h4 class="text-light mb-3">Contact</h4>

        <p>59/E clock tower junction/Piliyandala</p>

        <p>ThemarketBasket@gmail.com</p>

        <p>Phone: +94783715777</p>

        <p>Payment Accepted</p>

    </div>

</div>

</div>

</div>

```

```
</div>

<!-- Footer End -->

<!-- Copyright Start -->

<div class="container-fluid copyright bg-dark py-4">

    <div class="container">

        <div class="row">

            <div class="col-md-6 text-center text-md-start mb-3 mb-md-0">

                <span class="text-light"><a href="details.php"><i class="fas fa-copyright text-light me-2"></i>The Market Basket</a>, All right reserved.</span>

            </div>

            <div class="col-md-6 my-auto text-center text-md-end text-white">

                Designed By <a class="border-bottom" href="">Code Crashers</a>
                Distributed By <a class="border-bottom" href="">Code Crashers</a>

            </div>

        </div>

    </div>

</div>

<!-- Copyright End -->

<!-- Back to Top -->


<a href="#" class="btn btn-primary border-3 border-primary rounded-circle back-to-top"><i class="fa fa-arrow-up"></i></a>

<!-- JavaScript Libraries -->
```

```
<script  
src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.4/jquery.min.js"></script>  
  
<script  
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0/dist/js/bootstrap.bundle.min.j  
s"></script>  
  
<script src="lib/easing/easing.min.js"></script>  
  
<script src="lib/waypoints/waypoints.min.js"></script>  
  
<script src="lib/lightbox/js/lightbox.min.js"></script>  
  
<script src="lib/owlcarousel/owl.carousel.min.js"></script>  
  
  
<!-- Template Javascript -->  
  
<script src="js/main.js"></script>  
  
</body>  
  
  
</html>
```

Previous Orders:

Displays the customer's order history, including previously completed orders.



The screenshot shows the 'Cart' section of the website. At the top, there are navigation links: '59/E clock tower junction/Piliyandala', 'ThemarketBasket@gmail.com', 'Kavishka1', 'Colombo', 'Privacy Policy / Terms of Use / LogOut'. Below the header, the 'The Market Basket' logo is displayed. A navigation bar includes 'Home', 'About Us', 'Pending Oders', and 'previous Oders'. On the right side of the header, there are icons for a shopping cart and a user profile. The main content area features a large image of peaches. The word 'Cart' is centered above a table. The table has columns: 'Products', 'Name', 'Price', 'Quantity', and 'Total'. Three rows of data are listed, each representing a 'Mutton Leg Slices' item with a price of 2600, a quantity of 1, and a total of 2600. The image of the peaches serves as a background for the table.

Products	Name	Price	Quantity	Total
	Mutton Leg Slices	2600	1	2600
	Mutton Leg Slices	2600	1	2600
	Mutton Leg Slices	2600	1	2600

Previous orders

```
<?php  
  
session_start();  
  
include("conn.php");  
  
$UserName = $_SESSION["userName"];  
  
if(empty($UserName)){  
  
    header("Location:firstpage.php");  
  
}  
  
$numberOfRows = $_SESSION["numberOfRows"];  
  
$deliveryDistrict = $_SESSION["diliveryDistrict"];  
  
$totalItemPrice = 0;  
  
$totalPrice = 0;  
  
$totalCost = 0;  
  
  
?>  
  
<!DOCTYPE html>
```

```
<html lang="en">

    <head>

        <meta charset="utf-8">

        <title>The Market Basket</title>

        <meta content="width=device-width, initial-scale=1.0" name="viewport">

        <meta content="" name="keywords">

        <meta content="" name="description">

        <!-- Google Web Fonts -->

        <link rel="preconnect" href="https://fonts.googleapis.com">

        <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>

        <link
            href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@400;600&family=Raleway:wght@600;800&display=swap" rel="stylesheet">

        <!-- Icon Font Stylesheet -->

        <link
            href="https://use.fontawesome.com/releases/v5.15.4/css/all.css" rel="stylesheet">

        <link
            href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.1/font/bootstrap-icons.css" rel="stylesheet">

        <!-- Libraries Stylesheet -->

        <link href="lib/lightbox/css/lightbox.min.css" rel="stylesheet">

        <link href="lib/owlcarousel/assets/owl.carousel.min.css" rel="stylesheet">

        <!-- Customized Bootstrap Stylesheet -->

        <link href="css/bootstrap.min.css" rel="stylesheet">
```

```

<!-- Template Stylesheet -->

<link href="css/style.css" rel="stylesheet">




<!-- favicon -->

<link rel="icon" href="img/userimg/favicon.ico" type="image/x-icon">

</head>



<body>




<!-- Spinner Start -->

<div id="spinner" class="show w-100 vh-100 bg-white position-fixed translate-middle top-50 start-50 d-flex align-items-center justify-content-center">

    <div class="spinner-grow text-primary" role="status"></div>

</div>

<!-- Spinner End -->




<!-- Navbar start -->

<div class="container-fluid fixed-top">

    <div class="container topbar bg-primary d-none d-lg-block">

        <div class="d-flex justify-content-between">

            <div class="top-info ps-2">

                <small class="me-3"><i class="fas fa-map-marker-alt me-2 text-secondary"></i> <a href="#" class="text-white">59/E clock tower junction/Piliyandala</a></small>

                <small class="me-3"><i class="fas fa-envelope me-2 text-secondary"></i><a href="#" class="text-white">TheMarketBasket@gmail.com</a></small>

            </div>
        </div>
    </div>
</div>

```

```

        <small class="me-3"><i class="fas fa-envelope me-2 text-secondary"></i><a href="#" class="text-white"><?= $userName ?></a></small>

        <small class="me-3"><i class="fas fa-envelope me-2 text-secondary"></i><a href="#" class="text-white"><?= $deliveryDistrict ?></a></small>

    </div>

    <div class="top-link pe-2">

        <a href="details.php" class="text-white"><small class="text-white mx-2">Privacy Policy</small>/</a>

        <a href="details.php" class="text-white"><small class="text-white mx-2">Terms of Use</small>/</a>

        <a href="firstpage.php" class="text-white"><small class="text-white ms-2">LogOut</small></a>

    </div>

    </div>

    </div>

    <div class="container px-0">

        <nav class="navbar navbar-light bg-white navbar-expand-xl">

            <a href="index.php" class="navbar-brand"><h1 class="text-primary display-6">The Market Basket</h1></a>

            <button class="navbar-toggler py-2 px-3" type="button" data-bs-toggle="collapse" data-bs-target="#navbarCollapse">

                <span class="fa fa-bars text-primary"></span>

            </button>

            <div class="collapse navbar-collapse bg-white" id="navbarCollapse">

                <div class="navbar-nav mx-auto">

                    <a href="index.php" class="nav-item nav-link">Home</a>

                    <!-- <a href="shop.html" class="nav-item nav-link">Shop</a> -->

                    <a href="details.php" class="nav-item nav-link">About Us</a>

                    <a href="pendingoders.php" class="nav-item nav-link">Pending Oders</a>

                </div>

```

```

        <a href="previousoders.php" class="nav-item nav-link active">previous Oders</a>

    </div>

    <div class="d-flex m-3 me-0">

        <a href="cart.php" class="position-relative me-4 my-auto">

            <i class="fa fa-shopping-bag fa-2x"></i>

            <span class="position-absolute bg-secondary rounded-circle d-flex align-items-center justify-content-center text-dark px-1" style="top: -5px; left: 15px; height: 20px; min-width: 20px;"><?= $numberOfRows ?></span>

        </a>

        <a href="userprofile.php" class="my-auto">

            <i class="fas fa-user fa-2x"></i>

        </a>

    </div>

    </div>

</nav>

</div>

</div>

<!-- Navbar End -->

<!-- Single Page Header start -->

<div class="container-fluid page-header py-5">

    <h1 class="text-center text-white display-6">Cart</h1>

    <ol class="breadcrumb justify-content-center mb-0">

        <li class="breadcrumb-item"><a href="index.php">Home</a></li>

        <li class="breadcrumb-item"><a href="#">Pages</a></li>

        <li class="breadcrumb-item active text-white">Pending Oders</li>

    </ol>

```

```

</div>

<!-- Single Page Header End -->

<?php

if(isset($_GET["removeCartBtn"])){

$itemname = $_GET["Item"];

$deleteQuery = "DELETE FROM cart WHERE username = '$userName' AND
catname = '$itemname';

if(mysqli_query($con,$deleteQuery)){?>

<script src="https://cdn.jsdelivr.net/npm/sweetalert2@11"></script>

<script>Swal.fire({icon: "success", title: "success !",text: "This item
removed from cart !",});</script>

<?php }else{ ?>

<script src="https://cdn.jsdelivr.net/npm/sweetalert2@11"></script>

<script>Swal.fire({icon: "error", title: "Oops...",text: "Cannot remove from
cart !",});</script>

<?php      }

}

?>

<!-- Cart Page Start -->

<div class="container-fluid py-5">

<div class="container py-5">

<div class="table-responsive">

<?php

$selectQuery = "SELECT * FROM completeoders WHERE username =
'$userName';

$compledeResult = mysqli_query($con,$selectQuery);

if(mysqli_num_rows($compledeResult) > 0){?>

```

```

<table class="table">

    <thead>
        <tr>
            <th scope="col">Products</th>
            <th scope="col">Name</th>
            <th scope="col">Price</th>
            <th scope="col">Quantity</th>
            <th scope="col">Total</th>
        </tr>
    </thead>

    <?php      while($rows = mysqli_fetch_assoc($completeResult)){?>
    <tbody>

        <tr>
            <th scope="row">
                <div class="d-flex align-items-center">
                    
                </div>
            </th>
            <td>
                <p class="mb-0 mt-4"><?=$rows['catname'] ?></p>
            </td>
            <td>
                <p class="mb-0 mt-4"><?=$rows['catprice'] ?></p>
            </td>
            <td>

```

```

<p class="mb-0 mt-4"><?=$rows['quantity'] ?></p>

</td>

<td>

    <p class="mb-0 mt-4"><?=$totalItemPrice = $rows['quantity'] * $rows['catprice'] ?></p>

    <?php $totalPrice += $rows['quantity'] * $rows['catprice']?>

</td>

</tr>

</tbody>

<?php }?>

</table>

<?php }else{ ?>

    <script
src="https://cdn.jsdelivr.net/npm/sweetalert2@11"></script>

    <script>Swal.fire({icon: "error", title: "Oops...",text: "No Result found !",});</script>

<?php } ?>

</div>

</div>

</div>

```

```

</div>

<!-- Cart Page End -->

<!-- Footer Start -->

<div class="container-fluid bg-dark text-white-50 footer pt-5 mt-5">
    <div class="container py-5">
        <div class="pb-4 mb-4" style="border-bottom: 1px solid rgba(226, 175, 24, 0.5) ;">
            <div class="row g-4">
                <div class="col-lg-3">
                    <a href="#">
                        <h1 class="text-primary mb-0">The <br>Market Basket</h1>
                        <p class="text-secondary mb-0">Fresh products</p>
                    </a>
                </div>
                <div class="col-lg-3">
                    <div class="d-flex justify-content-end pt-3">
                        <a class="btn btn-outline-secondary me-2 btn-md-square rounded-circle" href=""><i class="fab fa-twitter"></i></a>
                        <a class="btn btn-outline-secondary me-2 btn-md-square rounded-circle" href=""><i class="fab fa-facebook-f"></i></a>
                        <a class="btn btn-outline-secondary me-2 btn-md-square rounded-circle" href=""><i class="fab fa-youtube"></i></a>
                        <a class="btn btn-outline-secondary btn-md-square rounded-circle" href=""><i class="fab fa-linkedin-in"></i></a>
                    </div>
                </div>
            </div>
        </div>
    </div>
</div>

```

```
</div>

</div>

<div class="row g-5">

    <div class="col-lg-3 col-md-6">

        <div class="footer-item">

            <h4 class="text-light mb-3">Why People Like us!</h4>

            <p class="mb-4">typesetting, remaining essentially unchanged. It  
was

                popularised in the 1960s with the like Aldus PageMaker including  
of Lorem Ipsum.</p>

            <a href="details.php" class="btn border-secondary py-2 px-4  
rounded-pill text-primary">Read More</a>

        </div>

    </div>

    <div class="col-lg-3 col-md-6">

        <div class="d-flex flex-column text-start footer-item">

            <h4 class="text-light mb-3">Shop Info</h4>

            <a class="btn-link" href="details.php">About Us</a>

            <a class="btn-link" href="details.php">Contact Us</a>

            <a class="btn-link" href="details.php">Privacy Policy</a>

            <a class="btn-link" href="details.php">Terms & Condition</a>

            <a class="btn-link" href="details.php">FAQs & Help</a>

        </div>

    </div>

    <div class="col-lg-3 col-md-6">

        <div class="d-flex flex-column text-start footer-item">

            <h4 class="text-light mb-3">Account</h4>

            <a class="btn-link" href="userprofile.php">My Account</a>

        </div>

    </div>


```

```

        <a class="btn-link" href="cart.php">Shopping Cart</a>

        <a class="btn-link" href="details.php">Order History</a>

    </div>

</div>

<div class="col-lg-3 col-md-6">

    <div class="footer-item">

        <h4 class="text-light mb-3">Contact</h4>

        <p>59/E clock tower junction/Piliyandala</p>

        <p>TheMarketBasket@gmail.com</p>

        <p>Phone: +94783715777</p>

        <p>Payment Accepted</p>

    </div>

</div>

</div>

</div>

</div>

<!-- Footer End -->




<!-- Copyright Start -->

<div class="container-fluid copyright bg-dark py-4">

    <div class="container">

        <div class="row">

            <div class="col-md-6 text-center text-md-start mb-3 mb-md-0">

                <span class="text-light"><a href="details.php"><i class="fas fa-copyright text-light me-2"></i>The Market Basket</a>, All right reserved.</span>

            </div>

        </div>

    </div>

</div>

```

```
<div class="col-md-6 my-auto text-center text-md-end text-white">

    Designed By <a class="border-bottom" href="">Code Crashers</a>
    Distributed By <a class="border-bottom" href="">Code Crashers</a>

</div>

</div>

</div>

</div>

<!-- Copyright End -->

<!-- Back to Top -->

<a href="#" class="btn btn-primary border-3 border-primary rounded-circle back-to-top"><i class="fa fa-arrow-up"></i></a>

<!-- JavaScript Libraries -->

<script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.4/jquery.min.js"></script>

<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0/dist/js/bootstrap.bundle.min.js"></script>

<script src="lib/easing/easing.min.js"></script>

<script src="lib/waypoints/waypoints.min.js"></script>

<script src="lib/lightbox/js/lightbox.min.js"></script>

<script src="lib/owlcarousel/owl.carousel.min.js"></script>

<!-- Template Javascript -->


<script src="js/main.js"></script>
```

</body>

</html>

About-Privacy-policy-Terms:

Displays important legal information such as the privacy policy and terms of service for customers.



About-privacy policy terms

```
<?php  
  
session_start();  
  
include("conn.php");  
  
$userName = $_SESSION["userName"];  
  
if(empty($userName)){  
  
    header("Location:firstpage.php");  
  
}  
  
$numberOfRows = $_SESSION["numberOfRows"];  
  
$deliveryDistrict = $_SESSION["diliveryDistrict"];  
  
?  

```

```

<!DOCTYPE html>

<html lang="en">

    <head>

        <meta charset="utf-8">

        <title>Fruitables - Vegetable Website Template</title>

        <meta content="width=device-width, initial-scale=1.0" name="viewport">

        <meta content="" name="keywords">

        <meta content="" name="description">

        <!-- Google Web Fonts -->

        <link rel="preconnect" href="https://fonts.googleapis.com">

        <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>

        <link
            href="https://fonts.googleapis.com/css2?family=Open+Sans:wght@400;600&family=Raleway:wght@600;800&display=swap" rel="stylesheet">

        <!-- Icon Font Stylesheet -->

        <link
            href="https://use.fontawesome.com/releases/v5.15.4/css/all.css"
            rel="stylesheet" />

        <link
            href="https://cdn.jsdelivr.net/npm/bootstrap-icons@1.4.1/font/bootstrap-icons.css"
            rel="stylesheet" />

        <!-- Libraries Stylesheet -->

        <link href="lib/lightbox/css/lightbox.min.css" rel="stylesheet">

        <link href="lib/owlcarousel/assets/owl.carousel.min.css" rel="stylesheet">

        <!-- Customized Bootstrap Stylesheet -->

```

```

<link href="css/bootstrap.min.css" rel="stylesheet">

<!-- Template Stylesheet --&gt;

&lt;link href="css/style.css" rel="stylesheet"&gt;

<!-- favicon --&gt;

&lt;link rel="icon" href="img/userimg/favicon.ico" type="image/x-icon"&gt;

&lt;/head&gt;

&lt;body&gt;

<!-- Spinner Start --&gt;

&lt;div id="spinner" class="show w-100 vh-100 bg-white position-fixed translate-middle top-50 start-50 d-flex align-items-center justify-content-center"&gt;

    &lt;div class="spinner-grow text-primary" role="status"&gt;&lt;/div&gt;

&lt;/div&gt;

<!-- Spinner End --&gt;

<!-- Navbar start --&gt;

&lt;div class="container-fluid fixed-top"&gt;

    &lt;div class="container topbar bg-primary d-none d-lg-block"&gt;

        &lt;div class="d-flex justify-content-between"&gt;

            &lt;div class="top-info ps-2"&gt;

                &lt;small class="me-3"&gt;&lt;i class="fas fa-map-marker-alt me-2 text-secondary"&gt;&lt;/i&gt; &lt;a href="#" class="text-white"&gt;59/E clock tower junction/Piliyandala&lt;/a&gt;&lt;/small&gt;
            </pre>

```

```

        <small class="me-3"><i class="fas fa-envelope me-2 text-secondary"></i><a href="#" class="text-white">TheMarketBasket@gmail.com</a></small>

        <small class="me-3"><i class="fas fa-envelope me-2 text-secondary"></i><a href="#" class="text-white"><?= $userName ?></a></small>

        <small class="me-3"><i class="fas fa-envelope me-2 text-secondary"></i><a href="#" class="text-white"><?= $deliveryDistrict ?></a></small>

    </div>

    <div class="top-link pe-2">

        <a href="details.php" class="text-white"><small class="text-white mx-2">Privacy Policy</small></a>

        <a href="details.php" class="text-white"><small class="text-white mx-2">Terms of Use</small></a>

        <a href="firstpage.php" class="text-white"><small class="text-white ms-2">LogOut</small></a>

    </div>

    </div>

    </div>

    <div class="container px-0">

        <nav class="navbar navbar-light bg-white navbar-expand-xl">

            <a href="index.php" class="navbar-brand"><h1 class="text-primary display-6">The Market Basket</h1></a>

            <button class="navbar-toggler py-2 px-3" type="button" data-bs-toggle="collapse" data-bs-target="#navbarCollapse">

                <span class="fa fa-bars text-primary"></span>

            </button>

            <div class="collapse navbar-collapse bg-white" id="navbarCollapse">

                <div class="navbar-nav mx-auto">

                    <a href="index.php" class="nav-item nav-link">Home</a>

                    <!-- <a href="shop.php" class="nav-item nav-link">Shop</a> -->

                </div>

```

```
        <a href="details.php" class="nav-item nav-link active">About
Us</a>

        <a href="pendingoders.php" class="nav-item nav-link">Pending
Oders</a>

        <a href="previousoders.php" class="nav-item nav-link">previous
Oders</a>

    </div>

    <div class="d-flex m-3 me-0">

        <a href="cart.php" class="position-relative me-4 my-auto">

            <i class="fa fa-shopping-bag fa-2x"></i>

            <span class="position-absolute bg-secondary rounded-circle d-
flex align-items-center justify-content-center text-dark px-1" style="top: -5px; left:
15px; height: 20px; min-width: 20px;"><?= $numberofRows?></span>

        </a>

        <a href="userprofile.php" class="my-auto">

            <i class="fas fa-user fa-2x"></i>

        </a>

    </div>

    </div>

</nav>

</div>

</div>

<!-- Navbar End -->
```

<!-- Single Page Header start -->

```
<div class="container-fluid page-header py-5">

    <h1 class="text-center text-white display-6">About The Market Basket</h1>

    <ol class="breadcrumb justify-content-center mb-0">

        <li class="breadcrumb-item"><a href="index.php">Home</a></li>

        <li class="breadcrumb-item"><a href="#">Pages</a></li>

        <li class="breadcrumb-item active text-white">About Us</li>

    </ol>

</div>

<!-- Single Page Header End -->
```

```
<!-- Single Product Start -->

<div class="container py-5">

    <div class="p-5 bg-light rounded">

        <div class="row g-4">

            <div class="col-12">

                <div class="text-center mx-auto" style="max-width: 700px;">

                    <h1 class="text-primary">Get in touch</h1>

                </div>

            </div>

            <div class="col-lg-12">

                <div class="h-100 rounded">

                    <iframe class="rounded w-100"
                           style="height: 400px;
                           src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d126764.64
                           060753466!2d79.81934353906254!3d6.843156812381544!2m3!1f0!2f0!3f0!3m2!
                           1i1024!2i768!4f13.1!3m3!1m2!1s0x3ae24ff6e5809aa5%3A0xfcfeb246c1c023785!2
```

sPiliyandala%20Clock%20Tower!5e0!3m2!1sen!2slk!4v1726982585032!5m2!1sen!2slk"

```
loading="lazy" referrerpolicy="no-referrer-when-downgrade"></iframe>
</div>
</div>
```

<div class="col-lg-7">

<h3>About Us</h3>

<p>Greetings from The Market Basket, your one-stop online store for high-quality, freshly-picked food delivered straight to your door!

We are proud to provide a broad range of products, such as delicious seafood, crisp veggies, juicy fruits, premium meats, and lovely

baked goods. Our goal is to make purchasing easy and pleasurable for you, with the extra bonus of cash on delivery (COD) for a simple

and hassle-free payment method. At The Market Basket, we're dedicated to giving you the greatest products and exceptional service while

encouraging a happier and healthier way of living. Come along as we change the way you buy groceries!.</p>

<h3>Privacy Policy</h3>

<p>At The Market Basket, we are committed to protecting your privacy and ensuring that your personal information is handled in a safe and responsible manner. This Privacy Policy outlines how we collect, use, and protect your information when you visit our website and use our services.</p>

<p>Information We Collect We collect personal information that you provide to us when you register on our site, place an order, subscribe to our newsletter, or fill out a form. This may include your name, email address, mailing address, phone number, and payment information.</p>

<p>How We Use Your Information The information we collect from you may be used in the following ways:</p>

<p>* To personalize your experience and respond to your individual needs</p>

<p>* To improve our website and customer service</p>

<p>* To process transactions and deliver your orders</p>

<p>* To send periodic emails regarding your order or other products and services</p>

<p>Protection of Your Information We implement a variety of security measures to maintain the safety of your personal information. Your personal information is contained behind secured networks and is only accessible by a limited number of persons who have special access rights to such systems and are required to keep the information confidential.</p>

<p>Cookies We use cookies to enhance your experience, gather general visitor information, and track visits to our website. You can choose to disable cookies through your browser settings, but this may affect your ability to use certain features of our site.</p>

<p>Third-Party Disclosure We do not sell, trade, or otherwise transfer to outside parties your personally identifiable information unless we provide users with advance notice. This does not include website hosting partners and other parties who assist us in operating our website, conducting our business, or serving our users, so long as those parties agree to keep this information confidential.</p>

<p>Your Consent By using our site, you consent to our privacy policy.</p>

<p>Changes to Our Privacy Policy If we decide to change our privacy policy, we will post those changes on this page. Policy changes will apply only to information collected after the date of the change.</p>

<p>Contacting Us If there are any questions regarding this privacy policy, you may contact us using the information below:</p>

<h6>The Market Basket
 [59/E clock tower junction/Piliyandala]
 [Piliyandala, Sri Lanka, 10300]
 [TheMarketBasket@gmail.com]
 [(078) 3715 777 / (070) 2455 137 / (074) 1192 090]</h6>

</div>

<div class="col-lg-5">

<div class="d-flex p-4 rounded mb-4 bg-white">

<div>

<h3>Terms and Conditions</h3>

<p>Welcome to The Market Basket! By accessing or using our website, you agree to comply with and be bound by the following terms and conditions. Please read them carefully. By using our website, you agree to these terms and conditions. If you do not agree, please do not use our site. We reserve the right to change these terms at any time, and your continued use of the site signifies your acceptance of any updated terms. We offer a variety of food products, including vegetables, fruits, meats, seafood, beverages, and bakery items.</p>

<p>All products are subject to availability, and we reserve the right to limit quantities or discontinue products without notice. All orders are subject to acceptance and availability. We offer cash on delivery (COD) as our primary payment method. By placing an order, you agree to provide accurate and complete information. We deliver to specified areas and strive to deliver your order within the estimated time frame.</p>

<p>However, delivery times are not guaranteed and may be affected by factors beyond our control. If you are not satisfied with your purchase, please contact us within 24 hours of delivery. We will review your request and, if applicable, arrange for a return or refund. You agree to use our website only for lawful purposes and in a way that does not infringe the rights of others or restrict their use of the site.</p>

<p> You must not misuse our site by introducing viruses or other harmful material. All content on our website, including text, graphics, logos, and images, is the property of The Market Basket or its content suppliers and is protected by copyright laws. You may not reproduce, distribute, or create derivative works from any content without our express written permission.</p>

<p>The Market Basket is not liable for any direct, indirect, incidental, or consequential damages arising from the use of our website or products. This includes, but is not limited to, damages for loss of profits, data, or other intangible losses. These terms and conditions are governed by and construed in accordance with the laws of [Sri Lanka]</p>

<p>Any disputes arising from these terms will be subject to the exclusive jurisdiction of the courts of [Your Country/State]. If you have any questions about these terms and conditions, please contact us at: The Market Basket, [Your Address], [Pliyandala, Sri Lanka, 10300], [TheMarketBasket@gmail.com], [078-3715-777].</p>

</div>

</div>

</div>

```

        </div>

        </div>

        </div>

        </div>

<!-- Single Product End -->




<!-- Footer Start -->

<div class="container-fluid bg-dark text-white-50 footer pt-5 mt-5">

    <div class="container py-5">

        <div class="pb-4 mb-4" style="border-bottom: 1px solid rgba(226, 175, 24, 0.5) ;">

            <div class="row g-4">

                <div class="col-lg-3">

                    <a href="#">

                        <h1 class="text-primary mb-0">The <br>Market Basket</h1>

                        <p class="text-secondary mb-0">Fresh products</p>

                    </a>

                </div>

                <div class="col-lg-3">

                    <div class="d-flex justify-content-end pt-3">

                        <a class="btn btn-outline-secondary me-2 btn-md-square rounded-circle" href=""><i class="fab fa-twitter"></i></a>

                        <a class="btn btn-outline-secondary me-2 btn-md-square rounded-circle" href=""><i class="fab fa-facebook-f"></i></a>

                        <a class="btn btn-outline-secondary me-2 btn-md-square rounded-circle" href=""><i class="fab fa-youtube"></i></a>

                        <a class="btn btn-outline-secondary btn-md-square rounded-circle" href=""><i class="fab fa-linkedin-in"></i></a>

                    </div>

                </div>

            </div>

        </div>

    </div>

</div>

```

```
</div>

</div>

</div>

</div>

<div class="row g-5">

    <div class="col-lg-3 col-md-6">

        <div class="footer-item">

            <h4 class="text-light mb-3">Why People Like us!</h4>

            <p class="mb-4">typesetting, remaining essentially unchanged. It  
was  
popularised in the 1960s with the like Aldus PageMaker including  
of Lorem Ipsum.</p>

            <a href="details.php" class="btn border-secondary py-2 px-4  
rounded-pill text-primary">Read More</a>

        </div>

    </div>

    <div class="col-lg-3 col-md-6">

        <div class="d-flex flex-column text-start footer-item">

            <h4 class="text-light mb-3">Shop Info</h4>

            <a class="btn-link" href="details.php">About Us</a>

            <a class="btn-link" href="details.php">Contact Us</a>

            <a class="btn-link" href="details.php">Privacy Policy</a>

            <a class="btn-link" href="details.php">Terms & Condition</a>

            <a class="btn-link" href="details.php">FAQs & Help</a>

        </div>

    </div>

    <div class="col-lg-3 col-md-6">

        <div class="d-flex flex-column text-start footer-item">
```

```

<h4 class="text-light mb-3">Account</h4>

<a class="btn-link" href="userprofile.php">My Account</a>

<a class="btn-link" href="cart.php">Shopping Cart</a>

<a class="btn-link" href="details.php">Order History</a>

</div>

</div>

<div class="col-lg-3 col-md-6">

<div class="footer-item">

<h4 class="text-light mb-3">Contact</h4>

<p>59/E clock tower junction/Piliyandala</p>

<p>ThemarketBasket@gmail.com</p>

<p>Phone: +94783715777</p>

<p>Payment Accepted</p>



</div>

</div>

</div>

</div>

</div>

<!-- Footer End -->

<!-- Copyright Start -->

<div class="container-fluid copyright bg-dark py-4">

<div class="container">

<div class="row">

<div class="col-md-6 text-center text-md-start mb-3 mb-md-0">

```

```

        <span class="text-light"><a href="details.php"><i class="fas fa-copyright text-light me-2"></i>The Market Basket</a>, All right reserved.</span>

    </div>

    <div class="col-md-6 my-auto text-center text-md-end text-white">

        Designed By <a class="border-bottom" href="">Code Crashers</a>
        Distributed By <a class="border-bottom" href="">Code Crashers</a>

    </div>

    </div>

    </div>

    </div>

    <!-- Copyright End -->

    <!-- Back to Top -->

    <a href="#" class="btn btn-primary border-3 border-primary rounded-circle back-to-top"><i class="fa fa-arrow-up"></i></a>

    <!-- JavaScript Libraries -->

    <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.4/jquery.min.js"></script>

    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.0.0/dist/js/bootstrap.bundle.min.js"></script>

    <script src="lib/easing/easing.min.js"></script>

    <script src="lib/waypoints/waypoints.min.js"></script>

    <script src="lib/lightbox/js/lightbox.min.js"></script>

    <script src="lib/owlcarousel/owl.carousel.min.js"></script>

```

```
<!-- Template Javascript -->  
<script src="js/main.js"></script>  
</body>  
  
</html>
```

Chapter 06: Conclusion and Future Work

6.1 Conclusion

The development of The Market Basket web-based grocery shop marks a major step in meeting our project objectives. Through the course of this project, several key outcomes and insights were realized:

- **Achievement of Project Goals:** We successfully designed and developed a user-friendly online grocery store that meets the needs of both customers and administrators. The system simplifies product browsing, shopping cart management, and order processing, making the shopping experience more efficient.
- **Improved User Experience:** Our testing efforts ensured that the website provides an intuitive interface, enabling customers to browse products, add items to their cart, and complete purchases seamlessly. The user interface is simple to navigate, ensuring ease of use for all types of users.
- **Operational Efficiency:** With the backend systems properly integrated, including the database and order processing, the application operates smoothly, allowing for real-time updates of product availability, smooth checkout processes, and accurate customer interactions.
- **Future Expansion and Adaptation:** There are many opportunities for future enhancements. As the project progresses, we look forward to incorporating new features such as advanced analytics for better business insights, personalized shopping experiences for customers, and broader compatibility with new technologies.
- **Team Effort:** The success of the project was a result of effective collaboration among team members. By combining different skills and perspectives, we overcame challenges and achieved our shared goals.

In summary, The Market Basket serves as proof of our ability to create practical, user-centric solutions to address real-world problems. We are committed to ongoing development and enhancement to meet evolving customer expectations and industry trends.

6.2 Challenges and Overcomes

Throughout the development of The Market Basket, we faced several challenges that required creative problem-solving and teamwork. Below are the main challenges and how we overcame them:

- ***Complex Requirements Integration:***

Challenge: Integrating the multiple features required for real-time product availability, user authentication, and smooth cart management was complex.

Solution: We divided the project into smaller, manageable modules. Frequent communication and team coordination ensured smooth integration and alignment of different parts of the system.

- ***User Interface Design and Usability:***

Challenge: Designing a simple and user-friendly interface that caters to different types of users was challenging.

Solution: We performed thorough user research and usability testing throughout the design phase. Based on feedback, we made continuous improvements, ensuring the final design met the needs of users while providing an intuitive experience.

- ***Technical Implementation Hurdles:***

Challenge: Implementing advanced features like cart functionality and managing the backend logic for stock availability required careful planning.

Solution: The team leveraged its technical expertise, collaborated with external mentors, and followed an iterative development approach, ensuring that each feature was properly tested and met the required standards.

- ***Time and Resource Management:***

Challenge: Balancing the project schedule with other academic commitments and managing resources effectively was a challenge.

Solution: We used agile methodologies to break the project into sprints, allowing for better time management and regular progress assessments to keep the project on track.

- ***Testing and Quality Assurance:***

Challenge: Ensuring comprehensive testing coverage for both the frontend and backend, including integration points, was a time-consuming task.

Solution: We established a detailed testing plan, including unit, integration, and user acceptance testing. Automated testing and peer reviews helped us identify and resolve issues promptly.

6.3 Future Work

Looking ahead, there are several areas where The Market Basket can be enhanced. These include:

1. Advanced Analytics and Reporting:

Integrating analytical tools to track sales trends, customer behavior, and inventory management. This would provide valuable insights to admins and improve operational strategies.

2. Personalization and Customer Experience:

Developing personalized recommendations based on user purchase history, preferences, and behavior. This would improve customer satisfaction and engagement.

3. Mobile Application Development:

Expanding the reach of The Market Basket by creating a mobile app for iOS and Android users. This would allow for greater convenience and seamless shopping on-the-go.

4. Integration with Smart Devices:

Investigating the integration of IoT technology, such as smart refrigerators, to offer smart grocery shopping features that track inventory and suggest items based on consumption patterns.

5. Expansion of Payment Options:

Adding more payment options, including digital wallets and other local or international gateways, to provide more flexibility for users during checkout.

6. Accessibility and Internationalisation:

Improving the accessibility features of the application to support users with disabilities and adding multi-language options to cater to a global audience.

7. Continuous Performance Optimization:

Conducting regular performance audits to ensure the website remains fast and scalable as the user base grows. Server-side optimizations and caching can improve speed.

8. Customer Feedback and Community Engagement:

Introducing feedback loops and a community section where customers can share reviews, ratings, and tips. This would encourage customer interaction and provide valuable insights for improvement.

9. Sustainability Initiatives:

Adding features that promote eco-friendly choices, such as offering sustainable product options and tracking environmental impact, encouraging customers to make eco-conscious decisions.

10. Continuous Improvement:

We will continue to gather feedback from users and stakeholders, prioritizing enhancements based on market needs and technological advancements. We aim to improve the application iteratively, keeping it relevant and user-friendly.

By addressing these areas, we plan to improve the The Market Basket platform, increase customer satisfaction, and improve operational efficiency, making it a leading grocery platform in the market.

6.4 Reflection

Reflecting on the development of The Market Basket has been an enriching and valuable experience. Here are some key takeaways:

1. Learning and Growth:

Working on this project provided a deep learning experience for all team members. We gained hands-on knowledge in web development, database management, and user experience design.

2. Team Collaboration:

Effective communication and teamwork were essential to the project's success. Regular check-ins, brainstorming sessions, and collaborative problem-solving ensured that we stayed aligned and resolved issues quickly.

3. Adaptability and Problem-solving:

The project presented several challenges, such as managing complex requirements and tight deadlines. By remaining flexible and adopting an agile approach, we were able to navigate difficulties effectively and deliver a robust solution.

4. User-Centric Design:

We placed significant focus on the end-user experience, ensuring that the platform was not only functional but also easy to use. User feedback played a critical role in shaping the final design and features.

5. Real-world Application:

The project bridged the gap between academic knowledge and real-world application. It provided a practical understanding of the importance of designing solutions that align with both user needs and business requirements.

6. Pride in Accomplishment:

Completing the project has given us a sense of pride. Seeing the system come to life, with real-world functionality and a user-friendly interface, validates all the hard work put into the project.

As we move forward, the skills and knowledge gained during this project will continue to influence our future endeavors in software development. We are grateful for the opportunity to work together and deliver a product that meets real-world needs.

6.5 Testing

Test Case 1: Adding a Product to the Cart

Test Case 2: Removing a Product from the Cart

Test Case 3: Placing an Order Without Entering Required Details

Test Case 4: Admin Adding a New Product

Test Case 5: Invalid Login Attempt

Test case template

Project Details

Test Case ID	Test Description	Steps to Execute	Expected Result	Actual Result	Status
TC01	Verify that a customer can successfully add a product to their cart.	1. Log in as a customer. 2. Select a product from the product list. 3. Click the "Add to Cart" button.	1. Open the login page. 2. Enter an incorrect username or password. 3. Click the "Login" button.	The product was added successfully, and updated correctly	Pass
TC02	Verify that a customer can remove a product	1. Login is as a customer. 2. Add a product to the cart. 3. Go to the cart	The product is removed from the cart	The product was removed successfully, and the updates to	Pass

	from their cart	and click the “Remove” button next to the product.	reflect the change.	cart updated correctly.	
TC03	Verify that the system displays an error message if the customer tries to place an order without entering their delivery address.	1. Login as a customer. 2. Add items to the cart. 3. Proceed to checkout without entering a delivery address.	The system displays an error message asking for the delivery address.	The error message appeared correctly.	Pass
TC04	Verify that the admin can add a new product to the product list.	1. Login as an admin. 2. Go to the “Add product” section. 3. Enter Product details (name, Price, category and quantity) and Click “Save”.	The new product appears in the product list and is available for customers.	The Product was added successfully and appeared in the product list.	Pass
TC05	Verify that the system prevents access with incorrect login credentials.	1. Open the login page. 2. Enter an incorrect username or password. 3. Click the “Login” Button.	The system display an error message indicate Incorrect Credentials.	The error message was displayed correctly, and login was denied.	Pass

Chapter 07: Responsibility Matrix

The Market Basket web-based grocery shop project, the team worked collaboratively to ensure the successful development and delivery of the system. Each team member was assigned specific roles and responsibilities, which are outlined below. The responsibility matrix helped distribute tasks efficiently and ensured smooth coordination across different aspects of the project.

Role	Responsibilities
Project Manager	Overall coordination and management of the project. - Planning and scheduling tasks. - Communication with stakeholders and reporting progress.
Front-end Developer	Designing and implementing the user interface using HTML, CSS, and Bootstrap. - Ensuring the interface is responsive across various devices. - Front-end testing and bug fixes.
Back-end Developer	Developing server-side functionality using PHP. - Managing the product database and user information. - Implementing APIs and payment gateway integration.
Database Administrator	Managing the database schema and ensuring data consistency. - Optimizing database performance. - Ensuring proper backup and recovery procedures.
UI/UX Designer	Designing wireframes and user interfaces. - Conducting usability testing and collecting feedback. - Making design improvements based on user feedback.
Quality Assurance	Developing testing strategies for both functional and non-functional testing. - Conducting unit tests, integration tests, and ensuring system functionality. - Bug tracking and resolving issues.
Technical Writer	Documenting the system architecture and API specifications. - Writing user manuals and guides. - Ensuring technical documentation is clear and up-to-date.

Table 7.1 Responsibility Matrix

References

- [1] "IEEE Xplore," [Online]. Available: <https://ieeexplore.ieee.org/document/278253>.
- [2] "Web Technologies;," [Online]. Available: <https://www.php.net/>.
- [3] [Online]. Available: <https://getbootstrap.com/>.
- [4] [Online]. Available: <https://www.java.com/en/>.
- [5] [Online]. Available: <https://www.mysql.com/>.