

CAT 2025/26 COURSE

Trusted by 1L+ Aspirants | Highest 99%iler conversion Rate in the Industry

MBA Advantage Pro CAT Course

[CAT+Non-CAT+GDPI]

Personalized Prep:

Customized schedule tailored
to your Strengths and Availability

Flexible Learning:

Live classes +
full access to recordings

Expert Support:

24×7 doubt-solving
directly by Top faculty

Smart Practice:

Assignments with
detailed video solutions

THE ULTIMATE DILR HANDBOOK

ENGINEERED FOR SUCCESS by QUANTIFIERS CAT ACADEMY

Collection of 400+ CAT level sets with video solutions.

SOME USEFUL LINKS



[WhatsApp Group - Join telegram if this is full](#)

[CAT Free Sectionals](#)



[Subscribe to YT Channel for all content](#)

[CAT Previous Year Papers as Test and PDFs](#)



[Latest Exam Dates, news and more](#)

[Video Resources for CAT prep](#)



[Telegram Group - Join if WhatsApp is full](#)

How to use this DI handbook?

The sets that you'll solve will have varied difficulty level belonging to different genres. We haven't divided them categorically and the prime reason is the dynamic nature of CAT exam.

To make you comfortable with variety and to inculcate the skill of set-picking, each and every set that you'll come across has a video solution attached to it to understand the best approach.

Students are recommended to watch all the solutions, because there is something new that you will learn in each video, the way a master approaches the set.

***P.S. WHAT YOU ARE GOING TO WITNESS IS ONLY TIP OF THE ICEBERG, 1% OF WHAT QUANTIFIERS STUDENTS GET,
BUT I BET YOU, THIS WILL CHANGE YOUR PERSPECTIVE TOWARDS CAT PREP***

JOURNEY OF A QUANTIFIERS STUDENT :-

STAGE 1 CATERPILLAR

Just like a Caterpillar, you struggle with your cat preparation. You are in need of proper guidance and a dedicated mentor.



STAGE 2 - METAMORPHOSIS

With regular brain storming sessions, classes, workshops, practice sessions, doubt clearing sessions, mocks you undergo rigorous metamorphosis.



STGE 3: A BUTTERFLY WITH WINGS !

With proper guidance and a stringent routine you ace the CAT exam, convert your dream B-school and conquer the world with your beautiful wings !



Register @www.quantifiers.in
Call/WA: 9988656560

About Quantifiers

Quantifiers started in 2019 and within a year, it achieved what many renowned Institutes dreamed of, producing 11 99+ %ilers out of the total 175 students taught, Quantifiers revolutionized the online teaching industry. Quantifiers is best known for their pedagogy, their emphatic attitude towards every single student and for the passion with which every single element is driven.

Managed by Sahil Arora, Quantifiers is a tale of “A man with dreams”, Sahil started teaching aptitude for CAT in 2013 after completing his Engineering, after teaching for 2 years, he scored 97.44 %ile in CAT with 99.xx in QA and DILR and did his MBA from University Business School (UBS), Panjab University; he then worked in corporate world for an year but Teaching being the first love he left his job and hence Quantifiers took birth.

Well, I'll leave it here, Happy learning folks!! ☺

Call/WA@ - +91 9988656560 for any queries

Visit www.quantifiers.in

The journey is beautiful than destination



Rishabh Goyal

IIM C

CAT: 99.94

QA: 99.94

DILR:99.60

*I would like to start with this very sentence, The journey is more beautiful than destination. To be honest, Verbal was never my forte, it led to my downfall once in CAT, it was difficult to invest another year doing the very same things you've done throughout an year, you knew you were on right track, but then that wasn't just your day. Here is when Quantifiers came into play, you seek direction or motivation, talk to Sahil Sir once and I'm sure you'll have **I can do anything** attitude in you. I learnt a lot, I improvised a lot, I fell, I rose but the support and motivation was the only constant.*

*QA and DILR were only taught when I joined Quantifiers and still whenever we interact, I asked Sahil Sir that you should have included verbal too. QA and DILR that I learnt, not only prepared me for CAT but the journey transformed as a individual too, making a much more positive person. I discussed doubts at almost every time the clock shows, at 1am, 3am, 5 am, it felt like someone was working on me 24*7, like someone is always pushing me to achieve more and more. The methods, the approaches, and most importantly **no fancy stuff** made things much more easier, it was like there was a roadmap and we just had to follow it.*

I would take this opportunity to thank Quantifiers for making the journey to IIM C less difficult than what it could have been.

Vedic Maths

*Before we embark our journey , let's learn the most basic things, **improve our calculations***

- *Learn the art of quick calculations*
- *Squaring*
- *Multiplication*
- *Percentage Change*

$$113^2 = 12,769$$

$$117^2 = 13,689$$

$$76 \times 74 = 5,624$$

How to do these quickly?

[Click here to watch Vedic Maths Lecture](#)

SET 1: Investment Families Set

[CLICK FOR VIDEO SOLUTION](#)

To register for our CAT Courses, visit

www.quantifiers.in

Call/WA: 9988656560



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events




[Telegram Practice Group](#)

[Telegram Channel](#)

If you want to receive these sets,
important questions and practice links
in WhatsApp inbox, fill the form

[Click here to fill the form](#)



**Be it 2 AM/3 AM, if you
need our help and we are
awake, we will revert
you..!!
Because, you matter to
us !!**

The investment portfolios of certain business families included mutual funds of two categories: Equity and Debt. To take care of the flip side of the market, these business families had come out with a proposal to create a contingency fund, the funding of which would be done by each business family on a monthly basis through withdrawals from the mutual funds that these families had. It was decided that the withdrawal from each Equity fund would be either Rs. 1,000 or Rs. 2,000 every month, the amount remaining the same for every Equity fund for that month; and that from each Debt fund would be Rs. 2,000 or Rs. 3,000 every month, the amount remaining the same for every Debt fund for that month. This would hold good for all the business families. The collection details of various business families are as shown in the table :

Business Family	January	February	March	April	May	Total Amount (in Rs.)	Total Number of Funds
B ₁	10000	10000	NA	NA	8000	NA	NA
B ₂	NA	NA	NA	NA	NA	32000	3
B ₃	6000	8000	8000	NA	NA	NA	NA
B ₄	12000	7000	10000	9000	NA	NA	NA
B ₅	NA	10000	NA	NA	NA	44000	NA
B ₆	NA	NA	NA	NA	NA	60000	6
B ₇	NA	NA	NA	12000	NA	56000	NA

Q1: What was the number of mutual funds that were held by Business family B4?

7 4 5 CBD

Q2: What was the total amount withdrawn by B3 (in Rs.'000) in the last two months?

QUANTIFIERS

Q3: What was the maximum amount withdrawn by B1 (in Rs.'000) in any of the given months?

13 17 10 CBD

Q4: What was the amount withdrawn by B1 (in Rs.'000) in April of the given period?

10 13 9 CBD

Further details on collection as observed for first five months were as given below: [CLICK FOR VIDEO SOLUTION](#)

Rs. 2,000 was withdrawn from every fund of every Business family for exactly two months, which were necessarily different for each family. For each of the remaining three months, within any business family, the amount withdrawn from one Debt fund did not equal the amount withdrawn from one Equity fund. Moreover, the combination of amounts withdrawn was not repeated; i.e. if B1 had withdrawn Rs. 2,000 from Equity Funds and Rs. 3,000 from Debt Funds in the month of January, then B1 cannot withdraw the same combination of Rs. 2,000 from Equity and Rs. 3,000 from Debt in any other month.

B1 withdrew Rs. 2,000 from every fund in the 1st and 2nd month.
B2 withdrew Rs. 2,000 from every fund in the 2nd and 3rd month.
B6 withdrew Rs. 2,000 from every fund in the 2nd and 4th month.

SET 2: Bikes Rating: Distribution set

[Click here for video solution](#)

To register for our CAT Courses, visit

www.quantifiers.in

Call/WA: 9988656560



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



**Be it 2 AM/3 AM, if you need our help and
we are awake, we will revert you..!!
Because, you matter to us !!**

Sahil wanted to purchase a bike and went to take test drive of Pulsar, KTM, Ninja, Bullet and Apache, he took 5 parameters to test the bike, namely, pick-up, engine power, ABS, turbo and torque. He ranked the models on five parameters pick-up, Engine power, ABS, Turbo and Torque. In each parameter, he ranked the five models from 1 to 5 such that a better model was given a numerically lower rank as compared to a worse model. No two models received the same rank in any parameter.

The following information is known about the ranks of each model in each parameter:

1. Each model was ranked third in at least one parameter and exactly two models were not ranked first in any parameter.
2. Apache was ranked fourth in Engine power, while KTM was ranked second in two parameters.
3. No model received the same rank in more than two parameters, while Bullet did not receive the same rank in any two parameters.
4. Bullet was ranked worse than Ninja in all the parameters except Turbo, while KTM was ranked better than Ninja in pick-up.
5. Ninja was ranked better in Engine power than at least three models, while KTM was ranked neither first nor last in Torque.
6. Apache, which was ranked fifth in Turbo, was ranked better than Ninja and KTM in pick-up and in ABS but was not ranked first in either of the two parameters.

Q1: Which bike was ranked second in engine power?

Q2: Which bike was ranked 3rd in pick-up?

Q3: How many bikes were better than KTM in engine power?

[Click here for video solution](#)

If you want to receive these sets, important questions and practice links in WhatsApp inbox, fill the form

[Click here to fill the form](#)



QUANTIFIERS



I have an unlimited supply of 7-cent, x -cent, stamps. I'd like to put exactly 71 cents' worth of postage on an envelope, but no matter which combination of stamps I try, I am unable to accomplish this but all the values above this number are achievable. If there are total N values below 71 which I can't make, find N .

[Click here to watch Video Solution](#)

SET 3: Entry Exit Type Set

[Click here for video solution](#)

To register for our CAT Courses, visit

www.quantifiers.in

Call/WA: 9988656560



[Instagram Channel](#)

Exam Updates & Vocab Building




[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



Feedbacks are love!!

Seven friends - Abhishek, Ashish, Somil, Avinash, Lokpriya, Inshia and Mohit - decided to study together on a day starting from morning until evening at a park. On a particular day, their plan failed as no one was able to come on time and all left the park before 12 noon. They arrived at 7:30am, 9 am, 8:20 am, 8am, 9:50 am, 8:15 am and 7:45am respectively. But they all left on some different time at 10 am, 10:30 am, 10:50 am, 11 am, 11:05 am, 11:05 am and 11:20, not necessarily in the same order. Further, it is known that:

- I. Everyone studied for more than one hour.
- II. Mohit spent the maximum time and Lokpriya spent the least time at the park.
- III. Ashish was not the first person to leave the park and difference between the time spent by Ashish and Inshia in the park was 40 minutes.
- IV. The difference between the time spent by Somil and Abhishek in the park was 20 minutes.

Q: If Lokpriya was not the last person to leave the park, then who could be the two persons leaving together at 11:05 am?

- | | |
|-----------------------|----------------------|
| 1 Lokpriya and Ashish | 2 Mohit and Abhishek |
| 3 Somil and Avinash | 4 Lokpriya and Mohit |

Q: If Avinash spent 2 hrs and 50 minutes in the park, then at what time did Somil left?

- | | | | |
|------------|-------------|------------|------------|
| 1 10:30 am | 2. 10:00 am | 3 11:05 am | 4 11:20 am |
|------------|-------------|------------|------------|

Q: If Mohit has spent less than 3.5 hours, then at what time did Lokpriya leave?

- | | | | |
|------------|------------|------------|------------|
| 1 11:00 am | 2 10:50 am | 3 11:20 am | 4 11:05 am |
|------------|------------|------------|------------|

Q: What is the difference between the time spent by Mohit and the time spent by Inshia?

- | | | | |
|--------------|--------------|--------------|-------|
| 1 50 Minutes | 2 35 minutes | 3 20 Minutes | 4 CBD |
|--------------|--------------|--------------|-------|

[Click here for video solution](#)

If you want to receive these sets, important questions and practice links in WhatsApp inbox, fill the form

[Click here to fill the form](#)




Quant – Question of the day

In the triangle, Triangle ABC is equilateral, $AD = 2$, $EC = 4$, $DM = ME$, $AN = NC$, Calculate MN

[Click here to watch solution](#)

If you want to receive these sets,
important questions and practice links
in WhatsApp inbox, fill the form

[Click here to fill the form](#)



SET 4:Currency Exchange Rates

[Click here for video solution](#)

To register for our CAT Courses, visit

www.quantifiers.in

Call/WA: 9988656560



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



Pooja Bhati

Most hardworking teachers ..They are always ready to help and solve students query .So many classes with so many practice session . They really make things easy for students.

Like · Reply · 6w



Naveen Bansal

The most important thing for any aspirant in his/ her prep is believe in yourself that you could do it , Sahil Arora sir is the one who always ensure that u believe in yourself , even in hard times ..he always say " krlenge kuch acha apne ko ek seat hi... See More

Like · Reply · 6w · Edited



Arun Roy

As an aspirant I did not know what to do and where to start and how to start. Sahil Sir listened to my doubts and showed me a path, but did not leave my side ever in that path. Endless practice sessions and endless doubt solving session any time of the day inspired me to be on my toes always. Faculties are working 24*7 to solve doubts and clear concepts and make us practice.

I remember talking to Sahil Sir at 4 o'clock and then again ask doubt at 6. He was always there without fail to help me. I remember Naveen sir's concepts, clearly now because of his way of teaching. I learnt so much from the practice threads posted by Rudra sir.

Kuddos to Quantifiers and their faculty and their attention to each one of us.

Like · Reply · 6w

**Be it 2 AM/3 AM, if you need our help and we are awake, we will revert you...!!
Because, you matter to us !!**



Quantifiers

Isn't it perfect when someone organizes everything you need to ace the exam, right around you?

We do that for you!

Section		Section		Section		Total	
Verbal Ability & Reading Comprehension		Data Interpretation & Logical Reasoning		Quantitative Ability			
Scaled Score	Percentile	Scaled Score	Percentile	Scaled Score	Percentile	Overall Scaled Score	Overall Percentile
53.6	99.94	28.83	97.26	50.37	99.63	132.8	99.91



Ekansh

CAT: 99.91 %ile

XAT: 99.69%ile

CAT New Batch Starting Soon

www.quantifiers.in, Call/WA @9988656560

The base exchange rate of a currency X with respect to a currency Y is the number of units of currency Y which is equivalent in value to one unit of currency X. Currency exchange outlets buy currency at buying exchange rates that are lower than base exchange rates, and sell currency at selling exchange rates that are higher than base exchange rates.

QUANTIFIERS

A currency exchange outlet uses the local currency L to buy and sell three international currencies A, B, and C, but does not exchange one international currency directly with another. The base exchange rates of A, B and C with respect to L are in the ratio 100:120:1. The buying exchange rates of each of A, B, and C with respect to L are 5% below the corresponding base exchange rates, and their selling exchange rates are 10% above their corresponding base exchange rates.

The following facts are known about the outlet on a particular day:

1. The amount of L used by the outlet to buy C equals the amount of L it received by selling C.
2. The amounts of L used by the outlet to buy A and B are in the ratio 5:3.
3. The amounts of L the outlet received from the sales of A and B are in the ratio 5:9.
4. The outlet received 88000 units of L by selling A during the day.
5. The outlet started the day with some amount of L, 2500 units of A, 4800 units of B, and 48000 units of C.
6. The outlet ended the day with some amount of L, 3300 units of A, 4800 units of B, and 51000 units of C.

[Click here for video solution](#)

Q: How many units of currency A did the outlet buy on that day? [TITA]

Q: How many units of currency C did the outlet sell on that day?

3000 22000 6000 19000

Q: What was the base exchange rate of currency B with respect to currency L on that day? [TITA]

Q: What was the buying exchange rate of currency C with respect to currency L on that day?

1.10 0.95 2.20 1.90

Quant – Concept of Common Roots

If $x^2 + ax + 10$ and $x^2 + bx - 10$ have a common root, then $a^2 - b^2$ is _____

[Click here to watch solution](#)

SET 5: Games & Tournament

[Click here for video solution](#)

To register for our CAT Courses, visit

www.quantifiers.in

Call/WA: 9988656560



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice/Doubt Group](#)

[Telegram Channel](#)

If you want to receive these sets,
important questions and practice links
in WhatsApp inbox, fill the form

[Click here to fill the form](#)



Kaur

The faculty at Quantifiers will literally focus on your goals more than you do. They are great at what they do and their efforts inspire you to do better everyday. The way every concept is explained reflects their concept clarity and passion for the subject, plus, the teachers here have God level patience. There will be no dearth of resources becoz you get questions and tests to practice 24*7. This is the best value for money course and as a student, I can surely say that you'll be in safe hands 😊

Like · Reply · 6w



Pattanayak

Quantifiers care for their students from the starting of the preparation till the date you get a good b-school.. and faculty sare kuch zyada hi ache hen.... bcoz doubts jitne bar pucho samjhate he and concepts bohut ache se clear karte he... You can trust quantifiers blindly ❤️. and I can say that you won't feel regret after joining quantifiers...

Like · Reply · 6w



Arora

One of the best platform for Cat Preparation ❤️ They will always work hard more than you do. All the faculty members are a 💡. The way every basic concept is covered is totally amazing ❤️. One can blindly follow quantifiers to reach their dream college.

Like · Reply · 6w



Khair

Quantifiers is the platform where you can practice unlimited and learn easiest approach to deal with any kind of questions and one of best things on Quantifiers you will get practice session even at 4 am. I have not seen any platform like this who put e... See More

Like · Reply · 6w · Edited



Tiwari

Best platform to practice questions as there are many practice threads for every exams (cat, xat, snap/nmat). Different thread contains different level of difficulties ques so that you can start with easy level and then can shift to mod- tough level.

See More



Quantifiers



Ritvik Singhal
CAT: 99.65 %ile

Confused, a little low at 2 AM?
We will be there for you, round the clock. :)

Section		Section		Section		Total	
Verbal Ability & Reading Comprehension		Data Interpretation & Logical Reasoning		Quantitative Ability			
Scaled Score	Percentile	Scaled Score	Percentile	Scaled Score	Percentile	Overall Scaled Score	Overall Percentile
25.73	87.57	34.36	99	56.12	99.85	116.21	99.65

CAT New Batch Starting Soon

www.quantifiers.in, Call/WA @9988656560

Making Education Easier

Making Education Easier

Quantifiers

Quantifiers

Five friends – Ankit, Basant, Charan, David and Eshwar – played a game of dice, in which they throw a regular die and score points equal to the number shown up by the die. The game was played for five rounds and in each round, each player threw the die exactly once. It was observed that no two players scored the same number of points in any round. At the end of five rounds, the players with the top two scores were selected and it was decided that these two players will play the game for another two rounds, i.e., the 6th and the 7th rounds, and their scores in these two rounds will be added to their respective scores in the earlier rounds and the person with the highest total number of points will be declared the winner. It was also decided that the seventh round has to be held only if the player with the second highest number of points after the sixth round has a chance to win, if the seventh round is conducted. Further, it is known that no one scored 6 points in the last round that they played.

The following table gives partial information about the points scored by the participants in different rounds:

QUANTIFIERS

Round Player	R ₁	R ₂	R ₃	R ₄	R ₅	R ₆	R ₇	Total
Ankit		3		1				9
Basant	3		6					28
Charan	4	1						
David					1			21
Eshwar			1					36

1. What is the minimum possible number of total points scored by Charan?

a) 4

b) 5

c) 6

d) CBD
3. What is the maximum possible difference between the points scored by Eshwar and Charan in the fourth round?

a) 0

b) 2

c) 3

d) 1
2. How many points did Basant score in the fifth round?

a) 4

b) 5

c) 6

d) CBD
4. Considering only the first five rounds, in how many rounds did David score more points than Basant?

a) 0

b) 2

c) 3

d) 1

[Click here for video solution](#)

SET 6:Arrangement

[Click here for video solution](#)

To register for our CAT Courses, visit

www.quantifiers.in

Call/WA: 9988656560



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



Singh

If you've reached this page, trust me, there's no place else you need to go. It's a one stop solution for all your CAT related doubts and queries. What Quantifiers did for me, it's almost like a dream come true. They made me enjoy Quants. And let me tell you, it's not an easy thing. For someone who's always struggled with Math, it was a welcoming change to be able to enjoy that subject. The unlimited practice sessions for QA, DI, VA, doubt solving, classes, it's basically a Disneyland for any aspirant. The concepts taught in class are very crisp and taught with great clarity. No one is left behind.

Another thing that makes Quantifiers different from the rest, is the personal attention they give to each and every student. They make sure that the concept is drilled in your brain. It's amazing what the mentors are doing. They make us want to work harder.

Sahil sir believed in me, when I didn't believe in myself. He held my hand whenever I wanted to give up and made me cross each and every hurdle. He's more like a friend than a mentor who's there for you when you want to crib but at the same time show you the right path. Couldn't have asked for a better platform and mentors. Whatever the result may be, Quantifiers has played a really important role in my CAT journey. Eternally grateful.

Like · Reply · 6w



Hussain

The highly dedicated and hardworking mentors for the preparation I have seen. Daily practice sessions and workshops keep you on your toes. Best in every way. 🙌

Like · Reply · 6w



Singal

Though I have recently connected with quantifiers, I feel confident in saying that they are one of the best in the town. The best part about quantifiers is the faculty and the student groups. Both of them are super accessible and super friendly. Even if you are already doing well with your cat prep, I believe you will still be amazed by the talented peer group here. On the other hand, if you are just starting with your cat prep and are slightly nervous about how to go about it, I am sure you will get yourself comfortable here.

**Be it 2 AM/3 AM, if you need our help and we are awake, we will revert you..!!
Because, you matter to us !!**



Quantifiers

You're early/late into preparation?

We will customize your journey as per your timeline !! :)



Jennis George
CAT: 99.60%ile

Section		Section		Section		Total	
Verbal Ability & Reading Comprehension		Data Interpretation & Logical Reasoning		Quantitative Ability			
Scaled Score	Percentile	Scaled Score	Percentile	Scaled Score	Percentile	Overall Scaled Score	Overall Percentile
21.6	79.6	39.89	99.64	53.25	99.77	114.73	99.6

CAT New Batch Starting Soon

www.quantifiers.in, Call/WA @9988656560

In a competition, six pairs of chairs were arranged in such a way that one chair in each pair faces south and the other faces north, with the backs of every pair of chairs tied together. Thus any person sitting in a north facing chair cannot see any of the persons sitting in the south facing chairs and vice versa. The pairs of chairs were numbered from 1 to 6, from west to east, such that, both the chairs (i.e., the north facing chair and the south facing chairs) at the west end are numbered 1 and so on, till both the chairs at the east end are numbered 6. Six men – A through F – along with their wives – P through U – not necessarily in the same order, participated in the competition. All the men sat in the chairs that were facing north and all the women sat in the chairs facing south. Each of the men was provided with a paper on which he was asked to write the number of the chair on which his spouse was sitting. The following are the replies by each of them: A – 4, B – 4, C – 5, D – 6, E – 1 and F – 3.

Further, it is known that

QUANTIFIERS

- (i) none of the men wrote the same number as that of the chair he was sitting in.
- (ii) exactly three men guessed the chair numbers of their wives correctly.
- (iii) P is sitting three places to the right of Q, who is the wife of C
- (iv) R, the wife of A, is to the right of P and left of S.
- (V) exactly three persons were sitting in the same numbered chairs as their wives.

Q: If F is sitting behind B's wife, then B must be sitting behind

- a) E's wife. b) D's wife. c) F's wife. d) CBD

Q: Who among the following did not sit in the same numbered chair as her husband?

- a) S b) R
c) P d) More than one the above

Q: Which of the following statements is definitely true?

- a) T is the wife of F. b) T is the wife of D.
c) S is the wife of E. d) P is the wife of E.

Q: If T is sitting in an even numbered chair, who among the following is sitting in the same numbered chair as D?

- a) Q b) T c) U d) S

[Click here for video solution](#)

Breaking Stereotypes – Dentist

Here's my journey with Quantifiers !!

I'm a BDS student, Being a non-engineer I **was always a bit scared about Quant part and especially Geometry**, I learnt about Quantifiers from their FB group, **I was a bit skeptical in beginning**, but I went through a couple of YouTube videos, took a demo, there was never a doubt then.

I was awestruck by the pedagogy, the way everything was organized and served like we are having a platter. All the three faculties are the **master of their field**, but the way Rudra Sir taught us Geometry, it instilled confidence in me; infact workshops, repititive revision sessions insured that we were right on track throughout the journey.

The **motivational sessions** by Sahil Sir never failed to amaze me, his own journey, the words he chose, the way he pumps confidence in you **will never let you go off the track**.

Daily DILR practice, the **variety covered** totally changed my perspective towards DILR, I still remember how afraid I was of this section, but it transformed to my major strength in CAT.

One of the major factor **that distinguishes Quantifiers** is their focus upon **relevant topics**, I came across various groups which covered P&C, Binomial, Multinomial to such extent that they will make you doubt on your capabilities, but we were guided to stay on track, special Arithmetic Workshops and **booster sessions** at the end made sure we were on the right track.

Before I finish, A special thanks to Quantifiers team which made this journey easier for me. 😊
Good luck everyone !!



ARU GOEL
XLRI

CAT: 98.14

XAT: 99.04

SNAP: 99.61

[Connect with](#)

[Aru on](#)
[Linkedin](#)

Quant – Question of the day

A beaker contained V liters of a mixture of milk and water, with milk and water in the ratio of 3:2. The total volume of the mixture was increased by 60% by adding water. Next, 38.4 liters of the solution in the beaker was replaced by water. If the final ratio of milk and water in the beaker is 3:7, then find the value of V (in liters).

[Click here to watch solution](#)

SET 7: Sets and Venn Diagram

[Click here for Video Solution](#)

To register for our CAT Courses, visit www.quantifiers.in
Call/WA: 9988656560



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



Specter

It was really inspiring to learn quant from the GOD(Lord Rudra). these concept will now be retained for life, plus Sahil sir ki mentorship is amazing.

Like · Reply · 6w



P Sharma

In this era of profit extraction especially from the education sector, quantifiers stands as a beautiful exception. The best thing about quantifiers is it's tailor-made programs(especially CAT), they will teach very specific to what is REQUIRED. Mentor... See More

Like · Reply · 6w



Shreya Jha

Ek baat bolu , dil se , Ye sach main best online coaching hai . Sahil Sir teacher km , ek friend jada hain . Agr koi mujhse sirf ek naam puchega CAT k coaching k lye , Main hmesha "Quantifiers" hi bolunga

Thanks Sahil Arora Chetna Kaushal Mam Rudra Si... See More

Love · Reply · 6w



George

Good Guidance; Great questions; Even better pedagogy & the only CAT coaching you ever need. Special thanks to Team Quantifiers. ❤️

Love · Reply · 5w

**Be it 2 AM/3 AM, if you need our help and we are awake, we will revert you..!!
Because, you matter to us !!**

The following information pertains to a group of students writing three tests CAT, XAT and MAT:

- (i) Out of every four students writing CAT, there are three students appearing for XAT also.
- (ii) For every five students appearing for both CAT and XAT, there are two students appearing for XAT but not for CAT.
- (iii) Half of the students who are writing either XAT but not CAT or CAT but not XAT, appear for MAT also.

QUANTIFIERS

- (iv) The number of students who write only MAT is same as the number of students who write exactly one other exam along with MAT.
- (v) Out of every three students who write XAT and CAT, one writes MAT also.
- (vi) Out of every two students who write CAT but not XAT, one student writes MAT also.
- (vii) It is known that on the whole 120 students appeared for CAT.

Q: What is the number of students who write only MAT or only XAT or only CAT?

Q: How many students appeared for at least one of XAT and MAT but not for CAT?

Q: What is the number of students who wrote exactly two tests?

Q: What is the number of students who wrote MAT but not CAT?

[Click here for Video Solution](#)

Quantifiers: Turning Dreams into Reality

Let's talk about mentorship & guidance.

I assure you, no one treats you the way we do 😊



Vishan
87.19 %ile
to 99.4%ile

**Previous
Attempt**

**Next
Attempt**

Section		Section		Section		Total	
Verbal Ability & Reading Comprehension		Data Interpretation & Logical Reasoning		Quantitative Ability			
Scaled Score	Percentile	Scaled Score	Percentile	Scaled Score	Percentile	Overall Scaled Score	Overall Percentile
16.68	56.21	23.76	79.36	49.98	97.00	90.42	87.19

Section		Section		Section		Total	
Verbal Ability & Reading Comprehension		Data Interpretation & Logical Reasoning		Quantitative Ability			
Scaled Score	Percentile	Scaled Score	Percentile	Scaled Score	Percentile	Overall Scaled Score	Overall Percentile
25.16	86.41	33.29	98.79	50.54	99.64	109	99.4

SET 8: Binary Logic

[Click here for video solution](#)

To register for our CAT Courses, visit

www.quantifiers.in

Call/WA: 9988656560



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)

I hope you all liked the session and classes 😊
We are approaching mid-way of numbers, kindly let us know your experience 😊

👍👍 Pankaj Yadav, Bharath Narayan and 31 others 21 Comr

👍 Like

💬 Comment

Samir Sharma
Great session! Really liked how the concepts were explained! 🥰🥰

Like · Reply · 1d

Aditya Pandey
No. Of pairs wala concept Accha clear ho gya sir

Like · Reply · 1d

Aditya Maheshwari
Amazing session ❤️

Like · Reply · 1d

Rishabh Rath
Classes were most certainly unique in the way of teaching. All concepts from basic to difficult were covered and also basis of every formula explained well which gives us understanding the formula and process and not only mugging up. For sure liked the way of teaching.

Like · Reply · 1d

Pooja Singh
Great session sir 🍷 Patience level 🙏🙏

Like · Reply · 1d

Adarsh Adak
Great session

Like · Reply · 1d

Adarsh Khare
So far so good!
each and every topic is covered in depth and a good amount of questions are done!

Like · Reply · 1d

Siddhant Basak
Thanks, sir, good sessions 🥰, ab questions me utilise karna parega each concept

**Be it 2 AM/3 AM, if you need our help and we are awake, we will revert you..!!
Because, you matter to us !!**

SET 9: Conditions based

[Click here for video solution](#)

To register for our CAT Courses, visit

www.quantifiers.in

Call/WA: 9988656560



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



**Be it 2 AM/3 AM, if you need our help and
we are awake, we will revert you..!!
Because, you matter to us !!**



Vishan
CAT: 99.40%ile



Quantifiers

From 87 to 99.4%ile, Let's take steps, one at a time and we will reach where we aspire to !!
Quantifiers does it for you.

Section		Section		Section		Total	
Verbal Ability & Reading Comprehension		Data Interpretation & Logical Reasoning		Quantitative Ability			
Scaled Score	Percentile	Scaled Score	Percentile	Scaled Score	Percentile	Overall Scaled Score	Overall Percentile
25.16	86.41	33.29	98.79	50.54	99.64	109	99.4

CAT New Batch Starting Soon

www.quantifiers.in, Call/WA @9988656560

Five students – A, B, C, D and E – wrote an objective type test paper in which there were four questions – Q1, Q2, Q3 and Q4 – with four possible answer choices – 1, 2, 3 and 4 – for each question. Only one choice is correct for each question and the correct answer choice for no two questions is the same. One mark is awarded for every correct answer and there is no negative marking for wrong answers. Each student attempted all the questions and each got a different score. Further, the following information is known:

- (i) A, B, C and E marked choice 3 for Q2, whereas A, B, D and E marked choice 2 for Q4.
- (ii) D got the lowest score and B's score was less than that of E.
- (iii) The number of questions for which both C and E marked the same answer choice is not more than two.
- (iv) B, D and E marked choice 1 for Q3, and A marked choice 4 for Q1.
- (v) Between Q1 and Q2, B marked choice 3 for one and choice 1 for the other, not necessarily in that order.
- (vi) D did not mark the same choice for any two questions.

QUANTIFIERS

Q: Who among the given students got three marks?

- a) E b) A c) B d) Cannot be determined

Q: Which answer choice did D mark for Q1?

- a) 3 b) 4 c) 2 d) Cannot be determined

Q: How many of the five students marked four distinct answer choices for the four questions?

Q: Who among the following students marked the wrong answer choice for Q1?


- a) A b) E c) B d) C

[Click here for video solution](#)

Quant – Question of the day

If 'p' is the largest 2-digit prime number which divides $200!/(100! \times 100!)$ completely, then what is the sum of digits of 'p'?

[Click here to watch solution](#)



1 hour Geometry

The only
revision you
need

[Click here to watch complete lecture](#)

Very important for CAT

SET 10: Games & Tournaments

DI Based

[Click here for video solution](#)

To register for our CAT Courses, visit

www.quantifiers.in

Call/WA: 9988656560



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



Singh

Numbers questions never seemed to be so easy to me before today's class. All the concepts were well explained along with examples. A good amount of questions were also solved where each of the concept explained were used. Thank you for the session Sahil. Looking forward to more such sessions. 😊

Like · Reply · 1d



2



Dhar

Loving the sessions sir..looking forward for more such sessions!

Like · Reply · 1d



Apu

They clear individual doubts too...that feels so good to be counted too

Like · Reply · 1d · Edited

**Be it 2 AM/3 AM, if you need our help and we are awake, we will revert you..!!
Because, you matter to us !!**



Quantifiers



A. Vamsi
CAT: 99.35%ile

Why Quantifiers?

Because we understand what you go through as an aspirant.


Section		Section		Section		Total	
Verbal Ability & Reading Comprehension		Data Interpretation & Logical Reasoning		Quantitative Ability			
Scaled Score	Percentile	Scaled Score	Percentile	Scaled Score	Percentile	Overall Scaled Score	Overall Percentile
26.76	89.04	27.72	96.73	53.25	99.77	107.73	99.35

CAT New Batch Starting Soon

www.quantifiers.in, Call/WA @9988656560

The following scatter plot gives the information about the number of innings played and runs scored by ten different batsmen – Ashwin, Dhoni, Gambhir, Harbhajan, Jadeja, Kohli, Raina, Sehwag and Yuvraj. The average of a batsman is defined as runs scored per innings played.

For example, the point (10, 150) in the scatter plot represents one of the ten batsmen (the names being intentionally left out) who played 10 innings and scored 150 runs.



Q1. Which of the following statements is definitely false?

- The average of Sehwag is less than 30, if he is not the one who played the least number of matches.
- Yuvraj scored more runs than Rohit did but less runs than Dhoni did.
- The number of runs scored by Harbhajan is more than the number of runs scored by Dhoni.
- The average of Yuvraj is less than that of Dhoni.

[Click here for video solution](#)

Further, it is known that

(i) Sehwag did not score the highest number of runs and Kohli did not have a higher average than Dhoni had.

(ii) Rohit and Jadeja were the batsmen whose averages were among the lowest two averages and Rohit played more matches than Gambhir did.

(iii) among all the possible pairs, Dhoni and Gambhir is the pair with the least difference in averages.

(iv) exactly three batsmen scored more runs than Ashwin did and neither Raina nor Yuvraj scored more runs than Harbhajan did.

QUANTIFIERS

Q2. Which of the following statements would help to uniquely determine the average of each of the ten batsmen?

- The average of Yuvraj is less than that of Harbhajan, while the average of Raina is more than that of Harbhajan.
 - The average of Sehwag is more than that of Yuvraj and less than that of Raina
 - The average of Raina is more than that of Yuvraj and Sehwag, while the average of Sehwag is more than that of Dhoni
- a) (i) alone b) (ii) alone c) (i) and (iii) together d) (iii) alone

Q3. What is the minimum possible number of players who scored more runs than Sehwag did?

SET 11: Condition Based Puzzle

[Click here for video solution](#)

To register for our CAT Courses, visit

www.quantifiers.in

Call/WA: 9988656560



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



Aditya is with Sahil Arora.

January 5, 2020 · 🌐

I want to thank you Sahil sir. Not for the great classes (many already did that 😊). But for the personal care that you took of all the students. I even remember you used to reply even in the midnight if I ping you.

When the mock scores were low, you were there,

When I felt dejected, you were there,

When I needed help, you were there.

Whatever the future may hold, I thank you sir for all the wit filled cat sessions.

👤 Hall of fame



You, Vishan Khadke, Richa Jain and 15 others



Love



Comment

**Be it 2 AM/3 AM, if you need our help and we are awake, we will revert you..!!
Because, you matter to us !!**

WeMessage, a mobile telecom company, introduced a new offer to attract customers to its messaging services. As per the offer, the subscriber need not pay anything for messages which they send, if the number of messages sent by them is not more than the number of messages received by them.

Further, the company has set the message tariff based on the Net Message Difference, i.e., the difference in the number of messages sent and the number of messages received by a subscriber. The tariff is set at Rs.1 for every *net message difference* of ten or part thereof. The tariff will be charged on the first of every month based on the *net message difference* of the previous month. The following table gives the number of messages sent and received by five subscribers – A through E – between themselves during a month. During the month, these five persons have neither sent any message to nor received any message from any person other than these five members.

In the above table, the cell in row C and column B indicates that C sent 48 messages to B and B sent 52 messages to C.

Further, it is known that

- (i) C sent 16 messages to one of the persons and 18 messages to another person.
- (ii) the number of messages sent by D to E is equal to the number of messages sent by B to D.
- (iii) E was charged Rs.8 for the messages exchanged during the month.
- (iv) B sent a total of 186 messages.

	A	B	C	D	E
A	–			32	
B	60	–			
C		48	52	–	22
D				–	15
E		44	26		–

QUANTIFIERS

Q: What is the minimum possible number of messages sent by E to A?

- a) 82
- b) 71
- c) 91
- d) None of these

Q: If it is known that the number of messages sent by A to each of B, C and D were the same and equal to p each, but A was not charged any amount for the month, then p is at most

- a) 66
- b) 64
- c) 67
- d) CBD

Q: If the number of messages received by D from each of the persons form an arithmetic progression, then find the difference between the maximum possible and the minimum possible total number of messages that D received?

- a) 8
- b) 24
- c) 20
- d) None of these

Q: What is the maximum possible number of messages that A would have sent to C, if the Net Message Difference for C was zero?

[Click here for video solution](#)

Venn Diagram - Optimization

- In a party of 120 people, 70 like A, 80 like B and 89 like C, how many people like at most 2 item?

Learn to solve these in seconds

[Learn the most difficult easiest concept of Venn Diagram](#)

SET 12: Sets and Venn Diagram Optimization

[Click here for video solution](#)

To register for our CAT Courses, visit

www.quantifiers.in

Call/WA: 9988656560



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)

This completed our Sunday Marathon with Algebra 😊

Next long session on Tuesday 😊

Your feedback is our motivation 😊

Share your experience !!! 😊

👍❤️👍 Mohit Balani, Keshav Kashyap and 41 others 46 Comments

👍 Like

💬 Comment



Mohit Balani

Amazing session with good concepts !!

Like · Reply · 21w



Sanku Goel

Bdhiya ekdam 🙌🙌

Like · Reply · 21w



Anshu Wei

An awesome session sir with some very good concepts taught beautifully! ❤️

Like · Reply · 21w



Jain

Great concepts! 🌟

Like · Reply · 21w



Anshu Nigam

Didn't know that Algebra can be this interesting until Sahil sir took today's session. 😊

Like · Reply · 21w



Anshu Saraf

Great session sir 🙌

Like · Reply · 21w



Sanku Dhavala

Amazing session with detailed explanation of the concepts. Thank you sir!

Like · Reply · 21w



Ar Patra

Bas yehi chahiye .. simple and fastest approach to solve a problem.. Thank you sir...!!

**Be it 2 AM/3 AM, if you need our help
and we are awake, we will revert you...!!
Because, you matter to us !!**

This table gives the information about

A) Number of boys who like a particular game

B) Number of girls who like a particular game

C) Number of students who like only this game

	Boys	Girls	Only this game
Cricket	100	60	10
Football	90	100	20
Hockey	50	50	40
Basketball	100	80	90

[Click here for video solution](#)

1.If there are 380 students then the least possible number of boys who like only Basketball is _____?

2.What is the maximum number of students in the school ?

3.What is the minimum number of boys in the school?

4. Which of the following could be number of girls in the school

90

110

130

Only a

Only b

B and C

A and C

Only C

SET 13: Condition Based

[Click here for video solution](#)

To register for our CAT Courses, visit

www.quantifiers.in

Call/WA: 9988656560



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



**Be it 2 AM/3 AM, if you need our help
and we are awake, we will revert you..!!
Because, you matter to us !!**

A,B,C,D and E stole Rs 3000 and divided equally, to celebrate, they went to a fare and decided to play a different type of “Juua”, the will buy tickets which are available in 3 variants, 100, 50 and 10, A being the most intelligent person suggested that, in order to increase their chances of winning, no one should buy same number of tickets for any variant and everyone will buy at least one ticket of each variant.

D further suggested if they win on any ticket, they will divide the money in the ratio that is equal to number of tickets held by a particular individual for that variant.

They all agreed.

QUANTIFIERS

1. What is the total number of tickets bought by all of them together? (Write 0 if CBD)
2. Difference between maximum and minimum tickets held by an individual (Write 0 if CBD)
3. If A won the maximum share for the 100 variant and the prize money was 11,00,000, Find the difference between person who received the most vs the person who received the least. (Write 0 for CBD)

[Click here for video solution](#)

**If you want to receive these sets,
important questions and practice links
in WhatsApp inbox, fill the form**

[Click here to fill the form](#)



Quant – Question of the day

Let S be the set of all 5-digit numbers with distinct digits that can be formed using the digits 3, 2, 4, 5 and 8 such that exactly two odd positions are occupied by the even digits. Find the sum of the digits in the rightmost position of all the numbers in S .

[Click here to watch solution](#)

SET 14: Condition Based

[Click here for video solution](#)

To register for our CAT Courses, visit

www.quantifiers.in

Call/WA: 9988656560



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



**Be it 2 AM/3 AM, if you need our help
and we are awake, we will revert you..!!
Because, you matter to us !!**



Quantifiers

Be it QA, DILR or VA, we exactly understand what is needed to be taught.
So, you can close your eyes and rely on us :)



Rahul
CAT: 99.56%ile

Section		Section		Section		Total	
Verbal Ability & Reading Comprehension		Data Interpretation & Logical Reasoning		Quantitative Ability			
Scaled Score	Percentile	Scaled Score	Percentile	Scaled Score	Percentile	Overall Scaled Score	Overall Percentile
28.71	91.47	13.29	98.79	31.6	96.69	113.61	99.56

CAT New Batch Starting Soon

www.quantifiers.in, Call/WA @9988656560

A group of ten friends are pursuing their engineering from one of the following cities: Mumbai, Delhi, Pune and Indore. The number of friends belonging to each of the cities is different and at least one of them belongs to one city. To complete their final year project each of the friends had to go to one of the following cities: Bangalore, Chennai, Madurai and Hyderabad. The number of friends who went to each of the above cities is at least one and is unique.

I. Dinesh who belonged to Indore had been to Madurai for his project.

QUANTIFIERS

II. Chinmay and Esha belonged to the same city.

III. Anand and Jade had been to the same city.

IV. Bhola belonged to the same city as that of Jade and had been to the same place as Esha.

V. The greatest number of people went to Chennai.

VI. The greatest number of people were from Mumbai.

VII. Both Hari and Indu belonged to different cities and further both of them did not go to the same city.

VIII. Hari had been to Bangalore for his project.

IX. Freddy belonged to Indore.

X. Except for Bhola and Govind no two of the friends belonging to the same city had been to the same city for their project.

XI. Both Bhola and Govind belonged to Delhi and had been to Hyderabad for their project.

Q: From the following pairs, which two cities had only one person coming from and only one person going to, respectively?

- 1) Pune & Madurai 2) Bangalore & Chennai
3) Delhi & Hyderabad 4) Pune & Bangalore

Q: Who among the following was from Pune?

Jade Govind Anand Indu

Q: Who among the following did not go to Chennai?

Anand Freddy Chinmay Jade

[Click here for video solution](#)

**If you want to receive these sets,
important questions and practice links
in WhatsApp inbox, fill the form**

[Click here to fill the form](#)



SET 15: Data Interpretation

[Click here for Video Solution](#)

To register for our CAT Courses, visit

www.quantifiers.in

Call/WA: 9988656560



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



Sir Kaur

Absolutely great....mazza aya seekhke 😊



1

Like · Reply · 21w



Khair

Amazing session Sir...

Like · Reply · 21w



Sa Sawant

Great session sir
All concepts well explained

Like · Reply · 21w



Behera

There is always to learn from sir's video even if you are watching it for 99th time.
Great session sir. ❤️

Like · Reply · 21w



Sir Kaur

Amazing! 😊

**Be it 2 AM/3 AM, if you need our help
and we are awake, we will revert you..!!
Because, you matter to us !!**

Sumit used to go to super market on daily basis in the month of February 2018. On his every day visit to the super market, he bought one unit each of exactly two items out of milk, bread, jam, egg, cornflakes, curd, butter and oats. Cost (in Rs. per unit) of the mentioned items is 2, 5, 11, 17, 23, 31, 41 and 59, not necessarily in the same order. Further, it is also known that:


1. The total price of butter and oats taken together is more than the total price of curd and bread taken together.
2. The price of butter is 18 more than the price of cornflakes.
3. The product of the price of curd and bread is Rs. 62.
4. The sum of price of cornflakes and egg is equal to the sum of price of milk and jam.

The following graph gives the expenditure (in Rs.) done by Sumit on 28 days in the month of February.

[Click here for Video Solution](#)

QUANTIFIERS

Expenditure



Q: Which of the following could be the item purchased by Sumit on 10th February by spending Rs. 28?

Cornflakes Bread Curd Oats

Q: On which day of February could Sumit have bought oats and egg?

24 21 18 Both a and c

Q: Which of the following could be the price of milk?

17 31 23 2

Q: What were the two items bought by Sumit on 13th February? (Write 0 if CBD)

F E E D B A C K

- 

Akash Agrawal sir this was my first class and i am happy joined quantifiers der aaya durust aaya sir, looking forward for other topics Rudra Singh sir Sahil Arorasir ji thankyou

Like · Reply · 5d
- 

Nitya Porwal 🙌 Workshop sessions are great to revise and check your understanding of the topic.

Like · Reply · 5d
- 

Sukhmani Kaur It's always great to attend the classes as the topics r explained in such a manner that a person with non tech background can also understand

Like · Reply · 5d
- 

Ankit Pawar Very well completed the topics. Enjoyed a lot as the concepts were explained in very interesting and easy ways. Looking forward for remaining topics.

Like · Reply · 5d
- 

Ram Prakash Really great!!! Learned new concepts and workshop really made us practice difficult level questions..Eagerly waiting for upcoming event.

Like · Reply · 5d · Edited
- 

Vishan Khadke 1 Short and crisp sessions.
2 Content to the point.... [See More](#)

Like · Reply · 5d
- 

Smriti Rajpal A great session! Touched all the basic and advance level concepts of number system.

Like · Reply · 5d
- 

Nisha Ray 🙌 The best part is doubt clearance, good understanding of the topic.Number, this topic is my weakest part but after attending the sessions i am confident i will be able to attempt such questions

- 

Nikhil Singh Great Workshop
Eagerly awaiting the next one:)

Like · Reply · 5d
- 

Madhusmita Pattanayak The concept of NUMBER SYSTEM understood very clearly... The most important part of a class is doubt clarification and the faculty of Quantifiers are doing at its best to clarify my doubts the workshop session are great and Would eagerly waiting for the next Event for Algorithm.

Like · Reply · 5d
- 

Rana Ghosh Quantifier is like Glenn McGrath..knows exactly and crisply what to do from CAT and OMET's perspectives. Whereas others are busy satisfying ego with obscure topics like Numbers and PnC, Quantifiers keeps that pretty much in check.. and focusses on relevant stuffs...also motivation and personal guidance one can get from Quantifier is unparalleled.
Kudos

Like · Reply · 5d
- 

Shubham Jha Sir my NUMBER SYSTEM was quite weak , but after coming in touch with Quantifiers , and the way you focus on our each and every doubt , no matter how much time it takes , but somehow you clear it , and thus I am feeling a bit confident for Number System... [See More](#)

Like · Reply · 5d
- 

Chandler Escobar Being constantly in touch with a student is your forte. Amazing teaching concepts, and also questions are being solved according to the difficulty level. It's fun to attend classes. Thanks.

Like · Reply · 4d

SET 16: Condition based

[Click here for Video Solution](#)

To register for our CAT Courses, visit

www.quantifiers.in

Call/WA: 9988656560



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



**Be it 2 AM/3 AM, if you need our help
and we are awake, we will revert you..!!
Because, you matter to us !!**



Quantifiers

Let's take steps, one at a time and we will reach where we aspire to !!
Quantifiers does it for you.



Rishabh

CAT: 99.62%ile

Section		Section		Section		Total	
Verbal Ability & Reading Comprehension		Data Interpretation & Logical Reasoning		Quantitative Ability			
Scaled Score	Percentile	Scaled Score	Percentile	Scaled Score	Percentile	Overall Scaled Score	Overall Percentile
33.9	95.86	37	99.37	44.37	99.13	115.27	99.62

CAT New Batch Starting Soon

www.quantifiers.in, Call/WA @9988656560

Mr. Chauhan was murdered in his home and his case was handed over to Mr. Vinod. After investigations, it was found out that the murder happened in the kitchen, bedroom or washroom. The murder weapon could be a knife, an axe or a pistol. The three suspects for the case were Chaman, Hemant and Uday. The following facts were revealed during the case analysis:

The three suspects met Mr. Chauhan in the three places with no two meeting Mr. Chauhan in one place.

Each one of them had only one of the mentioned weapons to possibly murder Mr. Chauhan.

- If the murder happened in the kitchen, then the murder weapon was the pistol.
- If the murderer was Hemant, then Uday met Mr. Chauhan in the kitchen.
- If Chaman was in the bedroom, then the murder happened in the washroom.
- If the murder weapon is the knife, then Mr. Chauhan was murdered in the kitchen.
- If Uday is not the murderer, then the murder weapon is not the pistol.
- If the murder took place in the washroom, then the axe was placed in the kitchen.
- If the murderer is found, then Chaman was in the bedroom.
- If the murder weapon is the axe, then the murderer is Uday.
- If the murder took place in the bedroom, then the murder weapon is the pistol.
- If Hemant and Mr. Chauhan met in kitchen, then Chaman had the knife.

Based on the above information and further analysis; Mr. Vinod found out that Uday was the murderer.

Q: Where did the murder take place? (0 if CBD)

Q: What is the murder weapon? (0 if CBD)

Q: Where did Hemant meet Mr. Chauhan? (0 if CBD)

Q: Which weapon was placed in the bedroom? (0 if CBD)

[Click here for Video Solution](#)

SET 17: The one from the Past

ERDOS NUMBER

[Click here for video solution](#)

To register for our CAT Courses, visit

www.quantifiers.in

Call/WA: 9988656560



[Instagram Channel](#)

Exam Updates & Vocab Building




[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



**Be it 2 AM/3 AM, if you need our help
and we are awake, we will revert you..!!
Because, you matter to us !!**

Mathematicians are assigned a number called Erdos number (named after the famous mathematician, Paul Erdos). Only Paul Erdos himself has an Erdos number of zero. Any mathematician who has written a research paper with Erdos has an Erdos number of 1. For other mathematicians, the calculation of his/her Erdos number is illustrated below:

Suppose a mathematician X has co-authored papers with several other mathematicians. From among them, mathematician Y has the smallest Erdos number. Let the Erdos number of Y be y . Then X has an Erdos number of $y+1$. Hence any mathematician with no co-authorship chain connected to Erdos has an Erdos number of infinity.

In a seven day long mini conference organized in memory of Paul Erdos, a close group of eight mathematicians, call them A, B, C, D, E, F, G and H, discussed some research problems. At the beginning of the conference, A was the only participant who had an infinite Erdos number.

1. Nobody had an Erdos number less than that of F.
2. On the third day of the conference F co-authored a paper jointly with A and C. This reduced the average Erdos number of the group of eight mathematicians to 3. The Erdos numbers of B, D, E, G and H remained unchanged with the writing of this paper. Further, no other co-authorship among any three members would have reduced the average Erdos number of the group of eight to as low as 3.
3. At the end of the third day, five members of this group had identical Erdos numbers while the other three had Erdos numbers distinct from each other.
4. On the fifth day, E co-authored a paper with F which reduced the group's average Erdos number by 0.5. The Erdos numbers of the remaining six were unchanged with the writing of this paper.
5. No other paper was written during the conference.

[Click here for video solution](#)

Q1. How many participants in the conference did not change their Erdos number during the conference? (0 if CBD)

Q2. The person having the largest Erdos number at the end of the conference must have had Erdos number (at that time):

5 7 9 14 15

Q3. The Erdos number of C at the end of the conference was:

Q4. The Erdos number of E at the beginning of the conference was

Time & Work – Complete lecture

- From basics to advanced watch this and I assure you, you'll be able to face any question based on Time and Work

[Watch the complete live video Session here](#)

If you want to receive these sets,
important questions and practice links
in WhatsApp inbox, fill the form

[Click here to fill the form](#)



Quant – Question of the day

How many integral values of x will satisfy this
 $|x-18| + |x-9| + |x+9| + |x+18| = 54$

[Click here to watch solution](#)

SET 18: The one from the Past

Coach Jon

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Coach John sat with the score cards of Indian players from the 3 games in a one-day cricket tournament where the same set of players played for India and all the major batsmen got out. John summarized the batting performance through three diagrams, one for each game. In each diagram, the three outer triangles communicate the number of runs scored by the three top scorers from India, where K, R, S, V, and Y represent Kaif, Rahul, Saurav, Virender, and Yuvraj respectively. The middle triangle in each diagram denotes the percentage of total score that was scored by the top three Indian scorers in that game. No two players score the same number of runs in the same game. John also calculated two batting indices for each player based on his scores in the tournament; the R-index of a batsman is the difference between his highest and lowest scores in the 3 games while the M-index is the middle number, if his scores are arranged in a non-increasing order.

[Click here for video solution](#)



QUANTIFIERS

- How many players scored definitely less than Yuvraj? 0 1 2 More than 2
- Who had a best M-index?
- Which player has the widest R-index range ($R_{\max} - R_{\min}$)

Quantifiers XAT



Amirtha
XAT: 99.98




Dhruva
XAT: 99.96



Anubhav
XAT: 99.43



Aru
XAT: 99.01



Farhan
XAT: 98.93



Sidhant
XAT: 98.80



Lucky
XAT: 98.38

SET 19: DI: Multiple Graphs

[Click here to watch video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)



To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

The following graphs give the details of the production costs of a half-hour long animation movie in different countries and the budget (i.e., total cost), duration and box office collections of a few animation movies.

Note: Profit = 60% of Box Office Collection – Budget.

The duration (in hrs) of each movie is mentioned alongside its budget in the above graph. The production cost of an animation movie is proportional to the duration of the movie. All the animation movies mentioned above were produced in the US. Off-shoring of the production to another country leads to a decrease in only the production costs of the movie while there is no change in the other expenses and revenues.

QUANTIFIERS



[Click here to watch video solution](#)

Q: Which of the given movies had the highest ratio of box office collections to budget?
Toy Story Bug's Life Shrek Finding Nemo

Q: Had "Bug's Life" been produced in India, its budget would have decreased by approximately
33.4 38.5 45.3 47.8

Q: For how many movies was the total production cost as a percentage of its budget not more than 30%?

SET 20:Conditions Based

[Click here for video solution](#)

To register for our CAT Courses, visit

www.quantifiers.in

Call/WA: 9988656560



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)

Join our Instagram Channel for memes, updates and more



A company XYZ Ltd. recruited 80 trainees. It was observed that every trainee had

- (i) exactly one qualification among the following two:
 - (a) B.E.
 - (b) M.Sc.
- (ii) at least one feature among the following two:
 - (a) He is from a reputed college
 - (b) He had good academic record
- (iii) experience in exactly one of the following two domains:
 - (a) Programming
 - (b) Testing

QUANTIFIERS

Further it is also known that,

- (a) 20 trainees who are B.E.s had a good academic record as well as experience in Testing. These trainees form 50% of those with experience in Testing.
- (b) No trainee with experience in Programming had both the features mentioned in (ii), i.e., being from a good college and having a good academic record.
- (c) 30 trainees were M.Sc.s, of which 15 had experience in Programming.
- (d) Of the trainees with experience in Testing, 15 were from a reputed college and they had good academic record.
- (e) In total, 45 trainees had a good academic record, of which two-thirds were B.E.s and one-third had experience in Programming.

[Click here for video solution](#)

Q: How many of the trainees are B.E.s with experience in Programming and a good academic record? (0 if CBD)

Q: How many trainees who are M.Sc.s are from a reputed college but had neither a good academic record nor any experience in Programming? (0 if CBD)

Q: If 18 B.E.s had a good academic record but are not from a reputed college, how many M.Sc.s are from a reputed college and with a good academic record (0 if CBD)

Q: How many trainees are B.E.s with experience in programming but do not have a good academic record? (0 if CBD)

Quant – Question of the day

How many integral values of x will satisfy this
 $|x-18| + |x-9| + |x+9| + |x+18| = 54$

If you want to receive these sets,
important questions and practice links
in WhatsApp inbox, fill the form

[Click here to fill the form](#)



[Click here to watch solution](#)

SET 21: Games and Tournaments

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)


To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560



Quantifiers



Shabbir
SNAP: 99.94%ile



**It's impossible and unbelievable
until it's done !!**

SNAP ID	
NAME OF THE CANDIDATE	PAGHDIWALA SHABBIR MOHAMEDALI
ADMISSION CATEGORY	
OVERALL PERCENTILE	99.9451

CAT New Batch Starting Soon

www.quantifiers.in, Call/WA @9988656560

Making Education Easier

Making Education Easier

Quantifiers

Quantifiers

The following is the table of points drawn at the end of all the matches in a six-nation Hockey tournament, in which each country played with every other country exactly once. The table gives the positions of the countries in terms of their respective total points scored (i.e., in the decreasing order of their total points). Each win was worth three points, each draw one point, and there were no points for a loss. Some information in the table has been intentionally left out. The results of none of the individual matches are known, except that Pakistan beat India and no two teams finished with the same number of points.

Position	Country	Won	Drawn	Lost	Goals For	Goals Against	Total Points
1	Australia				17	5	15
2	Netherlands				9	6	10
3	Pakistan					2	8
4	India				2	5	
5	South Korea				7	11	2
6	Spain				8	16	

QUANTIFIERS

[Click here for Video Solution](#)

- Q: The total number of points won by India is _____ (Write 99 if CBD)
- Q: The total number of goals scored in the match between Netherlands and Pakistan is _____ (Write 99 if CBD)
- Pakistan won the match against which of the following teams?
- a) Australia b) Netherlands c) South Korea d) Spain
- Q: Which of the following matches was a draw?
- a) India Vs South Korea b) Spain Vs Netherlands c) Netherlands Vs South Korea d) Spain Vs South Korea

Quant – Question of the day

The value of x satisfying $\log_{10}(2^x + x - 41) = x(1 - \log_{10}5)$

If you want to receive these sets,
important questions and practice links
in WhatsApp inbox, fill the form

[Click here to fill the form](#)



[Click here to watch solution](#)

Breaking Stereotypes



IMT Ghaziabad
(Converted), MICA
(Converted), IIM Shillong,
10 new IIMs, SIBM
Bangalore, and Baby IIMs

To be honest, I dreaded Maths, did everything possible to stay away from it all my life till there was no escape in form of CAT. My basics were bad to another level, there were times I doubted my decision to appear for CAT and all this while Sahil Sir kept motivating me to push my limits. Initially it was really tough, my doubts were a proof of how bad I was at Maths but Sir patiently cleared each one of them. I remember messaging him at odd hours and always getting the solution, he kept calm with a student like I am and I can never thank him enough for that. Also, Quantifiers helped me to a great extent, the kind of questions posted were very apt according to the actual difficulty level. At starting, I could barely solve any of them which made me realise how much I need to work on myself but eventually doing those DI/LR sets, Quant questions and Verbal RCs helped me get the best out of myself. I am glad that I had an opportunity to couple my hard work with the right kind of resources, thereby making Sahil Sir and Quantifiers an irreplaceable aspect of my challenging journey.

- MALVIKA RANA

SET 22: Condition based Entry-Exit

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

A bus started from a stop P and traveled to another stop U. In between, it stopped at four stops, Q, R, S and T, in that order. The distance between any two consecutive stops is one kilometer. The following information is known about six persons – A through F – who traveled in the bus:

- (i) At any point, not more than two persons among the given six persons were present in the bus and each person traveled for at least one kilometer.
- (ii) A boarded the bus at a stop immediately before the stop at which C boarded the bus, while B and D boarded the bus at the same stop.
- (iii) F traveled for more distance than E, who boarded the bus at Q.
- (iv) B is the only person to get down from the bus at S.
- (v) C got down from the bus at U.
- (vi) F and E did not travel together between any two stops.

Q: At which stop did A board the bus?

Q: At which of the following stops could more than one person have boarded the bus?

- a) P b) R c) S d) More than one of the above

Q: If F boarded the bus along with another person, at which stop did A get down from the bus? (0 if CBD)

Q: Who among the following travelled the maximum distance?

- A B C D

[Click here for video solution](#)

**If you want to receive these sets,
important questions and practice links
in WhatsApp inbox, fill the form**

[Click here to fill the form](#)



SET 23: DI Based – Cost Allocation

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

A person went to the market and bought a bag, a bat and a pen drive for a total amount of Rs.1019. He had money in notes of only three denominations - Rs.10, Rs.2 and Re.1 - and he had a total of 180 notes with him. He used all the money with him in purchasing these things. It is known that the bag is the least expensive, whereas the pen-drive is the most expensive. It is also known that,

- (1) in purchasing each item, he used at least two and at most 35 notes of each denomination.
- (2) total number of Rs.2 notes used in purchasing the bat and the bag put together is 54.
- (3) worth of the bat and the bag put together is Rs.635.
- (4) number of Rs. 10 notes used in purchasing the pen-drive is 35 and that of Re. 1 notes used in purchasing the bat is 15.
- (5) number of Rs. 10 notes and the number of Rs.2 notes used in purchasing the bag are prime numbers, but the number of Rs. 10 notes and the number of Rs.2 notes used in purchasing the bat are not prime numbers.

QUANTIFIERS

[Click here for video solution](#)

Q: If it is known that the number of Rs.2 notes used in purchasing the bag is 19, then what is the difference between the cost of the bat and the cost of the bag?

Q: How many Rs. 10 notes did the person use to purchase the bat?

- (1) 35 (2) 19 (3) 28 (4) 23 (5) CBD

Q: What is the cost of the bag?

- (1) Rs.290 (2) Rs.230 (3) Rs.280 (4) Rs.270 (5) CBD

Q: What is the number of Re. 1 notes that he used in purchasing the bag?

- (1) 2 (2) 7 (3) 15 (4) 12 (5) Cannot be determined

Q: What is the total number of Rs. 2 notes that the person had?


- (1) 73 (2) 71 (3) 65 (4) 57 (5) Cannot be determined

Mass Point Geometry

- One of the favorite concepts of students when it comes to triangles.
Do these questions in seconds

In triangle ABC, D is the midpoint of BC and E is the midpoint of AD, BF passes through E. What is the ratio of AF:FC?

[Watch the complete live video Session here](#)



SET 24: Arrangements

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Seven persons – A through G – each a different professional among lawyer, doctor, professor accountant, scientist, engineer and consultant, live in a building, with each person occupying one different floor, from the first floor to the seventh floor. The following information is known about them:

- (i) The accountant lives on a floor above the fourth floor, on which the engineer lives and B is not the accountant.
- (ii) The lawyer does not live on a floor above the floor on which the doctor lives.
- (iii) A, the professor, lives on a floor immediately above the floor on which the lawyer lives and C is not the doctor.
- (iv) F, the scientist, lives on a floor above the floor on which B, who is neither the consultant nor the doctor, lives.
- (v) G lives exactly two floors below E and the scientist lives exactly three floors above the lawyer.

QUANTIFIERS

Q: Which of the following statements is definitely true?

- a) E lives on the seventh floor.
- b) E is the accountant.
- c) C is the accountant.
- d) The consultant lives on the first floor.

Q: Which of the following two statements, if true, will be sufficient to uniquely determine the professions of all the seven people?

- (i) E is the doctor
- (ii) D is the consultant
- a) (i) alone
- b) (ii) alone
- c) Both (i) and (ii) together
- d) Both the statements together are also not sufficient

Q: Who among the following is the Engineer?

- a) B
- b) D
- c) E
- d) G


Q: What is the profession of the person who lives on the floor immediately above the floor on which G lives?

[Click here for video solution](#)

Quant – Question of the day

As shown two congruent $90^\circ - 60^\circ - 30^\circ$ triangles are placed, so that they overlap partly and their hypotenuses coincide. If the hypotenuse is 16 cm, and area common to both is $A/\sqrt{3}$, Find A.

[Click here to watch solution](#)



Let's make your dream scorecard, a reality.

Subject Details	Maximum Marks	Marks Obtained	NTA Score
Quantitative Analysis	075	39.00	98.1600113
Reading Comprehension and Verbal Ability	105	95.00	99.9209821
Data Interpretation and Logical Reasoning	090	49.00	98.5974319
General Awareness	030	15.50	98.8993933
Total	300	198.50	99.9915338
Total marks obtained in words		One Hundred Ninety Eight and a Half	
Dated		IIFT UNIT, N	

All India IIFT Topper - Quantifiers

SET 25: DI- Coach Jon Revisited

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)


[Telegram Channel](#)




[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560


In a certain company, every year, all the departments are ranked in the descending order of their revenues and the top four departments in an year are those which earn the top four highest revenues for that particular year. The following diagrams give the revenues earned by the top four departments of the company in each of the years from 2007 to 2011. The numbers in the brackets are the revenues earned (in Rs.crore) by those particular departments. The percentage figure given in the middle is the contribution of the top four departments to the overall revenue of the company from all the departments put together in that year. The company has a total of six departments – A, B, C, D, E and F.




2007




2008



2009



2010



2011

QUANTIFIERS

[Click here for video solution](#)

- Which department earned the highest revenue for the company in all the five years put together? (Write 0 if CBD)
- The total revenue earned by department B as a percentage of the total revenue earned by department A over the given period (rounded off to the first decimal) is at most (Write 0 if CBD)
- For which of the following departments is the difference between the maximum possible and the minimum possible total revenue over the given period the highest?(Write 0 if CBD)
- In how many of the given years could each department have earned at least Rs.40 crores? (Write 0 if CBD)

SET 26: Condition based

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

In a shop, five articles – P, Q, R, S and T – are to be sold. The cost price and the selling price of each of the five articles are among Rs.650, Rs.700, Rs.750, Rs.850 and Rs.900. The cost price of each of the articles is different and also the selling price of each of the articles is different. For any article, the selling price is not equal to its cost price.

(i) The cost price of article R is equal to the selling price of article T. While selling R as well as T the shopkeeper incurred a loss.

(ii) The cost price of Q is more than that of S and the shopkeeper obtained a profit by selling Q.

(iii) If a profit is made on selling any article, it must be more than Rs.50. The profit made on any two articles is not the same. The loss incurred on any two articles is not the same.

(iv) On only two articles did the shopkeeper make a profit. The profit/loss made on any article is not Rs.150.

Q: What is the difference (in Rs.) between the cost price and the selling price of article S?

Q: Which article was sold for Rs.700?

Q: How many items were sold at a profit?

[Click here for video solution](#)

**If you want to receive these sets,
important questions and practice links
in WhatsApp inbox, fill the form**

[Click here to fill the form](#)



SET 27: Binary logic

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

In an island, each person belongs to one of the three categories among truth tellers (who always speak the truth), liars (who always lie) and alternators (who alternate between truth and lie in any order). Bhuvan, Chirag, Danny and Emraan are four persons belonging to that island and each of them is a different professional among doctor, lawyer, actor and trader. At least one person from each category is present among these four persons. Each of them made exactly three statements when asked about their categories and professions. The statements that they made are given below:

Bhuvan:
I am not a liar.
Chirag is a doctor.
Exactly two of us are liars.

Chirag:
Emraan is a liar.
Danny is an actor.
I am a truth teller.

Danny:
I am an actor.
Emraan is a liar.
Bhuvan is not an alternator.

Emraan:
Chirag is a lawyer.
There are two alternators among us.
Bhuvan is not a doctor.

Q: Who among the given person(s) is/are the truth teller(s)?

Q: The second statement of how many of the given persons is true?

Q: What is the profession of Emraan?

Q: Who is the trader?

For each answer, write 0 if CBD

[Click here for video solution](#)

If you want to receive these sets,
important questions and practice links
in WhatsApp inbox, fill the form

[Click here to fill the form](#)



DON'T JOIN QUANTIFIERS IF YOU

LOVE PROCRASTINATION !

The mentors here will make sure you complete your targets, take assignments seriously and finish everything within the designated time frame !

HATE TO COMPROMISE YOUR SLEEP !

The long lectures, rigorous practice sessions will surely take a toll on your extra sleep and lazy Sundays !

LOVE LEAVING THINGS MID-WAY !

We make sure we stretch the limits of our students and never let them give up when times are tough !

HATE A LOT OF PERSONAL ATTENTION, MENTORING & DOUBT SESSIONS AND STUDY MATERIAL.

Quantifiers works on all this! You will never be out of material that's a promise.

SET 28: Games & Tournament

[Click here to watch video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

In a shooting competition, each player, in his turn, takes three shots at the target. The competition starts with the first player taking three shots, followed by the second player taking three shots, and so on. After the last player has taken his three shots, the turn comes back to the first player who again takes three shots, followed by the second player and so on. For each shot, if a player hits the target, he is awarded 3 points while no point is awarded to or deducted from the scores of each of the other players. If he misses, 1 point is deducted from his score and 1 point is awarded to each of the other competitors. The first player(s) to reach at net score of 100 points or more will be declared the winner(s) of the competition. Once the winner(s) is/are decided, the competition ends. Exactly five players – A, B, C, D and E – participated in the competition, with their turns not necessarily being in the same order. At the end of the competition, D alone won the competition and had the same number of misses as that of A. The net score of C was 74 points and he registered the same number of hits as that of B. The net scores of the players whose turns were third, fourth and the fifth, were in descending order. There were a total of 86 hits and 54 misses.

Q: What was the number of hits registered by E?

Q: Who had the second least number of misses?

Q: The player whose turn was fourth is

Q: Difference between net score of A and B is _____

Q: Net score of A is _____

For each questions, write 0 if can't be determined

[Click here to watch video solution](#)

**If you want to receive these sets,
important questions and practice links
in WhatsApp inbox, fill the form**

[Click here to fill the form](#)



Algebra – Waving Curves

- For what values of x ,
- $(x-2)^2(x^2-12x+35)/(x-5)^3(x+6)^4 < 0$

Learn the complete Concept

5 must do XAT questions

Quant – Question of the day

Ayesha started running from one end of a straight road at 0500 hrs. Bhumika, standing at the other end of the road, started running towards Ayesha at 0600 hrs and met Ayesha at a point P on the road. They continued running till they reached the opposite ends, turned back immediately and coincidentally met again at the same point P. If they met at the point P for the first time at 0700 hrs, then what is the ratio of the speeds of Ayesha and Bhumika?

If you want to receive these sets,
important questions and practice links
in WhatsApp inbox, fill the form

[Click here to fill the form](#)



[Click here to watch solution](#)

SET 29: Condition based

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Five universities – Harvard, MIT, Stanford, NYU and Pennsylvania – offer courses in three different disciplines of Management, viz. Finance, Operations and Marketing. No university offers the same number of courses in any two disciplines and no two universities offer the same number of courses in any discipline. The number of courses offered by any university in any single discipline is at least one and at most five.

Further, it is known that,

[Click here for Video Solution](#)

- (i) the total number of courses offered at Pennsylvania is six.
- (ii) in Operations, MIT offers two courses and Stanford offers three courses.
- (iii) Harvard offers five courses in Finance, the discipline in which Stanford offers only two courses and MIT offers only one.

Q: If the total number of courses, in all the disciplines put together, offered by Harvard is 12, then what is the total number of courses, in all the disciplines put together, offered at NYU?

Q: The maximum number of courses, in all the disciplines put together, can be offered at which of the following universities? (Write 0 if CBD)

Q: If the difference between the total number of courses, in all the disciplines put together, offered by MIT and Stanford is one, then the difference between the number of courses offered in Marketing at Stanford and Pennsylvania is (Write 0 if CBD)

Q: Which of the following statements is definitely true?

- a) The total number of courses offered at NYU is the same as that offered at Stanford.
- b) The total number of courses offered at Harvard is the same as that offered at NYU.
- c) MIT offers the second lowest number of courses in all the disciplines put together.
- d) Stanford offers the second highest number of courses in all the disciplines put together.

SET 30: Distribution Based

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Ashu, Renu, Rani, Kajol, Naveen, Sanju, Tanmay, Sapna and Rinku saw a movie in a single screen theatre from Monday to Saturday. Exactly three people saw the movie on each day and each person saw the movie atleast once. Four of these people saw the movie more than twice over the given period. No person saw the movie more than once on the same day.

1. Both Kajol and Naveen saw the movie on three of the first four days in such a way that both of them did not see the movie together on all the three days. These were their only visits to the theatre.
2. Tanmay saw the movie on the same day as Ashu and Renu.
3. Sapna and Rinku did not watch the movie together while Rani and Sanju always saw it together.
4. No person saw the movie on three consecutive days.

Q: Who among the following saw the movie thrice?

1) Sapna 2) Rinku 3) Tanmay 4) Rani

Q: If Rinku saw the movie only on Friday, when did Sapna definitely see the movie? (Write 0 if CBD)

Q: If Rinku never saw the movie with Kajol, when did Tanmay see the movie? (Write 0 if CBD)

Q: How many times did Sanju see the movie on the same day as Sapna? (Write 0 if CBD)


**If you want to receive these sets,
important questions and practice links
in WhatsApp inbox, fill the form**

[Click here to fill the form](#)



[Click here for video solution](#)

WHY SHOULD YOU JOIN QUANTIFIERS?



Register @www.quantifiers.in
Call/WA: 9988656560

SET 31: Condition based

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

The table below give some information about the points scored by Arjun in a worldcup, in each of 5 games – Dice, Dance, Dupe, Digit and Dynasty

Game	Total Problems	Problems Attempted	Successful Attempts	Failure	Net Score
Dice	35	29			
Dance	30				
Dupe	35	17		6	
Digit	40				11
Dynasty	45		30		

It is also known that

- for every successful attempt Arjun gets one point and for every unattempted problem he loses $\frac{1}{6}$ th of a point and for every failure he loses $\frac{1}{3}$ rd of a point.
- Arjun scored a total of 67 points and attempted 125 problems
- The number of failures of Arjun in “Digit” is $\frac{1}{6}$ th of his total number of failures and twice his number of failures in “Dance”.
- Arjun’s net score in “Dance is double than Dupe”

- What is total number of failures of Arjun in competition
- Maximum number of failures of Arjun in any game was ____?
- What is the number of problems attempted by Arjun in any dance competition
- What is Arjun’s net score in dynasty

[Click here for video solution](#)

**If you want to receive these sets,
important questions and practice links
in WhatsApp inbox, fill the form**

[Click here to fill the form](#)



SET 32: Condition Based

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Ramlal, Hotilal and Mohanlal are three call center cab drivers allocated to pick up four customer service representatives (CSRs) from their respective homes and drop them at their office. To ensure that the CSRs do not make the cab wait, the office has a rule. Depending on the driver's wait time (in minutes), a penalty is levied as shown below.

Waiting Time (Minutes)	Penalty (Rs.)
0 to 2	0
3 to 5	5
6 to 10	10
More than 10	$10 + m$

	CSR 1		CSR 2		CSR 3		Total Time	Penalty Collected
	Travel	Wait	Travel	Wait	Travel	Wait		
Ramlal	5		12		7		42	17
Hotilal	7		6		11		42	20
Mohanlal	8		4		7			0

In the table, m is the extra time beyond 10 minutes that the driver has to wait. For instance, if the driver waits 17 minutes, $m = 7$.

The table on the side shows travel time to reach a CSR's house, wait time at a CSR's house, the total time and penalty collected by each driver on a particular day. All timing values are in minutes while the penalty is in rupees.

Also:
Hotilal collected penalty from only two CSRs and he waited for the same time for both of them.
For one executive, Ramlal waited for the same time as the time that he took to travel to his house.
Hotilal waited for both executives longer than the time he took to drive to their respective houses.
For one executive, Ramlal waited longer than the time he took to drive to his house.
Ramlal did not collect a penalty from one CSR.

Q: How many minutes did Ramlal wait at CSR 2's house?

Q: Ramlal picked CSR 2, left for CSR 3's house, waited there, picked CSR 3 and then left for CSR 3's office. He took 14 minutes to reach office after picking CSR 3. How many minutes after picking CSR 2 did Ramlal reach CSR 3's office?

Q: For how long did Hotilal wait for CSR 1?(0 if CBD)

Q: What could be the maximum total time taken by Mohanlal to drop all three CSRs to office?
1) 30 minutes 2) 36 minutes 3) 42 minutes 4) None of these

[Click here for video solution](#)

SET 33: Condition Based

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Three children, Rekha, Shankar and Mukesh, were playing the game of Tic-Tac-Toe, on a grid of 3×3 squares. Each game was played by all the three children, with the rules slightly modified from the usual, as described below.

Each person has his/her own symbol, referred to as his/her 'mark' and in every turn, he/she places the same mark on the grid. The columns are labelled A to C, from left to right, and the rows are numbered 1 to 3, from top to bottom. The position of a mark on the grid is given by the combination of the column and row labels of the square in which it is placed. For example, a mark in position C2 means that the mark is in column C and row 2. The first person to play a game can place his mark on any square in the 3×3 grid except B2. In every subsequent turn, each person has to place his/her mark in any empty square, which is not in the same row or column as that of the mark that was placed immediately before his turn not in any diagonal position in any of the four possible directions to that of the mark that was placed immediately before his turn.

For example, if the first person places his/her mark in C2, the second person cannot place his/her mark in any square in column C or any square the 2nd row or in the squares in the diagonal positions to C2, i.e. B1 and B3. The first person to get three of his/her marks in a straight line (horizontally, vertically, or diagonally) in the grid is the winner. The game ends in a tie if all the nine squares are full or if it is not possible to place any other mark in the remaining squares, without having a winner.

A fresh grid is drawn at the beginning of each game.

The marks of the three persons, Rekha, Shankar and Mukesh, are 'X', 'O' and 'I' respectively. It is known that in any game that they played, the first person to play did not place his/her mark in B2.

Q: If a total of 34 games were played, how many games ended in a tie? (Write 99 if CBD)

Q: In one of the games, Rekha, who was the first person to play, ended up winning the game. Which of the following options could represent the grid immediately after she placed her first mark?

a)

		X

b)

	X	

c)

		X

CBD

Q: If 'I', 'O' and 'X' were the first three marks to be placed on the grid in that order, then who among the following could not have won that game?

- a) Mukesh b) Rekha c) Shankar d) None of the above

Q: If Mukesh, Shankar and Rekha played a game, taking turns in that order and Mukesh did not win the game, which of the following options could represent the grid immediately after Rekha placed her first mark?

a)

	X	
I		
		O

b)

O		
		I
X		

c)

		I
O		
		X

d) More than one

[Click here for video solution](#)

Quantifiers: Redefining Women Empowerment

Mhaari Choria Choro se kam hai ke :P



Varsha - IIM B



Amirtha - IIM C



Sonia - IIM L



**Bhavna
IIM Ranchi**



Aru - XLRI



**Simran
NMIMS**



**Shreya
NMIMS**



**Yashneet -
Baby IIMs**

Visit www.quantifiers.in to enroll in our final batch, Call/WA: 9988656560

Quant – Question of the day

In how many ways 10 identical balls be distributed among 5 kids such that all of them get at least one ball and no one receives more than 4 balls?

[Click here to watch solution](#)

SET 34: The Basketball Set

[Click here for video solution](#)

If you want to receive these sets,
important questions and practice links
in WhatsApp inbox, fill the form

[Click here to fill the form](#)



Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)




[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Two friends, Jordan and Bryant, had a basketball shootout, in which each player attempts to shoot the ball into the basket. There were ten rounds in total and in each round, each player had 20 attempts to shoot the ball into the basket.

Every successful attempt resulted in one point to the player. The cumulative accuracy for each player was calculated at the end of every round as the total number of successful attempts until the end of the round as a percentage of the total number of attempts made by the player until the end of the round. The following chart provides information on the cumulative accuracy of each of them at the end of every round:



[Click here for video solution](#)

- Q: How many points were scored by Bryant in 5th round
- Q: Total points scored by both the players were highest in which round?
- Q: In how many rounds, Bryant scored more than Jordan

Q: If another player, LeBron, had an accuracy of 10% in Round 1, 20% in Round 2, 30% in Round 3 and so on, with 100% in Round 10, what would be the difference between the total points scored by LeBron and the total points scored by Jordan?

SET 35: Conditional DI

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

A firm evaluates the performance of five of its employees and their annual increments are based on their performance rankings. The firm gives an increment of 5, 10, 15, 20 and 25 percent, in decreasing order of ranks. Thus, the worst performing person is ranked 5 and gets 5% increment. The top three employees also receive a bonus (in Rs.) of 5000, 3000 and 2000 respectively. The salary of all employees is Rs. 10,000 in the year 2000. In a certain year, no two employees get the same increment. The table shows the sum of percentage increments for all five employees after 3 years and 5 years respectively.

- I. Four employees repeated one of their bonus amounts exactly once.
- II. Only three employees managed to get the highest increment such that B and E were two of them.
- III. All the five employees were ranked third and fifth at least once.
- IV. All the employees got the same rank exactly twice.
- V. C got the least bonus in 2005 and B got no bonus in 2002.
- VI. Only C and D got the same rank in two consecutive years.
- VII. E missed out on bonus in two consecutive years

Employee	A	B	C	D	E
After 3 years	45	45	25	65	45
After 5 years	70	80	60	85	80

[Click here for video solution](#)

- Q: Who got the highest bonus amongst all? _____
- Q: What was the highest total increment (in Rs.) given to any one at the end of three years?
- Q: How many employees at least doubled their salary (excluding bonus) at the end of 5 years?
- Q: What is the average bonus given out by the company, per employee per year

If you want to receive these sets, important questions and practice links in WhatsApp inbox, fill the form

[Click here to fill the form](#)



SET 36: Conditional DI

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Crash time indicates the time in which the corresponding activity can be completed at the earliest along with the corresponding cost involved i.e., crash cost. This crash cost for any activity gets proportionately reduced if the duration (crash time) is increased.

For example, if activity B is to be completed in four weeks, then the cost involved would be Rs. 4,000. On the other hand, if this activity is crashed by one week then the additional cost will be Rs. 1,000 and if it is crashed by two weeks and is now completed in two weeks then the corresponding additional cost would be Rs. 2,000 i.e. Activity B can also be completed in 2 weeks at a cost of Rs. 6,000.

Assume that all the dependent activities commence immediately on completion of the activities preceding them.

Given below is a set of inter-related activities required to complete a project undertaken by a contractor.

Activity	Preceding Activity	Normal Time (Weeks)	Normal Cost (Rs.)	Crash Time (Weeks)	Crash Cost (Rs.)
A	None	3	3000	2	5000
B	None	4	4000	2	6000
C	None	5	5000	3	8000
D	A	8	5000	6	6000
E	A, B	3	3000	2	4000
F	C	5	4000	3	8000

Q: If the project is to be completed in 10 weeks, then what would be the minimum cost involved in the project?

Q: The contractor has bagged the contract on the condition that it would be completed in eight weeks. If a penalty of Rs. 2,500 per week is to be levied for late completion of the project and a bonus of Rs. 1,000 per week is to be awarded to the contractor for early completion of the project, then which of the following conditions would be ideal for the contractor if the only parameter used is the cost involved?

- 1) Complete the project in 8 weeks.
- 2) Complete the project in 9 weeks.
- 3) Complete the project in 11 weeks.
- 4) Complete the project in 7 weeks.

Q: Taking the appropriate condition from the previous question, if activity B starts late by 2 weeks, then what would be the minimum cost involved in the project?

Q: What would be the ratio of the minimum time to maximum time required for the completion of the project? (Events that can be done simultaneously have to be done simultaneously).

[Click here for video solution](#)

QUANTIFIERS



Sonia
IIM L
CAT: 97.9
NITIE RANK 2
[Connect with](#)
[Sonia over](#)
[Linkedin](#)

“Never give up Sonia” , these were the words that have echoed in my ears for months now. I have mixed feelings penning down my journey from a mediocre student to somebody scoring a 97.9 %ile in CAT and converting my dream college – **NITIE with rank 2.**

‘Belling the cat’, a dream I have seen with open eyes, did not come easy without a cost ! It required hardwork, perseverance and dedication but most importantly the right mentor. A mentor like Sahil Sir who is a paragon of his domain yet, so humble with his students. I gave my first attempt in 2018 after taking coaching from one of the “best” online coaching institutes however, it turned out to be a disappointment as none of what was promised turned true.

With big doubts in my heart and an iota bit of confidence I spoke to Sahil sir and made a decision to join QUANTIFIERS around May and it won’t be wrong to say it has been the best one I made.

Starting with the perfect mentorship, Sahil sir didn’t only take out time to evaluate my strengths and weaknesses but also invested his time in devising strategies how I could maximise in my stronger areas and improve in the weaker ones gave me a great push. Gradually my biggest fear of the DILR section turned out to be a facade after he made us do more than 300 sets and I approached every set with a new learning experience. QA fears were promptly taken care of, the most important thing I learnt and would want to share is, how important is it to study relevant, I see many online coaching institutes teaching fancy stuff which is appealing to eyes but never relevant, at Quantifiers everything was served in the perfect proportion, not less, not more.

I don’t know how he does it but be it 10 am in the morning or 3 am in the night , sir managed to solve any doubt any time ! (Don’t believe me ti Feel free to ask any Quantifier student!)

CAT is not about how much you know its about how you approach it with whatever you know. This was what Sahil Sir taught me. A working woman, with a hectic schedule I had almost given up hopes on my dream but he didn’t. I did not follow any other material or youtube channel , etc.

I blindly followed what he said and here I am writing this post !

Even after securing a great percentile the first thing sir asked me was not to put a facebook post appreciating Quantifiers but kickstarting my GD-PI preparation that in itself defines the kind of person he is. After a couple of mock PI sessions with him I finally had the confidence that helped me convert my dream B school.

Thank you seems a little too less but I can’t really think I can express how much this journey taught me. Learnings I will stick by my entire life.

To all the aspirants out there, if there’s someone out there who will take your responsibility who heartily, Quantifiers is the brand you can bank upon !!

Good luck

SET 37: Analytical DI – Cost Allocation

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Four friends Amrita, Bansari, Charu and Dilshad went to a restaurant to eat and drink. They shared the total bill according to the drinks/food items they had consumed. The following incomplete table represents the base prices (i.e. prices excluding service charge and tax) of items consumed.

All prices are in Rupees.

For example, Amrita consumed a cocktail worth Rs. 250(excluding tax and service charge).

A person can either have a cocktail or a mocktail but not both. Everyone skips at most one food item except Bansari, who skips two items - Cocktail and Chicken Tikka. The total base price share of Charu was a multiple of 100.

Initially, Amrita paid the entire bill which amounted to Rs. 2418.75 (including 10% tax and 2.5% service charge on the base price). The others decided to return their share of the bill (including the share of tax and service charge) to her later.

	Mocktail	Cocktail	Paneer Tikka	Chicken Tikka	Pasta Carbonara	Total
Amrita		250		250		875
Bansari					125	
Charu	0			100	225	
Dilshad	50		100			450
Total Cost	150	300	400	500		

QUANTIFIERS

[Click here for video solution](#)

Q: Which is a valid amount that Charu can owe Amrita?(0 if CBD)

Q: What is the approximate difference between the amounts owed by Charu and Dilshad to Amrita? (Write 0 if CBD)

Q: How much service charge does Bansari pay for Paneer Tikka? (Write 0 if CBD)

Q: Bansari was short of money because of which she paid Amrita partially, and requested Dilshad to pay the remaining amount. If Dilshad paid Rs. 910 to Amrita, how much did Charu owe Amrita? (Write 0 if CBD)

Quant – Question of the day

A car was brought in for servicing when its odometer read 5700 km. During the servicing, it was found that the odometer had a fault because of which it always skipped the digit 4 and 6. How much distance in km had the car actually travelled? (Just write numerical value as 1254 etc., do not write km/m)

[Click here to watch solution](#)

SET 38: Condition based

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Each of the five friends: Annie, Brenda, Cindy, Dane and Emily had written exactly one of the tests from GMAT, CAT, XAT, SNAP and JMET, not necessarily in that order.

The percentage scores obtained by them in the tests were 50, 45, 40, 35 and 30, not necessarily in that order.

Further, it is known that:

1. Cindy did not write SNAP.
2. Brenda did not write JMET.
3. The percentage score in SNAP was more by 5 points than the test which Emily had written.
4. The percentage score that Annie obtained was more by 10 points when compared to the score in CAT.
5. The percentage score in GMAT was more than the percentage score in the test written by Cindy by 5 points.
6. The percentage score in the test written by Dane was more than the percentage score obtained in XAT by 10 points.

[Click here for video solution](#)

Q: If Annie had written GMAT, then what was the percentage score obtained in JMET? (Write 0 if CBD)

Q: Which test did Emily write? Assume data from the previous question. (Write 0 if CBD)

Q: What percentage of marks did Brenda score in the test she had written? Assume data from the previous question. (0 if CBD)

Q: At most how many of the following statements can be true?

- | | |
|--|---|
| 1. Annie had written SNAP and had scored 50% marks. | 2. Annie had written SNAP and had scored 45% marks. |
| 3. If Annie had written SNAP, then Dane had written CAT. | 4. If Annie had written SNAP, then Brenda had scored 30% marks in the test she had written. |
| 5. If Annie had written SNAP, then Cindy had written JMET. | |

SET 39: Venn Diagram

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

On Republic day 550 students of model high school were present for a special assembly. Once the assembly was over, principal asked the students to pick chocolates of their choice from 3 boxes kept at corner of the ground. Boxes 1, 2 and 3 contained chocolates Milkybar, DAIRY MILK and 5 STAR respectively. Owing to lack of teachers, students went havoc and picked as many chocolates as they could. Some more information is given below.

- A. 237 students picked DAIRY MILK, 246 students picked Milkybar and 275 students picked 5 STAR.
- B. 44 students picked all three types. No one picked more than one from any box. 45 students were disappointed to see all boxes empty

<https://youtu.be/tuY8waYZjdY>

1. If the number of students who picked both DAIRY MILK and Milkybar but not 5 STAR is 79, then how many students picked only 5 STAR?
2. If the number of students who picked only Milkybar is 87, how many students picked both DAIRY MILK and 5 STAR? (Use data from previous question if necessary.)
3. Number of students who picked only 5 STAR is greater than the number of students who picked only Milkybar. Also, the number of students who picked only Milkybar is greater than number of students who picked only DAIRY MILK.
What is the maximum number of students who picked both 5 STAR and Milkybar but not DAIRY MILK?
4. Fifty DAIRY MILK, fifty Milkybars and fifty 5 STARs expired. At least ten expired chocolates of each kind had gone to children picking more than one chocolate. If students do not eat expired chocolates, what will be the difference between the maximum and the minimum number of students who could not eat chocolates?



CAT: 98.3
XAT: 99.803
XLRI - BM (Converted),
IIM K (Converted)

Quantifiers is definitely a place to go for any aptitude exam preparation. The effort that the mentors put in are commendable. Constant Practice and discipline are the most important elements that a student needs and I incorporated them via Quantifiers.

At the end, I would like to thank all the mentors who contributed towards my success and made my journey to XLRI easier.

- NIKHIL JINDAL

SET 40: Pure DI

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

The staff of "Zeus labs - eLearning school" is classified into two categories: Teaching staff and Non-teaching staff (Security, Pantry, Clerks etc.). Further the staff could be Regular or Temporary (Part time, Freelancing, Contractual etc.) in nature.

Moreover it is known that:

1. The number of regular non-teaching male staff is 25 less than the number of temporary teaching female staff.
2. The number of regular teaching male staff is 5 less than thrice the number of temporary non-teaching female staff.
3. Ratio of number of non-teaching female staff, those who are regular to those who are temporary is 4 : 3.
4. Number of temporary non-teaching male staff is 10 less than number of regular non-teaching female staff.
5. There is more than 180 teaching staff and exactly 145 female staff.
6. The number of female teaching staff is minimum possible.
7. The number of regular teaching female staff is 10 less than twice the number of temporary teaching male staff.
8. Number of males, females in each category is at least 10 and a multiple of 5.

[Click here for video solution](#)

Q: Number of male staff of the school is _____

Q: By how much is regular staff of the school more than the temporary staff

Q: What percentage of total staff is non-teaching staff? (Round off your answer to the nearest integer)

Q: What percentage of teachers are temporary? (Round off your answer to the first decimal point)

**If you want to receive these sets,
important questions and practice links
in WhatsApp inbox, fill the form**

[Click here to fill the form](#)



SET 41: Conditional Arrangement

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Eleven dancers of the Elite Dance group - Arun, Amar, Antony, Annama, Akila, Akbar, Anbu, Albert, Akka, Arul and Arivu - are participating in a dance program. The following grid shows the manner in which they are laid out.

The dancers are arranged according to an imaginary grid of four rows and five columns. All the dancers are facing the audience.

Further information known about their arrangement is as follows:

- Neither Arun nor Akila are in the same column as dancer-3 or dancer-10.
- The dancer-11 is in the same column as Akka, who is neither in the same column as Arul nor in the same row as Akbar or Annama.
- Antony and Akbar must be in the same row.
- Amar and Albert are in the same column.
- Anbu and Arivu are in the same column.
- Antony and Annama are in the same column.
- Neither Arun nor Akila nor Akka is the dancer-11.
- Akila and Akbar are in the same column.
- Anbu and Amar are in the same row, there are three dancers between them and Amar is to the left of Anbu.
- Antony and Arul are in the same row and Arul is to the immediate left of Antony
- The dance that will be played by these 11 dancers is so unique that only one dancer dances at any given point of time

Also, it is known that the first movement of the dance is done by dancer-11 and any successive movement is done by the dancer who is either horizontally or vertically next to the dancer that completed his movement (i.e. After dancer-9, dancer-8 or dancer-5 or dancer-10 can dance). The final movement of the dance is either done by dancer-1 or dancer-2. It is not necessary that all dancers dance on the stage.

THE STAGE LAY-OUT OF THE ELITE DANCE GROUP

↓ AUDIENCE ↓				
	Dancer-1		Dancer-2	
Dancer-3	Dancer-4	Dancer-5	Dancer-6	Dancer-7
Dancer-8		Dancer-9		Dancer-10
		Dancer-11		

Q: Who is dancer-11? (0 if CBD)

Q: If no person dances twice, then in how many ways can the dance be performed?

Q: Who is Arun?

- 1) Dancer-9
- 2)Dancer-10
- 3) Dancer-6
- 4) None of these

[Click here for video solution](#)

Quant – Question of the day

In triangle ABC, $AB = 60$ cm, $BC = 80$, $CA = 100$ cm. D is a point AC such that perimeters of triangles ABD and CBD are equal, If length of BD is $A\sqrt{5}$, find the value of A.

[Click here to watch solution](#)

SET 42: Condition based

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Dangal', a national level wrestling competition, had the top five contestants from 9 states viz. Andhra Pradesh, Bihar, Gujarat, Karnataka, Madhya Pradesh, Maharashtra, Punjab, Rajasthan and Tamil Nadu from 2011-15. The top five wrestlers for each year were from the following states (in any order):

- 2011: Andhra Pradesh, Bihar, Gujarat, Karnataka, Madhya Pradesh
- 2012: Maharashtra, Bihar, Madhya Pradesh, Karnataka, Gujarat
- 2013: Madhya Pradesh, Punjab, Maharashtra, Gujarat, Karnataka
- 2014: Maharashtra, Rajasthan, Karnataka, Madhya Pradesh, Punjab
- 2015: Tamil Nadu, Rajasthan, Madhya Pradesh, Punjab, Maharashtra

[Click here for video solution](#)

In each year, the winner, first runner-up and second runner-up were awarded Rs. 5 lakh, Rs. 3 lakh and Rs. 2 lakh respectively. Rajasthan is the only state whose participant featured in the top three in two consecutive years. The table below shows the total amount of money won by different states (in Rs. lakhs) over the period

State	AP	Bihar	Gujarat	Karnataka	MP	Maharashtra	Punjab	Rajasthan	TN
Money	5	5	8	4	7	6	5	10	0

Q: The runner-up in 2014 belonged to which state?

Q: What was the prize money won by the wrestlers from Rajasthan and Punjab together in 2015?

Q: The top three wrestlers of 2013 were from:

- 1)Gujarat, Madhya Pradesh, Punjab
- 2) Madhya Pradesh, Maharashtra and Punjab
- 3) Gujarat, Karnataka and Madhya Pradesh
- 4) Gujarat, Karnataka and Maharashtra

Q: The wrestler from Maharashtra was a runner up in?

For every answer, write 999 if CBD.



IIM Indore, IIM
Kozhikode, IIM Shillong,
IMT Ghaziabad, MDI

Non - Engineer

Quantifiers is an excellent platform to learn and revise. We learnt new concepts through videos and recordings. All the doubts were taken up and thoroughly explained and even got to learn from other's doubts and mistakes. We were even prepared for GK questions with regular quizzes to test us. We were constantly motivated by Sir to work hard and give our best. Overall, Quantifiers helped me to perform well due to which I got calls from IIM Indore, IIM Kozhikode, IIM Shillong, IMT Ghaziabad, MDI and many other good colleges.

- ANANYA JAIN

**If you want to receive these sets,
important questions and practice links
in WhatsApp inbox, fill the form**

[Click here to fill the form](#)



SET 43: Condition based DI

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Mr. Chintamani, a shrewd investor on Dalal Street, after witnessing a stupendous downfall in his earnings sat down to analyse his performance over last couple of years as an investor.


The chart below depicts his performance as an investor.

Mr. Chintamani could not recollect what X and Y stood for but knew that X and Y must be definitely from among his Savings, Expenditure and Savings percentage.

Savings = Income – Expenditure **QUANTIFIERS**

Savings % = (Savings/Expenditure) × 100

All the amounts, i.e. Savings, Expenditure and Income are in Rupees thousands(Rs. '000)



[Click here for Video Solution](#)

Q: The maximum possible expenditure in Rs'000, of Mr. Chintamani in any of the given years is: _____

Q: The least possible income in Rs'000, of Mr. Chintamani for the year 2000 is _____

Q: If the savings percentage between two consecutive years differ by m percentage points, then what could have been the maximum possible value of m ? _____

Q: The Savings % of Mr. Chintamani could have been same for at-most of how many given years? _____

For each answer write 999 if CBD

SET 44: Condition based

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

There were these five call centre executives: A, B, C, D and E who sat gossiping during their lunch time on the cubicle numbers that they had. Cubical numbers are natural numbers.

The table gives the details of the conversation that these friends had between them.

QUANTIFIERS

Deciphering the table:
From the third row, C says to D that the difference in their cubicle numbers is 6.

Further, whenever the person talks to another person who sits in a cubicle numbered higher than him he would always speak the truth and whenever he speaks to the person who sits in a cubicle numbered lower than him he would tell a lie.

LISTENER		A	B	C	D	E
SPEAKER	A	-	$B = 1.7A$			
	B		-	$E < C, C - D = E - D $		
	C	$C = A + 10, B < D$		-	$ C - D = 6$	
	D		$D = E + 9$		-	
	E		$E = A + 7$			-

**If you want to receive these sets,
important questions and practice links
in WhatsApp inbox, fill the form**

[Click here to fill the form](#)



- Q: What is the cubicle number of C?
- Q: What is the difference in the cubicle numbers of A and D
- Q: What is the sum total of the cubicle numbers of all these friends?
- Q: This person sits in the cubicle number farthest from the average of the five cubicle numbers. Who is he?

For every question, write 999 if CBD

[Click here for video solution](#)

SET 45: 5 variable arrangement

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

During a recent arrow hitting contest, five contestants were tested on their ability. Each of the contestant shot 60 arrows. The shots were classified into 3 types; hit, miss and almost hit. The hit of the players were {25, 18, 23, 16 and 21}. The miss of the players were {16, 18, 20, 24, 22}. Each of them had put on a jacket of different colour and each of them was different years old. Each of them had a different age from 21 to 25 years. The following details were known about them;

Sharad's almost hit were 26 but he wasn't 24 years old.

Kavita's hit was 23, she had a lowest "almost hit" together with Chandru, She didn't wear Grey Jacket,

Person aged 24, hit 25 arrows on target and missed 22 arrows.

Kavita was 21, also, there was someone wearing blue and a black jacket

Neither of Ankita, nor Sharad wore a grey Jacket.

Ankita is 1 year elder to Sharad

Person who is 23, missed 20 shots, while person aged 25 hit 21.

White jacket was put on by a person whose almost hit is 23 while cream jacket was put on by a person whose miss is 24.

Ankita had almost hit of 22 while Pulkit missed 16.

Q: How many shots Sharad "hit" ?

16 18 20 24

Q: Chandru is wearing a _____ color jacket.

Q: Who was wearing a black colored Jacket?


Ankita Sharad Chandru CDB

**If you want to receive these sets,
important questions and practice links
in WhatsApp inbox, fill the form**

[Click here to fill the form](#)



[Click here for video solution](#)



Someday if
you won't
believe in
yourself, we
will make
sure you're
coming
back
stronger

Quant – Question of the day

The equation $ax^2+bx+c = 0$ and $5x^2+12x+13 = 0$ have a common root where a,b,c are the side lengths of triangles ABC then find Angle C

[Click here to watch solution](#)

SET 46: If Else

[Click here to watch video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

After the elections, in the year 2080, in the state of Newtonia, four parties A, B, C and D form a coalition government. As party A has the maximum number of seats in the alliance, it gets the post of Prime Minister (PM). There are four more posts, Home Minister (HM), Finance Minister (FM), External Affairs Minister (EM) and Defence Minister (DM).

All the four parties are going to be allotted one post each. The parties put forward the following conditions before the PM, who is going to allocate the ministries:

- 1. If A gets HM, then B does not get EM.
- 2. If C gets EM, then D does not get FM.
- 3. If B does not get HM, then D gets DM.
- 4. If C does not get FM, then D gets FM.
- 5. If D gets EM, then A does not get DM.

QUANTIFIERS

Q: Which party gets the Home Ministry?

- 1) A 2)B 3)C 4)C or D

Q: A gets which of the following ministries?

- 1) EM 2)HM 3)DM 4)DM or HM

Q: Which party gets the Defence Ministry?

- 1)A 2)D 3)C 4)D or C

[Click here to watch video solution](#)

SET 47: Condition based

[Click here to watch video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Four women – Amrita, Babita, Chameli and Dimple – and three men – Eshwar, Farooq and Ganesh -- were part of a party. These men and women comprised three married couples and a widow. The widow was the host of the party. After the party, they decided to play carom. They played exactly four games, each starting at 9:00 pm, 10:00 pm, 11:00 pm and 12:00 am respectively. The following information was also known about the games:

1. The host played in the first and the last game.
2. The members of any married couple were never partners in a game.
3. The host won none of the games, while Dimple and Amrita won exactly one game each.
4. As Eshwar was getting late, he didn't play after the 10:00 pm game.
5. Not more than one married couple ever played in the same game.

Apart from this, the teams in each game (in no specific order) are as listed below.

Partners		Partners
Amrita and Eshwar	Vs	Babita and Farooq
Amrita and Ganesh	Vs	Dimple and Farooq
Babita and Chameli	Vs	Farooq and Ganesh
Chameli and Eshwar	Vs	Dimple and Ganesh

Q: Who is the host?

Q: Who won the 11:00 pm match?

Q: Who among the following won the maximum number of matches?

1) Dimple 2)Chameli 3)Farooq 4)Ganesh

Q: Members of the winning team gets 2 point each, while members of the losing team gets 1 point each. Which among the following pair of people had the highest total points?

1)Eshwar and Chameli 2)Dimple and Eshwar
3) Chameli and Farooq 4) Babita and Dimple

[Click here to watch video solution](#)

SET 48: Condition based DI/Venn Diagram

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

5000 applicants from 3 different backgrounds, – B.Tech., B.Com. and B.Sc., applied for jobs in a software company. It was observed that some of the applicants with experience did not have any certification, but all those without any experience had either a .NET or a Java certification or both. Further 20% of the total applicants are from B.Tech. background. The total number of applicants who have both .Net and Java certification is 1400, of which 200 are from B.Com. background.

According to the table, of the B.Tech. applicants, 40% are experienced, 60% hold a Java certification and 40% neither hold .NET nor Java certification

Background	Experienced	.NET Certification Holders	Java Certification Holders	Neither .NET nor Java Certification Holders
B.Tech.	40%		60%	40%
B.Com.	30%	60%		20%
B.Sc.		40%		10%
Total	44%	52%		20%

Q: What percentage of the total applicants hold a Java certification?

Q: How many Java certification holders are from B.Com. Background?

Q: How many applicants from B.Sc. background are experienced?

Q: What is the maximum number of B.Com applicants without experience having exactly one certification?

[Click here for video solutions](#)

QUANTIFIERS

Quantifiers #MILKEKRENGE

*With a bag-full of dreams you begin this rollercoaster
ride,*

Don't worry you have Quantifiers by your side.

*At every step you feel like giving up,
All We teach you is how to speed up.*

*Day and night you study with utmost dedication,
I'll take you to your dream B school journey without any
abberation.*

*Mock tests ke low score se jab ho jaaoge demotivate,
Ek nayi playlist with lots of practice questions kardunga
mei create !*

*Har ek test aur mocks ke score jodenge,
Trust me, hum "milke phodenge"*

Visit [www,quantifiers,in](http://www.quantifiers.in) to enroll | Call/WA: 9988656560

SET 49: Games & Tournaments

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

The table below is the league table at the half-way stage in an Asian football tournament. So far, every team has played every other team in its pool exactly once. The positions in the group have been determined in the sequence: maximum number of points, followed by higher goal difference in case of a tie in points. Every match has 3 possible results: Win, Loss or Tie (Draw). Each win fetches three points while a loss gives no point. In case of a tie, a point is given to both the teams. Some information is missing in the table.

Position	Team	Matches Played	Win	Loss	Tie	Goals For	Goals Against	Points
1	Iran	5				14	4	15
2	S Korea	5				11		10
3	Japan	5				9	6	8
4	UAE	5				2	6	
5	China	5				2	9	2
6	Oman	5				4	12	

The following additional information is available:-

All teams were on a different number of points.

UAE beat Oman 2-1 in their head-to-head encounter.

QUANTIFIERS

[Click here for video solution](#)

Q: Which team won the match between Japan and UAE?

Q: How many matches ended in a tie until the halfway stage of the Qualifiers?

Q: What was the minimum number of combined goals scored by both participating teams in any of the matches played so far?

Q: What is the maximum possible combined number of goals in the match between South Korea and UAE?

SET 50: Binary logic

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

3 friends A, B, C have made 3 statements about 3 shapes drawn on the black board of their classroom. It is known that 1 of them is a liar, 1 is a truth teller and 1 speaks a random mixture of truth and lies (called alternator).

A:

2 of them are circles

B is a liar.

C is a liar.

B:

2 of them are squares

A is not a truth teller.

I am not a liar.

C:

At least 2 of them have 4 sides each.

B is the truth teller.

1 of the shapes is a circle.

Q: Which of the following can be the list of 3 shapes?

- | | |
|----------------------------|----------------------|
| 1) Square Circle Rectangle | 2) 2 Squares, 1 Oval |
| 3) 2 Squares, 1 Circle | 4) None of these |

Q: C's three statements in the same order (1 → 2 → 3) are:

- | | |
|--------------------------|------------------------|
| 1) Truth → Truth → Truth | 2) Truth → Lie → Lie |
| 3) Lie → Lie → Lie | 4) Truth → Truth → Lie |

Q: Who is the truth teller?

- | | | | |
|------|------|------|-------------------------|
| 1) A | 2) B | 3) C | 4) Cannot be determined |
|------|------|------|-------------------------|

Q: A fourth person - D - makes 3 statements, as given below. What kind of a person is he?

A is not the alternator.

All three figures are quadrilaterals.

At most one of C's statements is true.

- | | | | |
|---------|---------------|-----------------|--------|
| 1) Liar | 2) Alternator | 3) Truth Teller | 4) CBD |
|---------|---------------|-----------------|--------|

[Click here for video solution](#)

SET 51: Conditional DI

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Akshay, Manoj, Pradeep, Vishal, Vinod and Priya received a total of fifty presents for Christmas. The difference in the number of presents received by Manoj and Akshay is same as that received by Vinod and Priya.
The number of presents that Manoj received is twice that of Vishal.
The number of presents received by Pradeep is thrice that of Vinod.
The number of presents received by Priya, Vinod, Vishal, Pradeep, Manoj and Akshay are in increasing order.
Everyone received some present

Q: What was the median value of number of presents received?

Q: How many presents have Akshay and Priya together received?

Q: Sid planned to give this group a few more presents such that the number of presents with the group formed an increasing A.P. A specific person may or may not have received extra presents, but no person saw a decrease in original number of presents with him/her. What would be the minimum number of extra presents that Sid would need to buy?

Q: Akshay split exactly half of his presents equally among two other people in the group, such that the total count of prime numbers in the group remained constant. In how many ways could he have done it, if no two numbers in the new group were the same?

[Click here for Video Solution](#)

Quant – Question of the day

What is the total number of integral values of x that satisfies the given inequalities

$$\left| 3 - \frac{|6x|}{4 + |2x|} \right| \geq \frac{1}{4}$$

[Click here to watch solution](#)



Amirtha
IIM C
CAT: 99.14
XAT: 99.98
[Connect](#)
[with](#)
[Amirtha on](#)
[Linkedin](#)

“Quantifiers” the name itself brings back mixed feelings of struggle, hardwork and triumph. It takes me to my journey with this wonderful organization that began in 2019 June.

A regular CAT aspirant, I was determined to crack CAT this time as it was my third and final attempt. I rigorously joined every possible CAT preparation group on social media platforms and ‘Quantifiers Batch 2’ was my calling!

Certainly impressed by the active participation of the Sahil Arora on the group and his dedication towards his students, I decided to go with Quantifiers as my first preference. Without wasting time, I booked a demo class and ‘Voila’ that was probably the day that set the pace to my CAT preparation.

I have given CAT two times before but the only difference this time was the right guidance!

I’ll try and sum up my key take aways from this institute in bullet points and also share my strategy thereafter.

GUIDANCE and MENTORSHIP – I can’t recall a single day when I haven’t pinged Sahil sir for a query. Be it on the personal or academic front, he has always been somebody who sticks by his students be it 3 am at the night, I don’t know how he manages to do it, but try it yourself!

He makes sure he explains a question over and over again without losing his cool till all of his students get it!

I remember having hour long discussions about my mocks with Sir and he without a fail coming up with new strategies that surprisingly always worked in my favour 😊

My mock scores have fluctuated like a pendulum time and again and every time Sahil sir has turned out to be a zephyr of motivation.

STUDY MATERIAL – A very popular saying “Too many cooks spoil the broth” is something I have stuck on. I blindly followed Quantifier’s study material.

QA and DILR: I can proudly say the variety and diversification in their content is superior to many other coaching centres. You name a topic and Sahil sir made sure he’d give you tonnes of questions to get of the phobia. Talking about DILR, we have always had super interesting classes that covered a variety of content which is the most important aspect of the LRDI section and their LRDI playlist evidently speaks for itself.

I blindly followed every single thing that Sahil Sir said, never I experimented anything and everything kept falling in place, the thought clarity with which things were explained to is simply amazing.

MY SUCCESS MANTRA – A thing that makes Quantifiers unique is its strategy. They don’t teach over complicated formulas or topics that hold no relevance on the D-Day.

We were taught the conceptual approaches for every topic and also shortcuts wherever necessary.

PEER TO PEER LEARNING – The group discussions are super interactive and rich. Multiple approaches to solve a single question helps in the revision of some previous concepts and also helps building up the grey matter in our brain !

All of these things helped me bell my CAT exam as I was calm and confident.

Before approaching any set Sahil Sir’s words and techniques echoed and gave me the confidence to ace every section on the D – Day. Immediately after CAT, when other coaching centers slowed down, Sahil sir made sure we shift our focus to XAT without wasting any time. As a result of which I performed really well in that exam too.

With a score of 160 I managed a 99.14%ile in CAT (VARC/DILR/QA = 99.26/97.64/96.73) and a 99.985 percentile in XAT (VA/DM/QA = 98.12/99.97/99.4).

I’d like to end it by saying that I can assure you Quantifiers is not just a random money making venture but a family, being a part of which, you won’t ever regret! Difficult times require tough measures and Sahil Sir will be the perfect mentor to guide you through that.

All the best for your preparation.

SET 52: Conditional DI

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

There were seven students A through G who took an exam that had four subjects viz., QA, VA, LR and DI. Their scores/marks are integrally scaled to 10. The highest by anybody in any of the papers is 10 and the lowest is 5. Average indicates average score in the four subjects. None of the students, except A, got the same marks in more than one subject. Not more than one student got 10 marks in any of the subjects. Except for B all the students got 5 marks in one of the subjects. A, B, C, and D were the only students to get 10 marks and they got 10 marks in different subjects. Their averages are 6.5, 7, 7.25, 7.5, 7.75, 8, 8.25 not in any particular order. The table below shows the marks obtained by different students in different subjects

	QA	VA	LR	DI	Average
A	9	a	10	b	8.25
B	d	c	6	8	7.75
C	e	9	f	8	l
D	h	g	5	10	m
E	8	i	7	6	n
F	9	8	j	5	o
G	9	8	k	6	p

Q: Which of the following is the value of $(f + l)$?
1)16 2)13 3)15 4)18

Q: Which of the following can be the maximum value of $(a + c + j)$?
1)26 2)29 3)25 4)27

Q: Which of the following cannot be the value of $(g + m + n)$?
1)21 2)22 3)23 4)24

Q: What is the average score per student per subject?
1)7 .83 2)6.33 3)6.92 4)7.46

[Click here for Video Solution](#)

SET 53: Conditional DI

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)




[LinkedIn](#)


To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

A, B and C were contenders for the post of President. The President was to be selected based on votes received from the MPs in the Lok Sabha. Each MP had exactly one vote and there was no MP who abstained from voting. A, B and C received 208, 163 and 169 votes respectively. The votes received by each candidate were categorized geographically into four zones: North, East, South and West. The percentage share (closest possible value) of each zone's vote for each candidate is as shown below:


Candidate A



Candidate B



Candidate C



[Click here for video solution](#)

Q: To have a majority in the Lok Sabha, a party needs to have the support of atleast 55% of the MPs. Winning all seats in which combination of zones will give a party a majority, without it having to win a single seat in the remaining zones? 1 MP corresponds to 1 seat.

- 1) North and South 2) North and East 3) West and North 4) None

Q: What is the lowest number of votes received by any candidate from a zone?

Q: Due to technical issues, a re-election has been announced. A is expected to get the same votes as earlier. To ensure A's defeat, B and C have entered into a back channel agreement, where all MPs voting for B from a certain zone would vote for C. All MPs originally voting for C would maintain their vote. Which zone's shift to C would ensure a victory for C?

- 1) North 2) West 3) East 4) South

SET 54: Conditional DI

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Amazon, Boomers, Crawlers, Dabblers and Easers, are all warehousing corporations specializing in handling different types of cargo viz. Rubber products, Elastomers, Operative tools, Hydraulics and Sanitary products, not necessarily in that order. These warehouses are all located in the same city but in different areas viz. Danto Point, Kinjo Point, Pinto Point, Mingo Point and Chino Point and have their cargo coming in from the cities Calicut, Erode, Agra, Coimbatore and Salem, not necessarily in that order. Only one of the warehousing corporations has its name, its location in the city and the name of the city from where it receives cargo starting with the same letter.

Only one warehousing corporation has its name, cargo handling specialization, location in the city and the city from which it receives its cargo; all starting with different letters. The remaining warehousing corporations have at least one of the parameters (cargo handling specialization, location in the city and the city from which it receives its cargo) starting with the same letter as their name. Also: Dabblers receives its cargo from Erode.

Amazon is located at Mingo Point but does not specialize in handling Rubber products and Elastomers.

Boomers specializes in handling Hydraulics.

The warehouse which receives its cargo from Agra does not handle Sanitary products.

Q: Which of the following warehousing corporations specializes in handling Operative tools?

- 1)Amazon 2)Boomers 3)Crawlers 4)Dabblers

Q: If Crawlers does not receive its cargo from Coimbatore, from where does Easers receive its cargo?

- 1) Calicut or Coimbatore 2) Salem 3)Salem or Calicut 4)Salem or Coimbatore

Q: The warehouse which specializes in handling Elastomers is located in which part of the city?

- 1) Kinjo Point 2) Pinto Point 3) Chino Point 4)CBD

[Click here for Video Solution](#)



Shashwat

IIFT

CAT: 99.19

IIFT: 99.41

SNAP: 99.975

[Click here to
connect
with
Shashwat on
Linkedin](#)

They say stars shine on the darkest of nights and a ray of light is all it takes to get rid of the darkness. After two CAT attempts, I couldn't get anywhere near my dream college I was in an atrocious state of mind. A General-Engineer-Male candidate who had secured in early 90s in 2 attempts, I was perplexed about the future. Despite working indefatigably - attending classes, solving assignments and giving regular mocks I was unable to achieve my desired scorecard. A very close friend of mine then suggested me to join Quantifiers - the brainchild of Mr. Sahil Arora and his team. To be very honest, I wasn't very convinced considering it to be an online medium of study, moreover there were more popular names that topped the list of online coaching institutes for management exams. However, after talking to sir once over call I was fairly convinced that he got the crux of what I really needed. Without wasting another second, I signed up for a demo class and it exactly offered me what I was lacking - a new perspective. Every question had multiple approaches and a theoretical basis. I genuinely struggled with Geometry and the workshops and rigorous sessions made me fall in love with it. The most dreaded section for me was undoubtedly DILR. Sahil sir made sure that he covered all the possible varieties - from super easy to super complicated sets in his classes. Gradually even my hit and trials started being on point and his voice used to echo in the backdrop whenever I approached a new set. I managed to fetch 96+%ile in CAT 2019. Not to forget the countless revision sessions and workshops we have had were a pure delight for any cat aspirant to attend. Another major loophole in my preparation was the wrong question choices and set selection, both of which were worked upon by my mentors at Quantifiers. Further, I didn't know the proper way to analyse mocks and always took it lightly and neglected it. After personal mentoring sessions with Sahil sir I finally realised why it was so imperative to analyse mocks and how much could I have improved had I done it before. Thus a proper study plan coupled with rigorous mentoring sessions and topped with the most unique set of questions helped me to score a 99.19 percentile in CAT with sectional percentiles as follows - 98.3 | 96.37 | 98.72 | VARC | DILR | QA. Moreover, I was also able to do justice to all the other exams and managed a 99.975 percentile in SNAP and a 99.41 percentile in IIFT (my dream college). The thing that makes Quantifiers all the more special is that they are really concerned about their students. The first thing that sir said after congratulating me for my result was "get ready for your mock PIs now, we begin from tomorrow." Everything was so well planned and executed that I managed to clear all my interviews with flying colours. It takes a lot of courage to re write this exam, please invest your time and money at the correct place. Quantifiers isn't any random coaching institute craving for your money, they are a family who'll nourish you till you metamorphosize into a person you always dreamt to be. All the best and good luck for your preparation.

SET 55: Entry Exit Type

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Jay, Aadi, Ram, Chintu, Bheem, Raj, and Seeta often played in a garden in their locality. One day the guard noticed ten broken flower pots and he suspected it was the work of the seven children. The guard got the following answers when he tried finding out who was present in the garden on that day. He found that three of the children had visited the garden twice that day

1. Jay: When I came, Ram and Aadi were already playing and we three were the first ones to reach the garden on that day. I later left with Ram.
2. Aadi: I went twice to the garden that evening. The first time I went only for a short time and left immediately after Chintu arrived. The second time I arrived, I, Bheem and Raj were the only people chatting for some time. I and Seeta were the last persons to leave the garden.
3. Bheem: I went to meet Chintu while he was playing in the garden. Other than Chintu, only Jay and Ram were present when I reached. I returned along with Raj and Ram.
4. Raj: I went to wish happy birthday to Seeta, but when I reached only Chintu and Bheem were there. Seeta joined us later.
5. Seeta: When I reached the garden, only four of us were there. Bheem and Raj were busy playing badminton. So I went home along with my brother.
6. Ram: I and Seeta both went twice to the garden. I and Seeta went together the second time to look for her frisbee which she forgot in the garden the first time she went there

Q: Who is Seeta's brother?

- 1)Aadi 2)Ram 3)Chintu 4)Jay

Q: How many people met Raj in the garden?

- 1)4 2)2 3)5 4)CBD

Q: Who was the fifth person to enter the garden?

[Click here for Video Solution](#)

SET 56: Venn Diagram

[Click here to watch video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

In a popular vegetable market, vendors sell tomatoes, cabbages, onions and potatoes. 56 sell tomatoes, 41 sell cabbages, 44 sell onions and 60 sell potatoes. The number of vendors selling only potatoes is four times the number of vendors selling only cabbages. The number of vendors selling only tomatoes is thrice the number of vendors selling only onions. The number of vendors selling only onions and potatoes is twice the number of vendors selling only tomatoes and cabbages. The number of vendors selling only potatoes and tomatoes is twice the number of vendors selling only onions and cabbages. The number of vendors selling only cabbages and potatoes is twice the number of vendors selling only onions and tomatoes. The number of vendors selling any three of the vegetables is equal. There is at least one vendor who sells only tomatoes. 35 vendors sell only one of these vegetables and 10 vendors sell all four.

Q: How many vendors sell tomatoes and potatoes?

Q: How many vendors did not sell potatoes?

Q: How many vendors were there in the market?

Q: How many vendors sell atmost three vegetables?

[Click here to watch video solution](#)

SET 57: Arrangement

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

There are 12 volumes (books) of an Encyclopedia i.e. A to L. These are kept on a shelf in two rows – row 1 and row 2 such that row 1 is directly above row 2. All the books have identical dimensions and are at equal distances from their neighbours. There are six books in each row, and each book in row 2 has one book directly above it in row 1. There are no other books on this shelf. Further:
The distance between books F and L is the same as the distance between books G and D. This distance is more than the distance between any two books on the shelf.

Books A, D and E are in row 1. Books H, I and J are in row 2.

There is exactly one book to the left of book B.

Book A is equidistant from books J and H. Book E is equidistant from books I and L.

Book K is directly above book J.

The number of books between K and D is same as the number of books between J and L.

There is no book below book G.

[Click here for Video Solution](#)

Q: How many different arrangements of books are possible?

Q: Which book can be directly above book C?

Q: How many books are there between books D and F in the same row?

Q: Ravi takes out book A from the shelf and pushes the rest of the books to the left. After finishing book A, he puts it back on the shelf in the empty slot. Now, how many books are there between F and E?

For each answer, write 99 if Can't be determined

Have you enrolled with the booster courses yet? This is the perfect time
Visit www.quantifiers.in



Varsha

IIM B

CAT: 98.67

IIFT: 97.98

[Click here to
connect
with Varsha](#)

I was self-preparing for CAT, my scores were decent but there was something missing, I experimented a few things, and while I was regularly attending the Quizzes on Quantifiers FB group, amazed by the regularity and the dedication, I decided to join their Crash Course, and that finally was the missing piece of my puzzle.

I get the direction and guidance I was looking for, the personal attention given to each aspirant is commendable. Pedagogy followed, with the structure, quizzes, mock analysis, motivation was cherry on the top.

Any aspirant confused between any choices, just go through their YouTube Channel and your decision will be crystal clear.

Good luck to everyone who's going to travel the journey filled up with ups and downs.

SET 58:DI Based Arrangement

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

The table below shows the time table of Agra-Kolkata Express that leaves Agra at 5 pm and reaches Kolkata the next day at 5:20 pm. Distance at stations X and Y is distance from X upto Y.

- 1. What is the difference in the speed of the train excluding and including stoppages?**

2. Between which two consecutive stations does the train run the slowest?

1) Farrukhabad – Kanpur

2) Kasganj - Farrukhabad

3) Kanpur - Mughal Sarai

4) None of these

3. If the train runs the entire distance at the maximum speed with which it runs between any two stations, approximately how much time will it save? Assume that the stoppage time remain the same.

1) 205 minutes

2)245 minutes

3)330 minutes

4) 370 minutes

4. On a certain day, the train is delayed due to fog. It leaves Kanpur 2 hours late than the usual time. What should be its average running speed (in km/min) for the remaining distance so that it arrives at Kolkata at the scheduled time?
- The stoppage time at the stations remain the same.
- 1) 1.11

2)1.26

3)1.33

4)3.70
- | Station name | Arrives | Departs | Stop time | Distance travelled |
|--------------|---------|---------|-----------|--------------------|
| Agra | Starts | 17:00 | 0 | 0 km |
| Mathura | 17:55 | 18:05 | 10 min | 54 km |
| Kasganj | 19:50 | 19:55 | 5 min | 159 km |
| Farrukhabad | 22:00 | 22:10 | 10 min | 267 km |
| Kanpur | 1:05 | 1:15 | 10 min | 406 km |
| Mughal Sarai | 6:30 | 6:50 | 20 min | 742 km |
| Gaya | 9:33 | 9:38 | 5 min | 945 km |
| Dhanbad | 12:35 | 12:45 | 10 min | 1143 km |
| Asansol | 13:42 | 13:57 | 15 min | 1202 km |
| Durgapur | 14:27 | 14:29 | 2 min | 1244 km |
| Kolkata | 17:20 | Ends | 0 | 1405 km |
- [Click here for Video Solution](#)
- QUANTIFIERS**

Daily Quizzes

Because Practice Makes a Human Perfect

We start at 11..20 !!



Chandler Escobar, Mohit Balani and 27 others

589 Comments

Like

Comment

See you all @11.40!!

Just finishing some urgent work !

"OUR GREATEST GLORY IS NOT
IN EVER FALLING, BUT IN RISING
EVERY TIME WE FALL."

BATMAN

BESTANIA
BEST OF EVERYTHING

Antyakula Vamsi, Chandler Escobar and 38 others

714 Comments

Like

Comment



Sahil Arora Author A group of 8 men and 12 boys can complete a piece of work in 12 days. In how many days can a group of 40 men and 45 boys complete a piece of work three times as great, if 16 men can complete as much work in 8 hours as 12 boys can complete in 24 hours?

SET 59:DI

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Chart 1 below shows the number of days when the Indian cricket team played matches in various formats. A Test match is played for exactly five days while One-day and T20 matches are played in a single day. The team plays only one match per day. Chart 2 below shows the number of days when the Indian cricket team played various formats outside India as a percentage of the total number of days they played the same format in that year.

[Click here for Video Solution](#)

Chart 1





Chart 2



Q: In which year did the team play the maximum number of test matches outside India?

2011 2012 2013 2014

Q: What was the number of matches played by the team in India in the year 2011?

57 21 37 41

Q: In which year is the magnitude of percentage change in the number of one-day matches played in India over the previous year the highest?

2010 2011 2012 2013

Q: What is the ratio of the highest number of one-day matches played by the team in India in any year to the highest number of T20 matches played outside India in any year?

SET 60:DI

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

In the recently held city sports meet in Indore, contestants Jai, Ajit, Bimal, Veeru, Daniel, Aman, Chinoy, and Amjad bagged between them a total of 59 medals.

Given below is the data related to the medals received by the contestants.

1. Bimal won five times the number of medals Chinoy won.
2. Chinoy has one more medal than Aman.
3. If Daniel had won four more medals, he would have won the same number of medals as Jai.
4. Veeru had won eight more medals than one-third the number of medals won by Ajit.
5. If Jai had won one more medal than three times the number of medals he has won then, he would have won thirteen more medals than Amjad.

Q: What is the highest number of medals that a person could have got?

26 28 25 27

Q: What is the difference between the maximum and minimum number of medals that Amjad could have won?

27 18 12 None

Q: If Veeru had won 12 medals, how many medals would Jai and Chinoy win together?

12 8 10 6

Q: If Bimal had won the least possible number of medals for him, who won the least number of medals?

Ajit Aman Daniel Can't be determined

[Click here for Video Solution](#)

Quant – Question of the day

Find the number of 4 letter words that can be made from “PARALLELOPIPED”.

[Click here to watch solution](#)

Quantifiers

Redefining Personal Attention

Why us?


Regular Checks

Personal Mentoring

www.quantifiers.in ||

9988656560

**I need
personal
attention**



**Batch of 800 students at XYZ institute
Is the most vital element missing?**

SET 61: Venn Diagram

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

An engineering college invited 600 students for the counselling round. Two-thirds of the students were rejected right away for insufficient documents and the rest were given a choice of atleast one branch out of A, B and C. For every two students who were given the choice of only branch A, one more was given the choice of only branch B. For every five students who were given the choice of only branch C, three less were given the choice of only branch B. The number of students who got the choice of both B and C was 60 and the ratio of students who got the choice of both A and C to those who got the choice of both A and B was 5 : 7.

Q: The number of students who got exactly two choices was 60 and the ratio of the number of students who got the choice of both C and B but not A to the number of students who got the choice of both A and C but not B is 2 : 1. How many students got a choice of all three branches

45 35 40 30

Q: What is the maximum number of students who were given the choice of only branch C?

45 90 75 60

Q: How many students were given exactly one choice? (Refer to the data from the first question of the set, if required.)

110 130 120 None

Q: 20 students who got a choice for only C switched to only A. 5 students who got a choice for only A and only B category respectively switched to only C. What is the ratio of students who now had the choice of branches A, B and C respectively? Assume data from the first question.

109:111:121 117:125:133 111:109:123 111:109:120

[Click here for video solution](#)

SET 62:Conditional Arrangement

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

A, B C, D, and E are five students in a class. They had five subjects for their first term exam - Physics, Chemistry, Mathematics, Biology, and English. After the results were declared, it was noticed that every one of them was in the top five ranks in each subject. No student had the same rank in more than one subject. Also, in no subject did no two or more students have the same rank. D and A were ranked first and last respectively in a particular subject. The ranks of A, B, C, and D were respectively in A.P. in one of the subjects. B's rank was a prime number in Chemistry, Biology and Mathematics. A was ranked first in Mathematics and B was ranked fifth. B stood first in Physics. A and C stood third in English and Biology respectively.

Q: What was E's rank in Mathematics?

1 3 4 CBD

Q: What was D's rank in English?

2 5 1 CBD

Q: In how many subjects had D outperformed both C and E?

2 1 0 CBD

Q: If these are the only students in the class, who got the penultimate rank in Physics?

C D A CBD

[Click here for video solution](#)

QUANTIFIERS

SET 63: Binary Logic

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Piklu, Chiklu, Dholu and Neelu are four regions of a country called Urbanistan. Only three tribes - Abra, Cabra and Dabra - live in the four regions of this country. The people of Abra tribe tell a lie and a truthful statement alternately, in any order. The people of the Dabra tribe always lie. The people of the Cabra tribe always tell the truth. Akbar, Birbal, Chandragupta and Moreshwar came from different regions of this country. When asked about the region they came from, their replies were:

Akbar : I came from Chiklu. Moreshwar came from Dholu.

Birbal : I came from Dholu. Chandragupta came from Chiklu.

Chandragupta : I came from Piklu. Akbar came from Neelu.

Moreshwar : I came from Chiklu. Birbal came from Piklu.

It is known that exactly one of the four belongs to the Dabra tribe, at least one of them belongs to the Cabra tribe and at least one of them belongs to the Abra tribe.

Q: Who among the following is a Cabra?

Q: Who has come from Neelu?

Q: To which region does Moreshwar belong?

For each answer, write 99 if your answer is Can't be determined

[Click here for Video Solution](#)

QUANTIFIERS

Quantifiers: SNAP result



Shashwat
99.975



Dhruva
99.938



Anubhav
99.62



Aru
99.61



Kaustubh
99.54

Quantifiers: Making Education Easier

SET 64:Condition Based

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Priya wants to have a sandwich for dinner. She decides to go to the mall from home and buy all the required ingredients. It takes her 15 minutes to travel from home to the mall and vice versa. The following table represents all the required ingredients and stores (within the mall) from which they can be bought:

Priya takes 15 minutes to select any ingredient. Once the items are selected, the time required to go from one store to another and to get the billing done is negligible. Priya reaches home at 8:30 PM, after buying all the ingredients and traveling back and forth in the minimum possible time. Also

- 1. Priya bought cheese just before the relevant store closed.
- 2. Mint sauce was not the last product selected at Naik Kirana Store.
- 3. Jalapenos were not selected immediately before Bread or Chilli Sauce.
- 4. Priya kept the gap between selecting tomatoes and tomato ketchup minimum.
- 5. Priya visited each store only once.

[Click here for Video Solution](#)

Section	Ingredient	Timings
Iyer Dairy	Cheese	7:00 AM - 7:00 PM
Bisoyi Bakery	Bread	11:00 PM - 8:30 PM
Naik Kirana Store	Mint Sauce	12:00 PM - 8:00 PM
	Tomato Ketchup	
	Chili Sauce	
	Jalapeno	
Nair Fresh Veggies	Tomatoes	10:30 AM - 8:00 PM
	Lettuce	

Q: At what time does Priya buy Mint Sauce? 6:15 - 6:30 PM 7:00 - 7:15 PM 8:00 - 8:15 PM None

Q: Which was the fifth ingredient to be selected? Tomato Ketchup Chili Sauce Jalapenos Mint Sauce

Q: What was the time interval (in hours) between the time Priya finished selecting Lettuce and she started buying Chilli Sauce? 1 1.25 0.75 0.5

Q: Priya decided not to adhere to her condition that Tomatoes and Tomato Ketchup had to be purchased within the minimum possible gap. In how many ways could she have completed all her purchases?

SET 65 – Game Venn

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

To study the performance of three strikers – Villa, Torres and Messi – the coach of a football team analysed all the matches played by the team in the last season. The coach found that each of the three strikers played all the games in the last season and every goal scored by the team required the assistance/involvement of at least one of these three strikers. The total number of goals scored by the team in the last season was 37.

From the analysis, the coach obtained the following information about the three strikers.

1. Messi was involved in 20 goals scored by the team, which was the maximum number for any striker within the team.
2. The number of goals scored, in which Messi was the only striker involved, was equal to the number of goals scored in which Torres was involved such that that Torres was not the only striker involved in the goal scoring.
3. The number of goals in which Torres was the only striker involved was double the number of goals in which all the three strikers were involved.
4. Villa was involved in the scoring of 17 goals.
5. The number of goals in which Villa was the only striker involved was one less than the number of goals in which Torres was the only striker involved.
6. The number of goals in which Villa was not the only striker involved in goal scoring was 10.

After the analysis, the coach awarded points to the three strikers, based on the following conditions.

- a). If only 1 striker was involved in a particular goal, 3 points were awarded to the striker
- b). If 2 strikers were involved in a particular goal, 2 points each were awarded to both the strikers.
- c). If 3 strikers were involved in a particular goal, 1 point was awarded to each striker

Q: In how many goals was Messi the only striker involved in scoring the goal?

Q: How many points were awarded to Torres, for the goals in which Villa and Torres were involved in goal scoring?

Q: In how many goals was Torres not involved?

[Click here for Video Solution](#)

SET 66 – Condition Based

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

There are seven students (A, B, C, D, E, F, G) who have decided to read one book out of $B_1 - B_7$ and one novel out of $N_1 - N_7$ on each day of the week from Monday to Sunday. Exactly one book and one novel is read every day. They read them in two slots- Morning and Evening – on each day. No friend reads the same book or novel twice and only one friend reads on a given day.

- I. 3 novels were not read in the second slot and exactly two of them were of the same type (odd/even).
- II. E reads an odd numbered novel and book on Thursday in the first and second slot respectively.
- III. C and F did not read novels in the first slot during the weekend i.e. on Saturday or Sunday.
- IV. G read B_5 in the first slot and N_1 in the second slot on Friday.
- V. A read the same numbered book and novel.
- VI. B_2 , N_5 and N_2 were read on alternate days in the same order in the first slot.
- VII. B_2 , B_4 and B_3 were read on consecutive days but not necessarily in the same slot nor order.
- VIII. On Saturday the difference between the book number and novel number was 5 between the two slots.
- IX. The first novel of the first slot was read on Wednesday and A read N_6 on Sunday in the second slot.
- X. B_1 was not read on Monday and D read the highest numbered novel in the first slot

Q: How many distinct arrangements are possible, considering the people, the books and novels that they read and the days on which they read them?

1	2	8	CBD
---	---	---	-----

Q: Who reads N_2 and on which day?

B, Wed	B, Sat	D, Wed	D, Sat
--------	--------	--------	--------

Q: If F reads on Monday, then who reads N_4 ? ?

F	D	C	CBD
---	---	---	-----

Q: How many books and novels have been read before B_1 ?

7	5	6	CBD
---	---	---	-----

[Click here for Video Solution](#)

Quant – Question of the day

The sides of a triangle are three consecutive natural numbers and its largest angle is twice the smallest one. Find perimeter.

[Click here to watch solution](#)



CAT: 98.68
XAT: 97.28
NMAT: 214

I was studying from Sahil sir and joined Quantifiers because of him. It was the group that helped me stay focused towards my goal. So many questions, be it doubts of other students or the questions posted by sir covered a wide variety of concepts. Video explanations of these questions and concepts posted by Sir, helped get a good understanding. The daily RC posted in the group was a tool for me to build a reading habit.

Above everything, the constant push by Sir to attempt these questions kept me going through the preparation phase.

Quantifiers has had a big impact on my performance and I am happy that I joined it at the right time.

- DHANEESH KOHLI

[Click here to connect with Dhaneesh on LinkedIn](#)

SET 67 – Condition Based Arrangement

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

There are five parties - A, B, C, D and E - contesting in an election. There is a bet on the probable winner. As per the betting rules, if a person bets on a party and if

1. The party wins the elections; the person gets five times the amount bet.
2. The party comes second in the elections; the person gets two times the amount bet.
3. The party comes third in the elections; the person gets back the exact amount bet.
4. If the party comes fourth or fifth, the person forfeits the amount bet.

A person can bet on a maximum of three parties. In the election results, it is known that C came second

Q: Ashok bets Rs.5,000 on A, Rs. 3,000 on B and Rs. 1,000 on D. In how many ways can A just recover his amount?

Q: Saumya bets Rs. 8,000, Rs. 5,000 and Rs. 2,000 on parties B, C and D (in no specific order) and gets a 20% return. What is the best possible rank for party E?

Q: Varsha bets Rs. 500 each on three parties and gets a return of atleast 100%. In how many ways can she bet?
Ignore the condition that C is second.

Q: Varsha bet on parties B, C and D but lost money. What is the least numerical value of the sum of ranks of parties A and D?
Consider data from the previous question.

[Click here for Video Solution](#)

SET 68 – Condition Based Arrangement

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Reliable Mutual Funds Company occupies the first six floors of the Reliable Building in Mumbai. Each of the firm's six funds has an office on one of the six floors, and each fund is managed by a Mutual Fund veteran. The first names of the three men who are fund managers are Kiran, Karan, and Kashyap and of the three women are Julie, Tina, and Priyal.

- I. Tina's office is one floor above Sharma's and two floors above the Reliable Liquid Fund manager's.
- II. Mr. Jain isn't the Reliable Debt Fund manager.
- III. Kiran and Verma worked for the same mutual fund company before joining Reliable.
- IV. Priyal's office is one floor above the Reliable Blue Chip Fund office.
- V. The Reliable Worldwide Fund office is on the floor directly below where Singh has an office.
- VI. Karan, who isn't Jain, managed the Liquid Fund before moving on last year to the fund he currently manages.
- VII. Verma's office is one floor below that of the Debt Fund manager.
- VIII. Mr. Sharma doesn't manage the Reliable Sectoral Fund.
- IX. Tahir's fund isn't the Reliable Equity.
- X. The Reliable Sectoral Fund manager has an office one floor above Julie, who is on the floor directly above fellow manager Jain.
- XI. Chopra's office isn't the one on the third floor of the Reliable Building

[Click here for Video Solution](#)

Q: Who among the following manages the Equity fund?

Tina Priyal Kashyap Kiran

Q: Which of the following pairs has the maximum difference in the number of floors in between them?

Kashyap - Singh Tina - Chopra Kiran – Chopra Kashyap - Tahir

Q: The Sectoral Fund has its office on which floor of the building

5 6 4 3

Q: What is the square of the sum of the floor numbers of offices of Kiran, Tina and Priyal?

36 64 81 100

SET 69 – Condition Based

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Four friends A, B, C and D played a game of Poker. Initially, the number of chips that they had was in the 60s, 40s, 50s and 70s respectively, such that each one of them had a prime number of chips. They played 6 rounds of game such that the chips were only transferred among them. It is also known that:

- I. A lost 10 chips in each round and still finally ended up with a prime number of chips.
- II. The number of chips with B in each round formed an increasing arithmetic progression.
- III. The chips with D were all the possible numbers between 71 and 77 (both inclusive), but not in any specific order. No number in this range was excluded.
- IV. B ended up with the number of chips that A had at the start of the game.
- V. The number of chips with D were even after rounds 1, 3 and 5 while the numbers were odd after rounds 2, 4 and 6.
- VI. The number of chips with C after rounds 1 and 4 was a perfect square .
- VII. Both C and D had 74 chips at the end of round 3.
- VIII. Everyone except D ended up with a prime number of chips.

Q: What was the total number of chips used in the game?

Q: At the end of how many rounds did C have more chips than everyone else?

Q: After which round was the difference in the number of chips with A and B the least?

Q: At the end of which round did D have 75 chips?

[Click here for Video Solution](#)

SET 70 – Condition Based DI

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Four friends: Nonie, Sophie, Rosie and Princie were to go to hill stations - Darjeeling, Shimla, Kodaikanal, Mussoorie - not necessarily in that order. Only one location was to be visited by one person and no person was to visit more than one location.

1. Nonie will not go to Shimla unless Sophie goes to Darjeeling and Rosie goes to Kodaikanal.
2. Sophie will not go to Kodaikanal unless Princie goes to Mussoorie and Nonie goes to Darjeeling.
3. Rosie will not go to Mussoorie unless Nonie goes to Shimla and Sophie goes to Darjeeling.
4. Nonie will not go to Darjeeling unless Princie goes to Mussoorie and Rosie goes to Kodaikanal.
5. Sophie will not go to Darjeeling unless Nonie goes to Mussoorie and Rosie goes to Kodaikanal.
6. Nonie will not go to Mussoorie unless Sophie goes to Shimla and Princie goes to Darjeeling.
7. Princie will not go to Mussoorie unless Sophie goes to Shimla and Nonie goes to Kodaikanal.
8. Nonie will not go to Kodaikanal unless Sophie goes to Mussoorie and Rosie goes to Shimla.
9. Princie will not go to Darjeeling unless Rosie goes to Shimla

[Click here for Video Solution](#)

Q: Who would have gone to Shimla?

- 1) Nonie 2) Sophie 3) Rosie 4) Princie

Q: Who among the following could visit Darjeeling?

- 1) Nonie 2) Sophie 3) Rosie 4) Princie

Q: Sophie could visit which of the following locations?

- 1) Shimla 2) Darjeeling 3) Mussoorie 4) Kodaikanal

Q: If Nonie visits the place which Sophie was scheduled to go and Sophie visits the place which Rosie was to go, then which place could Rosie visit?

- 1) Shimla 2) Darjeeling 3) Mussoorie 4) No possible combination

SET 71 – Condition Based DI

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Eight friends - A, B, C, D, E, F, G, H - have among them apple, banana, orange, guava, papaya, mango, pomegranate and carrot, in that order. The total number of fruits between them is 36 and no two friends have the same number of fruits. Each person has exactly one type of fruit and at least one unit of that fruit.

Further, it is known that:

1. The total number of apples and papayas is the same as number of pomegranates that G has.
2. There are ten oranges and guavas put together.
3. The total number of papaya and mangoes is eight.
4. There a half a dozen apples and oranges in all.
5. D has the maximum pieces of fruits.
6. The number of fruits with E is not a perfect square.

Q: How many papayas does E have?

Q: The number of fruits with G is?

Q: How many mangoes were there?

Q: What was the total number of carrots and bananas?

For every answer, write 999 if CBD

[Click here for Video Solution](#)

QUANTIFIERS

SET 72 – Condition Based DI

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)


[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

The percentage of marks of five students A, B, C, D and E in three subjects Physics, Chemistry and Maths are represented in the triangular graph above. For a subject, percentage is taken by first moving along that axis from the vertex marked 0 for that subject and stopping at the point where the student's percentage in that subject first crosses that particular axis. The maximum marks in each subject are 200.



Q: What are the average marks obtained by these students in Chemistry?

Q: P is another student whose marks are marked on one of the inner vertices of the same graph. His average marks per subject are between:

Q: F is another student whose marks are plotted on the same graph. Marks obtained by A and F in Maths are in the ratio 2 : 5 and marks obtained by C and F in Physics are in the ratio 2 : 7. What is the percentage of marks obtained by F in Chemistry?

Q: X is the only topper in Maths and lies on one of the inner vertices. What is the least difference in his and D's marks in Chemistry?

[Click here for Video Solution](#)

SET 73 – AR

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Goldcard, a credit card company, offers various cards. Goldcard Platina, a special kind of card, is given to elite customers. Some of the properties of the card are as follows :

1.The credit card number is made of 16 digits (digits range from 0 to 9) and it cannot consist of all 0s.

2.The sum of any three consecutive digits of the credit card number is N .

Every customer is given two other numbers (along with N), x and y , which are the 3rd digit and the 14th digit of the number respectively, to help him remember his card number.

Q: Ravi bought a Goldcard Platina which had $N = 17$. How many distinct digits can his card have?

- 1)2 2)3 3)2 or 3 4)3 or 4

Q: If Shyam bought a card with $N = 18$ and $x = 7$, then what is the maximum sum of any five consecutive digits?

- 1)27 2)29 3)33 4)34

Q: For $N = 26$, what is the largest possible value of $x + y$?

Q: Pradeep's card has three unique digits and his lucky number is 20. How many different cards can he get to have his lucky number as N ?

[Click here for Video Solution](#)

SET 74 – Set and Venn Diagram

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

A class of 100 students was asked choose from Quizzing, Painting and Reading as vacation activities. Each student picked at least one of the three activities. The number of students who picked painting, quizzing and reading was p , q and r respectively

[Click here for Video Solution](#)

Q: If each activity was picked by distinct number of students, the maximum possible number of students in the activity that has the least students is:

- 1) 92 2) 27 3) 33 4) None of these

Q: p , q , r are distinct and $p < q < r$. If the value of p is the maximum possible, what can be the maximum number of students who have picked up both quizzing and reading, but not painting?

- 1) 49 2) 47 3) 43 4) 50

Q: If the students are allowed to not pick even a single activity, the sum of the number of students who have opted for the three activities is equal to the total number of students. What is the maximum possible number of students who have not picked any activity?

- 1) 33 2) 66 3) 99 4) 49

Q: The number of students who selecting quizzing was 60% more than the number of students who selected painting while the number of students who selected reading was only 40% more than the number of students who selected painting. The sum of students who selected atleast one activity was the same as the total number of students. If there were atmost 3 students in every possible combination of multiple activities, what is the maximum possible number of students who selected only reading?

- 1) 35 2) 32 3) 26 4) 29

Quant – Question of the day

The sum of fourth powers of first 55 natural numbers is denoted by S , find the unit digit of S .

[Click here to watch solution](#)

SET 75 – Condition Based

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

A train starts at station 1 and goes to station 8 via six stations - 2 to 7 - in that order. At each of these six stations, twice as many people get in as those that get down. The number of people getting down at these six stations are all prime numbers - one each between 0 and 10, 10 and 20, and so on between 50 and 60, in the order of the stations given above. In these six stations, the difference between the number of people getting down at any two consecutive stations is at least ten. The number of people who got down at station 7 is more than 55. The total number of passengers getting down at all six stations together is an even number

Q: How many people got down at station [6]?

Q: The train started with 32 people. All the passengers left in the train at station 8 got down there. How many people got out of the train at station 8?

Q: Which of the following cannot be the number of people getting down at any station?

47 3 17 23

Q: What is the minimum number of people that the train must have started with at station 1?

10 11 3 8

[Click here for Video Solution](#)

SET 76 – Condition Based

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

7 friends P, Q, R, S, T, U, V parks their cars in a straight line, one behind the other. U's car is always behind V's. Q's car touches P's & T's. R parks his car just behind T's. S's car and P's car cannot be in the neighbouring positions. Consider that all the cars face the west

[Click here for Video Solution](#)

Q: The cars can only leave from the western gate of the society, which opens at 3:15 p.m. The first car leaves n minutes after the gate has opened and each subsequent car leaves $2n$ minutes after its preceding car, where n corresponds to the alphabetical position of the name of the car that is about to leave. In how many ways can the cars be arranged if T does not want to leave before 4:40 p.m on the same day?

- 1
- 3
- 7
- 9

Q: Which car, if identified as the one parked behind all the others, would give the maximum number of arrangements?

- U's Car
- V's Car
- S's Car
- U or S's Car

Q: Which data about a car and its position will not give a unique arrangement? (Consider that the last car is the car that is parked behind all the others i.e., east-most as compared to remaining six cars.)

- S's car is in the second position.
- P's car is in the third position
- V's car is the second last car
- None of these

Q: The cars are parked in such a way that only the extreme end cars can move without any other car moving. In any possible arrangement, what is the difference between the cars that need to move for P to move his car and cars that need to move for T to move his car?

- 1 or 3
- 2
- 0 or 3
- 0 or 2

SET 77 – Condition Based

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Eight students - S1 to S8 - are fighting for supremacy in a college. To prove their supremacy, these eight students compete with each other on one or more of five skills. Two students are said to be in a clash if there is at least one skill where they have equal proficiency. The table below lists the number of clashes for these students.

Student	No. of clashes
S1	1
S2	3
S3	6
S4	4
S5	7
S7	3
S8	6

Q: How many clashes did S6 have?

Q: The number of students competing on one skill set is atmost ...

Q: Each skill is given as many points as it has the number of students who have that skill set. If there is exactly one skill set where there was no clash, then the sum total of all the points is _____

Q: The number of skill sets on which S1 competed is atmost...

[Click here for Video Solution](#)

SET 78 – Condition Based

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

A travel agency operates in India and Nepal only and organizes tours for its customers. The travel agency had to organize trips to Switzerland, France and Italy for 40 of its customers. There were two more Nepalese customers than Indian customers. The packages offered by them included those where only one country, exactly two out of three countries or all three countries could be visited. Each package was taken by at least one traveller.

The following facts were also known:

1. The ratio of the number of Nepalese travelers who selected the package for all three countries and the number of Indians who selected the same package is 1 : 2.
2. 6 people selected both France and Italy, such that atleast one of these did not select Switzerland.
3. The numbers of Indians who selected only Switzerland and only Italy were 20% more and 40% less than the number of Indians who only selected France respectively.
4. The number of Indians who selected both Switzerland and France but not Italy was the same as the number of Nepalese who selected both Switzerland and Italy but not France; and this number was not 0.
5. Less than 10 people selected only Switzerland and their number was 60% of the number of people who selected only France. Among those people who selected exactly one country, maximum people selected only France.
6. 32 people selected exactly one place.

Q1. How many Indians visited only Switzerland as a percentage of the total number of people who visited only France?

- 1) 60% 2) 50% 3) 40% 4) 30%

Q2. What was the ratio of the number of customers from India who selected Switzerland to the number of customers from Nepal who did not select Switzerland?

- 1) 2 : 5 2) 9 : 16 3) 9 : 23 4) 2 : 1

Q3. How many Indians as a percentage of the total number of Indian travelers visited at least two countries?

- 1) 26.3% 2) 23.6% 3) 21% 4) 15.7%

Q4. Considering Indians and Nepalese independently, what is the least number of visitors who selected exactly one country?

- 1) 2 2) 3 3) 5 4) 6

[Click here for Video Solution](#)

Quant – Question of the day

For what value of x , does the expression $f(x) = x^3/3 + x^2/2 - 12x + 250$ have the maximum value

3 -2 5 4 -4

[Click here to watch solution](#)

SET 79 – Condition Based DI

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Ten colleges: COET, COEP, MIT, VIT, CNT, SNT, DNA, ABS, XOT, and ORT were rated on eight parameters: Accessibility, Infrastructure, Resources, Canteen, Industry Interface, Placement, Reputation and Alumni Network. Every college got non-negative integral points on every parameter. The tables below gives the cumulative points of all the colleges parameter wise and also the cumulative points scored by each college on all the parameters put together. For instance, taking into account the points given to all the colleges, Resources got 25 points in all and VIT got 7 points in all across all parameters.

Cumulative points of the colleges Cumulative points of each college

Parameter	Points	College	Points
Accessibility	13	COET	18
Infrastructure	18	COEP	11
Resources	25	MIT	14
Canteen Facilities	17	VIT	7
Industry Interface	9	CNT	9
Placement	11	SNT	16
Reputation	16	DNA	13
Alumni Network	19	ABS	12
		XOT	15
		ORT	13

[Click here for Video Solution](#)

Q: If Infrastructure, Resources, Industry Interface and Canteen Facilities are the only parameters on which COET, COEP, MIT, and DNA were rated, then the points scored on Resources by SNT as a percentage of total points scored by SNT cannot be more than
1) 88.75 2) 80.5 3) 86.25 4) 81.25

Q: If Reputation and Alumni Network were rated in exactly three colleges and no other parameter was rated for in these three colleges, how many colleges were definitely not rated for Reputation?
1) 4 2) 0 3) 2 4) 1

Q: N parameters were chosen such that their average score for each of the given colleges was the same as well as the largest possible. What is the least number of parameters that cannot be part of N ?
1) 4 2) 3 3) 5 4) 2

Q: The maximum possible colleges got equal points on Resources. What is the least number of points that ORT could have got on Resources, such that it did not have the same points on Resources as anyone else?
1) 0 2) 2 3) 3 4) 1

SET 80 – Condition Based

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Maya weight management clinic had height, weight and BMI records for all its patients. It calculated the BMI as the approximate ratio of weight (in kg) to the square of the height (in m). A partially filled spreadsheet with records for seven randomly selected female patients is shown below. No two patients had the same height or weight. Heights (in cm) and weights (in kg) are integral

As per norms, the clinic classifies patients into four categories based on their BMI:

Underweight – $BMI < 18.5$

Normal – $18.5 \leq BMI < 25$

Overweight – $25 \leq BMI < 30$

Obese – $30 \leq BMI$

It is also known that:

- a) The average weight of the random sample selected is 60 kg.
- b) There is atleast one patient from each category and there are more “Normal” patients than the other three categories combined. The “Overweight” person has been asked to reduce exactly 5 kgs of weight to be just counted as “Normal”.
- c) Nidhi was also taller than Pooja and shorter than Manisha. Rubina was heavier than Manisha but lighter than Pooja
- d) The median height was 1.57 m (for Preeti) while the mean height was between 1.58 and 1.59 m.
- e) Asma was 56% heavier than Rubina

Patient	Weight (kg)	Height (cm)	BMI	Category
Preeti			23.12	
Manisha	48	152		Normal
Asma			30.47	
Nidhi	61			
Rubina			18.14	
Kinjal		178		Normal
Pooja	54	148		

Q: What was Asma’s height (in cm)?

Q: Kinjal was heavier and taller than how many people?

Q: By how much did the highest BMI in the normal category exceed the lowest BMI in the normal category?

Q: What maximum integral weight gain (in kg) would let Rubina be “normal”?

[Click here for Video Solution](#)

SET 81 – Routes & Networks

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)


[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

S. No.	Route followed	Time taken for the journey (in minutes)
1	AFI	11
2	CEG	18
3	AFHDCEG	41
4	DHI	16
5	BECDHI	26



Note: H is a road directly connecting 6 and 7

[Click here for Video Solution](#)

The diagram shows the racetrack for a certain motor race. There are 8 nodes in the circuit. Each node is identified by a number. There are also roads connecting the various nodes. Each road is identified by a letter. Each road also has an associated time of travel (in minutes) that is a positive integer. This time of travel is the same for a road every time it is traversed. Only one road has a time of travel that is less than 3 minutes.

A race is defined as a journey that starts from node 1 or 2 and ends at node 8 by traversing only the roads shown on the diagram.

The test driver for a particular car company does 5 test races, all of which have different routes. The information collected by him from the five races is summarized in table 1.

Further, it is known that there is an oil spillage at two of the nodes. It is not known which these two nodes are. It is known, however, that there is no oil spillage at nodes 2 and 8. An oil spillage at a node means that a car passing through that node will suffer a 2 minute increase in its total race time

Q: What is the time taken (in minutes) to travel across road I? Disregard possible delays at node 6.

Q: Based only on the information given, which of the following could be a node with oil spillage? 1 2 3 4

Q: Assuming that A = 3 and F = 4, which of the following is definitely a node with oil spillage? 3 4 6 7

Q: After analyzing the results of the test runs, a racer has to choose the route which takes the second lowest time so as to ensure both speed and safety. Which route will he choose? He assumes that the times required to traverse roads C and E are different. BG AFI CEG DHI

SET 82 – Arrangement

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

A group of five friends recently met in an alumni meet in their college. When asked about their whereabouts, likes and dislikes by their ex-professors, these friends tried to puzzle their professors by giving them certain clues. These friends, who lived in Kolkata, Chennai, Mumbai, Delhi and Hyderabad, labeled their cities as 1, 2, 3, 4 and 5 (not necessarily in that order) and arranged these labels on a piece of paper in ascending order of labels (from left to right). Their professions and habits (in any order) were:

Professions: Architect, Lawyer, Pilot, Scientist and Doctor.
Reading Habits: Fiction, Science, Business, Motivation and Literature
TV Viewing Habits: News, Sports, Business, Entertainment and Geography
Playing Habits: Football, Cricket, Tennis, Badminton and Chess

No two people shared a city or profession or habit. It was also known that:

1. The Architect lives in Kolkata.
2. The Lawyer watches Business channels.
3. The Pilot reads books on Fiction.
4. Chennai is placed to the immediate left of Mumbai.
5. The person from Chennai likes books on Science.
6. The person who plays Cricket prefers Sports channels.
7. The person from Delhi plays Football.
8. The person living in the city placed at the center prefers to read books on Motivation.
9. The Scientist lives in the city labelled as 1.
10. The person who plays Tennis is from the city adjacent to the person who likes watching the Geography channel.
11. The person who watches the News channel lives in the city placed next to the city of the person who plays Football.
12. The person who plays Badminton reads books on Business.
13. The Doctor plays Chess.
14. The Scientist lives in the city placed next to Hyderabad.
15. The city of the person who plays Tennis is next to the person who likes reading Literature.

Q1. What is the profession of the person who lives in Hyderabad?

- a) Pilot b) Architect c) Doctor d) Indeterminate

Q2. Which TV channel does the person from Mumbai prefer to watch?

- a) Entertainment b) Business
c) Sports d) Geography

Q3. Which game does the person, who prefers reading books on Motivation, play?

- a) Football b) Cricket c) Tennis d) Chess

Q4. Which book does the Doctor prefer to read?

- a) Literature b) Business
c) Motivation d) Science

[Click here for Video Solution](#)

SET 83 – DI Based

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

In a laboratory, unit samples of chemicals A, B, C, D, E and F are made by mixing ingredients L, M, N, O and P by weight as shown in the table below:

The cost of each ingredient (in Rs. per mg) is: L - 150; M - 50; N - 125; O - 100; P – 75

A unit sample of chemical ABC represents a new sample formed by mixing a unit sample each of chemicals A, B and C. Similarly, unit samples of chemicals BCD, CDE and DEF are made

	Ingredients(in mg)				
	L	M	N	O	P
Chemical A	10	20	0	75	25
Chemical B	15	20	30	10	10
Chemical C	5	35	40	5	25
Chemical D	30	30	20	30	45
Chemical E	20	35	5	10	15
Chemical F	15	45	50	0	55

Q: Which of the following chemicals has the highest proportion by weight of ingredient M?

- 1)ABC 2)BCD 3)CDE 4)DEF

Q: For which of the following chemicals is the cost of a unit sample the lowest?

- 1)A 2)B 3)C 4)D

Q: If a unit sample of each of chemicals A, B, C, D, E and F is mixed together, the proportion of how many ingredients will be more than 20% by weight of the total mixture?

- 1)2 2)3 3)4 4)5

[Click here for Video Solution](#)

QUANTIFIERS

Quant – Question of the day

How many natural numbers divide exactly 2 of 360,960 and 1200?

[Click here to watch solution](#)

SET 84 – DI Based G&T

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Eight teams play against each other exactly once in a Cricket World Cup. The following is also known about the matches that have been completed.

1. Each team is awarded 2 points on a win.
2. A loss is awarded no points.
3. There is no draw in the tournament.
4. No team ended with the same points at the end of the tournament.
5. It is known that if a team loses a match against an opponent, it also loses the match against those whom the opponent has already lost to.
6. The incomplete points table is as shown in the table below where the rows represents the performance of a team w.r.t the other teams.

	A	B	C	D	E	F	G	H
A	0	2	2					2
B		0						
C		2	0		2		2	
D				0		2		
E					0		2	
F	2					0		
G							0	
H			2					0

Q: Which team won all their matches?

- 1)H 2)D 3)F 4)Cannot be determined

Q: How many points did H score?

Q: What is the difference between the final points of B and E?

Q: How many points have C, F and H scored together?

For any answer, write 999 if CBD

[Click here for Video Solution](#)

SET 85 – DI Based

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)


[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

A cold drink manufacturing company produces 5 different types of cold drinks. The pie-chart given below shows the volume, in percentage, of each type of cold drink produced by that company in the last financial year.



The following information about the company is also known:
In the last financial year the company made a profit of 10 million dollars.
The total volume of cold drinks produced was 1 million litres.
Cold drinks of type C and D together made 45% of the total profit while cold drinks of type B and C together made 35% of the total profit.
The table below gives incomplete information about the profit (in dollars) made per litre for each type of cold drink.

Type	Profit/lit
A	60/7
B	
C	
D	50/3
E	10

- Q: How much profit (in million dollars) did the cold drink of type E make?
- Q: What volume (in litres) of cold drink of type D was manufactured?
- Q: What is the profit per litre (in dollars) made by the cold drink of type C?
- Q: Considering the total profit made by the company, by how many percent points is the share of profit made by cold drink of type B less than that by cold drink of type C?

SET 86 – G&T

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Nine participants participated in an inter-school quiz. A total of five rounds were held in this tournament. In any round, the winner got 5 points, the 1st runner up got 3 points and the 2nd runner up got 1 point. In any round the number of participants was five, such that the 1st participant to enter the tournament plays only the first round, the 2nd participant plays the first two rounds, the 3rd participant plays first three rounds and so on till the 5th participant plays all the five rounds. The next participant plays one round less than the previous participant and this continues till Ajinkya, who plays only one round. The 1st participant to enter the tournament was Akshay followed by Amit and so on in the order given in the bar chart below. Ajosh was the only participant to have scored in consecutive rounds. There were no ties for any of the positions in any of the five rounds. The graph below gives the points tally at the end of five stipulated rounds. Ajinkya was not able to score any point in the quiz

Q: Who was the 1st runner up in round 3 of the tournament?

- 1)Abhilasha
- 2)Ajay
- 3)Amar
- 4)Cannot be determined

Q: What was the ratio of points scored by Abhilasha and Ajay in round 5?


- 1) 2 : 3
- 2)1 : 3
- 3)3 : 1
- 4)Cannot be determined

Q: Amar must have been the 1st runner up in which of the following round(s)?

- 1)Round 2
- 2)Round 3
- 3)Round 4
- 4)Both Rounds 2 and 4

Q: The winners in round 3, 4 and 5 in some order are

- 1)Ajosh, Amar, Anil
- 2)Ajosh, Anil
- 3)Anil, Abhilasha, Ajay
- 4)Abhilasha, Ajosh, Amar



SET 87 – Condition Based

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

The four faculties at a coaching institute are - Mukesh, Gautam, Vilas and Lakshman. Each of them teaches a different topic and each topic is related to a different course. The topics are - Aptitude, DI and DS, Verbal ability and NLP. The four courses, that these topics are related to are GRE, GMAT, CAT and Soft Skills - not necessarily in that order. Neither Lakshman nor Mukesh teach on any topic related to either CAT or GRE. Neither Aptitude nor DI and DS is related to either Soft Skills or GRE. Lakshman teaches NLP.

Q1. Which of the following additional statements out of the following choices would help you find the correct combination of the name of the faculty, the topics that they teach and the related courses?

- 1) Neither Gautam nor Vilas delivers a lecture on DI and DS
- 2) Neither Aptitude nor DI and DS is the topic of Vilas
- 3) Neither Vilas nor Mukesh teaches Aptitude
- 4) None of the above

Q2. Which of the following statements can be deduced from the given data?

- I. Lakshman deals with the topic related to Soft Skills.
- II. Verbal ability is the topic related to GRE.
- III. DI and DS is the topic related to GMAT.

- 1) Only I
- 2) Only I and II
- 3) Only III
- 4) None of these

Q3. If it is known that Vilas teaches Verbal ability, then for which of the following courses does Gautam teach?

- 1) Soft Skills
- 2) CAT
- 3) GMAT
- 4) Cannot be determined

Q4. Which of the following topics is related to GRE course?

- 1) Aptitude
- 2) DI and DS
- 3) Verbal ability
- 4) Cannot be determined

Quant – Question of the day

Find the sum of all the natural numbers from 50 to 150, which are multiples of neither 3 nor 4.

[Click here to watch solution](#)

SET 88 – Condition Based

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

The following Table gives the number of students across six different classes of Pune Modern School in the years 2010 and 2011.

It is also known that:

- i. New students join the school only in class V.
- ii. No student leaves the school before passing out class X.
- iii. The students who fail in a class in a year will study in the same class next year.

Class	Students In the year 2010	Students In the year 2011
V	100	125
VI	75	82
VII	68	65
VIII	60	57
IX	45	50
X	34	47

Q1. What was the maximum possible number of students who joined the school in 2011?

Q2. In 2010, which of the following was not a possible pass percentage of class VI?

- a 60% b 16% c 58.66% d More than one of these

Q3. In 2010, if the number of students who passed in class VI was more than the number of students who failed in class IX, then what was the minimum pass percentage of class VIII?

- a 46.66% b 48.33% c 53.33% d None of these

Q4. In 2010, if the pass percentage in class IX was 60%, then what was the pass percentage of class V?

- a 33.33% b 67% c 58% d None of these

SET 89 – Condition Based

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

A sports drink manufacturing company carries out certain processes while manufacturing each bottle of its product. These processes have been listed in the first column of the table. Some processes can be carried out independently, while others may be dependent on the completion of other processes. The second column of the table lists the processes which must mandatorily be completed before the process mentioned in the first column begins. The third column lists the costs (in Rs.) of carrying out the processes mentioned in the first column to manufacture each bottle of the sports drink. One bottle is said to be manufactured when exactly one of processes E or K is completed. Completion of any process once is sufficient to ensure that all its dependent processes can also be started (provided their respective mandatory processes are also completed). For example: If H is completed once, both A and J can be started, provided C has been completed.

Process	Mandatory Processes	Cost
A	H,C	2
B	F	4
C	G	1
D		7
E	I,A	5
F		6
G	D	3
H	G	2
I	B,D	8
J	H	11
K	J,A,F	5

Q: What is the minimum cost of producing one bottle of the sports drink?

Rs. 38 Rs. 36 Rs. 34 None of these

Q: The time required (in minutes) to complete a process is numerically equal to the cost (in Rs.) to carry out that process. The processes may occur simultaneously, wherever possible. What is the minimum time required to manufacture a bottle of the sports drink?

23 minutes 26 minutes 28 minutes 37 minutes

Q: Now if the manufacture of one bottle requires the completion of both E and K, what is the minimum time required to make one bottle? (Assume that the time required (in minutes) is numerically equal to twice the cost (in Rs.) to carry out a process.)

49 minutes 46 minutes 34 minutes None of these

SET 90 – Condition Based

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

The table given below shows the answers given by four people, namely Mithun, Rajnikant, Prabhudeva and Naresh in an entrance exam taken by CICIC Bank. The question paper contained four questions, all carrying equal marks and each of them having four answer choices, namely pq, qr, rs and st. The examiner forgot the correct answers to the questions, but he remembers that each one of them got at least one answer correct and that at least one person answered a question correctly. No two people had same total marks in the exam.

	Question A	Question B	Question C	Question D
Mithun	pq	st	qr	pq
Rajnikant	qr	rs	qr	qr
Prabhudeva	pq	rs	st	qr
Naresh	pq	rs	st	st

Q: Who got the minimum marks if each correct answer is worth four points and there is no negative marking?
1) Mithun 2) Rajnikant 3) Naresh 4) Cannot be determined

Q: What is the sum of the minimum and maximum total marks scored by anyone in the examination if each correct answer is worth four points and there is no negative marking?

Q: If each question carried 3 marks with a negative marking of 33.33%, what was the second lowest marks got by anyone in the examination?
1) 4 2) 8 3) -4 4) Cannot be determined

Q: What was the answer to question D?
1) pq 2) qr 3) st 4) Data insufficient

SET 91 – Condition Based

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

There are six professors A, B, C, D, E and F who each teach one of the subjects - Statistics, Behavioural Science, Financial Accounting, Marketing, Strategy Management and Risk Management, not necessarily in the same order. Each faculty takes two classes in the week except on Sunday. Only two classes can be scheduled on one day. No faculty likes to take two classes on the same day. A does not teach on Mondays and Fridays. C teaches on Tuesdays and Saturdays. E teaches on Thursdays and Saturdays. B teaches on Mondays and Thursdays. Every professor has to meet the director of the institute once a week for a review and on a day when he is not teaching. There can be only one review per day. F teaches on Mondays. The Marketing and Behavioural Science professors do not like to teach on weekends. They also do not have reviews on weekends. The Statistics professor has a weekly review on Thursdays and teaches on Saturdays. The Marketing professor is the only one who teaches on consecutive days but needs at least one day off after that to prepare for his review. D is the Behavioural Science professor. F does not have classes or the review on consecutive days. The Risk Management professor teaches on Fridays. The Strategy Management professor teaches on Saturdays.

Q: When is B's weekly review scheduled?

- 1)Mondays
- 2)Tuesdays
- 3)Fridays
- 4)Saturdays

Q: Which of the following combinations (Faculty – Subject – Teaching day – Review day) is definitely false?

- 1) B – Financial Accounting – Mondays and Thursdays – Saturdays – Tuesdays
- 2)D – Behavioural Science – Wednesdays and Fridays
- 3) E – Strategy Management – Thursdays and Saturdays – Mondays - Mondays
- 4)E – Financial Accounting – Thursdays and Saturdays

Q: When is the weekly review of D scheduled?

- 1)Mondays
- 2)Tuesdays
- 3)Saturdays
- 4)Cannot be determined

Q: Who is the Financial Accounting professor?

- A
- F
- C
- None

SET 92 – Condition Based

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Four persons A, B, C and D are playing a game of blindly picking the balls from a bag. This bag contains five balls, each of a different colour among Red, Green, Blue, Yellow and White, and these five balls fetch 1, 2, 3, 4 and 5 points respectively. The game is being played in four rounds. In each round, each person randomly takes out one ball from the bag and places it back into the bag. Based on the colour of the ball, they have been given points as mentioned above. Further it is known that,

- (i) each ball was picked by at least one person and each ball was picked a different number of times.
- (ii) none of A, B and C picked the same ball in any two rounds and the maximum points scored by any of A, B and C in all the four rounds put together are 12.
- (iii) among the four rounds, the maximum points were scored in round III and A picked the white ball in round III.
- (iv) in each of rounds I, III and IV no two players picked the same ball.
- (v) the points scored by A and that by B in all the four rounds put together are equal.
- (vi) the green ball was picked more number of times than the white ball. The sum of the points scored by A in round I and that scored by D in round IV is 5.
- (vii) one of the five balls contributed a score of 20 to the total points scored in all the four rounds put together.

Q: Which ball did C pick in round IV?				
Red	Blue	White	Green	CBD
Q: What is the sum of the points scored by A in round IV and that by B in round II?				
7	4	3	6	CBD
Q: Which ball was picked exactly three times?				
Green	Red	Yellow	Blue	CBD
Q: Who picked the blue ball in round IV?				
A	D	B	C	Blue ball was not picked
Q: How many times was the yellow ball picked in all the four rounds put together?				
1	4	2	3	CBD

SET 93 – Condition Based

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

In a Rolo Polo tournament, three teams; Team A, Team B and Team C were in the fray for the final winners position. Each team consisted of two members, one of whom was labelled as Rolo and the second member as Polo. The peculiar characteristic of all the Rolos was that they never lied whereas all the Polos always lied. The names of all the six participants are Aryan, Bryan, Cyan, Dyan, Evan and Friam. The conversation of all these participants with an outsider was as follows:

- I. Aryan : Cyan is representing team B.
- II. Bryan : None of Aryan, Cyan and Evan is from Team A.
- III. Bryan : Bryan is from Team B.
- IV. Dyan : At most one of Aryan, Bryan and Evan is Polo.
- V. Evan : Friam and I are in different teams.
- VI. Friam : Dyan is a Polo from Team B.
- VII. Aryan : Bryan is from Team C.
- VIII. Cyan : Evan and I are from the same team.

Who among the following is from Team B?

- I. Bryan II. Dyan III. Friam IV. Aryan

- Only I Only II Only III Either I and IV or II and III both

Which of the following is the right combination?

- | | |
|---------------|----------------|
| Team B – Evan | Team A – Bryan |
| Friam – Rolo | Dyan – Rolo |

Who among the following is in Team A?

- Cyan Evan Aryan Dyan

What can be said about the following two statements?

- I. Friam is from Team A.
- II. Evan is from Team C.

- Statement I is false, while II is true.
- Both the statements are false.
- Both the statements are true.
- Cannot be determined

Quant – Question of the day

The lines $x + 4y = 81$ and $y = mx + 9$ intersect at points whose co-ordinates are integers. Find the number of positive integer values of m .

(1) 3

(2) 2

(3) 4

(4) 5

(5) More than 5

[Click here to watch solution](#)

SET 94 – Condition Based

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

At Mumbai Lion's club every new member is given 1 point at the start of the month. A member earns points only when he/she attends fortnightly meets. At the end of each month points earned by members during that month get reset. On the basis of the past records, certain members are given some points at the start of the month. Highest number of points a member can have in a particular month is 8. Points earned/given are always in integers.

1. A, B, C, D, E, F are six members.
2. Only C and D are newly joined members. Also, no other member has 1 point at the start of the month.
3. When a group of people attends a meet, there will be no change in points of the member(s) who has/have the highest points in this group and for other members in this group, their points will increase by x each where x is two less than the member(s) with the highest points in this group.
4. F is the only member with maximum of 8 points at the start of the month and there is no other member with that many points at any stage of the month.
5. First meet is attended by F, B and E.
6. Second meet is attended by everybody except A and F.
7. At the end of the second meet, A had 5 points.

Q1. What is the increase in the average of points obtained by the six members after the first round as compared to the initial points at the start of the month?

- a) 5 b) 4 c) 2 d) Cannot be determined

Q2. What is the sum of the total points earned in all the fortnightly meets?

Q3. Who has the lowest points at the end of the second meet?

- a) C b) D c) A d) A,C,D

Q4. Who had the same scores after completion of the second meet?

- a) C,D b) B,E c) Both C,D and B,E d) Cannot be determined

SET 95 – Condition Based

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Mr. Sharma's family consist of Mr. Sharma, his wife, son and daughter. Each of the family members is either a singer, dancer, lawyer or engineer. No two family members have the same profession.

The following conditions need to be always satisfied:

1. If the singer and the dancer are of the same sex, then the dancer is older than the singer.
2. If neither the singer nor the dancer is the parent of the other, then the singer is older than the dancer.
3. If the singer is female then the lawyer and engineer are of the same sex.
4. If the singer is a man, then the singer and the dancer are of the same age.
5. If the singer and the dancer belong to opposite sexes, then the male among them is older than the female.
6. If the dancer and lawyer belong to opposite sexes, then the lawyer and the dancer are of the same age.

Q1. Who is the singer?

- a) Mr. Sharma b) Mr. Sharma's daughter c) Mr. Sharma's wife d) Mr. Sharma's son

Q2. How is the lawyer related to the singer?

- a) Father b) Daughter c) Mother d) Son

Q3. Which of the following is the only married couple?

- a) Lawyer – singer b) Dancer - engineer
c) Lawyer – dancer d) Singer - Engineer

Q4. Who is the engineer?

- a) Mr Sharma b) Mr Sharma's son c) Mr Sharma daughter d) Mrs Sharma

SET 96 – Condition Based

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Five persons, Gautam, Kumar, Lalit, Naren and Raj, joined a company in 2015. Each of the five persons joined for a different monthly salary among Rs.20,000, Rs.30,000, Rs.40,000, Rs.60,000 and Rs.80,000, not necessarily in the same order. However, each person joined at the beginning of a different month of the year and received his monthly salary each month, starting from the month in which he joined. Further, none of the five persons received any salary in 2015 before joining the company.

The following information is known about the month in which they joined and the monthly salary and total salary received by each person in 2015:

- (i) No two persons joined in the same month and no one joined the company in the months of February, July or October.
- (ii) Raj joined at least four months before Gautam did, and the total salary that he received in 2015 was less than that received by Gautam.
- (iii) Naren, whose monthly salary is not Rs.40,000, received a total salary of Rs.4,80,000 in 2015.

- Q: What is the total salary (in Rs.) received by Kumar in 2015?
- Q: How many persons joined the company before the end of June?
- Q: In which month did Gautam join the company?
- Q: What is the total salary (in Rs.000) received by Lalit in 2015?

SET 97 – Condition Based

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Exactly sixty persons participated in a sports meet. Each person who participated speaks at least one language among English and French and plays at least one sport among Hockey and Basketball.

The following table provides the number of persons, among the sixty, for any combination of language that they speak and sport that they play:

	English	French	Hockey	Basketball
English	33			
French	10	37		
Hockey	25	24	41	
Basketball	20	25	19	38

In the table above, the value in the second column and second row (i.e., 37) indicates the number of people who speak French. The value in the second column and third row (i.e., 24) indicates the number of people who speak French and play Hockey.

Q: How many persons speak both French and English and play both Hockey and Basketball?

Q: How many persons speak French but not English and play Hockey but not Basketball?

Q: Of the persons who speak exactly one language, how many persons play only Hockey?

Q: The number of persons who play both Hockey and Basketball but speak only French is the same as the number of persons who

- a) speak both English and French and play only Hockey.
- b) play only Basketball and speak only English.
- c) play only Hockey and speak only French.
- d) play both Hockey and Basketball but speak only English.

SET 98 – Condition Based

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

There were five running races of distances 100m, 200m, 300m, 400m and 500m. The following data relates to the relative positions of the five participants - Santosh, Murugan, Bala, Rajan, and Kabilan - in each race.

In each race, there were five ranks assigned to the five participants. The person who came first, second, third, fourth and last in a race got ranks 1, 2, 3, 4 and 5 respectively. The person who came first in 100 m came last in 200m. The person who came first in 500m came last in 100m. Murugan and Kabilan secured all ranks, i.e. they were in all positions in one race or the other. Rajan came second in 200m and 400m and Murugan was first in 100m. Bala did not come first or second in any race and was last in one race. The person who came first in both 300 m and 200m, came last in 500m. The person who came first in 400m, came last in 300m. The persons who came third in 100m, 200m, 300m, 400m, and 500m were Bala, Kabilan, Bala, Santosh, and Murugan respectively.

Q: Who came first in the 300 m race?

- a) Santosh b) Murugan c) Bala d) Kabilan

Q: Who secured the fourth rank more than once?

- a) Santosh b) Kabilan c) Bala d) Rajan

Q: If the ranks secured by each runner are added, then the racer with the minimum sum of ranks is:

- a) Santosh b) Rajan c) Bala d) Cannot be determined

Q: Who got the same rank more than once?

- a) Santosh b) Santosh and Bala c) Bala and Rajan d) Santosh, Bala and Rajan

Quant – Question of the day

[x] denotes the least integer greater than or equal to x. Find the index of highest power of 2 which $[10^{12}/10^5 + 5]$

[Click here to watch solution](#)

SET 99 – Routes

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)




[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

In the city XYZ, P is a water source from where water flows into the tanks - Q, R, S, T and U. The following diagram shows the network of the source and all the five tanks connected with pipes through which water flows.

For any pipe, flow is the number of units of water flowing through it. For any tank, capacity is the number of units of water that the tank holds.

- The following information is also known.
- (i) The capacity (in units) of each of the five tanks given as well as the flow (in units) in each of the nine pipelines given is a positive integral value less than 10.
 - (ii) The flow (in units) of each of the pipelines connected to any tank is different and further, none of them is equal to the capacity (in units) of that tank.
 - (iii) The difference in the capacities of R and T is 1 unit.
 - (iv) The capacity of Q is more than that of exactly two tanks.
 - (v) The sum of the capacities of all the five tanks is 17 units.
 - (vi) The flow in the pipeline connecting Q and T is 4 units and the flow in the pipeline connecting T and U is 2 units.
 - (vii) U has the highest capacity.



- Q: Find the flow in the pipeline connecting R and Q.
a) 1 unit b) 2 units c) 3 units d) 4 units e) CBD
- Q: Find the flow in the pipeline connecting R and T.
a) 5 units b) 6 units c) 7 units d) 4 units e) CBD
- Q: Find the capacity of U.
a) 5 units b) 6 units c) 7 units d) 8 units e) CBD
- Q: Find the combined capacity of the two tanks S and U.
a) 9 units b) 11 units c) 10 units d) 12 units e) CBD

SET 100 – Condition Based

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

As the CEO of a multinational company, Aurobindo receives mails from ten of his offices located in the following regions: Arizona, Bangkok, Chicago, Denmark, Ethiopia, Finland, Greece, Holland, Indonesia and Japan.

However, his assistant messed up the simplicity of reading the mails. He labelled these locations from 1 to 10, not necessarily in the same order, but forgot the numbers he had assigned to the locations. If the numbers were arranged in ascending order from 1 to 10, he had the following information:

- I. E was numbered 5 and F was numbered 10.
- II. E's number was as much greater than D's as it was less than A's.
- III. G had the smallest number and H was numbered 5 places away from G.
- IV. I and B were adjacent to each other and J was numbered greater than I.

The alphabets mentioned above corresponded to the initial character of each location.

During a certain week on all working days (Monday to Saturday), Aurobindo had received mails from four locations everyday.

Except for two locations from where he did not receive any mail during the entire week, he had received mails from all other locations exactly thrice.

The sum of the position values of the locations he had received the mails from were as shown below:

Day	Sum	Day	Sum
Monday	18	Thursday	19
Tuesday	12	Friday	32
Wednesday	23	Saturday	25

- Q: Which two locations did not send any mail to Aurobindo?**

1) Bangkok and Ethiopia

2) Arizona and Bangkok

3) Arizona and Indonesia

4) Cannot be determined
- Q: On which day could Greece not have sent any mail to Aurobindo?**

1) Monday

2) Tuesday

3) Wednesday

4) Friday
- Q: If Japan was numbered atmost three places away from Bangkok, then the location(s) from which he definitely received the mails were:**

1) Bangkok

2) Arizona

3) Chicago

4) Chicago and Indonesia
- Q: Which location definitely did not send any mail to Aurobindo?**

1) Arizona

2) Indonesia

3) Bangkok

4) Greece

SET 101 – Games and Tournaments

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Six persons P, Q, R, S, T and U play in a tournament called "High Rollers". Every game involved two players. Each of the participants played with every other participant exactly once. In the game both the players rolled an unbiased die each. The player who gets the larger number on the top surface of the die wins the game. Every game resulted in a win/loss. The player who wins, gets as many coins as the number on the top surface of his die. The total number of games won by each person is distinct.

Further it is known that:

1. Q won his game against P.
2. R won the maximum number of coins, more than any one else.
3. U lost only two games, one against S and the other against R.
4. T did not lose more than three games.

Ques 1. How many games did Q win?

- (1) 1 (2) 2 (3) 3 (4) Either (1) or (2) (5) Cannot be determined

Ques 2: Which of the following statements is necessarily true?

- (1) T won 5 games (2) R won 5 games (3) S won 5 games (4) No player was undefeated (5) None of the above

Ques 3: R won 11 coins. He lost one game. So, the total number of coins won by the different players in the tournament cannot be less than

- (1) 32 (2) 33 (3) 34 (4) 35 (5) 17

Ques 4: R won 11 coins. He lost one game. If the total number of coins won by the different players in the tournament is 47, then the number of coins won by T is

- (1) 11 (2) 4 (3) 10 (4) 5 (5) Cannot be determined

SET 102 – Condition Based

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Six friends, Eshitaa, Aboli, Anu, Maya, Gabbu and Humera, from class III were recently discussing their results. They had ranks from 1st to 6th, not necessarily in that order, in the following subjects: English, Hindi, Maths, Social Science, Drawing and Music. Strangely, none of the friends were ranked the same in any two subjects and no two were ranked the same in any subject.

- I. Either Anu or Gabbu was ranked 3rd in English.
- II. Either Aboli or Humera was ranked 2nd in Hindi.
- III. Either Anu or Maya was ranked 1st in Drawing.
- IV. Eshitaa was ranked 6th in English.
- V. Humera was ranked 2nd in Drawing.
- VI. Anu was ranked 4th in Music.
- VII. Gabbu was ranked 3rd in Hindi.
- VIII. The friend who was ranked 2nd in Hindi was ranked 1st in English.
- IX. The friend who was ranked 5th in Hindi was ranked 2nd in Music.
- X. Eshitaa was ranked 1st in Hindi only if Gabbu was ranked 6th in Music.
- XI. Aboli was ranked 3rd in Maths.
- XII. Maya was ranked 1st in Maths.
- XIII. Humera was ranked 4th in Hindi.
- XIV. If Gabbu was ranked 4th in Drawing, then Eshitaa was ranked 6th in Drawing.
- XV. Gabbu was ranked 6th in Music.
- XVI. Maya was ranked 3rd in Drawing.
- XVII. Anu was ranked 5th in Maths.

Q: Who among the following was ranked 1st in Social Science?

- 1) Aboli
- 2) Maya
- 3) Gabbu
- 4) Cannot be determined

Q: Which one of the following statements is false?

- 1) The friend who was ranked 4th in Drawing was ranked 1st in Hindi.
- 2) The friend who was ranked 2nd in Social Science was ranked 3rd in English.
- 3) The friend who was ranked 5th in Drawing was ranked 3rd in Hindi.
- 4) None of the above

Q: Which one, among the following, is the correct order of friends who were ranked 3rd in the subjects English, Hindi, Maths, Social Science, Drawing and Music, in that order respectively?

- 1) Eshitaa, Gabbu, Maya, Humera, Aboli and Anu
- 2) Anu, Gabbu, Aboli, Eshitaa, Humera and Maya
- 3) Anu, Gabbu, Aboli, Humera, Maya and Eshitaa
- 4) Aboli, Humera, Maya, Gabbu, Anu and Eshitaa

Q: Which of the following statements is true?

- 1) The friend who was ranked 1st in Music was ranked 6th in Hindi.
- 2) The friend who was ranked 6th in Social Science was ranked 5th in English.
- 3) The friend who was ranked 3rd in Music was ranked 2nd in Maths.
- 4) None of the above.

SET 103 – Condition Based

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Each of six trains Train A through Train F -travels between exactly two cities fromamong six different cities - Chennai, Delhi, Kolkata, Mumbai, Bengaluru and Hyderabad-such that no two trains start from the same city and no two trains end at the same city.

Further, no two trains travel between the same pair of cities. It is also known that the travel time of each train defined as the number of hours that the train takes to travel from its origin to its destination, is a distinct positive integer less than 8.

The following information is known about the origins, destinations and the travel times of the six trains:

1. The destination of Train A is the same as the origin of Train D, but neither of these trains travel either from Delhi or to Delhi.
2. The travel time of Train E is two hours more than that of Train C.
3. One of the trains starts from Chennai and goes to Hyderabad, with a traveltime of three hours.
4. The travel time of Train F, which travels to Kolkata, is less than seven hours, while the travel time of the train which starts from Kolkata is two hours.
5. The travel time of Train B, which starts from Bengaluru, is the average of the travel times of the train which starts from Mumbai and the train which starts from Hyderabad.
6. The train which travels to Delhi starts from Kolkata, while Train D does not start from Hyderabad.

Q1. What is the travel time in hours of train A

Q2. What is the destination of train B

- a. Delhi
- b. Chennai
- c. Hyderabad
- d. Mumbai

Q3. Which train starts from Hyderabad?

- a. Train A
- b. Train E
- c. Train F
- d. CBD

[Click here for Video Solution](#)

QUANTIFIERS

SET 104 – Condition Based

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Ajit is a statistician and a cricket lover. His friend Sujit, the president of the local cricket league, tells him about a recent match between two clubs in his league, HCC and PCC, in which a strange coincidence occurred during HCC's first innings. HCC scored 616 runs losing just 5 wickets, and at different points during the innings, their score was 111 runs for 1 wicket, 222 for 2, 333 for 3, 444 for 4, and 555 for 5. Ajit was intrigued and asked for more details, but Sujit did not remember the entire score-board. He told Ajit whatever he could recall and based on that Ajit drew some tables (shown below, arranged in order of appearance of the batsmen, i.e. Rizvan was the opening batsman and Narender was the last to enter the field).

Fall of wickets:

1-2 (Ganesh, 1.1 overs), 2-138 (Rajiv, 40.1 overs), 3-313 (Jatin, 75.3 overs), 4-375 (Rizvan, 91.1 overs), 5-538 (Saurabh, 129.6 overs)

Breakup of extras conceded:

Between 1st and 2nd wicket - 3 no balls, 2 leg byes

Between 2nd and 3rd wicket - 1 leg bye

Between 3rd and 4th wicket - 1 wide, 4 byes

Between 4th and 5th wicket - 4 byes

After 5th wicket - 2 leg byes

Note:

I. Each over consists of six balls. For example, 75.3 overs means 75 overs and 3 balls.

II. SR denotes Strike Rate, which equals runs scored divided by balls faced multiplied by 100.

III. The total balls faced by the batsmen are equal to $6 \times \text{number of overs} + \text{number of balls}$.

IV. In the 'Fall of wickets', the first number denotes the wicket, the second number denotes the team score when that wicket fell and the brackets contain the name of the batsman dismissed and the total overs faced by the team at that time. For example, HCC lost their fourth wicket after 91 overs and 1 ball, at a total score of 375, when Rizvan was dismissed.

V. Fours and Sixes denotes the number of times a batsman scored four or six runs respectively off a single ball.

	Runs	Balls	Fours	Sixes	SR
Rizvan		274			
Ganesh	1				
Rajiv	50	118	7		
Jatin		109			75.22
Saurabh	102	156	14		
Venkat	112	178	15		
Narender		82	6	1	60.97
Extras	17	—	—	—	—
Total	616 (5 Wickets; 152.5 overs)	920	88	1	

Q: How many runs did Rizvan score?

Q: Which batsman had the highest strike rate?

1) Rizvan 2) Jatin 3) Saurabh 4) Venkat

Q: What was Saurabh's score when Rizvan lost his wicket?

Q: If one batsman hit exactly twelve fours, who scored the highest percentage of his runs by hitting fours and sixes?

1) Rizvan 2) Jatin 3) Saurabh 4) Venkat

SET 105 – Condition Based

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

The function 'Difference (N)' takes a non negative integer N as a parameter and returns the absolute difference of N and the number obtained by reversing the digits of N. For a two digit natural number X with distinct digits, a set of six non negative integers {P, Q, R, S, T, U} is defined such that $P = \text{Difference}(X)$, $Q = \text{Difference}(P)$, $R = \text{Difference}(Q)$, $S = \text{Difference}(R)$, $T = \text{Difference}(S)$ and $U = \text{Difference}(T)$

Q: If the value of T is not equal to zero, then what is the largest possible value for X?

- 1) 86 2) 90 3) 68 4) None of these

Q: If d is the difference between the two digits of X and $d = 4$, then what is the sum of P, Q, R, S, T and U?

- 1) 128 2) 117 3) 136 4) 158

Q: For any value of X, what is the maximum possible sum of T and U?

Q: If X is greater than 50, then what is the maximum possible value of U?

Quant – Question of the day

[x] denotes the least integer greater than or equal to x. Find the index of highest power of 2 which $[10^{12}/(10^5 + 5)]$

[Click here to watch solution](#)

SET 106 – Games and Tournaments

Was taught live to students.

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Six football teams-Chelsea, Real Madrid, Liverpool, Arsenal, Man City and Man Utd participated in tournament. After the first two legs, it was found every team played with two of the other teams and won one of the matches and lost the other. Goals scored by teams in first leg is -1, 2, 3, 4, 5 and 6 and second leg is 0, 2, 3, 4, 5 and 7, not necessarily in same order

- (i) Real Madrid scored seven goals in total but it scored less number of goals in the match it won when compared to the match it lost.
- (ii) Chelsea is the only team that scored the same number of goals in both the matches; but in total scored less number of goals than each of the other teams.
- (iii) The number of goals scored by Arsenal in the first leg is the same as that conceded by it in the second leg.
- (iv) The number of goals conceded by Liverpool is same in both the legs and in both the matches the difference between goals of the winner and the loser is also the same and it is two.
- (v) The total number of goals scored in each of the two matches of Man City is eight but the total number of goals scored by Man City is not eight.

1. Which team scored the maximum number of goals in both the matches put together?

- (A) Arsenal (B) Liverpool (C) Man City (D) Real Madrid

2. Against which team did Chelsea win?

- (A) Man City (B) Man Utd (C) Liverpool (D) Arsenal

3. What is the number of goals scored by Man City in the match it won?

- (A) 3 (B) 4 (C) 5 (D) 6.

4. Which team scored the least number of goals in a match?

- (A) Liverpool (B) Real Madrid (C) Chelsea (D) Man Utd

[Click here for Video Solution](#)

QUANTIFIERS

SET 107 – Condition Based DI

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

The marks of 6 students in H.S.C. (Commerce) are given. However some fields are blank. With the help of the clues, fill the blank fields and answer the questions that follow. The marks in each subject are out of 100. The passing percentage required in each subject is 35% and that required overall is 50%. Each student passes in each subject and also passes overall. The maximum marks scored in Accounts are 99 and those scored in Maths are 100. No two students got the same marks in the same subject and no student got the same marks in any two subjects. All marks are in integers.

It is also known that:

- i. Marks scored by the 6 students in Economics are 6 consecutive numbers.
- ii. Chandan got the same overall percentage as one other student.
- iii. Marks obtained by Deepa in English are the average of the marks obtained by Ajay and Faruq in English.
- iv. Bipin’s marks in Hindi, Chandan’s marks in Economics, Faruq’s marks in O.C. and Ajay’s marks in Maths are the same.
- v. Faruq’s marks in English are the same as Ajay’s marks in O.C. and both are individually 50% more than Esha’s marks in Hindi.
- vi. Chandan’s marks in English are the same as Deepa’s marks in O.C. and Deepa’s marks in English are the same as Chandan’s marks in O.C.
- vii. Faruq was ranked 4th in Maths.
- viii. Ajay’s marks in Hindi are the average of what Chandan and Esha scored in Hindi.
- ix. Marks scored by Bipin in Maths are just enough to get him a 3rd rank in Maths.
- x. Faruq scored 1 mark less in O.C. than Chandan.
- xi. Faruq got more marks in Economics than what Esha got in O.C.
- xii. Bipin’s marks in O.C. are the same as Esha’s marks in English. Both of these are the average of Chandan’s marks in English and Deepa’s marks in English.
- xiii. Bipin managed to get the 1st rank in English by just 1 mark.
- xiv. Deepa’s marks in Maths are less compared to Esha’s marks in Maths.
- xv. Esha’s score in Hindi is exactly half of her Maths score.
- xvi. Esha’s marks in O.C. are 1 more than her marks in Economics.
- xvii. Deepa’s marks in Accounts are 76% more than Esha’s marks in Hindi.
- xviii. Five students got 90 or more in Maths.
- xix. Esha got 2 marks more in Economics than Deepa in English.

	English	Hindi	Economics	O.C.	Accounts	Maths	Total
Ajay			69		87		422
Bipin					84		
Chandan		70				90	
Deepa			70			96	
Esha					77		440
Faruq		86				91	487

Q: Who scored 99 in Accounts?

- 1) Faruq
- 2) Chandan
- 3) Deepa
- 4) Either Chandan or Faruq

Q: How much did Bipin get in English?

- 1) 70
- 2) 78
- 3) 76
- 4) Cannot be determined

Q: Who got the same overall total as Chandan?

- 1) Bipin
- 2) Faruq
- 3) Deepa
- 4) Either Deepa or Bipin

Q: How much did Deepa get in Hindi?

- 1) 70
- 2) 72
- 3) 73
- 4) Either 72 or 73

SET 108 – Condition Based DI

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Given below is a 4×4 crossword puzzle. Use the following clues to complete it:

Across

- 1. Number of terms in the expansion of $(IIM + 1)^{71}$ which are definitely divisible by IIM^7 .
- 2. Number of zeroes with which P ends, where P is the product of first 100 multiples of 10.
- 4. The least number of terms that should be removed from ' Q ' so that the sum of no two terms is a multiple of 3, where Q is the set of all three digit numbers.

Down

- 1. Sum of digits of $(11111111)^2$.
- 3. Number of 3-digit numbers in which the digit in ten's place is less than both the digit in hundred's place and unit's place.

		1	
2	3		
	4		

- Q: What is the square of the last digit of 1-across?
- Q: What is the sum of all the digits of 2-across?
- Q: What is the middle digit in 3-down?

SET 109 – Data Sufficiency in DILR

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

There are 5 friends - Akash, Arvind, Amar, Ajay and Arjun. They have among them 10 bikes of capacities 100 cc, 125 cc, 150 cc and 175 cc.

- 1. None of the five friends has more than two bikes.
- 2. There are at least two and at the most three bikes of any given capacity.
- 3. None of the five friends has both bikes of the same capacity. For example, 'Amar has two 100 cc bikes' is an invalid combination.
- 4. The capacities of bikes with any two of the five friends are necessarily different. For example, 'Amar has a 100 cc bike and a 125 cc bike and Akash also has a 100 cc bike and a 125 cc bike' is an invalid combination.
- 5. The sum of the capacities of the bikes with Ajay is the highest.
- 6. Akash and Arjun do not have any bike of the same capacity.
- 7. Amar, Arvind and Akash each have one bike of the same capacity.

[Click here for Video Solution](#)

Bikes of which capacities does Ajay have?

- A. There are three bikes of 100 cc.
 - B. The common bike mentioned between Amar, Arvind and Akash is of 125 cc.
- 1)1 2)2 3)3 4)4

The bike of which capacities does Amar not own?

- A. There is an odd number of 100 cc and 125 cc bikes.
 - B. Arvind and Ajay do not have any of the two same capacity bikes.
- 1)1 2)2 3)3 4)4

Which bike do Akash, Arvind and Amar have in common

Ajay owns a 125 cc bike.

Amar owns one of the three 125 cc bikes.

- 1)1 2)2 3)3 4)4

Each question is followed by two statements, A and B. Answer each question using the following instructions

Choose 1 if the question can be answered by using one of the statements alone but not by using the other statement alone.

Choose 2 if the question can be answered by using either of the statements alone.

Choose 3 if the question can be answered by using both statements together but not by either statement alone.

Choose 4 if the question cannot be answered on the basis of the two statements.

SET 110 – Conditional Books Arrangement

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Five books are prescribed for first year students at Hogwarts School of Witchcraft and Wizardry are The Standard Book of Spells, Magical Theory, A Beginner's Guide to Transfiguration, Magical Drafts and Potions, The Dark Forces: A Guide to Self-Protection. These books were published for the first time in the years 1929, 1855, 1922, 1772 and 1830, in some order. The authors in some order were: Phyllida Spore, Quentin Trimble, Adalbert Waffling, Emeric Switch and Bathilda Bagshot. "A Beginner's Guide to Transfiguration" was written more than 100 years after Waffling wrote his book. Quentin wrote his book 25 years after Magical Theory was written. Bagshot released her book, "The Dark Forces: A Guide to Self-Protection", on the 150th anniversary of the publication of "The Standard Book of Spells".

Q: Who wrote "Magical Drafts and Potions"?

- | | |
|----------------------|--------------------|
| 1) Phyllida Spore | 2) Quentin Trimble |
| 3) Adalbert Waffling | 4) Emeric Switch |

Q: How many years after the publication of "Magical Theory" was "A Beginner's guide to Transfiguration" published?

Q: If Switch's book was published before Spore's, who wrote the book "A Beginner's Guide to Transfiguration"?

- | | |
|--------------------|-------------------------|
| 1) Emeric Switch | 2) Phyllida Spore |
| 3) Quentin Trimble | 4) Cannot be determined |

Q: Which book was published in 1772?

[Click here for Video Solution](#)

SET 111 – Venn Diagram - Optimization

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

A popular movie service provider Netflix has analysed the various genres of movies and its customer base on its platform. It concluded that the number of movies in the genres Drama, Romance, Horror, Animated, Comedy and Thriller is 110, 150, 80, 170, 160 and 150 respectively. The number of people in its customer base who like these genres (in the same order) is 370, 250, 160, 290, 180 and 450. Each customer of Netflix likes at least one genre. As a promotional offer, Netflix wants to give access of one movie, free of cost, to each of its customers in such a way no movies are left after the free access is granted. Also, no two customers get the same movie for free.

How many people like exactly two genres and exactly three genres of movies if the number of people who like exactly one genre is maximum possible?

There are some people who like more than one genre of movies. If one-fourth of such people like exactly two genres, two-thirds of such people like exactly three genres and the remaining such people like exactly four genres. How many people like exactly one genre?

1)300 2)270 3)330 4)None of these

What is the minimum possible number of people who like movies of both the Romance and Animated genres?

What is the maximum number of people who like exactly one genre?

[Click here for Video Solution](#)

SET 112 – Team Selection

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

The coach of the national rugby team wants to form a team of 5, 6 or 7 players for a practice match against the rival team. The following information is known.

1. A is always selected with K and vice versa.
2. If B is selected, then N should not be selected and vice versa.
3. Either of C, D or E, but not more than one of them must be selected in the team.
4. If the team size is 7, one of J or I should be in the team. They are not selected in a team of any other size.
5. If the team size is 6, neither K nor L should be in the team.
6. M is selected only if A and B are selected for the team.
7. There are 15 players (from A to O) in the squad.

[Click here for Video Solution](#)

Q: In how many ways can a team of 5 be formed?

Q: In how many ways can a team of 6 be formed if A is not selected?

Q: If B and K are not available for selection and a team of 7 is to be formed, who among the following has to be included in the team?

- 1) N
- 2) G
- 3) L
- 4) None of these

Q: In a certain tournament, the coach has no restrictions in terms of team size. At least how many players are left out in each team?

SET 113 – Conditional Arrangement

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

26 boys participated in a 3000 m race held in their school. They were given chest numbers 1, 2, 3, 4...26 respectively, as shown in the table below.

Label	Boy	Label	Boy
1	Avinash	14	Naval
2	Bahadur	15	Om
3	Chetan	16	Punit
4	Deepak	17	Qasim
5	Eklayva	18	Rajat
6	Farhat	19	Satish
7	Ganesh	20	Tarun
8	Harshit	21	Ujjwal
9	Ishant	22	Vivek
10	Jamshed	23	Wasim
11	Kishan	24	Xitij
12	Lalit	25	Yash
13	Manjeet	26	Zaheer

1. They were made to run on 6 different tracks - T1 to T6. Tracks T3 and T6 had 5 boys running on them while 4 boys ran on each of the remaining tracks.
2. The boys with names starting with vowels were running on the same track T3.
3. The boys with chest numbers 2, 3 and 4 were on the same track.
4. One of the tracks had no prime chest numbers, while no track had more than two prime numbers.
5. Only one of the tracks had two perfect squares.
6. The numbers on T6 formed an A.P.
7. The numbers which are solutions to the equation $x^2 - 32x + 192 = 0$ were on T2, while the solutions of $x^2 - 36x + 320 = 0$ were on different tracks.
8. T4 had chest numbers 6, 11, 23 while T5 had 7, 13, 25.
9. Only one track had more than 3 even numbers.
10. The track on which chest number 12 was running only had the rest of the runners in such a manner that all those chest numbers divided 12.

Q: On which track did Punit run? (Write 99 if CBD)

Q: How many tracks had a runner on them with a chest number equal to the average of the chest number of all the runners running on that track? (Write 99 if CBD)

Q: The three winners were Satish, Jamshed and Bahadur respectively. On which tracks were they running respectively? (Write 99 if CBD)

[Click here for Video Solution](#)

QUANTIFIERS

SET 114 – DI Based SET

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Five friends – Lynette, Melanie, Natalie, Olivia and Petunia – decided to go shopping. Each of them bought exactly one item. No two friends bought the same item. The following facts were also known,

1. Lynette bought a pair of jeans, spending the maximum amount of money.
2. The belt was not the cheapest item.
3. Melanie did not buy a shirt.
4. Petunia spent double the amount as Olivia. The price of the shirt was equal to the combined amount spent by them.
5. The total money spent was Rs. 8500 and the minimum amount spent was Rs. 500.
6. The price of the pair of shoes was five times that of the socks.

Q: Who bought Shoes?

Q: How much did Natalie spend (in Rs.)?

Q: How much did belt cost?

[Click here for Video Solution](#)

Quant - Question of the day

A shopkeeper, who sells only apples, oranges and coconuts, is offering a strange scheme to his customers. The scheme is as follows:

If the customer buys at least one item each of the three types of fruits, the price to be paid for all the fruits of that type combined is inversely proportional to the number of fruits of that kind purchased and is directly proportional to the total number of fruits purchased. The constant of proportionality in this deal is 50.

Ajay, who is an intelligent customer, wishes to buy at least one fruit of each kind. What is the minimum price he has to pay for such a purchase?

[Click here for Video Solution](#)

SET 115 – Conditional DI

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Kiran, an eccentric billionaire, hired three Private Investigators (PIs), Sherlock, Feluda and Hercules, and independently asked each of them to track the activities of the other two PIs, during the same period, for exactly n days. As part of their respective assignments, Kiran asked each of them to record the number of days that each of the other two PIs sent any e-mail from their respective e-mail accounts during these n days.

After the n days, each of the three PIs provided their respective reports which included information only about the other two PIs.

The following is known about the information in their reports:

1. According to Sherlock's report, the number of days on which both of the other two PIs sent e-mails was 50, while the number of days on which only Feluda sent e-mails was 34.
2. According to Feluda's report, the number of days on which only Hercules sent e-mails was 34, while the number of days on which only Sherlock sent e-mails was 27.
3. According to Hercules' report, the number of days on which both of the other two PIs sent e-mails was 43, while the number of days on which only Sherlock sent e-mails was 29 and the number of days on which none of the other two sent e-mails was 21.
4. At least one of the three persons sent an e-mail on each of the n days

QUANTIFIERS

Q: What is the value of n ?

Q: On how many days during the given period did both Sherlock and Feluda send e-mails but Hercules did not?

Q: On how many days during the given period did Hercules send e-mails but Feluda did not?

- a) 29 b) 34 c) 27 d) 21

Q: What is the maximum number of consecutive days during the given period on which Hercules could have sent an e-mail?

- a) 77 b) 78 c) 79 d) 81

[Click here for Video Solution](#)

SET 116 – Conditional Arrangement

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

In a service station, five tasks – Body Wash, Brake Checking, Engine Tuning, Interior Wash and Wheel Alignment – had to be performed on a vehicle on a particular day. The order in which the five tasks should be performed was fixed. The time taken to finish each task was 10 minutes, 20 minutes, 30 minutes, 50 minutes and 80 minutes, not necessarily in the same order. The tasks should be performed one after the other and any task can be performed as soon as the previous task is completed. Further, each task can be performed by exactly one technician among Dev, Gaurav, Krish, Lalit and Raju, not necessarily in that order.

On that particular day, each technician reached the service station at a different time. Any technician who reached the service station started working on his task immediately after he reached, providing all the preceding tasks, if any, were already complete. If not, he waited until all the tasks scheduled before his task were finished.

The following information is known about the details of the tasks:

- Only one technician arrived by 10:00AM but he had to start his job at 11:20AM.
- Dev arrived at 12:00PM and started his task immediately.
- The first task to be finished did not take longer than 20 minutes.
- Interior Wash, which was the last task, was finished at 3:00PM.
- Engine Tuning takes 30 minutes to complete, while Body Wash takes 50 minutes.
- Gaurav, who did not arrive first, performed Wheel Alignment and he was the third person to finish his task.
- Lalit was not the first person to arrive but finished his job before Dev, while Raju did not perform Interior Wash.

[Click here for Video Solution](#)

Q: At what time did Krish arrive?

- a) 10:00AM b) 10:20AM c) 1:40PM d) 2:10PM

Q: Which technician had to wait the longest to start his task after he arrived at the service station?

- a) Raju b) Gaurav c) Dev d) Cannot be determined

Q: Which technician performed Body Wash?

- a) Dev b) Raju c) Lalit d) Krish

Q: How many technicians definitely did not have to wait to perform their tasks?

SET 117 – Games & Tournaments

[Click here for video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

The points table of the English Premier League 2007-08 after 37 games played by each team is given. Each team is yet to play one more match. Three points are awarded for a win, one point for a draw and no points for a loss. In case two or more teams are level on points after the last round of matches, the team with a higher goal difference ($GD = GF - GA$) is ranked higher

	Played	Won	Lost	Draw	GF (goals for)	GA (goals against)	Points
Manheader United	37	30	5	2	83	27	92
Arsenail	37	28	2	7	75	24	91
Chelski	37	29	5	3	66	14	90
Heartpool	37	29	6	2	81	28	89

Q: On the final day Manheader United draw with Arsenail without scoring. Also, Chelski and Heartpool win their matches against Fillham and Overton, 6-1 and 4-0 respectively, then what is the sum of the goal differences of the teams ranked 1 and 4 at the end of the league?

Q: If Arsenail draw 3-3 with Chelski and Manheader United lose to Heartpool 4-1 on the final day, then which teams finish in the third and the first place respectively?

Arsenail and Chelski

Arsenail and Heartpool

Heartpool and Manheader United

Chelski and Heartpool

Q: On the final day, Manheader United loses 0-2 against Braxton Villa and Arsenail and Chelski draw against Sunderbans and Wiggle, 4-4 and 2-2 respectively. If Heartpool has conceded three goals in their match against Overton, then what is the minimum number of goals they need to score to become the champions?

Q: Arsenail wins 4-0 against Berdy County but are docked a point due to a bribery scandal. Then if Chelski played Heartpool and Manheader United played Boltoon on the last day, which of the following combinations of results will make Arsenail the champions?

Manheader United win 3-0, Chelski lose 1-0

Chelski win 2-0, Manheader United draw 2-2

Heartpool win 2-1, Manheader United win 3-2

Chelski win 6-5, Manheader United lose 5-0

SET 118 – DI Based Set

[Click here for video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Tetra is a company that manufactures and sells chairs. At the beginning of each month, the stock of chairs in the inventory is calculated. The stock at the beginning of any month is calculated as follows

Stock at the beginning of a month
= *Stock at the beginning of the previous month*
+ *Number of chairs manufactured during the previous month*
– *Number of chairs sold during the previous month*

The table below provides the stock of chairs at the beginning of each month in 2017.

It is also known that, in any month, the number of chairs manufactured was either half the number of chairs sold or thrice the number of chairs sold. There was no stock left in the inventory at the end of the year.

Month	Stock (in '000)
January	100
February	130
March	80
April	130
May	150
June	90
July	75
August	60
September	100
October	50
November	90
December	30

Q: In how many months during the year were more than 50000 chairs sold?

Q: In which month during the year were the highest number of chairs manufactured?

Q: What is the average number of chairs sold per month (approximately) during the year?

Q: In which of the following months was the percentage increase in the number of chairs sold as compared to the previous month the highest?

- a) November
- b) September
- c) July
- d) February

SET 119 – Venn Diagram

[Click here for video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Out of 100 people in an office, 50 like to walk to work, 55 like to take the bus and 66 like to take the train. 9 people like to use all the three modes of transport. Number of people who like walking and taking the train, but do not like to take the bus is $\frac{4}{3}$ times the number of people who like to take the train and bus but do not like to walk. The number of people who like to walk only to reach office is at least one. There is no person who does not use either of the three modes of transport.

Q: What is the minimum number of people who do not like to take the train or bus?

Q: What is the the maximum number of people who like to take the train only?

Q: If number of people who like to take the bus only is lesser than the number of people who like to take the train only, then how many people like to walk and take the bus but not the train?

Q: If the number of people who like to walk and take the bus but not the train is a prime number then what is the sum of all the digits in x where x is the number of people who like to take the bus only?

SET 120 – Games & Tournaments

[Click here for video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Each of five friends - A, B, C, D and E – placed bets among themselves. Each person placed at most one bet with every other person and none of the bets ended as a draw. The money involved in each bet is called as the *stake* of that bet and the person who wins the bet gets the *stake* of that bet from the person who lost the bet. The total money got by any person in all the bets he won is called as his *gain* and the total money lost by any person in all the bets that he lost is called as his *loss*. The following information is also known:

- (i) No two persons won the same number of bets and no two persons lost the same number of bets.
- (ii) For any person, the *stakes* of any two bets are different.
- (iii) The *stake* of any bet is an integer amount (in Rs.) and is neither less than Rs.4 nor more than Rs.21.
- (iv) Neither the *gain* of any person who won at least one bet nor the *loss* of any person who lost at least one bet is less than Rs.20 or more than Rs.40.
- (v) The sums of the *stakes* (in Rs.) of all the bets placed by each of A, B, C, D and E are 55, 37, 40, 55 and 53 respectively.
- (vi) The number of bets won by D is equal to the number of bets lost by A. The number of bets lost by C is more than the number of bets lost by D.
- (vii) E won Rs.17 against A and the *stake* involved in the bet between C and D is Rs.4. The *gain* of A is equal to the *loss* of D.

Q: The person who won the maximum number of bets is

Q: The *stake* (in Rs.) in the bet between B and C is

Q: What is the total *loss* (in Rs.) of A?

Q: What is the amount (in Rs.) that A lost to D?

[Click here for video Solution](#)

SET 121 – Conditional Arrangement

[Click here for video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Coach Fletcher decided to sort the batting order of the County cricket team Northamptonshire. The following were the broad guidelines on which he was going to decide the batting order. The five regular batsman for the first five positions are Benhem, Morris, Crawley, Pothas and Thornley.

- I. If Thornley does not bat at the second position, then neither Pothas nor Crawley bat at the second position, unless Benhem bats at the fourth position.
- II. If Morris bats at the second position, then Thornley will not bat at either the first or the third position.
- III. If Benhem does not bat at the first position, then Crawley will bat at the second position and Morris will bat at the fourth position.
- IV. Pothas does not bat at the third position in the batting order unless Crawley bats at the fifth position.
- V. If Thornley does not bat at the first position, then Morris will bat at the second position and Pothas will bat at the fourth position.

Q: In which position will Thornley bat?

- | | | | |
|---|---|---|---|
| 1 | 2 | 4 | 5 |
|---|---|---|---|

Q: Which player will bat at the first position?

- | | |
|-------------------|---------|
| Benhem | Crawley |
| Benhem or Crawley | None |

Q: Coach Fletcher discards the original guidelines and is considering a new strategy for the first seven positions. He wants to introduce two players, Ervine and Kendall, as pinch-hitters in addition to the the five regular batsmen. The following conditions govern the new rules to kept in mind while allocating the batting position to the pinch hitters.

- VI. They will never bat in the top two positions.
- VII. There will be at least one regular batsman between Ervine and Kendall.
- VIII. If Ervine bats in third position, Kendall will not bat in sixth position.
- IX. If Ervine does not bat in the fourth position, Kendall will bat in the third position.
- X. If Ervine bats in fifth position, Kendall will not bat in seventh position.
- XI. If Ervine bats in the sixth position, Kendall will not bat in the third or fourth position.
- XII. Ervine does not bat in the fourth or seventh position.

What is the position of Ervine and Kendall in the final batting order?

Represent the answer as (Ervine’s position, Kendall position)

SET 122 – Optimization

[Click here for video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)




[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

One day, a class of 180 students consumed 342 Toffees from among the varieties A, B, C, D, E, and F. No student ate two Toffees of same variety. The number of students who ate the varieties D, E, F was 73, 93, 45 resp. The number of students who did not have any Toffees was equal to the total number of students who either had exactly one of the varieties or all six of them.

The bar graph below shows the number of students who consumed exactly 2, 3, 4 or 5 varieties of Toffees.



1. The number of students who had exactly one variety of Toffee that day?

- a. 42 b. 43 c. 44 d. 45 e. cannot be determined

2. The number of students who did not have any variety of Toffee that day?

- a. 67 b. 68 c. 69 d. 70 e. cannot be determined

3. The number of students who had Toffees of only variety D is at least?

- a. 0 b. 73 c. 44 d. 3 e. 4

4. If number of students who had Toffees of exactly two varieties D and F is 10 and those who had Toffees of exactly three varieties D, E and F is 12, Then number of students who had Toffees of only variety F is?

- a. 4 b. 0 c. 2 d. 1 e. Cannot be determined

[Click here for video Solution](#)

SET 123 – DI

[Click here for video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Four aircraft manufacturing companies- ABC, XYZ, PQR and FGH- manufactured a certain number of aircraft. It is known that, by the end of the year 1999, the four companies had manufactured a total of exactly 18 aircraft and by the end of 2001, the four of them had manufactured a total of exactly 35 aircraft. The following information is known about the number of aircraft manufactured by the companies:

- (1) The number of aircraft that XYZ manufactured during 2000 was the same as the number of aircraft that ABC manufactured during 2001, which was more than the number of aircraft that PQR manufactured during 2001
- (2) By the end of 1999, ABC and FGH had manufactured 3 and 5 aircrafts, respectively.
- (3) Even though PQR did not manufacture any aircraft during 2001, each of PQR, ABC and FGH had manufactured the same number of aircraft by the end of 2001.
- (4) The number of aircraft that FGH manufactured during 2001 was the same as that during 2000, which was twice the number of aircraft in which ABC manufactured during 2001.
- (5) The number of aircraft that PQR manufactured during 2000 was the same as the number of aircraft that XYZ manufactured during 2001.

[Click here for video Solution](#)

1. How many aircrafts PQR had by end of 2000?
2. How many aircrafts ABC made during 2001?
3. Aircrafts made by ABC was what percentage more than that of PQR for the year 1999?

SET 124 – Binary Logic

[Click here for video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Four friends – A, B, C and D – belong to an island, in which each person belongs to one of the three tribes – Truth tellers, Alternators and Liars. Truth tellers always tell the truth, Alternators alternate between true and false statements, in any order and Liars always lie. A, B, C and D earn their respective livelihoods as a Banker, a Journalist, an Engineer and a Doctor, not necessarily in the same order. When asked about the tribes and how they earn their livelihoods, each of them made exactly three statements. B made his first and third statements in the local language, which was incomprehensible, but made his second statement in English. However, A, C and D made all their statements in English.

A: Statement 1: B's first statement is that, "C is either a Journalist or a Doctor."

Statement 2: C is not a Truth teller.

Statement 3: B is an Engineer.

B: Statement 1: Abba Dabba Chabba

Statement 2: At least one of my statements is false.

Statement 3: Kun Faaya Kun

C: Statement 1: A is a Doctor.

Statement 2: B's third statement is that, "D is a truth teller."

Statement 3: D is neither a Journalist nor an Engineer.

D: Statement 1: C made exactly one true statement.

Statement 2: Exactly two of us are truth tellers.

Statement 3: C is a Journalist.

Among A, B, C and D, at least one person of each tribe is present

1. Who is the Journalist?
2. Who is/are the liar(s)?
3. Who is the Banker?
4. Name three people from different tribes

[Click here for video Solution](#)

FEEDBACK

With this we've completed our Games & Tournaments !!

We have completed all the aspects

Round Robin varieties, Knockouts, Coin picking, Condition based etc.

Please let us know your feedback !! 😊

  Arunav Roy, Vishan Khadke and 24 others

49 Comments



Like



Comment



Priya Verma Awesome session

Like · Reply · 12w



Radhika Kulkarni Amazing sessions and great concepts explained. Thankyou sir 😊

Like · Reply · 12w



2



Faizan Mohd Great session sir

Like · Reply · 12w



Ram Prakash Amazing session..learned lot..

Like · Reply · 12w



Sumit Kumar Just loved the entire session.... Even the smallest doubts are cleared.....

Like · Reply · 12w



Sukhmani Kaur was a nice session

Like · Reply · 12w

Like · Reply · 12w



Naman Aggarwal Games n Tournaments sessions made me learn many new things, the way sir taught.

Like · Reply · 12w



Vicky Verma Awesome session sir 🙏🙏🙏🙏🙏

Like · Reply · 12w



Siddharth Tyagi Sahil Arora Awesome teaching and vast variety of questions 🙏

Like · Reply · 12w · Edited



Kashmira Sawant Interesting session sir !

Like · Reply · 12w



Ekta Maurya Great session sir, learned a lot from these sessions and many doubts were cleared during that 😊

Like · Reply · 12w · Edited



Tanisha Verma Sessions are so detailed and conceptual, learnt alot! Sahil Arora You are amazing! 🙏

Like · Reply · 12w



Garima Grover Great session sir... 🙏

Like · Reply · 12w



Nisha Ray Great set of questions and excellent sessions!! Thank you sir!!

Like · Reply · 12w

Quantifiers

Quantifiers

SET 125 – DI

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Six institutes together conducted a common written test for admission into them. The test had four sections with the maximum marks in each section being 100. The following table gives the aggregate as well as the sectional cut off marks fixed by the six different institutes. A student will get calls from the institute only if he/she get marks greater than or equal to the cut off marks in each of the sections and his/her aggregate marks is at least equal to the aggregate cut off marks as specified by the institute.

	Sectioned cut off marks				Aggregate cut off marks
	Section A	Section B	Section C	Section D	
Institute A	84	84	84		352
Institute B		90	90		350
Institute C		92	90		342
Institute D	86			90	356
Institute E	90		86		360
Institute F		82		88	352

- Q: Reshma got calls from all the institutes. What could be the minimum marks obtained by her?
- Q: Atul got calls from two institutes. What could be the minimum marks obtained by him in a section?
- Q: Amol did not get a call from even a single institute. What could be the maximum aggregate marks obtained?
- Q: Ramesh got calls from two institutes. What could be the maximum aggregate marks obtained by him?

[Click here for Video Solution](#)

SET 126 – Project Management

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

An MBA college offers ten different courses to the students in the second year. Among the ten courses, some courses can be started only after the completion of the relevant prerequisite courses. Each course is assigned a certain number of credits which are earned by a student after the completion of the course. Further, each course requires a certain time to complete. Any student can study any number of courses at the same time as long as all the relevant prerequisite courses are completed. The following table provides for each course, the name of the course, the relevant prerequisite courses to be completed, the number of credits assigned to that course and the time required (in weeks) to complete the course:

Course	Prerequisite Courses	Credits	Time Required (in weeks)
AM	SM, OD	3	3
SM	HR, OD	3	5
OM	FM, AM	4	6
IDF	IB, OB	3	1
IB	OB	3	3
OB	-	4	2
OD	IDF	2	1
HR	-	3	8
PS	OB	4	4
FM	OB, PS	5	3

- Q: What is the minimum number of weeks required for a student to complete all the ten courses?
- Q: What is the minimum number of weeks that will be required for a student to complete courses worth a total of at least 16 credits?
- Q: What is the maximum number of credits that a student can earn in 15 weeks?
- Q: If a student wants to complete FM before starting IDF, what is the minimum number of weeks required to complete all the ten courses?

SET 127 – Arrow shooting contest

[click for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

During a recent arrow-hitting contest, five contestants were tested on their ability. Each of the contestant shot 60 arrows. The shots were classified into 3 types; hit, miss and almost hit. The hit of the players were {25, 18, 23, 16 and 21}. The miss of the players were {16, 18, 20, 24, 22}. Each of them had put on a jacket of different colour and each of them was different years old. Each of them had a different age from 21 to 25 years. The following details were known about them;

- 1. Sharad's almost hit was 26 but was not 24 years old.
- 2. Kavita's hit was 23 but had the lowest almost hit together with Chandru. She didn't wear Grey Jacket.
- 3. The person who was 24 years old hit 25 arrows on target and missed 22 arrows.
- 4. Kavita is 21 years old and there was someone wearing blue and black jacket.
- 5. Neither Ankita nor Sharad wore a grey jacket.
- 6. The difference between the age of Ankita and Sharad is 1 year with Ankita being older than him.
- 7. The person who is 23 years old missed 20 while the person who is 25 years old hit 21.
- 8. White jacket was put on by the person whose almost hit is 23 while cream jacket was put on by the person whose miss is 24.
- 9. Ankita had almost hit of 22 while Pulkit had a miss of 16.

1. How many shots of Sharad were of type 'hit'?

2. Which colour jacket is Chandru wearing?

- | | |
|-----------|-----------|
| (1) Grey | (2) Cream |
| (3) Black | (4) White |

3. Who was wearing black coloured jacket?

- | | |
|-------------|------------|
| (1) Chandru | (2) Ankita |
| (3) Sharad | (4) CBD |

4. What is the age of Pulkit?

[Click here for video solution](#)

SET 128 – Circular Graphs

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)


To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

The graph given pertains to the recruitment and promotion details of a company called TFC. Every year, the company takes in new recruits, known popularly as “Nanos”, in the company for its off-shore projects. These Nanos remain Nanos for two years during which they undergo a rigorous training. Immediately after completion of two years of training, these Nanos appear for a screening test, following which they get promoted as Vets if they pass the test. For the number of Nanos that are recruited in a particular year, the number of Nanos getting converted into Vets is between 60% to 80% (only integral values of percentage), both values included. On conversion to Vets, these employees leave TFC operations in the country for on-shore projects. The Nanos who fail to get promoted as Vets continue as Nanos for one more year following which they are labeled as Vets without any test and are then transferred to its on-shore operations.

In the chart, the innermost circle represents the year of intake of the Nanos, while the outer circles represent the numbers of Nanos and Vets for that year. Further for any given year, the number of Nanos always exceeds the number of Vets in the same year.

For example, in the year 2005, the number of Nanos that TFC had was 65 and the number of Vets in the same year was 42.

No employee can bypass the process and get recruited as a Vet directly.



Q: The number of Nanos from the 2006 batch who were promoted as Vets without a test was _____

Q: The percentage of Nanos getting promoted as Vets in the first instance was highest for which of the following batches of Nanos?
2003 2004 2005 2006

Q: What was the number of Nanos who did not get promoted as Vets at the first instance from the ones present in 2005?

Q: If we consider the period from 2007 – 2009, then in which of the following years was the number of Vets the highest?

SET 129 – Arrangement

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Ten RA&W agents, who have finished their training, are to be sent to ten different locations. They will depart to Beijing, Cairo, Cape Town, Dubai, London, Moscow, New York, Paris, Sydney and Toronto in a week starting from Monday to Sunday. The departure timings of the flights are 1 pm, 2 pm, 3 pm, 4 pm, 5 pm, 6 pm, 7 pm, 8 pm, 9 pm and 10 pm not necessarily in the same order. There are three days when two flights will depart and neither Saturday nor Sunday is one of them.

Furthermore, the below information is known about the departure of flights:

- The first flight will depart at 6 pm while the last will depart at 7 pm.
- The flights to the two cities whose names start with the same alphabet will depart on the same day with a difference of 5 hours between them.
- The flight to Moscow will depart at 9 pm on Friday.
- The days on which two flights depart are not consecutive.
- The flight to Paris will depart at 4 pm and that to New York at 5 pm.
- The flight to London will not depart on Monday and the flight to Sydney is not the first flight to depart.
- The flight to Dubai will depart just before the flight to Cairo.
- The flight to Toronto will depart before the flight to New York but not before the flight to Paris.
- The flight departing at 1 pm will not be departing on Friday or Saturday

Q: How many flights are scheduled between the departures of the flights to Sydney and Paris?

Q: Which flight is scheduled to depart at 1 pm?

Q: What is the difference in the time of the departures of the two flights on Friday?

Q: The flights to which two cities are the first and the last to depart respectively?

SET 130 – DI

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

After a recent outbreak of the T1T1 flu virus, many people went to the three most renowned hospitals - Jaslok, Wockhardt, Hinduja - in Mumbai. These patients underwent treatment for the flu, but some had to be kept in the Intensive Care Unit [ICU] for intensive treatment while the others were kept in the General ward. The data showing the number of patients in each ward from the three hospitals is as shown,

	Wockhardt	Jaslok	Hinduja
ICU	8	4	7
General	12	6	9

After successful treatments the patients were sent home. A few months later, the National Centre for Disease Control (NCDC) asked for data on males and females affected by T1T1 and admitted in each ward of each hospital. However, the hospitals only had partial records, as shown below

	Wockhardt	Jaslok	Hinduja
Male	11		
Female		7	

One of the doctors, however, remembered the following:

1. The number of females admitted in Wockhardt and the number of males admitted to the general ward (across hospitals) were in the ratio 1:2.
2. The number of males in the ICU and the number of males in Hinduja were consecutive primes

Q: The male to female patient ratio in Hinduja Hospital was _____

Q: What is the ratio of males in ICU in Wockhardt to the females in General ward in Jaslokti Assume that the female patients in ICU are equally split among the three hospitals

Q: By what percentage are the females in ICU more than the males in ICU

Q: The ratio of the ratio of males in ICU to females in General to the ratio of males in General to the females in ICU is?

SET 131 – Conditional DI

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)



[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

A management consulting firm hired 400 students from the top 25 business schools around the world as management trainees. The firm had offices in the cities of Berlin, Dhaka, Colombo, New York & New Delhi. The base location of each of the hired students was one of these five cities. After completing one year, all the management trainees tried to change their base location but not all were able to change their base location. The priority for opting a base location is New York, Berlin, New Delhi, Colombo and Dhaka, which all management trainees follow. For example, if a management trainee with base location New Delhi wants to change his/her base location, he/she will first opt for New York and then Berlin. He/ She will never opt for base locations of lower priority than his/her current base location. Priority of management trainees is decided on the basis of their Performance Rating in the first year in the company. Performance Rating (PR) varies from 1 to 5. The management trainee with higher PR will get the higher base location mentioned in the priority order. For example, if there are two management trainees with PR 5 and 4 respectively and there is only one place vacant at the locations New York and Berlin, then the management trainee with PR 5 will get New York as the base location and the management trainee with PR 4 will get Berlin as the base location. The bar-graph given below shows the number of management trainees at each of the given five locations in the first and the second year. The pie-chart given below provides information about the PR wise distribution of the management trainees in the first year.



1. What is the maximum possible number of management trainees who could have changed their base location?

2. It is given that 60% of the management trainees at Dhaka, who changed their base location, got PR rating of 5 in the first year. Also, X management trainees at Colombo changed their base location in the second year. **What is the maximum possible value of X?**

3. What is the minimum possible number of management trainees who could have changed their base location?

4. It is given that only management trainees with a PR rating of 1 in the first year were not able to change their base location and this number was equal to X. Which of the following can be a value of X?

- A. 250 B. 249 C. 248 D. All of the above

SET 132 – Routes

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)


[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

The diagram given below is the network for transporting oil from refinery A to depots B, C, D, E, F and G. The arrows indicate the direction in which oil flows and the value above each depot denotes its capacity (in thousand liters). The supply is arranged such that only after a depot is full will the excess oil be transferred to the depots next in the supply line. The maximum capacity (in thousands of liters) of the pipeline connecting the refinery with the depots is 1500 and those connecting the depots is 750. The slack in a pipeline is defined as the extra flow required to bring the pipeline to full capacity. The flow in the pipeline is such that the demand at each depot is completely met.



QUANTIFIERS

- Q: What is minimum flow(in thousand liters) of in the pipeline connecting A and D?*
- Q: If the pipeline connecting A nd B is in repair as a result of which its maximum capacity is reduced by 20%, what is the minimum flow in pipeline D and F?*
- Q: What is the maximum value (in thousand litre) of the sum of slacks in all the pipelines applying oil to depot E?*
- Q: If the slack in the pipeline connecting D and G is 50, then what is the minimum slack, in pipeline connecting E and F?*

SET 133 – Routes

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)


[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

The network diagram below shows the distance between the various money transmission offices in a city. The values in percentage indicate percentage of the total amount being transferred that is charged by each transmission office as transmission charge. When an office is considered as a starting or destination office, the amount there is ignored i.e. while sending from B to G, the 1% at B and 4% at G are ignored. There is also an additional transmission charge of $n\%$ of the total amount being transferred where n km is the total distance between the starting and destination office. The transferred amount reaches the destination office after deducting the above mentioned charges. Note that the 2 written along the path joining A and B indicates that the distance between A and B is 2 km



- Q: What is the maximum amount that will reach office H if Rs. 500 are transferred from office A, such that no more than two intermediary offices are covered during the transit _____
- Q: In how many ways can one transmit money from office D to E using exactly three intermediary offices
- Q: What is the maximum additional transmission incurred while transmitting Rs. 8,000 from D to E. Consider data from the previous question.
- Q: A person wants to transfer money from A to I. He starts from A and keeps going in alphabetical order till possible. If a particular office in sequence is unavailable, he transmits to the next feasible office. What is his overall transmission loss in trying to send Rs. 7.5 lakhs?

SET 134 – DI Stocks

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Lokesh, who trades in the commodity market, was interested in investing in two commodities - Commodity A and Commodity B. He followed the price of these two commodities for n days, from Day 1 to Day n , and he observed that they followed the following trends during the given period:

- At the beginning of a day, if the price of Commodity A was greater than that of Commodity B, the price of Commodity A increased by Rs.10 and the price of Commodity B increased by Rs.40 by the beginning of the next day.
- At the beginning of a day, if the price of Commodity A was less than or equal to that of Commodity B, the price of Commodity A increased by Rs.30 and the price of Commodity B increased by Rs.10 by the beginning of the next day.

At the beginning of Day 1, the price of Commodity A was Rs.130 and the price of Commodity B was Rs.140.

Consider that the price of a commodity indicates the price only at the beginning of a day

Q: If $n = 15$, on how many days was the price of Commodity A greater than that of Commodity B?

Q: If $n = 100$, what was the maximum difference between the prices of Commodity A and Commodity B on any day?

Q: If Lokesh observed that the price of at least one of the two commodities was less than Rs. 500 on the n th day, what is the maximum possible value of n ?

Q: If $n = 73$, what is the difference between the average price (in Rs.) of Commodity A and that of Commodity B?

SET 135 – DI

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

In a state, anyone who finished high school is classified as a literate and anyone who did not, is classified as an illiterate. Further, anyone who finished his graduation, i.e., a graduate, would have finished high school; anyone who finished his post-graduation, i.e., a post-graduate, would have finished graduation; any person who finished his doctorate, i.e., a doctor, would have finished post-graduation.

QUANTIFIERS

The following table provides for each of five districts - District A through District E - in that state, the percentage of people who are literates, the percentage of the literates who are graduates, the percentage of graduates who are post-graduates, the percentage of post-graduates who are doctors and the number (in '000) of people who are not post-graduates:

District	% of Literates	% of Graduates	% of Post-Graduates	% of Doctors	Number of people who are not Post-Graduates (in '000)
District A	68%	75%	$66\frac{2}{3}\%$	50%	66
District B	60%	50%	60%	$33\frac{1}{3}\%$	205
District C	$62\frac{1}{2}\%$	60%	50%	$66\frac{2}{3}\%$	130
District D	$55\frac{5}{9}\%$	70%	80%	$62\frac{1}{2}\%$	124
District E	50%	$66\frac{2}{3}\%$	$62\frac{1}{2}\%$	40%	190

- Q: What is the number of illiterates in District D?
- Q: Across the five districts combined, what is the number of people who finished high school but are not graduates?
- Q: How many persons are doctors across the five districts combined?
- Answer all questions in '000s

SET 136– Routes/Pipes

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)


[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

There are six towns in a municipality namely A, B, C, D, E and F. The water distribution system of the municipality to its towns is shown in the figure. The total water requirement of the municipality in the month of March is 1450 cc/min and water is first fed to town A from the water source. The rate of water flow is such that the demand at all the locations is exactly met. The water requirement of town A is 400 cc/min. The flow in the pipe connecting towns A and E is same as that of the requirement of town B. The flow in the pipe connecting towns E and F is the same as that of the pipe connecting towns E and C, which in turn is one-fourth of the flow in the pipe connecting towns B and C. The requirement of towns E and F is equal. The flow in the pipe connecting towns F and D is same as that of the requirement of town C, which in turn is two-third of the flow in the pipe connecting towns C and D. There are 1000 households in town D. The average total water requirement for each of these households in the month of April is 10800 cc. Shown below is the water distribution map of the municipality. Consider that one month has 30 days.



1. What is the flow in the pipe connecting towns B and F (in cc/min)?
2. In order to reduce the wear and tear in the pipeline the municipality decided to keep the maximum flow in all the pipes which connect any two towns to 650 cc/min. It was further decided that if this change were to affect the supplies to the towns then only town D must be the one to suffer. **What will be the flow in pipe connecting towns B and C in that case?**
3. Using information given in the previous question, find out the capacity of an additional pipe that needs to be put in place connecting town D with the water source so as to restore the supplies of town D to its original level.
4. The earlier conditions of water distribution are now discarded. Water requirement of town A falls by 150 cc/min but the volume of water fed (in cc/min) to it remains the same. **What is the average monthly water consumption (in cc) for each household in Town D if the water requirement for towns B, C, E and F remains the same as before?** The flow of water in the two outlet pipes of any of the towns A, B and E is equal under this new system of water distribution.

SET 137 – Magic Square

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

There are 25 doors - named A1 to A25 and numbered 1 to 25 - arranged in a form of a 5 × 5 square grid as shown below.

X	A1	A2	A3	A4	A5
	A6	A7	A8	A9	A10
	A11	A12	A13	A14	A15
	A16	A17	A18	A19	A20
	A21	A22	A23	A24	A25
					Y

The doors are numbered in such a way that the sum of any row, column or diagonal is the same. Also, it is known that door A3 is numbered 1 and A6 is 23.

A robot has to travel through these doors to go from point X to Y as shown in the figure. The robot travels east if it encounters an odd numbered door, while it travels south if it encounters an even numbered door. For instance, if door A1 is odd numbered, the robot goes to A2; while if it is even numbered, then the robot goes to A6.

Q: What is the number of door A10?

Q: The robot has to travel starting from X and reach Y (or as close to it as possible). How many doors does it have to pass through?

Q: What is the sum of the door numbers corresponding to A12 and A14?

SET 138 – THE DI SAPPHIRE

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Telomia Inc. manufactures and sells four different types of products - Pens, Pencils, Markers and Sketch Pens - for Rs.30, Rs.10, Rs.40 and Rs.25 per unit respectively. It costs the company Rs.10, Rs.6, Rs.25 and Rs.20 per unit respectively to manufacture each type of product.

The total revenue of the company is calculated as sum of the products of the price per unit and number of units sold of each type.

The total cost of the company is calculated as the sum of the products of the cost per unit and the number of units sold of each type.

The profit percentage of the company is calculated as the profit of the company as a percentage of the total cost of the company.

Q: If, during a particular year, the number of units of Pens, Pencils, Markers and Sketch Pens sold by Telomia Inc. are in the ratio 1:2:3:4, **what is the profit percentage of the company for this year?**

Q: If, during a particular year, the revenues of Telomia Inc. from the sale of Pens, Pencils, Markers and Sketch Pens were in the ratio of 1:2:4:5, **what is the profit percentage of Telomia Inc. for this year?**

Q: If, during a particular year, the number of units of Pens, Pencils and Markers sold by Telomia Inc. are in the ratio 1:3:5 and the company made a profit percentage of 35%, **what is the ratio of the number of Sketch Pens sold to the number of Markers sold?**

Q: During a particular year, the total Revenue of Telomia Inc. was Rs.21 mn and Telomia Inc. sold an equal number of Pens, Pencils, Markers and Sketch Pens. **What is the total number of Markers that Telomia Inc. sold?**

SET 139 – THE NAÏVE ROUTES

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)


[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Seven localities, A through G, in a city were connected by certain two-way and one-way roads as shown in the figure below.



- Q: What is the minimum number of localities that a person must pass through to go from G to D (excluding G and D)?**
- Q: In how many ways can a person travel from F to C without passing through any locality twice?**
- Q: If a person travelled from one locality to another and passed through all the localities exactly once, how many of the seven localities can be the locality from which he started?**

This morning, Kishore, the newly appointed Traffic Commissioner of the city, changed all the existing two-way roads into one-way roads while ensuring that any locality can be reached from any other locality.

SET 140 – Friends taking mathematics test

[click for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560


than the average of those in the second row. [Click here for](#)

1. Who scored the highest marks in the test?
 1. Rahul
 2. Seema
 3. Bimal
 4. Lalit
2. Students are grouped into 5 groups based on the column that they are in. The teacher is going to award a prize to the group with the highest total marks. Which one wins this prize?
 1. 1
 2. 2
 3. 3
 4. 5
3. Which of the following is true?
 1. The lowest marks in Row 2 are more than the lowest marks of Row 1.
 2. The highest marks in column 2 are more than the highest marks in column 3.
 3. Lokesh scored the lowest marks in the test.
 4. Sachin and Dikshant sit in either the same row or the same column.
4. Which one of the following represents a pair of students sitting in the same column?
 1. Lokesh – Kushal
 2. Rahul – Seema
 3. Rahul – Rajan
 4. Rahul-Hemant

Click here for video solution **QUANTIFIERS**

Do these 3 things super-rigorously

- DI SETS from DILR Exhaustive Book
- Daily Practice on our FB Group, link in description
- Free Learnyst Mocks posted on FB Group



SET 141 – Shares trading

[click for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Amar, Akbar and Anthony had some money with which they decided to buy the shares of two companies - Akla and Bakla. The amount with Akbar was $\frac{1}{3}$ rd of the total money available with the three of them. Amar and Akbar spent equal amounts of money in buying Akla shares. The amount spent by Akbar on buying Bakla shares was twice that of Anthony. The amount spent by Amar on buying Bakla shares was 50% more than the amount spent on Bakla shares by Akbar and Anthony together. The amount spent by Anthony on Akla shares was $\frac{1}{9}$ th of the total initial money with the three of them. The amount spent on Bakla shares by the three of them together was $\frac{1}{3}$ rd of the total initial money with them. Akbar and Anthony had equal amounts of money left with them after making the purchases. The amount spent by Anthony in buying Bakla shares was equal to the amount left with Akbar after making the purchases. The money left with Amar after making the purchases was $\frac{1}{15}$ th of the total initial money with the three of them. The amount spent on Bakla shares by Akbar and Anthony together was Rs. 2,00,000 more than the money that was left with the two of them after making the purchases.

[click for video solution](#)

1. If the price of a Akla share was Rs. 5,000 then find the number of Akla shares bought by the three of them together.

- (a) 420 (b) 440 (c) 460 (d) 480

2. What was the money available with Amar in the beginning?

- (a) Rs. 21,00,000 (b) Rs. 30,00,000
(c) Rs. 24,00,000 (d) Rs. 18,00,000

3. Which of the following statement(s) is/are true?

- I. The money spent on purchases as a percentage of the money available with an individual in the beginning was the highest for Anthony among the three.
II. The three of them were left with a sum of Rs. 7,00,000 after making the purchases.

- (a) Only I (b) Only II
(c) Both I and II (d) Neither I nor II

4. What was the total amount of money (in Rs.) with the three at the beginning?

- (a) 45,00,000 (b) 40,00,000
(c) 42,50,000 (d) None of these

SET 142 – AIMCAT 2105 – Ranks Marking Set

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Eight students - A, B, C, D, E, F, G and H - wrote an exam conducted by an assistant professor, Asim. Asim ranked the students in the decreasing order of their marks in the exam, such that two or more students who get the same mark will get the same rank (say N) and the student who has the next highest mark will get the next rank (i.e., N + 1) and so on.

Later, Asim submitted the same to his superior, professor Ganesh. The professor was not satisfied and asked Asim to give revised ranks, from 1 to 8, to the eight students in the decreasing order of their marks. If two or more students get the same mark and compete for the same rank (say N), then the student with the least number of attempts among them should be ranked the best (i.e., N), the one with the next least number of attempts, the next best (i.e., N + 1) and so on. When Asim ranked the students accordingly, it was observed that

- i. Of the students whose ranks were changed, the change in the rank of B was less than that of any other student and the change in the rank of G was more than that of any other student.
- ii. only D's rank changed by 3.
- iii. the number of questions attempted by C was less than that by A, but his revised rank was not better than that of A, which, in turn, was 6.
- iv. initially D and E had the same rank.
- v. initially, there was no rank which was given to more than three students
- vi. no two students had the same number of attempts.

Note: Between any two ranks, the numerically lower rank is considered to be the better rank.

What was the revised rank of D?

How many students got first rank?

By how much did C's rank change?

Who got the revised rank of 1? B F E CBD

Who among the following can't be the student with the least number of attempts?

 H F D E

SET 143 – Police Calls

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

In a city there are ten Police patrolling jeeps for providing security to the residents. Each patrolling jeep has three policemen viz. one Inspector, one Constable and one Driver. Each patrolling jeep has a wireless system to make calls to other patrolling jeeps. Codes are required to activate the wireless system which are different for Inspectors, Constables and Drivers. Four patrolling jeeps receive every call made by an Inspector, two patrolling jeeps receive every call made by a Constable and one patrolling jeep receives every call made by a Driver. The patrolling jeeps can make or receive calls to / from other patrolling jeeps only. The following table provides information about the number of received and dialed calls by each patrolling jeep at the end of a particular day.

Police Patrolling Jeep no.	No. of received calls	No. of dialed calls
1	6	5
2	15	3
3	7	2
4	9	6
5	6	1
6	8	3
7	10	2
8	9	1
9	7	4
10	5	3

Q: If Police Patrolling jeep No. 2 had received calls from only three Police Patrolling jeeps, then what could be the lowest possible number of Police Patrolling jeeps from which Police Patrolling jeep No. 7 received calls?
6 4 3 2

Q: What could be the maximum possible number of calls that can be made by the Constables?
19 16 13 10

Q: If the total number of calls made by all the Inspectors was not less than the total number of calls made by all the Constables and the total number of calls made by all Constables was not less than the total number of calls made by the all the Drivers, then what was the minimum number of calls that could have been made by the Drivers? 6
4 2 8

Q: If the total number of calls made by all the Inspectors was not less than the total number of calls made by all the Constables and the total number of calls made by all Constables was not less than the total number of calls made by the all the Drivers, then what was the maximum number of calls that could have been made by the Drivers?
10 8 6 4

SET 144 – Binary Logic

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Tweedledum and Tweedledee look alike, but Tweedledum lies on Monday, Tuesday and Wednesday, whereas Tweedledee lies on Thursday, Friday and Saturday. They both tell the truth on Sunday. You come upon the two of them, and they make the following statements. In each case, determine who is who.

Choose "a" if A is Tweedledee and B is Tweedledum

Choose "b" if A is Tweedledum and B is Tweedledee

Choose "c" if data is insufficient

Choose "d" if data is inconsistent

1. A: I will lie tomorrow
B: I lied yesterday, and I will lie tomorrow
2. A: Today is not Sunday
B: Today is not Monday
3. A: Today is Sunday
B: Today is Tuesday
4. A: Today is Monday or Wednesday
B: Today is Monday or Sunday
5. A: Tweedledee lied yesterday
B: Tweedledum lied 3 days ago

[Click here for video solution](#)

SET 145 – Family shopping

[click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Four families: Sharma, Trivedi, Arora and Singh, went for shopping together and each family purchased at least 1 item out of 3 items: AC, Washing Machine and Fridge. The cost (in Rs.) of these items is 35000, 15000 and 20000, in no particular order. No family purchased more than 1 item of any type. Also, it is known that

- i) 1 family did not purchase AC, 1 did not purchase Washing machine, and 2 families did not purchase Fridge.
- ii) Sharma family spent the most and Arora family spent the least.
- iii) No two families spent the same amount.

[Click here for video solution](#)

1. If the cost (in Rs.) of Fridge is not 35000, then one family definitely spent

1 20000	2 15000	3
50000	4 35000	

2. What is the maximum possible difference between the amount spent by the Trivedi family and the Singh family?

3. 3. If Arora family spent 15000 and Singh family spent the 2nd highest, then the amount that Singh family has spent?

1 45000	2 50000	3
55000	4 60000	

SET 146 – The Matrix Set

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Three online homestay reservation websites X, Y and Z have 3 star, 4 star and 5 star homestays listed. The details of number of different category homestays are given below:

1. One homestay can be listed on exactly one website.
2. The total number of homestays listed on the all three websites taken together is 360.
3. The total number of 4 star home stays is twice the total number of 3 star homestays on all the three websites taken together similarly the total number of 5 star homestays is thrice the total number of 4 star homestays in all the three websites together.
4. On website X, out of total 120 homestays, 85 homestays are 5 star homestays.
5. On website Y, half of the total listed homestays are 5 star homestays. Also the number of 3 star homestays is same as number of 4 star homestays listed on website Y.
6. The number of 3 star homestays listed on website Z is equal to the number of 3 star homestays listed on website X.
7. The difference between the number of 3 star homestays listed on website Z and the number of 4 star homestays listed on website X is 15.

QUANTIFIERS

Q: How many 3 star homestays are listed on website X?

Q: What is the total number of homestays listed on website Y?

Q: What is the difference between the number of 5 star homestays listed on website Y and the number of 5 star homestays listed on website Z?

Q: How many 4 star homestays are listed on website Z?

SET 147 – Games & Tournament

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Six teams Canada, Sweden, USA, Russia, Finland and India participated in an XYZ tournament in which each team played against each other team exactly once. The winning team got 4points while the losing team did not get any points. For a Draw, each team got one point. The total points scored by five teams is given in the below table

QUANTIFIERS

	Total Points
Canada	10
Sweden	12
USA	10
Russia	8
India	12

Q: For how many matches can the result be uniquely determined?

Q: If India lost against Sweden and Russia, then who won the match between Sweden and Canada? (Write 0 for draw and 1 for CBD)

Q: If Sweden won against Canada and USA ,then who won the match between Russia and India? (Write 0 for draw and 1 for CBD)

Q: If Russia is the only team that won against USA, then the results of how many matches can be uniquely determined?

SET 148 – Box arrangement

[click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

- (i) In a 4×4 square grid, 6 boxes (i.e. cells in the grid) are to be occupied by letters A, B, C, D, E and F.
- (ii) No two occupied boxes have a common side.
- (iii) An occupied box has one common corner with at least one other occupied box.
- (iv) Boxes A and D are at maximum possible distance from each other.
- (v) Boxes B and C lie on the opposite sides of the line made by joining the centers of boxes A and D.
- (vi) Distance of box A from box C is more than the distance of box A from box B.
- (vii) Out of the remaining two occupied boxes, one is equidistant from the box A and box B and the other is equidistant from the box C and box D.
- (Note: Distance from box A implies the distance measured from the centre of the grid cell occupied by box A)

[click here for video solution](#)

*Video Solution will be shared at our YouTube channel. **QUANTIFIERS***

1. Area of triangle formed by joining the centres of the boxes occupied by letters A, B and C is equal to the area of the triangle formed by the boxes containing which letters?

1. B, C and D 2. B, C, E 3. C, D, F 4. C, D, E

2. Which of the following is true regarding the alignment of boxes?

- (a) Boxes A, F, E and D are on a straight line, in the same given order.
(b) Boxes A, E, F and D are on a straight line, in the same given order.
(c) Boxes B, E and F are on a straight line.
(d) Boxes E, F, A and D are on a straight line.

3. If the distance of $AB = 6$ cm and $BC = 9$ cm then what is the distance of CD?

4. If A, B, D, C and A are joined in the given order, then A, B, D, C represent which of the following quadrilateral?

- (a) Parallelogram (b) Rectangle (c) Square (d) Rhombus

SET 149 – NEWSPAPER SURVEY

[CLICK HERE FOR VIDEO SOLUTION](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

A newspaper agency conducted a survey in which a reader has to select his first three preferences of newspapers, out of the five newspapers - Rajdhani News (RN), Dainik Khabre (DK), Times of Capital (TC), Rajdhani Express (RE) and Din Raat (DR). According to a reader's choice, 5, 3 and 2 points are awarded to the newspaper selected by him at first, second and third preference respectively. It is also known that every newspaper is selected as the first preference by the equal number of readers. The total points awarded to the five newspapers in this survey are tabulated below. Some of the cells in the following table are left blank intentionally.

Name of the Newspaper	Total Points
Rajdhani News (RN)	150
Dainik Khabre (DK)	-
Times of Capital (TC)	128
Rajdhani Express (RE)	142
Din Raat (DR)	-

1. If the total points awarded, out of the five newspapers, is not maximum for RN, then find the minimum number of readers covered in the survey.

1. 80 2. 75 3. 65 4. 56

2. If Rajdhani News is the paper with maximum points, then find the range of the people who covered in the survey.

1. 60 – 70 2. 55 – 70
3. 54 – 71 4. 53 – 65

3. If Times of Capital is the newspaper with minimum points, then find the minimum readers covered in the survey.

1. 72 2. 70 3. 65 4. 54

[click here for video solution](#)

SET 150 – Routes & Networks

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Six cities, A through F, are connected by certain two-way roads, such that any of the six cities can be reached from any of the other cities, using these roads, either directly or after passing through some of the other cities. The following table provides partial information about the minimum number of cities that one must pass through when travelling between any pair of cities:

		To					
From		A	B	C	D	E	F
	A	-	1	2	1		1
	B		-	2	0		
	C			-	1		
	D				-		
	E					-	
	F						-

Q: In how many ways can a person travel from A to C without passing through any city twice?

Q: In how many ways can a person travel from C to D without passing through any city twice?

Q: If two of the cities, say X and Y, which are presently not directly connected were to be connected by a new two-way road, as a result of which any city can be reached from any other city by passing through at most one city in between,

- a) A and B
- b) B and C
- c) C and E
- d) None of these

[Click here for Video Solution](#)

SET 151 – The Average Concept

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Five girls and four boys of a class were to be sent for a sports camp. Their teacher was asked to measure the weight of these students. But the weighing machine available in the school was defective and only measured weights greater than 100 kg. Hence, the teacher decided to measure the weight of three students at a time, but all three students selected would be of the same gender. He took all the possible weight combinations of girls as well as of boys. For girls, the measurements were 122 kg, 127 kg, 130 kg, 130 kg, 133 kg, 134 kg, 137 kg, 138 kg, 142 kg and 145 kg. For boys, the measurements were 174 kg, 170 kg, 165 kg and 163 kg. No two boys or no two girls had the same weight

[Click here for video solution](#)

Q: What is the average weight of the nine students?

1) 50.33 kg 2) 48.22 kg 3) 51.44 kg 4) 49.67 kg

Q: What is the difference in the weights of the second heaviest boy and the second lightest girl?

1) 14 kg 2) 15 kg 3) 18 kg 4) 20 kg

Q: What is the weight of the heaviest boy?

1) 54 kg 2) 56 kg 3) 59 kg 4) 61 kg

Q: How many girls weigh less than all the boys?

1) 5 2) 4 3) 3 4) 2

SET 152 – The Odd Eve

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

First 18 natural numbers are to be divided into two groups, named Group-A and Group-B, having 9 numbers each such that the sum of the numbers in Group-A is less than the sum of the numbers in Group-B by 9. The number of odd numbers in Group-A is more than that in Group-B by one

The numbers in group-A are placed in a 3×3 grid as shown below. The smallest and the largest numbers in Group-A are 1 and 17 respectively

	C1	C2	C3
R1	1		
R2		17	
R3			

It is known that the three numbers in the first row form an Arithmetic Progression.

Similarly the three numbers in the third row(from left to right), the three numbers in the first column(from top to bottom) and the three numbers in the third column (from top to bottom) form separate Arithmetic Progressions. Also these three Arithmetic progressions have different positive common differences.

Q: What number lies in the second column of the third row (cell R3C2)?

Q: What is the sum of the numbers in the third column of the grid in which the numbers of Group-A have been written?

Q: Which of the following numbers is not present in Group-A?

7

12

13

14

[Click here for video Solution](#)

SET 153 – Who's the truth teller?

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

The cops have arrested four suspects in a theft case. The names of these suspects are Amjad, Amrish, Danny & Ranjeet. The cops know that exactly one of them always speaks the truth (T), One of them always Lies (L), Two of them are alternators: one of them speaks every odd numbered statement true & even numbered statements false (Alternate Truth teller) or (AT). The other person speaks every odd statement lie & every even statement truth (Alternate Liar) or (AL). The cops found a hat at the site, so each one of them was asked about the colour of the hat they were wearing. All the four suspects are cunning. They don't give any direct clues and always divert from the topic. Each of them made three statements, given as below:

Amjad :

1. The one who wears a Blue Hat is a Truth Teller.
2. I wear a Green Hat.
3. Danny is a Liar.

Amrish :

1. The one who wears Red Hat is a Liar.
2. I wear a Yellow Hat.
3. The last statement spoken by only one of us is truth.

Danny :

1. The one who wears Green Hat is an Alternate Truth Teller.
2. I wear a Red hat.
3. The last statement spoken by two of us is a truth.

Ranjeet :

1. The one who wears a Yellow Hat is an Alternate Liar.
2. I wear a Blue Hat.
3. The third statement spoken by me is a truth.

Q: Which colour hat is worn by the person who always tells the truth?

Q: Which two people spoke truth in at least two of the three statements?

Danny & Amrish

Amrish & Amjad

Amjad & Ranjeet

Danny & Ranjeet

Q: What is the colour of the hat worn by Ranjeet?

Mark 0 if answer is CBD

[Click here for video solution](#)

SET 154 – The DI Dilemma

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

In a certain party, there was a game played among 8 players. Each player assigned a number to the next player using the rule allocated to the player assigning the number. For instance, if A's rule is to assign only square root then he finds the square root of the number assigned to him and assigns that square root to B. The following points were noted during the game.

1. Amish started the game and the last person Bhavna had to define her rule such that she assigns the same number to Amish with which he started the game.
2. Karan who is the second person in the list follows the rule of factorial.
3. Priya who was third in the list got the number 24.
4. Ashish followed the rule of square root while Gaurav who was second last followed the rule of subtraction of 1.
5. There was one person who followed the rule of defactorial (finding the number whose factorial is the number with that person. For example defact $(6) = 3$)
6. Rita followed the rule of addition of the digits of the number with her and she was fifth in the list.
7. Pooja got the number 6 with her and she followed the rule of taking the cube of a number.
8. The rules with some of the other people were taking the square of a number and division by 4.
9. Each person received an integral number

Q: Which number did Amish start with?

Q: Which number did Rita pass on?

Q: Which person was squaring the number received by him/her?

- 1) Priya
- 2) Amish
- 3) Bhavna
- 4) Either Amish or Bhavna

[Click here for Video Solution](#)

SET 155 – The DILR Matrix

[Click here for video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Five friends - Kim, Steve, Shane, Markel & Kaizen - were invited for a b'day party at Abdul's place. Abdul hosted 4 games there - Carrom, Chess, Uno and Ludo but didn't participate in any game. At the end, Abdul ranked all his five friends in all games. He ranked them on a scale of 1 to 5 in each game. It is also known that –

1. Steve got rank 1 in Ludo and Shane got rank 1 in Chess.
2. Kaizen didn't get rank 5 in any game and Kim didn't get rank 2 in any game.
3. All 4 rankings of Markel consisted of 2 different numbers.
4. No two friends got the same rank in any game.
5. The sum of all the individual rankings of all the five friends were in an increasing Arithmetic progression in the same order as mentioned in the beginning.

Q1. For how many friends, the exact rank of each of the 4 games, can be calculated?

Q2. What is Kim's rank in Chess?

Q3. If Steve's rank in Carrom is 5, then what is Markel's rank in Uno?

Q4. If Markel's rank in Carrom is 5, then what is his rank in Chess?

For any question, mark 0 if CBD

[Click here for video Solution](#)

NEW BATCH STARTING SOON || Visit www.quantifiers.in || Call/WA @ 9988656560 for any enquiries

SET 156 – India 11

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Recently team India announced their 15 man squad for the upcoming series, team selection will depend upon the type of pitch, following constraints govern the situation:

1. On a spinning track, they will go with at least 3 spinners and at least 2 fast bowlers.
2. On a flat track, they will try to maximize the number of batsmen and minimize the number of spinners.
3. On a grass pitch, they will select 2 proper spinners and 2 proper fast bowlers.
4. Pandya is an all-rounder who can be used as a spin bowler and Jadeja is an all-rounder who can bowl fast.
5. Bumrah and Shami cannot partner with each other. And Rohit only plays when Dhawan plays.
6. Virat, Rahul and Shreyas are similar batsmen and at max 2 of them can play at a time.
7. Rishabh is preferred when the number of fast bowlers playing is more than or equal to the spinners. Sanju is preferred when the number of fast bowlers playing is less than or equal to the spinners.
8. Exactly one of Mayank and Virat must play in the team.
9. An all-rounder is a player who can both bat and ball whereas a proper batsman and proper bowler can only bat and bowl respectively.
10. Only one among Rishabh and Sanju gets a place in the playing 11.
11. A wicket-keeper can be said to be a batsman.. is neither considered a proper batsman nor a proper bowler.

The 15 man squad selected are:

	Player	Attribute
1	Rohit	Batsman
2	Dhawan	Batsman
3	Virat	Batsman
4	Rahul	Batsman
5	Shreyas	Batsman
6	Mayank	Batsman
7	Rishabh	Wicket keeper
8	Sanju	Wicket keeper
9	Jadeja	All-rounder
10	Pandya	All-rounder
11	Bhuvn	Fast Bowler
12	Shami	Fast Bowler
13	Bumrah	Fast Bowler
14	Ashwin	Spinner
15	Chahal	Spinner

Q: In how many ways, proper batsman can be selected if coach tries to minimize proper batsmen?

Q: On a spinning track, how many combinations of players is possible?

Q: On a grassy pitch, how many combinations are possible?

Q: How many players who can bowl spin will play on a flat track?

[Click here for Video Solution](#)

SET 157 – Friends and chocolates

[CLICK FOR VIDEO SOLUTION](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

- ## Quantifiers

SET 158 – Professor's timetable

[Click here for Video Solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Prof. Shenoy teaches only five classes on Economics (called classes A, B, C, D and E) over ten days (called day 1 to day 10) such that on each of the ten days, he teaches exactly three classes. The combination of the three classes taught on each of the ten days was different. Each class is taught exactly six times. The number of students in the classes A, B, C, D and E are 10, 20, 30, 40 and 50 respectively. Each student is present in only one class.

The following points are known:

1. On three consecutive days, the total number of students he taught formed a decreasing Arithmetic Progression with common difference = -20. The three terms of this Arithmetic Progression are divisible by 20.
2. The total number of students he taught on day 9 was fewer than the total number of students he taught on day 8, which in turn was fewer than the total number of students he taught on day 7.
3. There is a gap of four days between the two days when he taught a total 80 students.
4. The day when he taught the maximum number of students was immediately following the day when he taught the minimum number of students. Also, the day when he taught the maximum number of students was not day 10.
5. There is a gap of three days between the two days when he taught a total 90 students.
6. On two consecutive days, the total number of students he taught was equal to 100.

For how many of the 10 days, can we uniquely determine the total number of students taught by Prof. Shenoy?

On which day, did Prof. Shenoy teach total 110 students?

If on $a, b, c, \dots$ days the total number of students taught by Prof. Shenoy was 80, find $a+b+c$

If on $a, b, c, \dots$ days the total number of students taught by Prof. Shenoy was 90, find $a+b+c$

[Click here for video solution](#)

SET 159 –Complete the grid

[click for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

In the following 3×3 grid, each cell has a distinct letter from among a to i. These nine letters are distinct single digit natural numbers.

	C_1	C_2	C_3
R_1	a	d	g
R_2	b	e	h
R_3	c	f	i

Further, it is known that:

(I) The product of the numbers in row R_3 is twice their sum. The same is also true for column C_2 .

(II) Except column C_1 , every column has exactly one even number.

(III) The six digit number 'fdbieh' when multiplied by 3 gives 'dbiehf'.

1. What is the value of a?

1. 6 2. 9 3. 2 4. 7

2. What is the product of values of c, d and i?

1. 120 2. 160
3. 96 4. None of these

3. The absolute difference of values of g and d is equal to the value of

1. b 2. e 3. c 4. i

[click for video solution](#)

SET 160 – Games & Tournament Special

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Twelve teams participated in Azlan Shah Hockey Tournament, Kuala Lumpur. In Round one, the teams were divided in four pools, each pool with three teams. Each of the three teams in each pool played one match against the other two teams. None of the matches in any pool ended in a tie / draw. All the three teams in Pool A won distinct number of matches. The same is true for all the other three pools. The four tables given below provide the details of Goals Scored & Goals conceded by each of the teams in the matches played by them after the end of Round 1.

The results of how many matches can be uniquely determined?

How many goals did P score against Q? (Write 99 if CBD)

In how many matches the total number of goals scored was an even number?

In how many matches did at least one team score zero goals?

[Click here for video solution](#)

Pool A

Team	Goals Scored	Goals conceded
A	3	0
B	2	2
C	1	4

Pool B

Team	Goals Scored	Goals conceded
P	4	1
Q	2	5
R	2	2

Pool C

Team	Goals Scored	Goals conceded
M	2	2
N	3	1
O	0	2

Pool D

Team	Goals Scored	Goals conceded
X	4	2
Y	1	3
Z	4	4

Difference of Goals is (Goals Scored – Goals Conceded)

It was observed that in Pool A, the team with Positive goal difference won the maximum number of matches & the team with the negative goal difference lost maximum number of matches. Same is true for all the other three pools.

SET 161 – Games & Tournament Special

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Ajay, Bhushan, Chandru, Dinesh, Eknath and Farid are six friends from a local Travellers' Group. Out of six towns named Amravati, Akola, Ahmedabad, Alwar, Ankaleshwar and Ambejogai, each of them has visited three towns and wants to visit the remaining three towns.

The numbers of friends who visited Amravati, Akola, Ahmedabad, Alwar and Ankleshwar are 2, 5, 4, 2 and 3 respectively. It is known that Dinesh wants to visit Akola and Bhushan wants to visit Ahmedabad.

Additionally, the following table shows some of the pairs of the friends and the number of towns that both friends in the pair have visited (called common towns).

Pair	Number of common towns	Pair	Number of common towns
Ajay & Bhushan	1	Bhushan & Eknath	2
Ajay & Chandru	3	Bhushan & Farid	1
Ajay & Dinesh	1	Chandru & Dinesh	1
Ajay & Eknath	1	Chandru & Eknath	1
Ajay & Farid	3	Dinesh & Eknath	1
Bhushan & Chandru	1	Dinesh & Farid	1
Bhushan & Dinesh	1	Eknath & Farid	1

All the three towns visited by how many of the six friends can be uniquely determined?

Who among the following wants to visit Ahmedabad?

Ajay Chandru Dinesh Eknath

Eknath has visited Amravati, but Dinesh wants to visit Amravati. All the three towns visited by how many of the six friends can be determined?

Eknath has visited Amravati, but Dinesh wants to visit Amravati. Consider Amravati, Akola and Alwar. How many of these towns does Dinesh want to visit?

[Click here for video solution](#)

SET 162 – Games & Tournament Special

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

In a certain school (where each and every student plays at least one sport from among football, cricket, hockey and tennis) there are two classes, A and B.

Table 1 below gives the preference of the students from the two classes.

Table 2 below gives the details of the students from these classes who like only a particular sport.

Class Sport	Class A	Class B
Football	100	80
Cricket	80	90
Hockey	60	50
Tennis	120	100

Table 1

Sport	Number of Students
Football	20
Cricket	30
Hockey	10
Tennis	140

Table 2

What could be the minimum possible number of students in Class A?

What could be the maximum number of students in this school?

What could be the maximum number of students who like all the four sports?

What could be the maximum possible number of students from Class B who like exactly three sports?

[Click here for video solution](#)

SET 163 – The Manipulative DI

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Six students-Praveen, Qureshi, Rohit, Sanjeev, Tarun and Usman-participated in a panel interview of 5members Akbar, Boman, Chander, Deepak and Ekta -each member could give maximum 10 marks to a student and thus maximum marks that a student could get was 50. Score obtained by the students were 41, 40, 38, 43,36 and 37 in any order. No member gave less than 6 marks to any student. Neither a member can give 10marks to more than one student nor a student can get 10 marks from more than one member. The partial information regarding the scores are as below:-

Member \ Student	Akbar	Boman	Chander	Deepak	Ekta
Praveen	7		8	10	
Qureshi		9		7	8
Rohit	6		8		9
Sanjeev	8	8		8	9
Tarun		7	9		7
Usman	10		7	6	
Total	48	46	45	47	49

Q: Who got the overall least marks in the interview?

Q: Which of the following marks was not given by Boman to any Candidate?

6 10 Both Neither

Q: Usman's total is _____

Write 99 is Answer is Can't be determined

[Click here for video solution](#)

SET 164 – Rejecting the IIMs

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

The “International Business School” conducts an exam every year for selection of candidates for its six campuses namely Ahmedabad, Bangalore, Calcutta, Lucknow, Indore and Kozhikode i.e., (C1, C2, C3, C4, C5 and C6 in no particular order). While filling the form to appear in the exam, a candidate can apply for a maximum of two campuses. The table below shows the number of candidates (in thousands) who have opted for these campuses:

	C1	C2	C3	C4	C5	C6
C1	30	10	25	0	0	0
C2	10	50	0	30	0	0
C3	25	0	17.5	0	0	12.5
C4	0	30	0	15	5	0
C5	0	0	0	5	5	45
C6	0	0	12.5	0	45	2.5

For eg:-

The ‘10’ in above table indicates the number of candidates who have opted for both campuses C1 and C2.

- (i) The number of candidates who preferred Ahmedabad and Indore was $\frac{2}{3}$ rd of the number of candidates who applied for Calcutta and Kozhikode.
- (ii) The number of candidates who preferred Indore and Calcutta was $\frac{1}{6}$ th of the number of candidates who preferred Indore and Ahmedabad.
- (iii) The number of candidates who opted for Bangalore and Kozhikode was half of the number of candidates who opted for Lucknow and Bangalore.

Q: Find the number of candidates who applied for exactly two campuses?

Q: Which of the campuses was chosen by the least number of candidates?

Q: Find the absolute difference (in thousands) between number of candidates who opted for Ahmedabad and the number of candidates who opted for Indore.

[Click here for video solution](#)

SET 165 – The Movie Mania

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Four patriotism based movies — Indian Soldier (IS), I-Indian (II), True Indian (TI), and Wake Up India (WUI) — were released on the occasion of 72nd Independence Day, on 15 August 2018. The total box office collection for the first 4 days of each of the 4 movies was Rs. 61 crores and the sum of the box office collection of the 4 movies for each of the first 4 days was also 61 crores. Further, it is known that the box office collection (in Rs. crores) on each of the 4 days for each of the 4 movies was a prime number, such that for any movie the box office collection of no two days was same and for any day, the box office collections of no two movies was same.

[Click here for video solution](#)

Q1. If on the first day of the release, the box office collection of one of the movies was more than 300% of the combined box office collection of the other 3 movies on that day, then what was the box office collection (in Rs. crores) of that movie having the highest collection, on that day? [TITA]

Q2. If on the 2nd day of the release of the 4 movies, the movie 'True Indian' had the highest box office collection among the 4 movies, then the number of possible values of the box office collection of 'True Indian' on that day is

A.13 B.10 C.7 D.5

Q3. If on the 3rd day of the release, the box office collection of one of the movies is more than the combined box office collection of the other 3 movies on that day but less than the twice of the combined box office collection of the other 3 movies on that day, then what can be the box office collection of the movie with the 2nd highest box office collection on that day?

A. Rs. 17 crores B. Rs. 19 crores C. Rs. 23 crores D. All of these

SET 166 – Kaun Bnega Croreopati

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560


Millionaire-Billionaire was a popular show on Tony TV. A participant had to answer a question and win some prize money to move to the next question. The fifteenth question would be the last question, and it yielded a grand prize of Rs. 3 crores. The chart below shows the factor by which the prize money grows from one question to the next, till the fifteenth question.

Thus, the prize money given on correctly answering the 5th question is 2.5 times the prize money given on correctly answering the 4th question. The dotted lines represent the stages of the contest i.e. if a contestant correctly answered atleast the 5th question, he would atleast get a “assured prize” corresponding to the prize money of the 5th question, irrespective of how he performed after this question. The same also applied to the 10th question. A contestant could win prize money as under:

- 1. Quit on the n^{th} question and get prize money won on the $(n - 1)^{th}$ question (for any n).
- 2. Give a wrong answer on the n^{th} question and get “assured prize” if $n > 5$ or nothing if $n \leq 5$.

The channel head analysed the performance of ten participants – Vijay, Alina, Mittal, Prachi, Shobha, Sanaya, Nicole, Bhavya, Nirav, Taruna - during whose performance the show got the best TRPs.

- The total prize money given to these ten contestants was Rs. 2.5 crores.
- Two of every five contestants gave a wrong answer. Had they answered correctly but quit on the next question, the whole group would have earned Rs. 17.6 lakhs more.
- No one earned the grand prize but Sanaya earned more than everyone else combined.
- Half the contestants were sure to get the second-level assured prize, but only Shobha got it without quitting.
- Taruna answered the fewest questions and took home no money.
- Prachi and a person answered exactly 11 questions correctly. Only Prachi quit on the 12th question. Alina and Nirav quit on the 10th and 13th question respectively.
- Mittal correctly answered one question more than Vijay but earned the same prize money. Had Mittal not made a mistake, he would have earned half as much as Alina. Vijay did not quit.
- Bhavya earned more than Nicole



[Click here for video solution](#)

- Q: How many questions did Alina answer correctly?**
- Q: What were Nicole and Vijay’s combined earnings?**
- Q: What is the value of n if Vijay answered the nth question incorrectly?**
- Q: By what amount did Sanaya’s earnings exceed that of the rest of the people combined?**

SET 167 – Optimization

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

The following table gives the number of students who secured more than 90% marks in each of the five subjects - English, Physics, Chemistry, Math and Biology – from class 6 to 10, in year 2018

Class/Subject	English	Physics	Chemistry	Maths	Biology
6	12	16	15	22	18
7	15	22	22	21	15
8	7	18	16	23	17
9	10	19	15	22	18
10	15	25	21	29	16

Ques: In Class 7, the number of students who scored more than 90% in minimum of 2 out of 5 subjects is at least _____

The table gives number of students in different classes in the year 2018

Class	Students
6	30
7	35
8	38
9	36
10	40

[Click here for video solution](#)

SET 168 – The Gym Routine

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Five friends Adam, Sukhbir, Hitesh, Navneet and Mushtaq went to a gym on a morning. They spent 24, 25, 28, 32 and 45 minutes in the gym not necessarily in the same order. Not more than two people were present inside the gym at the same time. The below information is known about their visits:

- Adam entered at 6:50 am.
- The person who entered 64 minutes after Hitesh, spent 32 minutes in the gym.
- Sukhbir entered 13 minutes after Mushtaq did and left 30 minutes after Mushtaq had left.
- Adam and Sukhbir spent 10 minutes together in the gym.
- The last person left at 7:30 am.

Since morning, how many people left the gym before Sukhbir did?

Adam spent how many minutes in the gym?

What is the difference between the entering times of Hitesh and Mushtaq in minutes?

For how many minutes was Navneet alone in the gym?

Write 0 if CBD for any answer.

[Click here for video solution](#)

SET 169 – Football club

[click for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

"Indian football club" is a leading football club in India which prepares young players for international competitions. On 10th January 2016, the club made 4 groups in which all the players were divided, and these groups played matches against each other. On 10th of each of the next three months i.e., February, March and April, the group with lowest number of members (before adding any other member) was disbanded, and all of the players of the disbanded group were distributed among one or more of the other groups. Also, on 1st of each of the next three months i.e., February, March and April, some new members were joined the club and all of them were added to one of the available groups on 10th of the same month. Further, it is known that:

- (i) On 10th January, there were 104 members in the club with group III having minimum number of members as 23 and group I having highest number of members as 30.
- (ii) On 10th February, all the members of the group with minimum number of members i.e. group III are shifted to group I or group II. All the new members who joined on 1st February joined group IV. The increase in the number of members of group I, II and IV after 10th February was x , y and z , in any order, where x , y , z are three consecutive natural numbers. No two groups had consecutive number of members after 10th February and before 10th March.
- (iii) On 1st March, 3 new members joined the club and on 10th March group IV was disbanded. By the end of March, the increase in number of members (over the previous month) in group II was exactly $66\frac{2}{3}\%$ more than the increase in the same group in the previous month. Also, all the new members in March joined group I.
- (iv) On 10th April, group I had 1 more member than group II, before the addition of new members.

1. How many members were there in group II on 20th February?

- 1. 36
- 2. 37
- 3. 38
- 4. 39

2. What was the total number of members in the club on 30th March?

- 1. 107
- 2. 117
- 3. 69
- 4. 70

3. How many members shifted from group III to group I in February?

- 1. 10
- 2. 11
- 3. 12
- 4. 13

4. On 2nd March, the number of members in group I was more than that in group II by:

- 1. 1
- 2. 2
- 3. 3
- 4. 4

[click for video solution](#)

SET 170 – Finding the Pattern

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Ajay, Bhushan, Chandru, Dinesh, Eknath and Farid are six friends from a local Travellers' Group. Out of six towns named Amravati, Akola, Ahmedabad, Alwar, Ankaleshwar and Ambejogai, each of them has visited three towns and wants to visit the remaining three towns.

The numbers of friends who visited Amravati, Akola, Ahmedabad, Alwar and Ankleshwar are 2, 5, 4, 2 and 3 respectively. It is known that Dinesh wants to visit Akola and Bhushan wants to visit Ahmedabad.

Additionally, the following table shows some of the pairs of the friends and the number of towns that both friends in the pair have visited (called common towns).

Pair	Number of common towns	Pair	Number of common towns
Ajay & Bhushan	1	Bhushan & Eknath	2
Ajay & Chandru	3	Bhushan & Farid	1
Ajay & Dinesh	1	Chandru & Dinesh	1
Ajay & Eknath	1	Chandru & Eknath	1
Ajay & Farid	3	Dinesh & Eknath	1
Bhushan & Chandru	1	Dinesh & Farid	1
Bhushan & Dinesh	1	Eknath & Farid	1

All the three towns visited by how many of the six friends can be uniquely determined?

Who among the following wants to visit Ahmedabad?

Ajay Chandru Dinesh Eknath

Eknath has visited Amravati, but Dinesh wants to visit Amravati. All the three towns visited by how many of the six friends can be determined?

Eknath has visited Amravati, but Dinesh wants to visit Amravati. Consider Amravati, Akola and Alwar. How many of these towns does Dinesh want to visit?

[Click here for video solution](#)

There are 15 identical chairs placed in a row. In how many ways can 4 persons be seated, each person occupying 1 chair, such that there are at least 2 empty chairs between any two persons

[Click here for video solution](#)

Find the sum of the first 12 terms of the series:

$$\frac{5}{6} + \frac{1}{6} + \frac{1}{14} + \frac{5}{126} + \dots$$

[Click here for video solution](#)

Find the sum of first 50 terms of this series:

3, 1, -2, -6, -11, -17

[Click here for video solution](#)

SET 171 – Games & Tournaments

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Two football teams, A and B, from the same college play against each other frequently. During a particular year, the two teams played exactly 100 matches against each other. It is also known that the number of goals scored in any match was at most 4; the number of goals scored by A in any match was at least 1; the number of goals scored by B in any match was at least 1.

The following information is known about the number of goals scored by the two teams in each match:

- i. The number of matches that A won was 27 more than the number of matches in which B scored at least 2 goals.
- ii. The number of matches that ended as a draw was the same as the number of matches in which A scored exactly 1 goal.
- iii. The number of matches in which the difference in the number of goals scored by the two teams was at least 2 was twice the number of matches in which 3 goals were scored in total.
- iv. The sum of the number of matches that A did not win and those it won by at most 1 goal was 15 more than the number of matches that it won.
- v. The number of matches in which one team scored exactly one goal more than the other team was 20 less than the number of matches in which one team scored exactly two goals more than the other team.

How many matches ended as a draw?

How many goals did A score in all the matches that it played against B during the year?

In how many matches did A score 2 goals more than B?

What is the Goal Difference of B for all the matches that it played against A?

[Click here for video solution](#)

SET 172– Playing with ratios

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)




[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

An exam has three sections – Section I, Section II and Section III. Each section has exactly 20 questions. For each question in Section I, three marks were awarded for every correct answer, while one mark was deducted for every wrong answer. For each question in Section II, six marks were awarded for every correct answer, while two marks were deducted for every wrong answer. For each question in Section III, two marks were awarded for every correct answer, while one mark was deducted for every wrong answer. In any section, no marks were either awarded or deducted for any question left unattempted.

Exactly three students, Amit, Bob and Chatur, attempted the exam and each student attempted all the questions in the exam. Further, the total marks scored by any student in any section were positive. The following bar chart provides the marks scored by each student in each section as a percentage of the total marks scored by the student, rounded off to two decimal places



[Click here for video solution](#)

Q: What is the minimum number of questions attempted correctly by any of the three students?

- a) 25 b) 30 c) 35 d) 40

Q: Who scored the maximum marks in Section I?

- a) Amit b) Bob c) Chatur d) Cannot be determined

Q: If, for each student, the net marks per question is defined as the ratio of the total marks obtained by that student to the number of questions correctly attempted by that student, what is the highest net marks perquestion for any student? (rounded off to two decimal places)

- a) 2.94 b) 3 c) 3.16 d) 3.38

Q: What are the minimum marks scored by any student in Section II?

Work done by A, B, C and D is in arithmetic progression. C worked for 9 days and completed 30% work. A and B worked for 2 days and 3 days only. Find for how many days 'D' work to complete the remaining work if all four together can complete that work in 4 days

[Click here for video solution](#)

SET 173 – Missing Values

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

[Click here for video solution](#)

In a certain kingdom, there were three kinds of people called Nothrees, Nofives and Nosevens. The peculiarity of the three kinds of people lies in the way they count. While counting, a Nothree would skip over any multiple of 3, i.e., if he has to count four items, he will count the four items as one, two, four and five (skipping three); if he has to count six items, he will count the six items as one, two, four, five, seven and eight (skipping three and six).

Similarly, a Nofive would skip over any multiple of 5 while counting and a Noseven would skip over any multiple of 7 while counting.

*Q: If there were 185 marbles in a pile, **what will be the number reported by a Nofive on counting this pile of marbles?***

*Q: On counting a pile of mangoes, the number reported by a Nothree was five more than the number reported by a Nofive. **What is the maximum number of mangoes in the pile?***

*Q: On counting a pile of mangoes, the number reported by a Nothree was five more than the number reported by a Nofive. If the number reported by the person from Nofives was two more than the number reported by a person from Nosevens, **what is the minimum number of mangoes in the pile?***

Q: Three persons each of whom was of a different kind among Nothrees, Nofives and Nosevens counted a certain number of cars.

*Two of the three persons reported 44 and 56 cars. **What will be the number reported by the third person?***

Two friends named Ajay and Vijay simultaneously start swimming from points A and B respectively towards points B and A respectively with constant speed. On reaching points B and A respectively, they immediately turn back and run towards their starting points with same speed. They continue swimming this way. On their way, they meet each other at a point 500 m away from A during their first meeting and at point 300 m from B in their second meeting. Calculate the distance of their third meeting point from point A

[Click here for Video Solution](#)

Quantifiers

Making Education Easier

Quantifiers

Making Education Easier

Quantifiers

Quantifiers

There are three boats B_1 , B_2 and B_3 working together they carry 60 people in each trip. One day in the early morning B_1 carried 50 people in few trips alone. When it stopped carrying the passengers B_2 and B_3 started carrying the people together. It took a total of 10 trips to carry 300 people by B_1 , B_2 and B_3 . It is known that each day on an average 300 people cross the river using only one of the 3 boats B_1 , B_2 and B_3 . How many trips it would take to B_1 to carry 150 passengers alone?

[Click here for video solution](#)

Quantifiers

Making Education Easier

Quantifiers

Making Education Easier

Quantifiers

Quantifiers

Quantifiers

Making Education Easier

Quantifiers

Making Education Easier

Quantifiers

Quantifiers

Quantifiers

Quantifiers

Quantifiers

Quantifiers

Quantifiers

Quantifiers

Quantifiers

Quantifiers

Quantifiers

Quantifiers


Quantifiers

Quantifiers

Quantifiers

Quantifiers

The length of sides AB, BC and CA of a triangle ABC is 7 cm, 10 cm and 12 cm respectively. AB is extended to D such that $AD = 28$ cm. BC is extended to E such that $BE = 20$ cm. CA is extended to F such that $CF = 36$ cm. What is the ratio of the area of triangle ABC to the area of triangle DEF?



[Click here for Video Solution](#)

Quantifiers

Making Education Easier

Quantifiers

Making Education Easier

SET 174 – The Analytical DI

[Click here for video solution](#)

Quantifiers

Quantifiers

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

In a certain party, there was a game played among 8 players. Each player assigned a number to the next player using the rule allocated to the player assigning the number. For instance, if A's rule is to assign only square root then he finds the square root of the number assigned to him and assigns that square root to B. The following points were noted during the game.

1. Amish started the game and the last person Bhavna had to define her rule such that she assigns the same number to Amish with which he started the game.
2. Karan who is the second person in the list follows the rule of factorial.
3. Priya who was third in the list got the number 24.
4. Ashish followed the rule of square root while Gaurav who was second last followed the rule of subtraction of 1.
5. There was one person who followed the rule of defactorial (finding the number whose factorial is the number with that person. For example defact $(6) = 3$)
6. Rita followed the rule of addition of the digits of the number with her and she was fifth in the list.
7. Pooja got the number 6 with her and she followed the rule of taking the cube of a number.
8. The rules with some of the other people were taking the square of a number and division by 4.
9. Each person received an integral number

Which number did Amish start with?

Which number did Rita pass on?

Which person was squaring the number received by him/her?

- 1) Priya
- 2) Amish
- 3) Bhavna
- 4) Either Amish or Bhavna

[Click here for video solution](#)

SET 175 – Optimization – Chocolate Distribution

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Example 13. In IFMA exam, there were 1000 students who appeared for the exam. Out of the total, 520 students cleared the cutoff for Verbal and 660 people cleared the cutoff for Quants. While the number of students who cleared the cutoff for GK was 450 and the number who cleared the reasoning cutoff were 600, every student cleared atleast one cutoff. Answer the following questions based on the information given above.

- (i) What can be the maximum number of students who cleared the cutoff for all the four sections?
(a) 450 (b) 410 (c) 340 (d) 660
- (ii) What can be the minimum number of students who cleared the cutoff for all the four sections?
(a) 0 (b) 410 (c) 450 (d) 340
- (iii) What can be the maximum number of students who cleared the cutoff of only one section?
(a) 500 (b) 480 (c) 590 (d) 410
- (iv) What can be the minimum number of students who cleared the cutoff of only one section?
(a) 0 (b) 410 (c) 480 (d) 590
- (v) If IFMA gives call to those students who cleared the cutoffs for verbal and quants, what can be the possible number of students who will receive the calls?
(a) 170 (b) 540 (c) 130 (d) 500

[Click here for video solution](#)

A cigarette is 3m long. It takes 12 minutes to burn completely if no puff is taken. When a man puffs the cigarette it burns 3 times faster in each puff. Each puff taken by the man is of 5 seconds. If the cigarette completely burns out in 8 minutes then find the number of puffs taken by the man?

[Click here for video solution](#)

SET 176 – CAT Replica distribution set

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

In the data given below, Table - 1 indicates the number of trees planted by six friends on three days - Day1, Day 2 and Day 3. Table - 2 shows the number of trees of each of the six types planted on these three days. The following conditions must be valid:

- On any given day, each of them planted only one type of tree.
- From among Ashish, Dinesh and Farhan exactly two people planted the same type of tree(s) on Day 2 and Day 3 as they planted on Day 1.
- The person who planted exactly one Orange tree on Day 3 had also planted Orange trees on each of the first two days.
- Dinesh did not plant a Banana tree on Day 2.

Name	Day 1	Day 2	Day 3
Ashish	4	4	1
Bobby	2	1	2
Chetan	2	1	4
Dinesh	1	1	1
Ekant	2	1	1
Farhan	2	2	1

Table - 1

Tree	Day 1	Day 2	Day 3
Apple	2	0	0
Banana	2	2	0
Coconut	4	4	1
Guava	2	2	1
Mango	1	1	1
Orange	2	1	7

Table - 2

[Click here for video solution](#)

Q: Who planted orange trees on all the three days?

- a Dinesh b Ekant c Ekant or Farhan d Dinesh or Ekant

Q: For how many friends can the number of trees planted of each type be determined uniquely on all the three days?

Q: The number of apple trees planted by Chetan on Day 1 could be

- a 0 b 1 c 2 d Either (a) or (c)

Q: Who planted 4 orange trees over the period of three days?

- a Ekant b Bobby c Chetan d Both (a) or (c)

PQR is a right angled triangle where angle R is 90 degree. S is a point on PQ such that PS=29 and QS=1 and RS=13. Find area of triangle QRS.


[Click here for Video Solution](#)

Quantifiers

Making Education Easier

In the diagram, P, Q and R lie on a circle, the tangent at P and the secant QR intersect at T. The bisector of angle QPR meet at S so that $\angle QPS = \angle RPS$. If $SQ = 3$ and $PT = 4$, Find length of RS.

[Click here for video solution](#)



Quantifiers

Making Education Easier

ABCD is a Rhombus. Diagonal AC= 50. On Line AC, there lies a point P such that PC=9 and angle ABP is 90 degree. Find the area of Rhombus.

[Click here for video solution](#)

Train 1 leaves A for B at 10:00 A.M. and reaches B at 5:00 P.M. on the same day. Train 2 leaves B, which is to the east of A, at 9:45 AM and reaches A at 5:45 PM on the same day. A and B belong to two different time zones, with a time difference of 1 hour. At what time do the two trains meet each other. (All arrivals and departures are according to the local time)

1:10 PM A's local time

2:06 PM B's local time

3 PM A's local time

1 PM B's local time

[Click here for video solution](#)

You are having 60 kinds of stone out of which exactly two are identical. The stones are transferred into three bags A,B and C equally. What would be the probability that the same stones will be kept in the same bag?

[Click here for Video Solution](#)

In a triangle ABC side AC and the perpendicular bisector of side BC meet in point D and BD bisects angle abc. if ad is 9 DC is 7 find the area of triangle ABD

[Click here for video solution](#)

SET 177 – Cricketers Funda

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

In a recent Interschool cricket tournament the team from KV Saharanpur played three matches – I, II and III - against three different teams and won them. Six of their batsmen – A, B, C, D, E and F - performed extremely well and the coach is planning for a rigorous training camp prior to the next tournament. He has the following score cards for the three matches that they won. It shows the runs scored by four of the six batsmen and the percentage of total runs scored by the four of them in the match. No two players score the same number of runs in the same match and none of these players scored less than 15 runs in any match. The coach calculates two indices for these top six batsmen. The D index = Difference between the highest and second highest score scored by a batsman in the three matches. Also the A index = Average runs scored by a batsman in the three matches.

<table><tr><td>A - 60</td><td>F - 40</td></tr><tr><td colspan="2">80%</td></tr><tr><td>D - 50</td><td>C - 90</td></tr></table> Match I	A - 60	F - 40	80%		D - 50	C - 90	<table><tr><td>A - 75</td><td>D - 49</td></tr><tr><td colspan="2">90%</td></tr><tr><td>B - 100</td><td>E - 55</td></tr></table> Match II	A - 75	D - 49	90%		B - 100	E - 55	<table><tr><td>C - 45</td><td>B - 52</td></tr><tr><td colspan="2">70%</td></tr><tr><td>E - 60</td><td>F - 74</td></tr></table> Match III	C - 45	B - 52	70%		E - 60	F - 74
A - 60	F - 40																			
80%																				
D - 50	C - 90																			
A - 75	D - 49																			
90%																				
B - 100	E - 55																			
C - 45	B - 52																			
70%																				
E - 60	F - 74																			

[Click here for video solution](#)

Q: For how many players is it possible to calculate the exact D-Index?

Q: Among the players mentioned, who cannot have the lowest A-index?

1 E 2 F 3 B 4 D

Q: How many players among these six listed definitely had a total score that was less than A's total score in the tournament?

1 0 2 1 3 2 4 More than 2

Q: For which players is the difference between the maximum and minimum values of A-index the lowest?

1 Only C 2 Both F and C
3 Both D and E 4 Only F

SET 178 – Friends and social media

[.click for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

In a square matrix of dimension 5×5 , alphabets are used to fill its rows and columns. Each alphabet represents the initials of the names of 25 individuals. The alphabets used in the matrix are : a, i, j, m, n, o, r, t and u.

Rows are numbered from top to bottom and columns are numbered from left to right. Every initial in the above matrix is given a rank according to their dictionary order. Individuals with same initials are given same rank (e.g., 'a' is given rank 1, 'i' is given rank 2, 'j' is given rank 3, and so on). Also, rank '1' is the highest and '9' is the lowest. We say first individual can send friend request to the second individual on a social mobile application only if all the following three conditions are satisfied:

- (i) Individual first and individual second are in same row or same column.
- (ii) First Individual's initial is ranked higher than the second individual's initial.
- (iii) If there is/are any other individual(s) between first and second individual in the row/column, such individual(s) must be at least three ranks lower than the first individual.

Thus in the matrix below, consider the individual's initial in first row and first column , i.e., 'm'. He can receive friend request from two individuals: one individual being on his right with initial 'a' and other being the one below him with initial 'a'.

m	a	n	o	j
m	a	n	a	j
a	n	m	a	n
n	a	a	r	t
i	r	i	t	u

1. How many individual(s) in the matrix can receive exactly two friend requests?

2. In which row/column there are maximum individuals who can receive friend requests from at least 3 individuals?

1 Fifth column

2 Third column

3 Fifth row

4 Both (2) and (3)

3. How many individual(s) are common, out of individual(s), who can send friend request to both the individuals having initial 'm' in first column?

[click for video solution](#)

SET 179 – Fraction Based Set

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

In a box there are some candies. Each candy is either spherical or oval in shape, is either sweet or salty, is either red or green. Hence there are 8 different combinations according to shape, taste and colour. Further it is known that:

1. $\frac{3}{5}$ of the candies in the box are spherical in shape.
2. $\frac{2}{7}$ of the oval candies are red and $\frac{3}{7}$ of the red candies are spherical in shape.
3. $\frac{3}{8}$ of the oval shaped candies are sweet whereas $\frac{2}{5}$ of the sweet candies are oval shaped.
4. $\frac{1}{8}$ of the number of green salty candies is equal to red sweet candies. Also, $\frac{1}{8}$ of the red candies are sweet and oval in shape.

Q: What can be the minimum number of candies in the box?

Q: What is the minimum number of red spherical candies?

Q: Which of the following is largest in number?

1 Spherical green salty candies

2 Spherical red sweet candies

3 Oval red salty candies

4 Oval green salty candies

Q: How many of the following statements is definitely a multiple of 5?

I. Oval red salty candies

II. Oval green salty candies

III. Oval green sweet candies

[Click here for video solution](#)

In a shop there are 73 toys of type A, 92 toys of type B, 84 toys of type C and 77 toys of type D. In that shop 100 children came from an orphanage. The shopkeeper decides to distribute all the toys free of cost, ensuring that every child gets at least one toy and at the most 1 toy of every type. Find the maximum possible number of children having exactly 1 toy?

[Click here for video solution](#)

SET 180 – Voters Dilemma

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Five Political parties - AIC, BLP, CJP, DLP and ENP contested election in the year 2018 for 400 seats. Each seat was won by exactly one party and it was not necessary that all parties contested election from all the seats. Votes gained and seat conversion ratio of each party are shown below:-

Party	Vote gained	Seat conversion ratio
AIC	15%	$\frac{2}{37500}$
BLP	20%	0.00003
CJP	30%	$\frac{1}{30000}$
DLP	10%	0.00006
ENP	25%	0.00004

$$\text{[Seat conversion ratio} = \frac{\text{Number of seats won}}{\text{Number of votes gained}} \text{]}$$

$$\text{Strike rate (in \%)} = \frac{\text{Number of seats won by a party}}{\text{Number of seats from where that particular party contested the election}} \times 100$$

The strike rate for each party was more than or equal to 30% but less than or equal to 80%.

The overall strike rate for all five parties together was not more than 40%.

(Note:- Strike rate is always a multiple of 10.)

The additional information is also given

(i) No party contested election from less than 100 seats.

(ii) The number of seats contested by party AIC was not less than that by CJP. Party ENP had contested from maximum number of seats among all parties. The number of seats contested by the party BLP was less than that by DLP.

The party that had minimum strike rate was _____

How many party/parties had strike rate equal to 40%?

The difference between the number of votes gained by the party AIC and BLP was _____ (in lakhs)

By how much percentage was the number of seats won by BLP and CJP together less than that by AIC and CJP together?

SET 181 – Betting Concept

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Amit and Sanjeev were sitting idle at their home so they decided to play a game. Initially, Amit has to speak a number from 1 to 9. Now Sanjeev has to speak an integer from 1.5 times to 3 times of the number spoken by Amit. After that Amit will speak an integer from 1.5 times to 3 times of the number spoken by Sanjeev. They will continue doing this until one of them speaks a number above 10000 and that person will be a loser. Assume that both of them are playing intelligently

Q: What is the probability that Amit will win this game?

Q: If in his second term, Amit speaks 20, then what should Sanjeev speak next?

1 32

2 38

3 40

4 He cannot win

Q: If Sanjeev speaks 50 in his second turn, then how many numbers can Amit speak such that he always wins?

Q: If the person speaking 10000 or more wins, then how many numbers can Amit speak first in order to win?

1 1

2 2

3 3

4 4

[Click here for video solution](#)

SET 182 – Twin Venn Diagram

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

In a batch of 2019 in IIMA, a B-school, there are 450 students, out of which 330 are boys and 120 are girls. Each student opted for atleast one of the 3 major courses-HR, Marketing and Finance and no student opted for all the 3 courses. The number of students who opted for HR, Marketing and Finance are 220, 280 and 170 respectively. Further, out of 450 students, 350 students play Football, 325 students play Cricket and 250 students play Tennis, such that each student plays atleast one game. No student who played both Cricket and Football opted for HR and 25% of all the students who opted for only Marketing are boys

Q: What can be the maximum number of students who play all 3 sports?

Q: If the number of students opting for both marketing and finance is maximum possible, then what can be the maximum number of girls who opted for only marketing?

Q: What can be the maximum number of students who opted for Marketing and Finance and play cricket only, if the number of students playing all 3 sports is maximum possible?

Q: If the number of students who play Cricket and Football but not Tennis is maximum possible, then what can be the minimum number of students who opted for HR and play football?

[Click here for video solution](#)

SET 183 – DI Intense

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)


[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

The multi-layered pie-chart below shows the TV viewing patterns of the people living in a residential colony, during day time and night time. The innermost layer shows day time and night time viewership. The middle-layer shows channel-wise viewership (either the number of viewers or the percentage is given, in some cases these figures are not given next to the channel). The outer layer shows the genre of the programs preferred, with each label showing the type of programs watched along with the number of people watching it. For some genres, the number of viewers are not given in the chart. The number of persons watching Reality TV on Mony, Xee, Rang and Swar respectively during day time are in arithmetic progression. (It is assumed that these are the only channels aired in the colony and that there are only three genres of programs that are telecast. Also no people who watch the TV in day time watch at night and vice-versa.)



What percentage of all Xee TV viewers prefer programs of the Family genre?

1. 50.5% 2. 42.3% 3. 32.3% 4. 45%

What is the ratio of the total number of people watching programs of the Crime genre to that of those watching programs of the Reality genre respectively?

What is the absolute difference between the total viewership of Rang TV during night and day?

The viewership of family genre programs on Mony TV is what percentage more or less than the viewership of the same genre programs on Swar TV?

- 1 35 % more 2 70 % less
3 140 % more 4 70 % more

[Click here for video solution](#)

SET 184 – The Rent Agreement

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

There are 10 friends - Aditi, Akash, Charu, Gautam, Jyoti, Laxman, Mohan, Neeti, Sanya and Shashank - who each lives in a different rented house. Each of them has to pay a distinct house rent. House rent paid by each of them is an integral multiple of Rs.1000. Rent paid by each of the ten friends belongs to one of the following three categories:

- Rent lies in the range from Rs. 1000 to Rs. 5000 - LESS RENT
- Rent lies in the range from Rs. 6000 to Rs. 12000 - MODERATE RENT
- Rent lies in the range from Rs. 15000 to Rs. 19000 - OVER RENT

Some additional information is also known:

1. Number of friends with their house rents belonging to LESS, MODERATE and OVER RENT categories are 3, 5 and 2 respectively.
2. Total rent paid by Neeti, Gautam and Aditi taken together is Rs.29000, and Aditi's and Gautam's house rent do not belong to MODERATE RENT category.
3. Laxman pays the least rent and Jyoti pays the most.
4. Total rent paid by Charu, Akash and Mohan taken together is a multiple of 4000. Rent paid by Akash do not belong to LESS RENT category.
5. Difference between the rent paid by Jyoti and Aditi is equivalent to the house rent of Gautam.
6. Total rent paid by Sanya and Laxman taken together is equivalent to the rent paid by Shashank.
7. Nobody pays Rs.1000, Rs.10000 and Rs.17000 as their house rent.
8. Shashank pays more than Akash but less than Mohan, whose house rent belongs to MODERATE RENT category and had exactly 7 people paying less rent than him.
9. Laxman, Gautam and Charu pay the consecutive integral multiple of thousand as their house rent, where Gautam has to pay less than Charu.

Q: What is the total house rent (in Rs.) paid by Charu, Akash and Mohan taken together?

Q: If the rent paid by Jyoti and Mohan were interchanged, and that by Aditi and Gautam were also interchanged, then what is the absolute difference between the rent (in Rs.) paid by Mohan and Aditi?

Q: Total rent (in Rs.) paid by all of them taken together is _____

SET 185 – The Rent Agreement

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Five friends – Amrit, Anjana, Arman, Anjali and Arpit – participated in a quiz having 9 questions. In the quiz, four questions were of 4 marks each and the remaining five questions were of 8 marks each. Any question answered wrongly attracts a penalty of one-fourth of the marks allotted to the question. After the release of the results of the quiz, the following observations were made regarding the number of questions attempted and marks obtained by the five friends in the quiz:

- (i) The friend who attempted an equal number of 4 marker and 8 marker questions scored 28 marks.
- (ii) The number of 4 marker questions attempted correctly by one of the friends was equal to the average of number of 4 marker questions attempted correctly by the other two friends, neither of whom attempted an even number of 4 marker questions correctly.
- (iii) Arman, who attempted exactly one 4 marker question correctly, scored 32 marks.
- (iv) The number of 8 marker questions attempted correctly by Anjana, who did not attempt any question wrongly and scored marks which was twice the square of a natural number, was half the number of 4 marker questions attempted correctly by her.
- (v) Anjali attempted the maximum number of questions.
- (vi) The number of 4 marker questions attempted correctly by Amrit was one less than that by Arpit.
- (vii) For no two friends, the number of 4 marker questions attempted correctly by them was the same.
- (viii) The number of 8 marker questions attempted correctly by Anjali, Arpit and Arman, in the given order, forms a Geometric Progression.
- (ix) The score of Arpit was the square of a natural number

Q: What was the sum of marks scored by Anjali and that by Arpit?

Q: What was the sum of number of 8 marker questions attempted correctly by the five friends?

Q: What was the absolute difference between the number of 4 marker questions attempted correctly by Anjana and the number of 8 marker questions attempted incorrectly by Anjali?

Q: The number of questions attempted by Amrit in the quiz was _____

SET 186 – IPL Bidding

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

In the player's auction for IPL 2018, four teams RR, DD, SH and MI participated. There were three rounds of auction where all four teams participated in the 1st round. After the auction in each round, each team has an option to retain a player from the players sold in that round only and they can take that person back from the team who purchased that player. At the end of each round, the team with number of players in double digits will eliminate and will not participate in further rounds. Initially the teams had no players and SH and DD got eliminated after round 1 and 2 respectively. Further it is known that:

- i. 26 players were sold in round 1, 12 in round 2 and 7 in round 3.
- ii. SH retained a player from MI and 2 players from DD in round 1 whereas DD retained a player each from RR and MI in round 2. No other player was retained by any team in any round.
- iii. The number of players purchased minus the players retained from MI by some other team is same for MI in each round.
- iv. RR purchased 1 more player than SH in round 1 and DD purchased 1 more player in round 1 than in round 2.
- v. At the end of round 3, all teams had at least 10 players.

Q: How many players were purchased by DD in round 2?

Q: The number of players with SH at the end of round 3 was?

Q: The number of players purchased by MI in round 3 is what percent more than those purchased by RR in round 2?

Q: Which two teams had equal number of players at the end of round 3?

1 RR and DD

2 DD and MI

3 DD and SH

4 RR and MI

[Click here for video solution](#)

SET 187 – 20 Variables Set

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Five friends - Jay, Arun, Ashish, Ravi, and Vishal - decided to have a get-together once a week for five weeks. They also decided that each one of them will host the other four together at his own house for the get-together. Their Surnames are Dubey, Bhatia, Mehta, Gupta and Verma, not necessarily in the same order. They also decided to arrange a show of their favourite movies at their place. One of the movie names is 'Nth Degree'.

Further Information about their get-together is also known:

1. The get-together at Jay's House is one week before the get-together at Bhatia's house, which is one week before when movie directed by Steve Smith would have played.
2. One week after the gathering had at Gupta's house, they watched the movie directed by Keeves.
3. They watched 'Romeo' one week before they watched the movie directed by Nick Jones.
4. The movie directed by Andy Murray was not watched at Jay's House.
5. In the gatherings held in three consecutive weeks, Dubey was the host in the first week, they watched 'The Sun' in the next week and Vishal welcomed them at his house in the last week among these three consecutive weeks.
6. One week after they watch 'Love Life', Ashish host the get-together at his house.
7. The movie directed by John Smith was not watched at Verma's house.
8. 'Moon walk' was not watched at Arun's Home.
9. Ravi was the host one week before they watched the movie directed by Andy Murray.
10. Vishal, whose surname is not Bhatia, did not play the movie directed by Steve Smith.
11. The movie directed by Nick Jones was not 'The Sun' and was not played at Dubey's house.

[Click here for video solution](#)

Q: Which movie was played at Ashish's house?

Q: Who directed the movie 'Nth degree'?

Q: What is the surname of Arun?

Q: Which movie was played at Jay's house?

SET 188 – Running it around

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Sprinters in Olympics running on the track are carrying numbers from 1 to 7 at the back of their vests. They complete the race when their feet touches the finish line at 9.10, 9.20, 9.30 seconds till 9.7 seconds i.e., at an interval of one millisecond each. Each athlete is ranked from 1 (for the fastest) to 7 (for the slowest). The following additional information is known:

- (I) The square of the highest total of the vest number and rank is 169 which occurs only once.
- (II) The square of the lowest total of vest number and rank is 16 and occurs only once.
- (III) The square of the total of vest number and rank = 81, occurs thrice.
- (IV) The winners' vest number exceeds that of the first runner-up.

[Click here for video solution](#)

The vest number of the sprinter coming first is:	3	6	5	1
The sprinter number finishing second is:	7	6	4	3
The sprinter number finishing third is:	6	3	1	2
The sprinter number finishing last is:	7	2	5	1

SET 189 – CAT 2021 Original Set

[Click here for video solution](#)

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Amudha, Bharatan, Chandran, Dhinesh, Ezhil, Fani and Gowtham are seven people in a town. Any pair of them could either be strangers, acquaintances, or friends. All relationships are mutual. For example, if Amudha is a friend of Bharatan, then Bharatan is also a friend of Amudha. Similarly, if Amudha is a stranger to Bharatan, then Bharatan is also a stranger to Amudha.

Partial information about the number of friends, acquaintances, and strangers of each of these people among them is given in the table below

	No. of Friends	No. of Acquaintances	No. of Strangers
Amudha		1	4
Bharatan			
Chandran		1	
Dhinesh			2
Ezhil			1
Fani	1		
Gowtham		3	2

The following additional facts are also known.

1. Amudha, Bharatan, and Chandran are mutual strangers.
2. Amudha, Dhinesh, and Fani are Ezhil's friends.
3. Chandran and Gowtham are friends.
4. Every friend of Amudha is an acquaintance of Bharatan, and every acquaintance of Bharatan is a friend of Amudha.
5. Every friend of Bharatan is an acquaintance of Amudha, and every acquaintance of Amudha is a friend of Bharatan.

Who are Gowtham's acquaintances?

- (a) Amudha, Dhinesh and Fani
- (b) Dhinesh, Ezhil and Fani
- (c) Amudha, Bharatan and Fani
- (d) Bharatan, Dhinesh and Ezhil

Which of these pairs share the same type of relationship?

- (a) (Bharatan, Chandran) and (Dhinesh, Ezhil)
- (b) (Amudha, Gowtham) and (Ezhil, Fani)
- (c) (Bharatan, Ezhil) and (Fani, Gowtham)
- (d) (Chandran, Ezhil) and (Dhinesh, Gowtham)

Who is an acquaintance of Amudha?

- (a) Dhinesh
- (b) Ezhil
- (c) Gowtham
- (d) Fani

Who is an acquaintance of Chandran?

- (a) Dhinesh
- (b) Bharatan
- (c) Ezhil
- (d) Fani

How many friends does Ezhil have?

How many people are either a friend or a friend-of-a-friend of Ezhil?

[Click here for video solution](#)

Quantifiers

In first year, from the total of
~170 students, Quantifiers
produced:

10, 99+ %ilers in CAT

IIFT top rank: 99.99

XAT top rank: 99.98

SNAP top rank: 99.9

NMAT top rank: 99.99

Don't be a part of rat race!

Join the legacy



Rishabh
CAT: 99.94



Karan Bagla
CAT:99.60



Siddhant
CAT:99.53
IIFT: 99.99



Anubhav
CAT:99.46
IIFT: 98.26
NMAT: 240/212



Amirtha
CAT: 99.14
XAT: 99.98



Dhruv
CAT:97.95
IIFT: 99.14
NMAT: 236



Shashwat
CAT:99.19
IIFT: 99.41



Lucky
CAT:99.23
IIFT: 98.05

Course features

- 350 + hours of live teaching
- Test series
- Includes booster courses worth Rs 7000
- Personal mentoring and performance tracking

Venn Diagrams

[Complete DILR Revision and Solution for
further sets](#)

[*Click here to join our Facebook Practice Group*](#)



Karan
CAT: 99.60

It was a long journey, but every single step was worth it.

I remember when I first talked to Sahil Sir, I basically had decided to join some other offline institute which is a famous name, but the conversation I had changed my perspective towards CAT, I was amazed with the intellect the person holds, the clarity of thoughts. **I was apprehensive about how the classes will be held, their teaching methodology, I was reluctant because I've always learnt with the faculty scolding us, right in front.** I decide to take a demo just to give it a try, I still remember it was Naman Sir teaching the Basics Numbers class, I used to practice Quant so I was good at it (at least I thought so), so I thought it will be a cakewalk for me, but I was taken aback by the flow and the structure, there were so many things, hidden between the lines, a small concept of digital root and much more, there was never a doubt then, the pedagogy, structure and most importantly **the concept of relevancy** I learnt there, I don't think anyone out there can teach in such a flawless way.

QUANT: My misconceptions that I am good at Quant took a hit with my first few mocks, I talked to the faculties and realized how **being strategically ready is different from being academically ready (exact words of Sahil Sir)**, I could solve most of the questions without any time pressure but in mocks I was facing some issues. **Consistent mentoring that I received with Quantifiers** helped me overcome so many barriers.

DILR: Venn Diagrams were my biggest fear, 6 lectures on a single topic, just because we wanted more practice, **if this isn't an example of customized course**, I don't know what it is. The thought process I developed through Quantifiers helped me ace the section. If you are aspirant and even if you've a slightest of doubts, join Quantifiers and I assure you, you will be making the best decision of your life. All the best :D

SET 190

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Question:

At a Food Bloggers meeting in Chandigarh, 200 Bhookads arrive. Out of which, 175 liked Paneer Tikka Butter Masala, 150 liked Masala Chaap, 180 liked Noodles, 160 liked Cholle Bhature. What could be the minimum number bhookads who liked at least 3 dishes.

[click here for video solution- 4:13](#)

[Click here to join our Facebook Practice Group](#)

SET 191

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

In a group of 300 people, 170 drink alcohol, 140 smoke, and 100 people chew tobacco. Everyone belongs to at least one of the 3 aforementioned categories. All those people who drink alcohol, also play Poker. All those people who smoke, also play Black Jack. All those people who chew tobacco, also play Roulette. Out of those group of 300 people, 210 play Poker, 170 play Black Jack and 220 play Roulette. No one play all the 3 games, and everyone plays at least one of the 3 games.

[Click here for the video solution: 10:11](#)

Q: What can be the maximum number of persons who drink alcohol and also play both Poker and Black Jack?

Q: What can be the maximum number of persons who smoke and also play Poker?

1. 170 2. 140 3. 210 4. 80

Q: What can be the maximum number of persons who drink as well as smoke, and also play Roulette?

Q: What can be the minimum number of persons who smoke but do not play Roulette?

1. 90 2. 50 3. 140 4. 80

[***Click here to join our Facebook Practice Group***](#)



Quantifiers 2020

**Targeting apex and need a companion?
Allow us to hold your hand and take you there :))!!1**



Nikhil
CAT - 99.96%ile

Verbal Ability & Reading Comprehension		Data Interpretation & Logical Reasoning		Quantitative Ability		Total	
Scaled Score	Percentile	Scaled Score	Percentile	Scaled Score	Percentile	Overall Scaled Score	Overall Percentile
41.21	98.83	47.63	99.94	53.25	99.77	142.09	99.96

CAT 2021 Course starting soon
www.quantifiers.in, Call/WA @9988656560

SET 192

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

In the placement season of a leading management institute, all the available placements were offered to the prospective candidates in such a way that all the candidates got at least one job. The placements were from the following industries: Infrastructure, Services and Consultancy. None of the candidates got more than one job from the same industry.

There were 15 candidates who got placed in exactly one industry, while the number of candidates who got placed in all the three industries was not more than 5. The number of candidates who got placed in at least two industries, one of which is Services, was more than those who got placed in Infrastructure as well as Consultancy. The number of candidates who did not get placed in Services was the same as those who did not get placed in Consultancy, but was different from those who did not get placed in Infrastructure.

The number of candidates who got placed in Services as well as Consultancy was one more than those who got placed in Infrastructure as well as Services, but was one less than those who got placed in Infrastructure as well as Consultancy. The number of candidates who got placed only in Infrastructure was the same as those who got placed in Services as well as Consultancy, but not in Infrastructure.

It was further known that the number of prospective candidates that this institute had was less than 40.

Q: What is the maximum possible number of placements that were offered to the candidates in this institute?

Q: Which of the following can be the number of candidates in this institute?

- 1) 25 2) 27 3) 37 4) All of the above

Q: What's the maximum number of candidates who got job in Services?

[Click here to join our Facebook Practice Group](#)

[Click here for video solution @ 16:33](#)

QUANTIFIERS

SET 193

Games & Tournament

[Complete DILR Revision and Solution for
further sets](#)

[Click here to join our Facebook Practice Group](#)


There is a football knockout tournament in which 32 teams participated. Knockout means that the winner of a match advances to the next round and the team losing the match is eliminated from the competition. Rounds are being conducted till a single winner is obtained. A team may not face every other team in knockout tournament. It only faces one opponent in a round. The last two rounds are termed as Semifinals and Finals respectively after which a single winner is obtained. Each team has a distinct rank given according to their earlier performances. The ranks are given from 1 to 32 such that rank 1 is the rank given to the best team and then followed by the ranks according to the decreasing order of the teams' performances. To make the Knockout tournament fair, the matches are played in such a way that rank 1 team plays with rank 32 team, in the 1st round and 1st match, followed by rank 2 team playing by rank 31 team in 2nd match of 1st round and so on. The 1st round ends when all the teams have played against one team each. In round 2, the winner of match 1 will play against winner of match 16 of round 1. This is termed as match 1 of round 2 and so on. This pattern is observed in all the rounds of tournament. During the course of tournament, if a lower ranked team defeats (whose numeric value of rank is higher) a higher ranked team (whose numeric value of rank is lower) then it is called as an upset.

Q: If during the course of tournament, there is a single upset, then what can be the lowest rank of the winner of the tournament?

Q: If there are 4 upsets in the tournament, what is the lowest ranked team that can win the tournament?

Q: If there are 3 upsets in the 1st round and no upsets in the other rounds, then what is the lowest possible rank of the team that can win the tournament?

Q: If in round 1 and round 2, all even numbered matches result in upsets, odd numbered matches do not result in upset and no upset happens in the further round, then what is the rank of the team which plays against the 7th ranked team in the quarterfinals(the round before semifinal)?



[Click here for video solution- 59:31](#)

Anubhav Ojha – Engineer



Anubhav Ojha

CAT: 99.46

IIFT: 98.26

NMAT:240/214

XAT: 98.04

SNAP: 99.93

[Click here to connect with Anubhav on LinkedIn](#)

I knew Sahil Sir from 2018 and he was regularly mentoring me, If I talk about getting strategically prepared for CAT, all the credit goes to him, there wasn't even a single mock after which I didn't discuss my score with Sahil Sir, and Sahil Sir, always patient, gave me directions, It will not be wrong to say that credit of my success goes to Quantifiers, DILR was my biggest fear, the variety of sets I practiced with these people enabled me to do 4-5 sets in the exam. To teach Quant or infact CAT Aptitude is not a very tough job I believe, but when it comes to consistently uplift the motivation level of a student, there's no one even close to Quantifiers and I can bet on that. Mentorship I got from Quantifiers played a vital role in achieving my goals. Also, a special mention to Naveen Sir for motivating me regularly, I bet no one has better sarcasm than you Sir :D



SET 194

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

In this year's IPL, the eight participating teams - CSK, DC, DD, KKR, KXIP, MI, RCB, RR – were divided into two groups (Group A and Group B) of four teams each. In any group, any particular team played every other team exactly once. Not more than two matches were played on a single day and atmost two teams from a group could play on any given day. In each match, the winning team got two points and the losing team got zero points. No points were lost. There was no tie till now and none of the matches were abandoned. The sole winners from each group played each other on Sunday in the final. The tournament started on the Monday just before the final.

Also:

1. Not more than one team in the entire tournament had zero points and the team didn't belong to Group A.
2. DC and KXIP played their first game on the same day but their first games were played after all the other teams in their respective groups had already played their first games.
3. KXIP defeated RCB but could not beat DD. All three teams ended with same points
4. MI defeated RR but could not beat DC
5. KKR lost their game on Tuesday while RCB won on Friday
6. CSK and MI didn't play on Wednesday
7. DD played its first match not before RCB
8. Exactly two teams played their last match on Thursday but only one qualified for the final
9. All teams in Group A play at least two matches on consecutive days.
10. Same teams won on Monday and Tuesday
11. No teams who played on Friday play on Sunday while at least one team on the remaining days play on Sunday

[Click here for the video solution: 30:22](#)

Q: Which team reached the finals?

Q: Which team played their match against DC on Wednesday?

Q: What are the total points of RR & KKR?

For any question, write 99 if CBD.

[**Click here to join our Facebook Practice Group**](#)

QUANTIFIERS

SET 195

Binary Logic

[Complete DILR Revision and Solution for
further sets](#)

On an island, there are three types of people. The truth tellers — who always speak the truth The Liar — who always lie The Alternators — who alternate between truth and lie in any order Amar, Akbar and Anthony belong to that island and at least one of them is a thief. The following were their replies, when they were asked, who is a thief?

Amar:
I am not a thief.
Anthony is a thief.
Akbar is an alternator

Akbar:
Amar is not an alternator.
I am a thief.
I am truth teller.

Anthony.
I am not an alternator.
The three of us together have made six true statements.
Amar's second statement is false.

Q: Who could be a liar?

Q: Who is definitely a thief?

Q: How many true statements have been made true by all of them?

[Click here for the video solution- 1:04:12](#)

SET 196

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

The city crime branch received reports of a burglary, a murder and a dacoity on the night of November 1, between 11 pm and 12 midnight. The Superintendent of Police (SP) swung into action immediately and arrested six suspects - Ranga, Billa, Shamsheer, Mallu, Kittu and Danny and interrogated them. The police knew that each crime was committed by exactly two of them. The six suspects provided the following answers:

Ranga : "I was with Shamsheer	Danny was with me	I know nothing about the dacoity"
Shamsheer : "I was with Danny	Mallu was with me	I know nothing about the burglary"
Mallu : "I was with Ranga	Billa was with me	I know nothing about the dacoity."
Kittu : "I was with Ranga.	Mallu was with me	I know nothing about the murder."
Billa : "I was with Kittu.	Danny was with me	I know nothing about the burglary."
Danny : "I was with Kittu	Ranga was with me	I know nothing about the murder."

From experience, the SP knows that the first and the second statements that each of the suspects spoke were false, while the third statement of each of the suspects was true

[Click here for the video solution- 1:09:57](#)

- Q1. Who was Ranga's partner?
A. Danny B. Billa C. Mallu D. Kittu
- Q2. Who were the murderers?
A. Ranga and Billa B. Shamsheer and Kittu
C. Mallu and Danny D. Danny and Shamsheer
- Q3. Who committed the dacoity?
A. Shamsheer and Kittu B. Danny and Shamsheer
C. Ranga and Billa D. Mallu and Danny
- Q4. According to the SP, who were involved in the burglary?
A. Shamsheer and Kittu B. Danny and Mallu
C. Ranga and Billa D. Danny and Shamsheer

SET 197

Routes Network & Project Management

[Complete DILR Revision and Solution for
further sets](#)



Quantifiers 2020



Supriya

CAT: 99.59%ile



Section		Section		Section		Total	
Verbal Ability & eading Comprehension		Data Interpretation & Logical Reasoning		Quantitative Ability			
Scaled Score	Percentile	Scaled Score	Percentile	Scaled Score	Percentile	Overall Scaled Score	Overall Percentile
37.08	97.52	35.46	99.17	41.75	98.8	114.29	99.59

CAT 2021 Course starting soon

www.quantifiers.in, Call/WA @9988656560

In Delhi, there is a Hospital (H), Temple (T), Mosque (M), Church (C), Gurudwara (G), School (S) and a Park (P). The following pairs of places are interconnected by roads: C&S, C & M, M & G, S & P, S&T, P&G, T&G, G&H and H & T. Buses originate from each of these places and travel only to the places directly connected by roads. For example, buses starting from Gurudwara travel to only Park, Temple, Mosque or Hospital. Passengers have to take connecting buses from intermediate locations, if no direct bus connecting the origin with the destination is available. All the buses that originate from H, T, M, C, G, S and P charge Rs. 10, 11, 12, 13, 14, 15 and 16 (in no particular order) from each passenger.

Q1. What is the minimum possible amount (in Rs.) that a person has to pay if he wants to go from the Church to the Hospital?

Q2. How many different routes can a person take if he wants to go from the School to the Gurudwara without visiting any of the given places twice?

Q3. Both Ramesh and Suresh started from the Temple and reached the Mosque via at least two of the given places. Ramesh paid Rs. 45 whereas Suresh paid Rs. 39 for the journey. If the amounts one has to pay if one travels from the School and the Gurudwara are Rs. 12 and Rs. 15 respectively, then what is the minimum possible amount Ramesh has to pay if he travels to the Temple from the Park? (Write 99 if CBD)

Q4. On each of the six days of the week - Monday to Saturday, Rajan starts from the Park and visits the remaining six places (one place every day). He starts from the Park in the morning and returns to the Park in the evening after visiting the place, taking the same route that he took in the morning. What could be the minimum possible total fare paid by Rajan over the six days?

[Click here for the video solution- 1:13:10](#)

SET 198

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Harsh, a contractor, landed a civil engineering project. To manage the project more effectively, he divided the project into seven tasks — Task 1 through Task 7. Among the seven tasks, certain tasks cannot be started until some prerequisite tasks are completed.

Harsh assigns each of the seven tasks to exactly one person among five persons, A through E. However, only certain persons are competent to finish certain tasks and a task can be assigned only to a person competent to finish the task. For any task, any person who is competent to finish the task takes the same number of days to finish that task. Further, each person can work on only one task at a time and any person who finishes a task assigned to him takes one week's rest before he starts any other task.

The table below provides, for each task, the number of days required to finish the task, the persons who are competent to finish that task and the prerequisite tasks, if any, which need to be completed.

Task	Number of Days	Competent Persons	Prerequisite Tasks
Task 1	14	A, B	Task 5
Task 2	24	C, E	-
Task 3	23	C, D	Task 7
Task 4	16	B, D	Task, 3, Task 5
Task 5	19	C, E	Task 2, Task 7
Task 6	20	A, B	Task 1, Task 4
Task 7	25	B, C, E	-

[Click here for the video solution- 1:24:58](#)

- Q1. What is the minimum number of days required for completing the project?
- Q2. If the project is completed in the minimum number of days, to which of the following persons will the maximum number of tasks be assigned?
a) A b) C c) D d) All of the above will be assigned equal number of tasks.
- Q3. If only two persons were assigned all the seven tasks, what is the minimum number of days by which Task 1 can be finished?
a) 48 b) 64 c) 80 d) 94
- Q4. If only two persons were assigned all the seven tasks, what is the minimum number of days required for completing the project?
a) 144 b) 153 c) 115 d) 123

If CAT is an ART, Quantifiers is the Artist



Dhruva Sareen
IIM A

CAT: 97.95

IIFT: 99.14

NMAT:236


XAT: 99.96

SNAP: 99.93

Lawyer

*Well, I'm not asking you to believe my words but go and witness yourself. I was a member of Quantifiers Whatsapp group, I was simply taken aback by the way every doubt was solved instantaneously, how can someone be awake 24*7ti I have personally seen doubts getting solved at 2/3/4 in the night. I took up the course in June and my journey was never the same, I can ensure you the amount of personal attention you get there, you can't get anywhere. I mentioned it to Sahil Sir too that I never felt that there is a teacher teaching at the other side, it was always like, an elder brother, who has been guiding/scolding me, the motivational sessions, the workshops every aspect that you can think of was taken care to perfection. QA was my biggest fear, I remember scoring in single digits in my initial mocks, but thanks to Quantifiers for believing in me, making me realize that nothing is impossible. It will not be an injustice to say that these guys worked harder than us, pushing us every single day, giving us regular tasks, DILR sets, RCs. The most important part is, we were never taught the questions which were irrelevant from exam perspective, sometimes I found some questions in mocks which were alien to me, but thanks to the mentoring, I was always aligned to what actually came in CAT. QA is a tough section for non-engineers they say, I disapprove that, but trust me, the more classes I attended, the less I believed the statement, we were always told that "P&C nahi ayega aisa, Binomial me time waste naai kro" Special focus on Arithmetic, Geometry and Algebra played a pivotal role in my scores, The booster sessions were cherry on the cake, it was like every concept knocked our brain and entered. DILR focus was a different level, the variety we practiced made sure that we have covered everything that could be, as a result I was able to solve 4 sets on D-day. Finally, I will again ask you to just join Quantifiers without a doubt and witness the magic.*

*Thanking Quantifiers
Adios*



SET 199

Selection & Distribution

[Complete DILR Revision and Solution for
further sets](#)

A team of 6 members, having 3 men and 3 women, is to be selected out of a group of 10 persons comprising 5 men namely A,B,C,D and E and 5 women namely K, L, M, N and O. It is also known that:

1. If C is selected then at least one of B and N must be selected.
2. K is selected only if D is selected.
3. If E is selected, then both M and N must be selected.
4. L and N cannot be selected together.
5. Exactly 2 out of A, B, K and O must be selected.
6. D and L can be selected only if both of them are selected together.
7. Exactly one of A and C is to be selected

[Click here for the video solution- 1:44:44](#)

Q1. How many people out of the ten are there in all possible combinations of the team?

- a1 b2 c3 d More than 3

Q2. Who can definitely not be a part of the team?

- a O b K c A d None of these

Q3. Which of the following statements is true?

- a Both D and E are selected
b Both K and O are selected
c Exactly one of B and C is selected
d None of these

Q4. If L is selected, then who among the following is also definitely selected?

- a K b O c B d More than one of the above

Q5. How many total teams are possible?

SET 200

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

In all 12 employees work in a call center in three shifts viz, 7 am to 3 pm, 3 pm to 11 pm and 11 pm to 7 am. There are only four working cabins, each of which is occupied by only one person at a time. Some more information is available as follows:

1. The employees whose names start with the same letter do not work in the same shift or in the same cabin.
2. Vicky, Roze and Tapan work in the same cabin.
3. Amy, Tapan and Nancy work in the same shift.
4. Laurie works in the same cabin as Amy and she works in the same shift as Amin does.
5. Ana, Vicky and Maria work in the same shift.
6. Keshav works in the same cabin as Romy and comes at 7 am when Romy leaves after completing her shift.
7. Roze chooses to work in the shifts 7 am to 3 pm or 3 pm to 11 pm. Roze and Kesar do not work in the same shift.

[Click here for the video solution- 1:53:09](#)

Q1. Which of the following two do not work in the same shift?

A. Ana — Kesar B. Amy — Romy C. Laurie— Romy D. Keshav — Amin

Q2. Who works in the same cabin as Amin and comes to the call center when Amin leaves?

A. Maria B. Nancy C. Romy D. CBD

Q3. _____ does not work in the 11 pm - 7 am shift.

A. Vicky B. Romy C. Nancy D. Tapan

Q4. The shifts of working of how many of the 12 people mentioned can be uniquely determined?

A. 12 B. 10 C. 9 D. 8

SET 201

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)




[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Four salesmen - A, B, C and D report their total income by breaking up into different components: Salary, Incentives and Interest from savings. The diagram given below shows the percentage break-up of the total income of the four salesmen.

Note: Salary, incentives and interest from savings are all integral values.



- Q1. If the total income of B is Rs.18,000 and that of C is Rs.10,000, then find the difference in their salaries.
- Q2. Let minimum and maximum total income of D be Rs. 35,000 and Rs. 42,000. If total income of A is 10% less than the total income of D, then what is the range of incentive (difference in Rs.) for employee A?
- Q3. Let total income of D be Rs. 40,000 and incentive of A be Rs. 7,500. If salaries of $D < B < A < C$ then, what is the sum (in Rs.) of maximum possible total income of B and minimum possible total income of C?

[Click here for the video solution- 2:03:47](#)

SET 202

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Ravi has a gold chain with N links, such that links are numbered from "1 to N ". Ravi wants to cut the links into groups of one or more links, in such a way that he can pay salary to Ritika by paying any number of links she may ask for her work on contract basis. But since cutting a gold chain comes with the cost, he has to be very smart while cutting it. One cut means a link is cut at one place.

Original:



After one cut:



- Q1. If $N = 865$, what are the minimum cuts Ravi needs to make?
- Q2. If there are 8 cuts, what is the max value of N ?
- Q3. If $N = 512$, what could be the maximum some of numbers written on links of any piece of the chain after Ravi made N cuts?

[Click here for the video solution- 2:14:25](#)

SET 203 Environmental meet

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Five countries –United States (US), United Kingdom (UK), Japan, Italy and Germany – had participated in an environment meet. There were four conferences organised in the meet, one on each of the four issues –Carbon Emission, Bio Hazards, Oil Spill and Radioactive. Each of the five countries has sent at least ten delegates to the meet. Also not more than five delegates

from one country participated in one conference. Further it is known that:

(i) The total number of delegates from the countries Japan, Italy and UK were different and in an Arithmetic Progression.

(ii) In all the conferences except the one on Bio Hazards, number of delegates from US was more than that of any other country. But in conference on Bio Hazards, number of delegates from US was less than that of all other countries.

(iii) In conference on Oil Spill, the number of delegates from Italy was the least while in conference on Carbon Emission, the number of delegates from UK was the least.

(iv) Germany and Japan, each have sent 11 delegates and they didn't have the highest or the lowest delegates at any conference.

(v) From Germany equal number of delegates participated only in Carbon Emission and Oil Spill, while from Japan the same number of delegates participated only in Radioactive and Bio Hazards.

(vi) In the conference on Oil Spill and on Radioactive, the number of delegates participated from UK was equal.

(vii) From Italy, distinct number of delegates participated in the conference on Bio Hazards and Carbon Emission.

(viii) No delegate attends more than one conferences and no two countries had the same number of delegates at any conference.

1. Which country has the highest number of delegates in the conference on Bio Hazards?

1. US 2. UK 3. Germany
4. Italy

2. Which country has the least number of delegates at the meet?

1. US 2. UK 3. Germany
4. Italy

3. Which country has the 3rd highest number of delegates for Radioactive conference?

1. US
2. UK
3. Germany
4. Japan

4. If Germany and Japan decided to join hands with each other, and hence be represented by the same delegates whose numbers are equivalent to the lower figure among their number of delegates sent to each conference, then how many total delegates would be there for the meet?

[click for video solution](#)

SET 204 Magazine survey

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

A leading magazine conducted a survey of 4 B-Schools – S1, S2, S3 and S4 – based on the four different parameters – P1, P2, P3 and P4. In the survey, they awarded some points to the B-Schools on the different parameters. Sum of the points distributed to all the B-Schools in a parameter is equal for all the parameters. In every parameter, points got by the four B-Schools are in the form of four different Arithmetic Progressions. In any one of the four parameters, B-School getting highest point is ranked 1 and the one getting lowest point is ranked 4. It is also known that:

- (i) In any parameter, all the B-Schools were awarded distinct points.
- (ii) S3 was awarded 20 points in P1, and its rank is 3 in this parameter.
- (iii) Points awarded to any B-School in any of the four parameters is non-negative integers.

1. What could be the minimum total number of points got by a B-School?
2. What could be the maximum total number of points got by a B-School?
3. If S4 got rank 4 in all the four parameters, then the total points awarded to S4 in all the four parameters put together cannot be more than
 1. 18
 2. 58
 3. 72
 4. 82
4. If sum of the points distributed to all the B-Schools in a parameter is minimum possible, then total points got by a B-school in all parameters is 'a'. What could be the maximum value of 'a'?
 1. 120
 2. 88
 3. 106
 4. 133

[click for video solution](#)

SET 205 Exchange of toffees

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

- Five friends – A, B, C, D and E – were given certain number of packets of toffees by their parents. Each of them got different number of packets and each packet contains ten toffees. They all met under a tree and decided to exchange the toffees among themselves. Firstly A, B and D exchanged their packets amongst themselves so that no one of the three had their original number of toffees with them. Thereafter B, C and D exchanged their packets in the same manner (i.e. no one had their original number of toffees with them), and in the last C, D and E exchanged their packets in the same manner. Some additional information is given about the exchange.

- 1. Initially, E has the maximum number of toffees, which was not more than 60, but after all the exchange, E left with the minimum number of toffees, which was not less than 10.
- 2. Number of toffees with each of the friends after all exchanges was different from what they initially had.
- 3. Number of toffees with B and C after second exchange was 40 and 20 respectively.
- 4. After each exchange, no two friends have the same number of toffees.
- 5. Number of toffees with A, B and D after first exchange was 30, 10 and 20 respectively.
- 6. None of the friends has opened any packet before the final exchange.

1. If number of toffees with B initially, after first exchange, after second exchange and after third exchange was a , b , c and d respectively, then which of the following can be the value of $(a + b + c + d)$?

1. 120 2. 100 3. 150 4. 130

2. For how many persons, number of toffees with them after third exchange can be determined uniquely?

3. Which of the following is the number of toffees E initially had?

1. 50 2. 60
3. 40 4. either (1) or (2)

[click for video solution](#)

SET 206 Office party

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

A company named 'Gugal Ltd.' organized five parties on five different occasions - Deepawali, Holi, Navratri, Christmas and New Year - in 2025 for the enjoyment of its employees. In each party, there were four activities - dancing, singing, skit and story writing - to participate in. Only those employees attended the function who participated in any activity. An employee could participate in exactly one activity on each occasion. Each employee had attended at least one of the five parties. Following table provides the information about the number of employees who participated in the different activities at different occasions.

	Dancing		Singing		Skit		Story Writing	
	Male	Female	Male	Female	Male	Female	Male	Female
Deepawali	16	27	33	43	21	32	45	55
Holi	47	47	14	35	25	59	36	22
Navratri	25	43	49	55	12	22	11	34
Christmas	45	50	23	40	38	30	19	25
New Year	22	35	20	29	44	43	31	58

1. If each of the employees was absent for exactly one of the five parties, then find the total number of employees in the company.

2. Find the difference between the maximum and the minimum possible number of female employees in the company?

1. 201 2. 703 3. 804 4. 619

3. If the number of female employees is maximum possible and the number of male employees is minimum possible, then find the total number of employees in the company.

1. 909 2. 345 3. 748 4. 576

[Click here for video solution](#)

SET 207 Shopping

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Six friends A, B, C, D, E and F went for shopping and each of them spent some integral amount of rupees on shopping. No two of them spent the same amount. It is further known that:

(i) The amount (in Rs.) spent by each friend is a 3-digit number, having all distinct digits, out of 1, 2 and 3 only.

(ii) Difference between the amount spent by C and F was a two digit number.

(iii) Difference between the amount spent by A and E was Rs 9.

(iv) B spent more than twice the amount which E spent.

(v) Sum of the amounts spent by C, D and F was an odd number.

- 1. If D spent more than B, then what is the difference between the amount spent by D and E?

1. 189 2. 198 3. 108
4. CBD

- 2. If D spent less than both C and F, then the absolute difference of amount spent by C and F is

1. 18 2. 81 3. 90
4. 99

- 3. If A spent the minimum and F spent the maximum, then the amount spent by C and D taken together was

1. 345 2. 444 3. 543
4. CBD

[Click here for video solution](#)

SET 208 Folder placement

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

• Rashmi has a habit of organizing all her documents neatly. She has made three boxes, one of each - red, green and yellow colour. In each box she has kept five different folders - Finance, HR, Marketing, Operations and Supply chain - one of each type, placed one above the another from top to bottom, in any order. Except Operations, no folder is at the same position from bottom in any two boxes e.g. if finance is at the top in any box then it cannot be at the top in any other box. It is also known that:

• (i) In each box, there are at least two folders above the folder of Finance and there are at least two folders below the folder of HR. Operations is never at the top in any box.

• (ii) In the green box, there are exactly two folders between Operations and Finance folders and the same is true for Supply chain and HR folders.

• (iii) HR is not the 4th folder from the bottom in yellow box and Operations is just below the Marketing folder in the red box.

1. Which folder is at the top in the yellow box?

1. HR

2. Marketing

3. Supply chain

4. Operations

2. Which box/boxes definitely has/have Operations folder at the bottom?

1. Red

2. Green

3. Yellow

4. Red and Yellow

3. Which two folders can never be adjacent to each other in any of the boxes?

1. HR and Finance

2. Operations and Marketing

3. Operations and Finance

4. HR and Marketing

[Click here for video solution](#)

SET 209 Energy drink ratio

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

SET 210 Dance competition

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

- ### Quantifiers

SET 211 Cricket coaching

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

- A cricket club hired six coaches – P, Q, R, S, T and U – for giving coaching in at least one of the three areas – batting, bowling and fielding. Further, it is known that,
 - A. P can give coaching only in batting, while R and Q both can give coaching in batting and fielding but not in bowling.
 - B. T can give coaching in batting and bowling but not in fielding, while S can give coaching in both bowling and fielding but not in batting.
 - C. U can give coaching in bowling only.
- The manager of the club create the schedule of the coaching for the entire week i.e., for 7 days. If he schedule coaching for any day of a week, then he has to schedule exactly one session of each of the three given areas.
- While scheduling, he has to satisfy the following conditions-
 - (i) In the entire week, any coach gives coaching in not more than two sessions of the same area and not more than three sessions in total.
 - (ii) Any coach takes a maximum of one session in a day and a minimum of one session in the entire week.

1. What is the minimum number of days on which there will be no coaching scheduled in the week?

1. 0 2. 1 3. 2 4. 3

2. Which of the following cannot be the list of the persons who all can give coaching on a same day?

1. P, R and S 2. R, T and U
3. P, Q and R 4. Q, S and T

3. Due to some personal issues, both T and U are available only for the first day of the week. What is the maximum possible number of days on which the club can provide coaching?

1. 5 2. 4 3. 3 4. 2

[Click here for video solution](#)

SET 212 Temples and islands

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

- There are five temples situated on the five islands in a sea in East - West direction in a row. Each temple can be visited by boats only, as there is no other means available to connect the islands on which these temples are situated. A lane connects two consecutive temples, situated in the row. Boats have to follow a certain water lane to reach from one temple to the other and same for return journey also. Deepak, after having a hectic schedule at work on a Friday, decided to visit these five temples on his religious trip. He started his journey from Eastern most islands, as it is the nearest one to his office and moves towards the West, visiting the other four temples in turn from 1st to 5th. And thereafter decided to stay near the Western most temple on weekend.

- Further, some additional information about his visit to these temples is known.

- • After visiting the temple on Agni island, Deepak immediately used the Bhakti lane to reach the island on which Shiv temple is situated.

- • Deepak used Kripa lane to reach the next island from Divya island.

- • While going directly from the temple on Naag island to the Laxman temple, he used the Satya lane.

- • Daya lane took Deepak directly from Hari temple to the temple on Prithvi island.

- • Ram temple is neither on Prithvi island nor on Naag island.

- • One of the temples visited by Deepak is Sita temple and one of the five islands is Tejas island.

1. On which island Shiv temple is situated?

1. Tejas 2. Naag 3. Divya 4. Prithvi

2. Which of the following two islands are connected by Satya lane?

1. Naag-Agni 2. Naag-Tejas
3. Naag-Prithvi 4. Naag-Divya

3. Which temple is situated on Tejas island?

1. Ram 2. Laxman 3. Hari 4. Sita

4. If moving towards Naag island from Ram temple, then which of the following lane must be used?

1. Bhakti 2. Satya 3. Kripa 4. Daya

[Click here for video solution](#)

SET 213 Employees' age group

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

- The table given below shows the percentage of employees, in the age group of 25 years to 40 years, in five different departments during the year 2015 and 2018. Employees of each department are further subdivided into three positions - Assistant manager, Deputy manager and Manager. No employee joined or left the company or shifted to other department during the period of 2015-2018. Also there were only these five mentioned departments in the company.

	2015	2018
Accounts	10	25
Marketing	20	10
Sales	30	15
HR	15	20
Operations	25	30

- Total number of employees in the age group of 25-40 in 2015 and 2018 were 100 and 80 respectively.

1. What is the minimum number of employees who crossed the upper limit of age, i.e. 40, between 2015 and 2018?

2. Find the minimum possible number of employees who crossed the lower limit of age, i.e. 25, between 2015 and 2018?

3. If all the assistant managers who attained an age of 22 years got promoted to the level of deputy manager and all deputy managers after attaining an age of 25, got promoted to managers, then in which department was the number of deputy managers maximum in 2015?

1. HR 2. Sales 3. Accounts
4. Cannot be determined

[Click here for video solution](#)

SET 214 Employees' salary

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

- In GST Education Pvt Ltd., there are four categories of employees: Category A, B, C and D. No employee has a basic salary less than 2 lakhs. If TDS is deducted from the employees' salary, it is deducted at 10% of the basic salary. If GST is paid to an employee, it is paid at 18% of the basic salary. Also it is known that:

- Category A employees have their basic salary less than 5 lakhs but not less than 2 lakhs and neither TDS is deducted from their salaries nor they are paid the GST.

- Category B employees who have their basic salary less than 10 lakhs but not less than 5 lakhs are paid the GST but no TDS is deducted from their salaries.

- Category C employees who have their basic salary less than 20 lakhs but not less than 10 lakhs are not paid the GST but TDS is deducted from their salaries.

- Category D employees who have their basic salary not less than 20 lakhs are paid the GST and TDS too is deducted from their salaries.

- Net salary is the final salary after deducting TDS (wherever applicable) and/or including GST (wherever applicable). The basic salary and the net salary of each employee is an integral multiple of 1000.

1. If there are at least 5 employees in each category but not more than 10 employees in any category, then what is the minimum possible average net salary (in thousands) of all employees if the average net salary is an integral multiple of 1000?

2. Which of the following cannot be the net salary of a Category C employee?

- | | |
|--------------|------------------|
| 1. 10,80,000 | 2. 9,00,000 |
| 3. 18,90,000 | 4. None of these |

3. What is the minimum possible net salary (in thousands) of an employee from Category D whose net salary is equal to the sum of the net salaries of some employees of Category B?

- | | | | |
|---------|---------|---------|---------|
| 1. 3186 | 2. 2950 | 3. 2079 | 4. 2360 |
|---------|---------|---------|---------|

4. The net salary of an employee is a multiple of 27000. Which category he might be belonging to?

- | | |
|--------------------|---------------------|
| 1. Category C | 2. Category C or D |
| 3. Category B or C | 4. Any of B, C or D |

[Click here for video solution](#)

SET 215 Boat race

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

- A boat racing competition was held at the Hussain Sagar Lake in Hyderabad in which a total of ten boats participated. Two ends of the lake - A and B - were tagged as start and reverse respectively. The starting point of the race is end A which is also the finishing point for the race, such that every boat has to start the race from A then row to the other end B of the lake and then row back to the end A without stopping at the end B. All the ten boats started from end A at the same time.

- Some of the data related to the race is also known:

- (i) The distance between the two ends of the lake was 2 km.

- (ii) Speeds (in kmph) of all the ten boats were different from each other but the speed of each boat remains constant throughout the race.

- (iii) The distance, from the end A, at which two boats are present at the same time is called the meeting point.

1. Find the number of meetings, for all the boats taken together, at the meeting points during the race.

1. 10

2. 25

3. 45

4. 55

2. Find the minimum possible number of meeting points in the lake.

1. 45

2. 22

3. 17

4. 9

3. If the meeting points in the lake were minimum possible and the speed of the fastest and the second fastest boats were 10 kmph and 8 kmph respectively, then find the speed of the boat having 4th highest speed.

1. 6.4 kmph

2. 6 kmph

3. 5.12 kmph

4. 4 kmph

4. Suppose the meeting points of the boat having highest speed with the boats having 2nd highest speed, 3rd highest speed, 4th highest speed, ..., lowest speed, are numbered as 1st, 2nd, 3rd, ..., 9th respectively.

If the meeting points in the lake were minimum possible, then at which meeting point there will be exactly 5 meetings?

1. 5th

2. 4th

3. 2nd

4. 1st

[Click here for video solution](#)

SET 216 State fair



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

- Ten friends – A, B, C, D, E, F, G, H, I and J - decided to attend the state fair at ABC stadium. After attending the cultural programs in fair, they all decided to play some game. So they went to a shop from where each one of them purchased a ticket from the tickets numbered from 1 to 10. Somehow all of them managed to get the ticket having its number equivalent to the number of their initials i.e. A had ticket number 1, B had ticket number 2, C had ticket number 3 and so on. Now, for the game, all of them kept their tickets on a table in such a way that ticket numbers were not visible and the tickets were shuffled. Then each one of them picked one ticket randomly from the table. When they all showed their ticket numbers it was found that the ticket number of the ticket picked by each friend from the table was maximum 1 away from his initially purchased ticket number, for example – C could have picked a ticket, numbered as 2, 3 or 4 only.

1. If D got to pick his initial ticket again from the table i.e. ticket number 4, then maximum how many friends could not be having the same ticket as their initially purchased ticket?

2. In how many ways can they take their tickets, such that exactly 4 students were not having the same ticket as their initially purchased ticket?

3. If the number of ways in which exactly 'n' students not having their initial tickets is maximum possible, then what is the value of n?

1. 4

2. 6

3. 8

4. 2

4. What is the total number of ways such that at least one of the students is not having his initial ticket again?

1. 86

2. 89

3. 88

4. 90

[Click here for video solution](#)

SET 217 Bus facility

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices
& Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

- In a city, there are 3 types of buses – ordinary, metro and luxury - available for local transportation. The price of the ticket for each bus is fixed up to the distance of 4 km, and that fixed price is Rs. 20, Rs. 30 and Rs. 60 for ordinary, metro and luxury bus respectively. If a passenger needs to travel for a distance more than 4 km, an additional fare will be charged as Rs.20/km, Rs. 10/km and Rs. 8/km for luxury, metro and ordinary buses respectively. Distance (in km) travelled by any passenger need not be an integral value but the additional fare will be charged for the entire kilometer even if the passenger travelled additionally for
 - less than 1 km after travelling 4 km.
 - Further, there is a facility of monthly bus pass, available for each of the 3 types of the buses, enabling unlimited travel in a month. Prices for the bus pass of ordinary, metro and luxury buses are Rs. 1000, Rs. 2200 and Rs. 6300 respectively. Every passenger tries to minimize the total amount that he/she has to spend in each month on bus travel i.e. on tickets or bus pass, based on the distance travelled during the month and its cost.

1. Ritika always travels only by luxury bus. She used to travel 3 km from home to office, 2 km from office to the gym and 'x' km from gym to his home every day. If Ritika bought the monthly pass in every month of the year 2017 to minimize her expense on travelling, then which of the following must be true about 'x'?

1. $x > 5$

2. $x > 5.5$

3. $x > 6.25$

4. $x > 6$

2. On each day of the month of June 2018, Reyaansh travelled 'x' km from home to office by a metro bus and ' $3x/2$ ' km from office to home, via different route, in a luxury bus. If Reyaansh purchased a monthly pass for only luxury bus and not for metro bus, then how many integral values can 'x' take?

3. Three friends - Ravi, Jai and Govind - travel every day for once by ordinary bus, metro bus and luxury bus respectively. None of them bought a monthly pass for May 2015. If r, j and g represents the maximum distance that could have travelled by each of them in a day, then which of the following is true?

1. $r < g < j$

2. $r < j < g$

3. $j < g < r$

4. $j < r < g$

[Click here for video solution](#)

SET 218 Stock clearance sale

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

• Aman, a shopkeeper who had a fashion mart, decided to shut it down to move into some new business, and therefore put all its stock on Stock Clearance Sale. But when the sale had ended, he noticed that he was still left with some stock and hence decided to sell them on very cheap prices to his five friends - Ajay, Bhanu, Chetan, Divya and Eshaan.

• The stock, Aman left with, which he sold to his five friends is written below, with the prices at which he sold these things among his five friends.

- 1. 13 T-shirts at their price ranging from Rs.300 to Rs.500 per T-shirt.

- 2. 10 caps at Rs. 20 per cap.

- 3. 14 pairs of shoes at Rs. 1650 per pair.

- 4. Some perfume bottles, not more than 12, at Rs.800 per bottle.

- Further, it is known that

- 1. All friends bought at least 2 pieces of each of the four mentioned things, except perfume bottles, but it is known that they all bought at least 1 perfume bottle.

- 2. No one bought more than 11 pieces in total and none of them spent more than Rs.8000 to buy these things.

What could be the minimum amount (in Rs.) spent by one of the friends of Aman?

Had the upper limit of the total expense of Rs. 8000 was not there, then the maximum amount (in Rs.) spent by one of the friends of Aman was how much more than the maximum amount (in Rs.) spent by that friend with that limit of Rs.8000?

If Ajay bought exactly 10 items and spent the maximum possible amount, then maximum how much did he spend (in Rs.) on buying T-shirts?

[Click here for video solution](#)

SET 219 Arrangement set

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

• In a word square logic puzzle, Deepak formed a grid of 6 rows and 6 columns and started placing the letters of the word 'FIRST' in the format such that each letter occur only once in each row and each column. Also one of the places in each row in the grid should remain empty. Deepak filled the letters of the word 'FIRST' subject to the following conditions:-

- 1. R occupies exactly three positions out of the main diagonal positions and the last position in the 6th column was empty.
- 2. F is at the first position in column 1 and R is at the last position in 4th column.
- 3. I is immediately below R in column 1.
- 4. R is immediately above S and below S in column 2 and in column 3 respectively.
- 5. F and T are at 5th and 6th positions respectively in 2nd row.
- 6. S and R are adjacent to each other in 2nd row.
- 7. T is at the top and last positions in 4th and 5th column respectively.
- 8. S is not at 4th position in 5th row.
- 9. The third position in 5th column is empty.

1. If T occupies the second position in 5th row, then find the position of 'I' in the third column.

1. 1st 2. 5th 3. 6th 4. 4th

2. If one of the empty grids is at 4th positions in the second column, then find the position of empty grid in 2nd row.

1. 1st 2. 2nd 3. 3rd 4. 4th

3. If I occupies the first position in the third column, then which letter will be at the position of 6th row and 2nd column?

1. I 2. T 3. R 4. S

[Click here for video solution](#)

SET 220 Streams and books

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

• In a school there were 900 students in Class XII. They belonged to one of the four streams - Science, Medical, Arts and Commerce. No two streams had the same number of students. The tables given below show partial information about the sets of books bought by the students of class XII. A set of books contains all the subject books corresponding to the stream of the student. Two different books were available for each subject and a student could choose any one of the two, but not both. Table - 1 shows the percentage of students buying different books (e.g. ‘p’ percent of students in the Science stream bought book A1 for Maths). Table - 2 shows the total number of the sets of books bought by the students of each stream.

Table – 1

	Maths		Physics		Chemistry		English	
	A1	B1	C2	D2	E3	F3	G4	H4
Science	p	q	n	s	o	r	m	t
Medical	XX	XX	p	r	n	t	o	s
Arts	XX	XX	XX	XX	q	r	p	s
Commerce	XX	XX	XX	XX	XX	XX	q	s

Table – 2

Total sets of books bought in various streams			
Science	Medical	Arts	Commerce
324	216	126	54

[Click here for video solution](#)

1. What was the total number of Chemistry books bought by the students of Class XII?

1. 666 2. 810 3. 720 4. Cannot be determined
2. How many students were there in the Arts stream of Class XII?

1. 270 2. 180 3. 90 4. Cannot be determined
3. Which book was bought by the maximum number of students in the Science stream of Class XII?

1. A1 2. G4 3. C2 4. Cannot be determined

Additional Information:

1. The number of students in each stream was a multiple of 10.
2. At least one student in each stream did not buy the set of books.
3. The percentage of students in each stream who bought the set of books was a multiple of 10. This percentage was distinct for all the 4 streams.
4. ‘XX’ indicates that the subject was not studied in that stream.

SET 221 Fixed and variable costs

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

- The following table shows the break-up of actual costs incurred by a company in last five years (Year 2002 to Year 2006) to produce a particular product:

	Year 2002	Year 2003	Year 2004	Year 2005	Year 2006
Volume of production and sale (units)	1,000	900	1,100	1,200	1,200
Costs (Rs.)					
Material	50,000	45,100	55,200	59,900	60,000
Labour	20,000	18,000	22,100	24,150	24,000
Consumables	2,000	2,200	1,800	1,600	1,400
Rent of building	1,000	1,000	1,100	1,100	1,200
Rates and taxes	400	400	400	400	400
Repair and maintenance expenses	800	820	780	790	800
Operating cost of machines	30,000	27,000	33,500	36,020	36,000
Selling and marketing expenses	5,750	5,800	5,800	5,750	5,800

The production capacity of the company is 2,000 units. The selling price for the year 2006 was Rs. 125, per unit. Some costs change almost in direct proportion to the change in volume of production, while others do not follow any obvious pattern of change with respect to the volume of production and hence are considered fixed. Using the information provided for the year 2006 as the basis for projecting the figures for the year 2007, answer the following questions:

1. What is the approximate cost per unit in rupees, if the company produces and sells 1400 units in the year 2007?

1. 104 2. 107 3. 110 4. 115 5. 116

2. What is the minimum number of units that the company needs to produce and sell to avoid any loss?

1. 313 2. 350 3. 384 4. 747 5. 928

3. Given that the company cannot sell more than 1700 units, and it will have to reduce the price by Rs.5 for all units if it wants to sell more than 1400 units. What is the maximum profit (in Rs) that can be realized provided that the company sells more than 1400 units?

1. 25400 2. 24400 3. 31400 4. 32900 5. 32000

[Click here for video solution](#)

SET 222 CAT Aspirant

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

SET 223 Ranks

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

• Eight friends- Akbar, Birbal, Chanakya, Drona, Erawat, Arjun, Nakul and Sahdev - participated in a game consisting three rounds – I, II and III. Each friend got a different rank in different rounds and no two friends got the same rank in any round. It is also given that:

• (i) The sum of ranks in the three rounds together was equal for Chanakya and Birbal.

• (ii) The rank of Sahdev in round II was higher than that in round I but lower than that in round III.

• (iii) In each round Birbal, Nakul and Arjun got three consecutive ranks from higher to lower, in that order.

• (iv) Akbar was ranked 1st and last in round II and round III, in any order.

• (v) Erawat got rank 6 in round III and rank 4 in round I. Drona got rank 2 in round II and rank 1 in round I. Chanakya got rank 3 in round II.

• (Note: Rank 1 was the highest and rank 8 was the lowest among them)

1. Which of the following pair of friends must be on two consecutive positions in each round?

1. Arjun and Sahdev
2. Drona and Chanakya

3. Akbar and Sahdev
4. None of these

2. The lowest rank which Sahdev could get in round III was:

1. 4
2. 3
3. 5
4. 6

3. What was the difference between the highest and the lowest possible sum of the ranks obtained by Akbar in the three rounds?

1. 3
2. 2
3. 1
4. 0

4. Which of the following statement(s) is/are true?

I. The lowest rank which Erawat could get in any round was 6.

II. If Birbal was ranked 3 in round III, then Sahdev was ranked 1 in that round.

III. If Akbar got 8 rank in round II, then Arjun got rank 5 in round III.

1. Only II
2. Only III
3. I and III both
4. Either I or II

SET 224 Race predictions

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

• In an event, eight races were organized. In each race, four runners from four different states - Bihar, UP, MP and WB - participate and only one of them emerged as winner. For each of the eight races, at least four of the five persons - P, Q, R, S and T - predicted state which would win that race. Following table gives the predictions made by person for the eight races.

Race \ Runner	1	2	3	4	5	6	7	8
Bihar	X	X	X	X	P, Q, R	X	P	X
UP	R	P, S, T	X	P, Q, S, T	X	X	X	Q, T
MP	P, T	Q, R	T	X	T	P, R, S	T	P, R, S
WB	Q, S	X	P, Q, R, S	R	X	Q, T	Q, R, S	X

For example, 'R' predicted UP to win Race 1, whereas P and T predicted MP to win Race 1 and no one predicted Bihar to win Race 1.

It is also known that:

1. A person got Rs. 6000 for a correct prediction and lost Rs.2000 for a wrong prediction .
2. At the end of the eight races, Q earned the maximum amount of Rs 32000. T neither gained nor lost any amount
3. Had 'R' made one more correct prediction and Q made one more wrong prediction, the amounts gained by them at the end of the eight races would have got interchanged.
4. At the end of the eight races, it was observed that had any person predicted that a single state would win all the eight races, he would not have gained or lost any amount.

1. What was the amount gained by P at the end of 8 races?

2. How many correct predictions did S make?

3. How many wrong predictions did Q make?

4. In how many races was the winner not predicted correctly by any of the persons?

[Click here for video solution](#)

SET 225 Team leaders

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

- Seven people: Aman, Balwant, Chinu, Dalbir, Ekta, Farhan and Kulwant are leaders of marketing teams in companies namely - Pinaca, Qubaxy, Rajjany, Samratel, Tembla, Uribysyl and Veridone - in any order. Each of these leaders has a certain number of team members in their team. The number of team members in any team must be a multiple of 5 and should be less than 50. No two leaders have equal number of team members.
- Further the following information is also known:
 1. Team of Uribysyl company has maximum number of members.
 2. Teams of Aman and Balwant have number of members which are two consecutive multiples of 5 in any order. The same is also true for teams of Farhan and Kulwant.
 3. Only three teams have number of members that is an even multiple of 5.
 4. Aman, who is from Pinaca, has 10 members in his team.
 5. Sum of number of members from Uribysyl and Tembla is equal to twice the number of members from Qubaxy.
 6. Dalbir has the lowest number of team members.
 7. For only three teams, the number of members are prime multiples of 5 and also these are consecutive prime multiples of 5.
 8. Sum of team members of Aman and Balwant is equal to number of team members from Samratel.
 9. Team of Ekta, who is from Qubaxy, has number of members which is equal to the sum of members of Chinu's team and the team from Rajjany.

1. For how many team leaders we can exactly determine the company they work for and the number of members in their teams?
2. If Kulwant has maximum team members, then what is the sum of members in Farhan, Qubaxy and Samratel's teams?
3. 20 new members were to join such that they can be divided in any four teams in the ratio $1 : 2 : 3 : 4$, but teams that originally have number of team members as prime multiple of 5 cannot receive new members that are prime multiple of 2. What can be the maximum possible sum of team members now in Aman, Balwant, Chinu and Kulwant's team? (Here team members need not be multiple of 5, and number of members in each team is still less than 50)

[Click here for video solution](#)

SET 226 Friends set

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

There are 6 friends – Gaurav, Saurabh, Mahi, Bharat, Hari and Jogi. Each friend is married to one among - Sheela, Ramya, Dolly, Mona, Trisha and Kavya. Each of these 6 couples belongs to exactly one city out of Agra, Jaipur, Guntur, Kamalganj, Nagpur and Jodhpur, in any order. Each of them plays exactly one of the games - Cricket, Football, Volleyball, Snooker, TT and Badminton - not necessarily in the same order.

Some additional information provided is as follows:

1. Husbands of Dolly, Trisha or Kavya do not play Football or Volleyball.
2. The one who is from Guntur plays Cricket.
3. Jogi, who is from Jodhpur, plays football.
4. Mahi and Hari are married to Sheela and Mona respectively, but are not from Guntur.
5. The men from Jaipur and Kamalganj play TT and Volleyball respectively.
6. Bharat is from Nagpur.
7. Ramya is married to the man who is from Jodhpur.
8. Mahi plays Snooker.

- | | |
|--|-------------|
| 1. The man who lives in Nagpur plays | |
| 1. Cricket | 2. Snooker |
| 3. Badminton | 4. Football |
| 2. Who is the wife of Bharat? | |
| 1. Sheela | 2. Dolly |
| 3. Trisha | 4. CBD |
| 3. Who is married to the man from Kamalganj? | |
| 1. Mona | 2. Sheela |
| 3. Ramya | 4. Dolly |

[Click here for video solution](#)

SET 227 Cattles

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Pramod, Sachin, Harish, Vishwanath and Rajiv - are five farmers each having some cattle with them. The total number of cattle with five of them taken together is 249. It is also known that:

- (i) The number of cattle with Pramod is the square of a natural number.
- (ii) Each of them has at least 21 cattle.
- (iii) The number of cattle with Harish is 6 more than the square of a natural number.
- (iv) The ratio of the number of cattle with Vishwanath and Rajiv is 4: 5 respectively.
- (v) Sachin has an even number of cattle.
- (vi) The sum of the number of cattle with Vishwanath and Rajiv is equal to the number of cattle with Pramod.

1. Which among the following can be the possible absolute difference between the number of cattle with Sachin and Harish?

1. 21 2. 23 3. 25 4. Either (2) or (3)

2. The sum of the number of cattle with Pramod and Vishwanath is:

3. Who among the five farmers has the second lowest number of cattle?

1. Vishwanath 2. Sachin
3. Harish 4. Cannot be determined

4. How many farmers have an odd number of cattle?

[Click here for video solution](#)

SET 228 Subject scores

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)




[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

- At ABC international school, nine different subjects – English, Hindi, Sanskrit, History, Geography, Physics, Chemistry, Biology and Mathematics - were taught during nine different periods in a day to the 8th class students. Duration of each period is of 30 minutes and the time gap between any two classes is negligible. The first period of the day begins at 8 a.m. and the last period ends at 1:00 p.m. with a 30 minutes recess period in between. Each subject is taught by a different teacher – Mrs. Chopra, Mrs. Sharma, Mrs. Pandey, Mrs. Gupta, Mrs. Joshi, Mrs. Das, Mrs. Ghosh, Mrs. Khan and Mrs. Singh – not necessarily in that order.
- Some additional information about these periods' routine is also known which is as follows:
 - (i) Mrs. Gupta's class begins at 9.30 a.m. and is not immediately preceded by Biology or Physics class.
 - (ii) The mathematics class begins at 8 a.m. and Hindi class ends at noon.
 - (iii) Chemistry is taught by Mrs. Sharma which is held sometime after the break.
 - (iv) Mrs. Joshi's class starts exactly three and a half hours after the end of Mrs. Singh's class and neither of them teaches Physics.
 - (v) The geography period starts exactly one hour before the English period starts and neither of them is taken by Mrs. Chopra or Mrs. Khan.
 - (vi) There are exactly three periods between the English period and the Physics period.
 - (vii) The Biology period is neither immediately preceded nor immediately followed by the Hindi period.
 - (viii) There are exactly five periods between Mrs. Chopra's class and Mrs. Joshi's class.
 - (ix) Mrs. Khan's class ends at 9 a.m. and the recess is immediately after the Geography class.
 - (x) Biology class is after Mrs. Joshi's class.
- The bar graph given below shows the average score of the students in the respective subjects or teacher's classes:

[Click here for video solution](#)

1. If the average score of Mrs. Chopra's class is more than the average score of Mrs. Singh's class, then which of the following subjects does Mrs. Chopra teach?
 - History
 - Sanskrit
 - Hindi
 - Cannot be determined
2. If the average score of the English class is the mean of the average score of Mrs. Sharma's class and the Physics class, then who teaches English?
 - Mrs. Pandey
 - Mrs. Das
 - Mrs. Ghosh
 - Mrs. Gupta
3. If the mean of average score of Mathematics, Physics, Chemistry and Biology is 75, then which of the following is definitely true?
 - Mrs. Ghosh teaches Hindi
 - Mrs. Das teaches English
 - Mrs. Pandey teaches Biology
 - Either Mrs. Ghosh or Mrs. Das teaches Biology
4. If Mrs. Joshi takes the subject which has an average score of 50, then which of the following periods do not held before the recess?
 - Mathematics
 - Sanskrit
 - History
 - Physics



SET 229 DI Arrangement

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

- Eight friends - Mohan, Mohit, Mandeep, Mandar, Mukesh, Manish, Manoj and Vinod - each ordered a food item among Idli, Dosa, Kulcha, Veg thali, Burger, Baby corn, Veg roll and Malai Chap from a food delivery App, not necessarily in that order. The actual cost (in Rupees) of these items were 30, 40, 50, 60, 70, 80, 90 and 100, in any order. But when these friends went on the payment page of the App and made payment, the amount deducted from their bank accounts were Rs. 50, 60, 70, 90, 100 and 110, in any order due to high demand of food. It means same amount might be deducted from more than one friend's bank account. It was also known that:
 - (i) The price of no item was increased by more than Rs. 20, due to high demand. Mohit's bank account had been debited by the highest possible amount among them and he had ordered Veg thali that had actual cost of Rs. 90.
 - (ii) The amount debited from Mukesh's bank account was less than Rs. 70 but more than that from the amount that debited from the friend's account who had ordered Burger. The actual cost of Malai Chap was Rs. 30.
 - (iii) A friend whose bank account was debited by Rs. 50 had ordered the item whose actual cost was more than that of the item ordered by the friend whose bank account was debited by Rs. 60.
 - (iv) Both, amount deducted and actual cost, were same for four food items. Mandeep's account was debited by Rs. 100 who had ordered Kulcha. The actual price of the items ordered by Manish and Manoj were Rs. 40 and Rs. 80 respectively.
 - (v) The actual cost of item ordered by Mandar was less than that ordered by Manish. The bank account of the person who had ordered Idli was deducted by higher amount than that of the friend who had ordered Dosa but by lesser amount than that of the friend who had ordered Veg roll.

1. The actual price of Dosa was:

1. Rs 40 2. Rs 60 3. Rs 70 4. Either Rs 40 or Rs 60

2. Who had ordered Veg roll?

1. Manish 2. Manoj 3. Vinod 4. Mohan

3. The actual price (in Rs.) of Burger and Idli together was:

4. The amount (in Rs.) debited from Mandar's account was:

[Click here for video solution](#)

SET 230 flat arrangement

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

- Arun has rented out his four-storey building i.e., ground, 1st, 2nd and 3rd floor, to ten tenants - Prakash, Gautam, Ankit, Upendra, Samar, Tarun, Saral, Manoj, Sandeep and Ajit. There are 12 flats, named from O to Z, such that the number of flats on ground, 1st, 2nd and 3rd floor are three, four, two and three respectively. Each flat is occupied by one tenant only. The rents paid by these tenants are between Rs. 6k and Rs. 12k (both including). Rent of a flat at any end, either left or right, i.e., corner flat of any floor is not less than that of flat(s) which is/are not at the end i.e., non-corner flats. The maximum rent paid for any flat at a lower floor is less than or equal to that for any flat at upper floor.
- Some additional information is as given below:
- (i) Flat 'S' and 'R' are left and right end corner flats respectively. Total rent collected from these twelve flats was Rs. 88k.
- (ii) Sandeep lives exactly between Prakash and Gautam on the same floor, and Saral, Manoj and Ajit live on different floors. Flat T and W are not occupied by anyone.
- (iii) Tarun lives in a right end corner flat 'V' on the ground floor and pays rent of Rs. 7k which is equal to the rent paid by Gautam who lives on the 1st floor. Total rent collected from any floor was not less than Rs. 10k.
- (iv) Flat P, U and Q are on the same floor from left to right in that order but are below to the floor on which flats O, W and Z (in that order from left to right) are located.
- (v) Total rent collected from the flats at ground floor and at 1st floor are Rs. 20k and Rs. 24k respectively.
- Manoj, who pays rent of Rs. 9k, lives in a left end corner flat 'X' on the 2nd floor.
- (vi) Upendra lives to the left of Saral and pays more rent than that paid by Samar. The flats of Ankit and Ajit are adjacent to each other and Ajit does not pay the least rent among all ten tenants.
- (vii) The rents paid by all the tenants are multiple of 1000.
- (Note: - Flats on each floor are in a row facing north direction)

1. Find the total sum of the rents paid by Sandeep, Samar and Saral.
1. 30k 2. 31k 3. 32k 4. None of these

2. Saral lives in flat named
1. Z 2. O 3. R 4. S

3. Who among the following can live in the left end corner flats?
1. Saral, Manoj, Ajit
2. Upendra, Manoj, Prakash and Ajit
3. Saral, Manoj, Prakash and Ajit
4. Upendra, Manoj, Ajit, Samar

4. Among the following flats, which one has the least rent?
1. O 2. R 3. U 4. S

[Click here for video solution](#)

SET 231 Computers

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

- Last year, seven stores—ABC.com, PH World, Tech Pro, Indian Computers, Sky Computers, Kudrat Infotech, and Datalink—each sold exactly 100, 200, 300, 400, or 500 computers, consistent with the following conditions:
- 1. PH World sold exactly the same number of computers as Sky Computers did.
- 2. Tech Pro sold exactly the same number of computers as Datalink did.
- 3. Neither ABC.com nor Kudrat Infotech sold exactly the same number of computers as any other store.
- 4. Indian Computers sold more computers than Datalink did.
- 5. Tech Pro sold more computers than PH World did.

[Click here for video solution](#)

1. Which one of the following could be an accurate number of computers sold last year by the stores ABC.com, PH World, Tech Pro, Indian Computers, Sky Computers, Kudrat Infotech and Datalink respectively, in the same order?

1. 100, 200, 300, 400, 200, 500, 300
2. 100, 200, 400, 300, 200, 500, 400
3. 500, 200, 300, 400, 500, 100, 300
4. 500, 300, 200, 400, 300, 100, 200

2. How many of the above mentioned stores could have sold exactly 400 computers last year?

3. If a condition that, “ABC.com sold more computers than Kudrat Infotech, who sold more computers than Tech Pro” is added to the above mentioned conditions, then how many combinations of (store, computers sold) are possible?

4. How many of the following statement/(s) must be true?

- (I) ABC.com sold more computers last year than PH World did.
- (II) Tech Pro sold more computers last year than Kudrat Infotech did.
- (III) Indian Computers sold more computers last year than ABC.com did.
- (IV) Datalink sold more computers last year than Sky Computers did.

SET 232 interviews

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

- Six students-Praveen, Qureshi, Rohit, Sanjeev, Tarun and Usman-participated in a panel interview of 5 members Akbar, Boman, Chander, Deepak and Ekta -each member could give maximum 10 marks to a student and thus maximum marks that a student could get was 50. Score obtained by the students were 41, 40, 38, 43, 36 and 37 in any order. No member gave less than 6 marks to any student. Neither a member can give 10 marks to more than one student nor a student can get 10 marks from more than one member. The partial information regarding the scores are as below:-

Member \ Student	Akbar	Boman	Chander	Deepak	Ekta
Praveen	7		8	10	
Qureshi		9		7	8
Rohit	6		8		9
Sanjeev	8	8		8	9
Tarun		7	9		7
Usman	10		7	6	
Total	48	46	45	47	49

1. Who got the overall least marks in the interview?

1. Rohit 2. Qureshi 3. Usman 4. Either (1) or (3)

2. Which of the following marks was not given by Boman to any Candidate?

1. 6 2. 10
3. Both (1) and (2) 4. Either (1) or (2)

3. How many of the following statement/(s) must be true?

- (I) Boman gave minimum marks to Usman.
(II) Only two students got 10 marks by the interviewer.
(III) Praveen got the highest marks.
(IV) Tarun got the second highest marks.

4. Which of the following can be the sequence representing the name of students getting marks in increasing order?

1. Rohit, Qureshi, Usman, Praveen, Sanjeev, Tarun
2. Rohit, Usman, Qureshi, Sanjeev, Praveen, Tarun
3. Usman, Rohit, Qureshi, Sanjeev, Tarun, Praveen
4. Usman, Rohit, Sanjeev, Qureshi, Tarun, Praveen

[Click here for video solution](#)

SET 233 Q&A

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

The following table gives the responses of A, B, C and D in a question paper comprising of 6 questions and their scores. The answer to each of the question is either a YES or NO. Each correct response fetches '+5' marks. There are no negative marks for incorrect

	Q1	Q2	Q3	Q4	Q5	Q6	Score
A	YES	—	NO	YES	NO	YES	10
B	YES	NO	YES	NO	—	NO	20
C	NO	YES	—	YES	NO	NO	?
D	NO	YES	YES	YES	YES	—	15

Note: “—” denote question not attempted.

[Click here for video solution](#)

1. What is the score of C in the exam?

2. If B's response to Q5 had been a YES, what would have been his score?

3. One of the answers in the answer key was wrong. When the scores were corrected with the new answer key there were two with the same scores and the other two also had identical scores. Which question was incorrect in the original answer key?

1. Q1 2. Q3 3. Q4 4. Q6

4. If any answered responses from the table given above is randomly selected, then what is the probability that it is wrong?

1. $\frac{7}{20}$ 2. $\frac{4}{5}$ 3. $\frac{9}{20}$ 4. $\frac{1}{2}$

SET 234 Wages

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Seven persons – Pankaj, Ranjeet, Tarun, Saket, Teejay, Karan and Arun work in a company whose weekly-off is on a different day among Monday to Sunday. Their daily wages are among Rs. 350, Rs. 450, Rs. 300 and Rs.400. The additional information is as below:

(I) Ranjeet's daily wage, whose weekly-off is on Tuesday is more than that of Karan which in turn is more than that of Arun and these two have weekly-off on successive days.

(II) Person having weekly-off on Saturday and Thursday have same wages. At most, 2 persons can have same wage. The weekly-off of Karan was on Thursday.

(III) The sum of wages of Pankaj and Tarun is equal to that of persons having weekly-off on Friday and Saturday whose wages are in increasing order.

(IV) Saket's weekly-off is two days before that of Pankaj, whose salary is Rs. 450.

(V) Wage of the person whose weekly-off is on Wednesday has the same wage as Ranjeet.

[Note: Wages of each of Pankaj and Tarun were different from that of persons having weekly-off on Friday and Saturday and each of them have different wages.]

1. How many persons, out of seven, can have minimum wages?

2. The weekly-off of Teejay is on:

1. Friday 2. Saturday 3. Sunday 4. Either (1) or (2)

3. Which of the following can have maximum wages?

1. Tarun 2. Pankaj 3. Saket 4. Teejay

4. What is the sum of the daily wages (in Rs) of Saket and Ranjeet?

1. 750 2. 800 3. 650 4. Either (1) or (2)

[Click here for video solution](#)

SET 235 College Campuses

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

The “International Business School” conducts an exam every year for selection of candidates for its six campuses namely Ahmedabad, Bangalore, Calcutta, Lucknow, Indore and Kozhikode i.e., (C1, C2, C3, C4, C5 and C6 in no particular order). While filling the form to appear in the exam, a candidate can apply for a maximum of two campuses. The table below shows the number of candidates (in thousands) who have opted for these campuses:

	C1	C2	C3	C4	C5	C6
C1	30	10	25	0	0	0
C2	10	50	0	30	0	0
C3	25	0	17.5	0	0	12.5
C4	0	30	0	15	5	0
C5	0	0	0	5	5	45
C6	0	0	12.5	0	45	2.5

For e.g., the ‘10’ in above table indicates the number of candidates who have opted for both campuses C1 and C2.

- (i) The number of candidates who preferred Ahmedabad and Indore was $\frac{2}{3}$ rd of the number of candidates who applied for Calcutta and Kozhikode.
- (ii) The number of candidates who preferred Indore and Calcutta was $\frac{1}{6}$ th of the number of candidates who preferred Indore and Ahmedabad.
- (iii) The number of candidates who opted for Bangalore and Kozhikode was half of the number of candidates who opted for Lucknow and Bangalore.

1. Find the ratio of the number of candidates who applied for Indore and those who applied for Bangalore.

1. 13: 18
2. 11: 18
3. 10: 11
4. None of these

2. Find the number of candidates who applied for exactly two campuses.

1. 123500
2. 135500
3. 142500
4. None of these

3. Which of these campuses was chosen by the least number of candidates?

1. Ahmedabad
2. Bangalore
3. Indore
4. Lucknow

4. Find the absolute difference (in thousands) between number of candidates who opted for Ahmedabad and the number of candidates who opted for Indore.

1. 20
2. 25
3. 30
4. 40

[Click here video solution](#)

SET 236 Board game

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

F	Q	G	M	X
N	C	P	J	S
I	T	A	L	D
K	O	V	B	W
U	E	H	Y	R

Anu and Manu decide to play a game on a 5×5 board with letters written on it from A to Y where A represents 1, B represents 2, ..., and Y represents 25. Anu and Manu, turn wise, has to throw an unbiased dice blindfolded on the board. After the dice is thrown, the letter at which the dice falls and the number on top of the dice are multiplied to get the total score in that particular turn. Let us say, Anu throws a dice and it falls on "D", the number shown on the dice is 5. Now 4 and 5 will be multiplied to get a total score of 20.

Additional information known to us:

1. The one with the highest score wins the round.
2. It is also noted that whenever the dice fell on a letter which represents an odd number, the number on the top of the dice was an even number and vice-versa.

1. Find the minimum possible sum of scores of both the players if Anu's dice landed with an even number. Also, Manu's dice landed either in the same row or in the same column as Anu.
2. For two consecutive rounds, Anu was winning despite the fact that his dice landed on distinct vowels and Manu's dice landed on distinct consonants. What could be the maximum total score Manu scored in both rounds together?
3. Anu throws the dice and it falls on one of the letters which is in the 5th column of the board. Manu throws the dice and it falls in the 5th row of the board. Find the maximum possible difference between the scores of Anu and Manu.
4. Find the maximum possible difference in their scores if each person's dice lands on a vowel.

[Click here for video solution](#)

SET 237 Quiz competition

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

In a quiz competition, 4 students - Benita, Danish, Prasoon, and Ronny participated. There are three sections in the quiz – Sports, Politics, and History. Each section has 15 questions. The marking for each section was as follows:

- If a student answered up to 5 questions correctly, she/he got 1 mark for each question.
- If she/he answered 6 to 10 questions correctly, she/he got 2 marks for each question.
- If she/he answered more than 10 questions correctly, she/he got 3 marks for each question.
- All questions in every section must be attempted.
- There is no negative marking for any incorrect answer. However, if a student answers 2 or less than 2 questions incorrectly, she/he gets 4 bonus marks.

The following table gives the partial information about the number of questions answered correctly by four students and their total score in the quiz.

	Sports	Politics	History	Total correct	Total Score
Benita	8				63
Danish			6	21	
Prasoon	7		9		
Ronny		7		18	
Total	34	36			

The following information is also available about the responses given by the students:

- Benita has the same number of correct responses in History as Danish has in Politics.
- No student correctly answered the same number of questions in any two sections.
- Every student managed to answer at least 2 questions correctly in each section.

1. Which participant would have stood first in the competition?

1. Benita 2. Danish 3. Prasoon 4. Ronny

2. How many questions did Benita answer correctly in total?

1. 17 2. 21 3. 25 4. 30

3. How many questions did Prasoon answer incorrectly in the Politics section?

4. What was the total sum of correct responses for the History section?

[Click here for video solution](#)

SET 238 Biscuit sales

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)


[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

The bar graph given below shows the sales break-up of five different categories of biscuits - Dream Lite, Yummy Cream Lite, Hit & Run, Tip Top Chat pate and Marie Plus - sold by ABC Industries Limited in the year 2021-22.



[Click here for video solution](#)

1. The total sales of ABC Industries Limited for these five categories of biscuits in 2021-22 were 1,50,000 kg, valued at Rs. 90 lakhs. If its value wise market share in 2021-22 increased by 20% as compared to 2020-21, what was the sales volume (in thousand kg) of the company for the year 2020-21? (Assume that the average price of biscuits produced by ABC Industries Limited remains same for both the years.)

1. 115 2. 120 3. 125 4. 130

2. For how many categories of biscuits of the company was the price per kg less than the average price per kg of all the categories of biscuits in 2021-22?

1. 1 2. 2 3. 3 4. 4

3. Volume wise ABC Industries Limited sold biscuits in the ratio 4: 3: 2: 1 respectively in only 4 regions P, Q, R and S of the country in 2021-22. If the total sales of ABC Industries Limited for these five categories of biscuits in region P in 2021-22 was 6,400 kg, then the total sales of Tip Top Chatpate biscuits was how much (in kg) more than the total sales of Dream Light biscuits of the company in the same year?

4. Value wise ABC Industries Limited sold biscuits in the ratio 4: 3: 2: 1 respectively in only 4 regions P, Q, R and S of the country in 2021-22. If value wise sales of Marie Plus biscuits in region Q was 12% of the total value wise sales of region Q, then value wise sales of Marie Plus biscuits in region Q was what percent of the total value wise sales of Marie Plus biscuits of the company in 2021-22?

1. 18% 2. 20% 3. 36% 4. 24%

SET 239 Different cities

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

During a year, seven friends – Anuj, Babli, Charan, Deepak, Eric, Fatah and Geeta visited 7 different Indian cities – Agra, Bhopal, Chennai, Delhi, Jaipur, Kolkata and Mumbai in 7 different months – January, February, March, July, September, November and December. Following is the additional information given about their visits:

- (i) Anuj, who visited Bhopal, did not visit in March.
- (ii) Geeta, who visited in September, did not visit Chennai.
- (iii) Charan, who visited in December, visited either Jaipur or Mumbai.
- (iv) The person who visited Agra, visited in January while the person who visited in November, did not visit Chennai.
- (v) Babli, who visited Delhi, visited neither in March nor in February.
- (vi) Deepak, who visited in November, did not visit Kolkata.

1. Who visited in the month of February?

1. Babli 2. Anuj 3. Fatah 4. Either (1) or (2)

2. Which city did Deepak visit?

1. Chennai 2. Mumbai 3. Jaipur 4. Either (2) or (3)

3. For how many persons is it possible to uniquely determine the city they visited?

4. Which of the following persons visited Agra?

1. Fatah
2. Either Eric or Fatah
3. Eric
4. Geeta

[Click here for video solution](#)

SET 240 Project incentive

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)


[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Jitender, a freelance consultant, worked on five different projects - A, B, C, D and E - such that the wages per hour for each project was different, from among (Rs. 100 x) 25, 30, 40, 45 and 50, in no particular order. For each project, the amount that he was paid was calculated by multiplying the wages per hour of that project and the number of hours that he worked on that project. The total amount paid for no two projects was the same. The bar graph given below shows the number of hours that he worked on these five projects.



Further, it is known that:

- (i) The total amount that he was paid for B was more than the amount that was paid for exactly two other projects.
- (ii) The rate per hour that he was paid for A was more than that paid for B while the total amount that he was paid for E was not the highest.
- (iii) The difference between the amounts that he was paid for projects C and D was Rs. 40,000.

1. What is the number of hours that Jitender worked on the project, with the 2nd highest per hour rate?

- 1. 44
- 2. 46
- 3. 52
- 4. 64

2. What was the average amount (in Rs.) paid to Jitender per project in all five projects combined?

3. Which of the following statements is/are definitely true?

- I. Jitender received the maximum amount for the project that involved the minimum time.
- II. Jitender received the minimum amount for the project that involved the maximum time.
- III. The difference between the maximum and minimum amounts received by Jitender was Rs.80,000.

- 1. I only
- 2. II & III only
- 3. I & II only
- 4. All I, II & III

4. For how many projects did Jitender receive more than Rs.2 lakh?

- 1. 0
- 2. 1
- 3. 2
- 4. 3

[Click here for solution](#)

SET 241 Relay race

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

A relay race has four teams of two athletes each competing for the honours. One of the two members of a team runs the first leg and then passes the baton to the second member, who then runs the second leg to finish the race.

Each team gets two ranks- one after the first leg finishes and one on an overall basis, that is, when both legs finish. Teams and therefore, athletes, do not get a separate rank for their performance in the second leg. Ties for a position/rank are possible and allowed. However, in case of a tie, ranks are adjusted accordingly. So, if two teams finish on 3rd position, no team will then finish 4th. Two teams with same position will be said to have a joint rank.

The following is known about the race:

(i) Maria and her partner finished second overall whereas Gagan ran the second leg for one of the teams that finished joint 3rd overall.

(ii) Simran did not partner Santa whereas Chitra did not partner Prakash.

(iii) Heena, who finished the first leg in 1st position, was part of a team that finished 3rd overall whereas Santa, who ran the second leg, was part of a team that finished the race as either 1st or 2nd overall.

(iv) Prakash ran and finished the first leg in 3rd position but his team managed the 1st position overall.

(v) Karan, who ran and finished the first leg in 4th position, was the teammate of either Santa or Maria.

1. Which of the following combination definitely formed one of the four teams?

- | | |
|---------------------|-----------------------|
| 1. Chitra and Heena | 2. Heena and Gagan |
| 3. Maria and Karan | 4. Prakash and Simran |

2. Who among the following could have been the fastest person in the second leg?

- | | |
|----------|-------------------------|
| 1. Maria | 2. Chitra or Simran |
| 3. Gagan | 4. Cannot be determined |

3. If Gagan did not partner Heena, how many different team member combinations are possible?

- | | | | |
|-----------|------|------|------|
| 1. Only 1 | 2. 2 | 3. 4 | 4. 6 |
|-----------|------|------|------|

[Click here for video solution](#)

SET 242 Internship

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

A company XYZ limited has a two-stage internship. In stage one of the internship, interns work in one of the three departments- Strategy, Admin, or Communication- and in the second stage of the internship, they work in a different department from amongst the three departments.

It is known that from the 10 interns recruited, there are 5 females- Sally, Molly, Komal, Anu, and Jyoti and 5 males - Mandy, Nitin, Rohit, Dev, and Kamal. All the interns recruited were categorised as Graduates, Post- Graduates or Academic Doctors.

The following is also known about their internship:

(i) The admin department has 5 interns each and the communication department has 2 interns each during both stages of the internship.

(ii) Only one department has an all-male team in the first stage.

(iii) Four of the 10 interns were categorised as Graduates, including Sally and Rohit, whereas another 4 were categorised as post-graduates, including Komal and another female who worked together in the admin department during the first stage.

(iv) Mandy is an Academic Doctor who works in Strategy during the second stage whereas Jyoti is a Graduate who works in Strategy during the first stage.

(v) Molly and Sally work in the Communication department in the second stage.

(vi) Nitin and Kamal, who are both post-graduates, work in the same department throughout and always have at least one female member in their department.

1. Who among the following does not work in the admin department during the second stage?

- | | | | |
|----------|----------|--------|------------------|
| 1. Rohit | 2. Nitin | 3. Anu | 4. None of these |
|----------|----------|--------|------------------|

2. Who among the following interns would be a post-graduate if Anu is an Academic Doctor?

- | | | | |
|----------|----------|--------|----------|
| 1. Rohit | 2. Jyoti | 3. Dev | 4. Molly |
|----------|----------|--------|----------|

3. Which department was either an all-male or an all-female during the first stage of the internship?

- | | |
|------------------|----------------------|
| 1. Strategy | 2. Admin |
| 3. Communication | 4. Either (1) or (3) |

4. Which department did Anu work in during the second stage?

- | | |
|------------------|----------------------|
| 1. Strategy | 2. Admin |
| 3. Communication | 4. Either (1) or (3) |

[Click here for video solution](#)

SET 243 Kitty party

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

In a ladies club of 'Gokuldham society', there are four members, Babita, Daya, Madhvi and Komal. The ages (in years) of Babita, Daya, Madhvi and Komal, in given order, are in the descending order and further all ages are different natural numbers greater than 10. All the four members were enjoying a kitty party with each of them wearing a saree of different types among Kanjeevaram, Banarasi, Paithani and Chanderi, not necessarily in the same order. Each of them was enquired about the ages of the remaining three persons of their group, for which, their replies were as follows.

Lady wearing a Kanjeevaram: The sum of the ages of all the others is 120 years.

Lady wearing a Banarasi: The sum of the ages of all the others is 100 years.

Lady wearing a Paithani: The sum of the ages of all the others is 110 years.

Lady wearing a Chanderi: The sum of the ages of all the others is 140 years.

It later turned out that all of them made the right statement except one who made an error of 10 while adding the ages.

1. Daya was wearing a saree of which type?

1. Kanjeevaram 2. Banarasi 3. Paithani 4. Chanderi

2. What was the age (in years) of Babita?

3. Who has done the error while adding the ages?

1. Babita 2. Komal 3. Madhvi 4. Daya

4. After how many years would Madhvi be as old as what Daya is now?

[Click here for Video Solution](#)

SET 244 Family outing

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

AK wants to organise an outing for his family. However, his family members - his mother, father, sister, nephew and brother-in-law - proposed 5 different places to go - Amritsar, Fantastic Park, Lohagarh, Jim Corbett, and Matamaal (in no particular order). One of these places is a 1-day trip (not requiring an overnight stay) but the other 4 trips proposed require overnight stay. The duration of these 4 trips is a minimum of 2 days and a maximum of 4 days and for these trips, they will require 4 different modes of stay: hotel, resort, mud-hut and garden home (in no particular order).

To agree on one place for the outing, AK's family members decide to rate each place and will go to that place which will have higher rating out of total 100. After the exercise, AK observed the following:

(i) The only trip proposed for 2 days will need a stay at a mud-hut. The trip to Amritsar will be at least a 3 days trip.

(ii) Out of these 5 trips proposed, at least 1 trip each is of 2 days, 3 days and 4 days.

(iii) Amritsar's rating is the highest at 84. The place that requires a resort stay has the second highest rating, which is 25% more than the rating of the Fantastic Park.

(iv) The garden home stay has the lowest rating, which is 20% less than the 1-day trip to Lohagarh whose rating is greater than 72.

(v) AK's father wants an overnight trip but has not proposed a trip needing a mud-hut stay or a garden homestay. AK's brother-in-law has proposed a trip requiring an overnight stay not based at either a hotel or a resort.

(vi) All the ratings, out of 100, are distinct natural numbers.

1. Which of the following place has the rating equal to the median of all five ratings?

- | | |
|-------------|----------------------|
| 1. Lohagarh | 2. Fantastic park |
| 3. Matamaal | 4. Either (1) or (2) |

2. If AK's sister wants the mud-hut stay while his mother wants the 1-day trip, then his nephew must have proposed a trip to:

1. One among Fantastic Park, Amritsar and Matamaal
2. One among Amritsar, Jim Corbett and Matamaal
3. One among Amritsar, Jim Corbett and Fantastic Park
4. One among Jim Corbett, Matamaal and Fantastic Park

3. If AK's sister wants the mud-hut stay while his mother wants the 1-day trip, who among the given options could have proposed a 3 days trip if the only trip proposed for 4 days requires a garden home stay?

- | | | | |
|-----------|-----------|-----------|-------------------|
| 1. Mother | 2. Father | 3. Sister | 4. Brother-in-law |
|-----------|-----------|-----------|-------------------|

4. The absolute difference between the ratings received by the places Jim Corbett and Matamaal must have been:

[Click here for video solution](#)

SET 245 Online cricket

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

In an online game "Smart Cricket Live", two players can play simultaneously. Both of them bat for 3 overs of 6 balls each on their respective screens simultaneously. They can score runs in the form of 1's, 2's, 3's, 4's and 6's. If a player misses a ball there are two possibilities, either the ball hits the wicket or not. If the ball hits the wicket, there is a penalty of 5 runs (i.e., 5 runs are deducted from total runs) and if the ball does not hit the wicket, 0 runs are scored. There are no catching fielders except a bowler and the player who is batting.

Given below is some partial data about the three overs faced by the two players namely Player 1 (P1) and Player 2 (P2):

Additional information is as follows:

- In the 3rd over, player 1 has scored more runs than player 2.
- Player 2 has hit a 6 in the last ball of the 2nd over.
- Both the players have scored 24 runs through 6's.
- Both the players have got exactly 1 penalty throughout the game and that too in the same over and in the same ball.
- Both the players have hit a hat trick of 4's (i.e., three consecutive 4's in three consecutive balls) exactly once in the game.
- The number of 4's hit by Player 1 and Player 2 in the 2nd over is in the ratio of 2: 1.

[Click here for Video Solution](#)

1. What is the number of runs scored by Player 2 in the 3rd over?

1. 16 2. 18 3. 17 4. Either (1) or (3)

2. What is the absolute difference between the total number of runs scored by player 1 and player 2 in the 2nd over?

3. How many 6's are hit by player1 in the 1st over?

4. If both the players scored below 50 in the match, then which of the following statements could be true?

- I. Player 1 has scored more runs than Player 2 in the match.
 II. There are exactly 2 balls in the 1st over in which player 1 scored 0.
 III. Both have scored equal number of runs.
 IV. Player 2 has hit a six in every over.

1. I and III 2. II and IV 3. I, II and III 4. II and III

Over1:

	Ball 1	Ball 2	Ball 3	Ball 4	Ball 5	Ball 6
P1	2			6		0
P2	3	1			0	

Over2:

	Ball 1	Ball 2	Ball 3	Ball 4	Ball 5	Ball 6
P1		0	4	4		2
P2	6		1	1		

Over3:

	Ball 1	Ball 2	Ball 3	Ball 4	Ball 5	Ball 6
P1	0	2		2		2
P2	1		3		4	4

SET 246 Cars

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

There are 14 different cars – A, B, C, D, E, F, G, H, I, J, K, L, M, and N, each manufactured by one of the 4 automobile companies – Ford, Toyota, Honda, and Tesla – such that - 5 are manufactured by Honda, 4 by Ford, 3 by Toyota, and 2 by Tesla. The cars are parked in 14 parking slots, one in each slot, out of the 22 parking slots, numbered from 1 to 22.

Further information is as follows:

- (i) The 5 cars of Honda are parked in 5 parking slots which are consecutively numbered.
- (ii) The 4 cars of Ford are parked in 4 parking slots, which are consecutive prime numbers. The same is also true for the parking slots, where the 3 Toyota cars are parked.
- (iii) The cars K and M are parked in two slots which are consecutive prime numbers. The same is also true for the parking slots, where cars N and H are parked. Further, car K is parked in slot numbered 3 and car H is parked in slot numbered 19.
- (iv) Cars M and J are manufactured by the same company and same is true for cars N and H.
- (v) Cars - C, E and G - manufactured by the same company, are parked in alternate parking slots, and the parking slot number where C is parked, is the least of the 3 and the parking slot number where G is parked, is the highest of the 3.
- (vi) Cars F and L are of the same company and are parked such that they have an empty slot between them.
- (vii) Cars B and D are of the same company and are parked such that they have an empty slot between them. Further, the number of slots between cars B and M is less than that between cars B and H.

1. Which automobile company manufactured car F?

- 1. Honda 2. Ford 3. Tesla 4. Toyota

2. Which of the following is not the possible parking slot number for car L?

- 1. 14 2. 16 3. 11 4. 20

3. Which of the following car is manufactured by Honda?

- 1. Car B 2. Car F 3. Car J 4. Car A

4. Which of the following parking slot is definitely vacant?

- 1. Slot 14 2. Slot 22 3. Slot 4 4. Slot 16

[Click here for solution](#)

SET 247 Test ranks

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Each of Andre, Bravo, Chris, David, Eoin, and Finch wrote 3 tests i.e., VA, QA and DI. In each test, they are given ranks from 1 to 6, based on the marks scored. In any test, no two students got the same rank.

(Note: numerically smaller value of the rank means a better rank.)

Following is the additional information:

- (i) None of them got the same rank in all the 3 tests.
- (ii) Bravo got 1st rank in two of the 3 tests.
- (iii) Andre got last rank in two of the 3 tests and 1st rank in the remaining one.
- (iv) Chris got numerically even but different ranks in each of the 3 tests.
- (v) For each of David and Eoin, the sum of the ranks in the 3 tests is a prime number. Also, the rank in each of the 3 tests is a prime number for each of David and Eoin.
- (vi) In VA test, the rank of David is better than that of Eoin and in QA test, the rank of Eoin is better than that of David.
- (vii) The sum of the ranks of Chris and David in VA test is equal to the sum of their ranks in DI test.

1. What is the rank of Finch in DI test?

1. 2 2. 3 3. 4 4. Cannot be determined

2. What is the rank of Bravo in DI test?

3. What is the sum of ranks of Eoin in all 3 tests?

1. 13 2. 11 3. 7 4. Cannot be determined

4. What is the sum of ranks of Chris and David in VA test?

1. 7 2. 9 3. 8 4. Either 7 or 9

[Click here for video solution](#)

SET 248 Casino

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Priyanshu recently visited Casino and played darts game for six days in a week. There were three circles on the dart board. Red the inner circle, yellow the middle circle and green the outer circle. For hitting the red circle he scored 7 points, for hitting the yellow circle he scored 2 points and if he hit the green circle, there was a penalty of 5 points. On one of the six days he tried it for less than 10 times and for the rest of days he tried it more than 10 times but not more than 18 times.

- 1. The number of times he hit the red circle was distinct for each day.
- 2. The amount he earned by scoring points is a multiple of 100 and also, he had to pay the penalty points in multiple of 100s only.
- 3. He hit the red circle at least once on each day.

The following tables give the information about the number of times he hit the green circle on all the six days and the overall amount of money, in Rs., (earned and paid as a penalty) he had at the end of the day after he played the dart game.

1. How many total number of times he hit the red circle for all 6 days together?
1. 37 2. 35 3. 47 4. Cannot be determined

2. On which day Priyanshu hit the yellow circle for the maximum number of times?
1. Day 1 2. Day 2
3. Day 5 4. Cannot be determined

3. For how many days it is possible to uniquely determine the number of hits on red circle and yellow circle?
1. 4 days 2. 5 days 3. 6 days 4. 2 days

4. What is the minimum number of hits that he tried on any day?
1. 9 2. 8 3. 7 4. Cannot be determined

[Click here for video solution](#)

Day	Green Penalty stroke
1	3
2	4
3	1
4	2
5	6
6	8

Day	Amount received/paid
1	3300
2	4600
3	7300
4	2000
5	2100
6	-2200

SET 249 Online quiz

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Six friends - A, B, C, D, E, and F - participate in an online quiz having 4 rounds. In every round, participants are awarded points and the top three participants of each round get prizes with 1st prize being a LED-TV, 2nd being a Refrigerator and 3rd being a cash prize of Rs. 10,000. All six friends participate in every round of the quiz.

Some details about who-won-what in every round is given below:

- Cash prize is won by only 3 participants and LED-TV is won by a different participant in each round.
- A wins in exactly three rounds and receives two types of prizes. C wins a Refrigerator only.
- There is only one participant who wins a prize in every round but never comes 3rd in any round.
- E wins a prize in two rounds only by coming 1st and 3rd. D wins a LED-TV only.
- D and E never win a prize in the same round. A and C win in the same round.

1. How many prizes does F win in the online quiz?

1. 1 2. 2 3. 4 4. Either (1) or (3)

2. Who among the following necessarily wins a cash prize?

1. B 2. F 3. A 4. C

3. Who among the following necessarily wins in the same round with D?

1. A 2. B 3. C 4. Cannot be determined

4. Which pair among the following wins at least one same prize?

1. B and F 2. A and C 3. C and E 4. A and F

[Click here for video solution](#)

SET 250 Entrance exam

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)




[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Anu has given an entrance exam which comprises 5 sections: English, Mathematics, Geography, History, and Economics. The cumulative score of these sections will make the final score. In each of the section, the questions asked are of 6 marks, 4 marks, 3 marks, 2 marks and 1 mark. There is no negative marking. The total marks scored by Anu in this exam is less than 350.

The following pie chart gives us the marks scored by Anu in these 5 sections as a percentage of her total marks scored.



The following table provides us the information regarding the percentage of marks scored through questions of 6 marks, 4 marks and 2 marks in the given sections.

	6 marks	4 marks	2 marks
Mathematics	36	24	20
English	20	0	40
Economics	12	20	16
History	26.66..	26.66..	13.33..
Geography	40	32	8

1. What is the total score of Anu in the exam?

2. What is the number of 4 marks questions done correctly by Anu in Geography?

3. The marks scored by Anu through 3 mark and 1-mark questions is what percent of her total score?

1. 25% 2. 34.66% 3. 33.33% 4. 42%

3. How many 2 mark questions were done correctly by Anu?

[Click here for video solution](#)

SET 251 Car racing competition

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Four professional car racing drivers - Ned, Rob, Sophie and Cathy - participated in a Car Racing Competition at different levels - Beginner, Advanced, Intermediate and Expert (not necessarily in this order). Each of them drove a different car among SX7, i10, Hector and Omni which could further be categorised as Sedan, Hatchback, SUV and Minivan. They finished the competition at different positions - 2nd, 5th, 7th and 8th in any order.

- (i) If i10 finished at 2nd position, then Cathy finished at 7th position. Rob participated in the Beginner level.
- (ii) If Cathy finished at 7th position, then Hector is a SUV otherwise not.
- (iii) If Ned competed in the Advanced level, then he finished at 5th position and if he competed in the Intermediate level, he finished at 7th position.
- (iv) The car that finished at 8th position was a Hatchback. This was either Hector in which case it competed in the Expert level or Omni in which case it was driven by Cathy.
- (v) If Rob's car was SX7, then SX7 was a Sedan otherwise SX7 was a SUV. Sophie's car was Hector.
- (vi) If Hector finished at 7th, then it competed in the Intermediate level otherwise it competed in the Advanced level.
- (vii) If SX7 finished at 2nd, then Cathy's car is a Hatchback otherwise Cathy's car is a SUV. Also, if Ned's car is a Minivan, then Ned finished at 7th otherwise Ned finished at 5th.

1. Who among the following drove i10?

1. Ned

2. Rob

3. Cathy

4. Cannot be determined

2. Which among the following is a Hatchback?

1. SX7

2. i10

3. Hector

4. Omni

3. What is the position at which Cathy finished?

1. 2nd

2. 4th

3. 7th

4. 8th

4. Who has competed in the Intermediate level?

1. SX7

2. Sophie

3. Cathy

4. i10

[Click here for video solution](#)

SET 252 Marks scored

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Three students viz. Girija, Charu, and Vaibhav are comparing their board examination results involving the scores they have obtained in four electives viz. Biology, Chemistry, Physics, and Mathematics only. The maximum marks allotted to each elective is 100 and all the scores obtained by the students are integers. It was found that each of them scored lowest in Biology and highest in Mathematics. The difference between the highest score and the lowest score obtained by a student in the four electives is at most 48. Each of them scored more marks in Physics than in Chemistry. The twelve scores in an ascending order are: 30, 36, 42, 48, 54, 60, 66, 72, 78, 84, 85 and 93. In terms of total scores obtained in these four electives together, Girija scored 310 and Vaibhav scored 228. Girija has scored at least 50% marks in each of the electives.

[Click here for video solution](#)

1. How many possibilities of students scoring different combinations of individual scores in these four electives exist such that all the given conditions in the question can be fulfilled?

1. 3 2. 6 3. 9 4. 18

2. Among the three total scores obtained by the three students, whose total score can be obtained in the maximum number of possible ways without violating any of the given conditions?

1. Girija 2. Charu 3. Vaibhav 4. Both Charu and Vaibhav

3. What can be the lowest possible score obtained by any one of them in Mathematics?

1. 60 2. 66 3. 72 4. 78

4. Who could have obtained the lowest possible score in Chemistry?

1. Girija 2. Charu 3. Vaibhav 4. More than one of them

SET 253 Specialisations

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Students of Blue Lagoon Institute of Management, Mumbai are broadly classified into two categories based on their origin - Indian and Foreigner. Foreign students are further divided into exactly three groups - Sub-Saharan Africa, Middle-East and South-East Asia. At the end of the first semester, the students get an option to choose one of the following two specialisations - Marketing and Finance. The students who do not choose any specialisation at the end of the first semester are marked as 'undecided'. All these 'undecided' students must choose a specialisation at the end of second semester. No student can change his/her specialisation once opted for.

The following information is known:

Among the 1000 students, in total, 40% are Indian students. Among the rest of the students, one-fourth are from Sub-Saharan Africa. The count of Middle-East students exceeds that of South-east Asia by one-third of the total foreign students other than Middle-East and South-east Asian students. Foreign students are also classified into two groups - 'With Work Experience' and 'Without Work Experience'.

The table below gives the information on all foreign students Without Work Experience, who opted for Marketing or Finance specialisations or remained undecided at the end of the 1st semester.

Foreign Students without Work Experience	Marketing	Finance	Undecided	Total
Sub-Saharan Africa	84	10	6	100
Middle - East	84	38	24	146
South-East Asia	102	6	6	114
Total	270	54	36	360

It is also known that:

1. If we calculate the ratio of Indian students to that of foreign students separately for those who opted for 'Marketing', 'Finance' and remain 'Undecided', the value remains the same.
2. It is known that among Indian students, 148 opted for 'Finance' whereas 32 were 'Undecided' at the end of the first semester.
3. Among the students from South-East Asia, three-fifth opted for 'Marketing'.
4. No student from South-East Asia with work experience remained 'Undecided' on specialisation at the end of the first semester.
5. Among the students from Sub-Saharan Africa, who are 'Undecided' on specialisation, half had no work experience.
6. The number of students who opted for 'Marketing' is the same among students from Middle-East and South-East Asia.

1. Which of the following is the largest?

1. The percentage of foreign students from South-East Asia opted for Finance as specialisation.
2. The percentage of foreign students from South-East Asia with work experience opted for Finance as specialisation.
3. The percentage of foreign students from Middle-East opted for Marketing as specialisation.
4. The percentage of foreign students from Sub-Saharan Africa with work experience opted for Finance as specialisation.

2. Among the students from the Middle-East who are undecided about their specialisation at the end of the first semester, what is the difference between the number of students with work experience and the number of students without work experience?

3. If among the three groups of foreign students who were undecided about their specialisation at the end of the first semester, 50% in one group, $33\frac{1}{3}\%$ in the second group and $16\frac{2}{3}\%$ in the third group (in no specific order) had opted for Marketing at the end of second semester, a total of 57% of all the foreign students would have opted for 'Marketing'. What percentage of students from Sub-Saharan Africa ultimately opted for Finance?

1. $37\frac{2}{3}$ 2. $35\frac{1}{3}$ 3. $33\frac{2}{3}$ 4. $37\frac{1}{3}$

4. If among the three groups of foreign students who were undecided about their specialisation at the end of the first semester, 50% in one group, $33\frac{1}{3}\%$ in the second group and $16\frac{2}{3}\%$ in the third group (in no specific order) had opted for Finance at the end of second semester, a total of 60.5% of the foreign students would have opted for 'Marketing'. What percentage of students from the Middle-East ultimately opted for Finance?

1. 44 2. 45 3. 48 4. 50

[Click here for video solution](#)

SET 253 Sudoku

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)


To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Shivam, an Olympiad winner, created a modified version of Sudoku. He created a puzzle of 6×6 square, with the divisions of smaller 2×2 squares.

Rules to fill the Sudoku are listed below:

- (i) Only numbers from 1 to 7 can be used in the cells of the Sudoku.
- (ii) Each smaller 2×2 square has distinct digits inside its boundary. For example, the leftmost and topmost 2×2 square has the digit 6 already placed at the bottom right corner. None of the other three cells in the 2×2 square can now be 6.
- (iii) Each number must appear, at maximum, once in every row, column, and (body) diagonal. For example, the number 4 has been placed in the right corner of the first row. The digit 4 cannot be used again in the right most column, or the top most row, or the body diagonal which comprises that cell.
- (iv) It is also known that only digits 2, 4, and 7 appear in every row exactly once.
- (v) The number 6 appears only thrice in the entire 6×6 Sudoku in three consecutive rows.

Some of the cells have been filled as shown below.



[Click here for video solution](#)

1. How many rows will have 1 as one of the digits?

1. 3

2. 4

3. 5

4. 6

2. What is the sum of the digits that will occupy the remaining two cells of the 2×2 square in the centre of puzzle (with 2 and 4 already present)?

1. 9

2. 10

3. 11

4. 12

3. Which digit will occupy the cell at the left bottom corner (first column from the left and first row from the bottom)?

4. What is sum of all the cells in the third column from the left?

SET 254 Cooking contest

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

In a local cooking contest - Taste of Home - seven judges - J1, J2, J3, J4, J5, J6, and J7 ranked each of the three finalists - Tom, Tony, and Tommy - as 1st, 2nd, 3rd (in any order) on the basis of their performances in the final.

(i) The number of judges who gave 1st rank to Tony was same as the number of judges who gave 2nd rank to Tom.

(ii) J6, who gave same rank to Tommy as J3 gave to Tony, gave a numerically higher rank to Tom than what J1 gave, while the rank that J5 gave to Tommy was the same as the rank that J4 gave to Tom.

(iii) The sum of the ranks that the judges gave to Tom was five more than the sum of the ranks that the seven judges gave to Tommy, which in turn was two more than the sum of the ranks that the seven judges gave to Tony.

1. Who among the following judges gave 3rd rank to Tommy?

1. J2 2. J3 3. J6 4. J7

2. Who among the following gave 2nd rank to Tony and 3rd rank to Tom?

1. J1 2. J5 3. J7 4. J3

3. How many times was Tony given 3rd rank?

1. 0 2. 1 3. 2 4. 4

4. Who among the following judges gave 1st rank to Tom?

1. J2 2. J3 3. J5 4. No one

[Click here for Video Solution](#)

SET 255 Wedding

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

A destination wedding held at one of the grand hotels in Udaipur, was attended by 10,000 people. In the wedding, 5 types of desserts i.e., Kulfi, Halwa, Kheer, Rasgulla, and Ghevar were served. Each person likes at least 1 and at most 3 desserts. The total number of people who like these five mentioned desserts, in the same order are 4,000, 2,500, 1500, 1,000, and 3,000 respectively. Further it is known that:

(i) 800 of the people who like Kulfi, also like at least one more dessert.

(ii) Of all the people who like Ghevar, 2150 are those who do not like more than one dessert.

(iii) 150 of the people who like Kheer, like Kulfi and Ghevar as well whereas 250 people who like Kheer, like Kulfi and Halwa as well.

(iv) 600 people like exactly 2 desserts.

(v) No person who likes Rasgulla, like 3 desserts and 200 of these people like Kheer too.

(vi) Of all the people who like Kheer and two more desserts, 300 of them do not like Kulfi.

1. How many people like Kulfi and Ghevar?

1. 400 2. 550 3. 850 4. 1100

2. How many people like only one dessert?

1. 8000 2. 8600 3. 8700 4. 9400

3. If the per plate cost of Kulfi and Kheer is Rs. 500 each whereas for the other three desserts, it is Rs. 300 each, then what is the total cost (in Rs.) incurred by people who like exactly two desserts?

1. 480000 2. 420000 3. 42000 4. 48000

4. How many people liked 3 desserts?

1. 850 2. 650 3. 700 4. 800

[Click here for video solution](#)

SET 256 Exam set

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Ten students – A, B, C, D, E, F, G, H, I, and J– appeared for an exam. Each student was given a sheet and each sheet contained the same four questions – Q1, Q2, Q3, and Q4. Each of them answered each of the four questions correctly or incorrectly. At the end, it was found that no one has answered all the four questions correctly and also none of the questions was correctly answered by all of them. It is also found that:

- (i) All the students who answered Q1 correctly also answered Q2 correctly.
- (ii) There was one question which was answered incorrectly by only A, C, and D, and another question was answered incorrectly by only B and E.
- (iii) There was total 11 incorrect answers in the sheet put together.
- (iv) Only J answered Q2 incorrectly.

1. How many students answered Q3 correctly?
1. 9 2. 8 3. 7 4. Either (2) or (3)

2. Who among the following definitely answered Q3 and Q1 correctly?
1. B 2. E 3. C 4. No one

3. Who among the following did not answer Q1 correctly?
1. I, J, E, C 2. F, G, H, J, E 3. F, G, H, I, J
4. F, H, G, C

4. For how many students can we uniquely determine that they have answered Q4 correctly?

[Click here for video solution](#)

SET 257 Country visit

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Gill Bates, the CEO of Microsoft International is planning to visit seven different countries, namely The UK, Germany, France, India, Japan, Singapore and Australia over the first seven months of 2024 such that he will visit three different countries every month and each country exactly three times during the period. The UK, Germany and France are the countries from Europe, India and Japan are the countries from Asia, while Singapore and Australia are the countries from Asia-Pacific (APAC) region.

The following points are known:

1. He will visit either one or two countries from Europe, up to one country from Asia and up to one country from the APAC region every month.
2. Once he visits India or Australia in a particular month, he will not visit the country for the following two months.
3. He will visit two countries from Europe in March as well as in May.
4. He will not visit Germany and France in the same month.
5. He will not visit India and Singapore in the same month.
6. He will visit a different combination of three countries every month.

[Click here for video solution](#)

1. For how many months out of 7, can we definitely determine at least two countries to be visited by Gill Bates?

2. How many different combinations of three countries to be visited by Gill Bates can be definitely determined?

3. In which of the following month(s), will he visit both the UK and Japan?

1. Definitely March

2. Definitely May

3. Either March or May
nor May

4. Neither March

4. He will not visit the UK in two consecutive months. His first visit to the UK will be in March 2024. If he visits Japan and France both in the same month, he will not visit any other country from Europe in that month.

For how many months out of 7, can we definitely determine all the three countries to be visited by Gill Bates?

SET 258 Swimming club

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

In a year, some children and adults join a famous swimming club “Pacific” to learn swimming. The head of this club then decides to make three teams - Team 1, Team 2, and Team 3 - out of the total members who have joined this club such that each team has both swimmers and non-swimmers. A total of 600 people are members of this club. The number of members of Team 2 is equal to that of Team 3. The number of members of Team 1 is equal to the sum of the number of members of Team 2 and Team 3 put together. In order to find out how many children and adults are there in each team and out of them who can swim, he decides to make a table, given below, for better understanding, which shows the percentage of adults and the percentage of members who can swim in each team.

	Percentage of Adults	Percentage of members who can swim
Team 1		30
Team 2	60	20
Team 3	50	
Total	45	30

1. Find the number of adult members of Team 1.
2. If 20% of adults of Team 3 can swim, then what is the absolute difference between the number of children who can swim and that of adults who cannot swim of Team 3?
3. If at least $\frac{3}{5}$ th of the number of adults of Team 2 and Team 3 put together cannot swim, then what is the maximum number of children, of Team 2 and Team 3 put together, who cannot swim?
1. 111 2. 97 3. 103 4. None of these
4. Which of the following is true?
1. Number of children of Team 2, who can swim is more than that of Team 3.
2. Number of children of Team 1 is equal to number of members who cannot swim on Team 1.
3. Number of adults of Team 1 is equal to number of members who cannot swim of Team 1.
4. Number of members of Team 3, who cannot swim is equal to number of members of Team 1 who can swim.

[Click here for video solution](#)

SET 259 Online test

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Jyoti, prepared an online test for students of her 5 batches – A, B, C, D and E. For this, she prepared 6 questions- p, q, r, s, t, and u and created 5 tests, one for each batch, using these 6 questions. She ensured that each of the 5 tests had an equal number of questions. Further, no two tests had the same set of questions. It is also known that:

- (i) Questions 'p' and 't' are never in the same test.
- (ii) Whenever question 'r' is there in a test, then question 's' is always there in the same test and vice versa.
- (iii) No question appeared in more than 3 tests and each question appeared in more than 1 test.
- (iv) Neither in test for batch A nor in test for batch C was there question 'q'.
- (v) Tests for batch A and batch D had question 'p' only in common; while tests for batch C and batch E had question 't' only in common.

[Click here for video solution](#)

1. Which of the following question definitely appeared in three different tests?

1. p 2. t 3. q 4. r

2. How many questions were common in the test for batch A and the test for batch C?

3. Which of the following question definitely appeared in test for batch B?

1. q 2. u 3. s 4. t

4. Which of the following question is not present in test for batch A but is present in the test for batch E?

1. p 2. r 3. s 4. u

SET 260 Piggy bank

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)




[LinkedIn](#)


To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Robin has a certain number of Piggy Banks, which have different shapes among Cubical, Cylindrical, Conical and Spherical. In each Piggy Bank, Robin has collected 1-rupee coins and the number of 1-rupee coins in each Piggy Bank is one of the following numbers- 30, 50, 60, 75, and 100. No two Piggy Banks of the same shape have equal number of 1-rupee coins in them.

The following bar graph shows the number of Piggy Banks of different shapes:



The following graph shows the distribution of number of Piggy Banks containing different number of 1



Note: Data given or calculated in a question will be used in the subsequent questions.

1. If the number of 1-rupee coins in Cylindrical Piggy Banks is maximum possible, then what is the total number of 1-rupee coins in all the Cylindrical Piggy banks taken together?

2. If it is known that there are maximum possible number of Piggy Banks having 75 '1-rupee coins', then what is the number of Piggy Banks having 60 '1-rupee coins'?

1. 4 2. 3 3. 5 4. 2

3. If it is known that there are minimum possible number of Piggy Banks having 30 '1 rupee coins', then what is the total number of '1 rupee coins' in all the Spherical Piggy Banks taken together?

4. What is the total amount (in Rs.) with Robin?

1. 750 2. 700 3. 850 4. 900

[Click here for video solution](#)

SET 261 Arrangement set

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Exactly ten families stay in a colony where the shape and size of all the houses allotted to each family are exactly the same. These ten houses are situated on the two sides of a straight road and the front gates are opening into the road in such a way that one set of five houses situated on one side of the road is directly opposite to the other set of five houses situated on the other side of the road. The families residing in these houses are identified with their surnames - Ambani, Arora, Bajaj, Bose, Gupta, Pathak, Sen, Sharma, Singh, and Tilak. They were asked to identify the relative positions of these houses and each person indicated the 'Left' and 'Right' sides with respect to his own perspective assuming that he was standing in front of his own house facing the road. Thus, if a person talks about houses which are not in the row of his own house, the actual directions of those houses will be opposite to what has been stated. For example, if the houses of Mr. Tilak and Mr. Sharma are in different rows and Mr. Tilak says - "There are three houses situated to the left of Mr. Sharma's house", in reality, there will be three houses situated to the right of Mr. Sharma's house.

Following are the statements made by different persons:

1. Mr. Pathak said, "The number of houses to my left and right is exactly the same as the number of houses situated to the left and right of Mr. Bajaj's house, respectively. Mr. Bajaj has at least one house both to his left and right."
2. Mr. Bose said, "The number of houses to the left of Mr. Bajaj's house is the same as the number of houses I have to my right. Mr. Sen is my immediate neighbour."
3. Mr. Ambani said, "The number of houses situated to the left of Mr. Pathak's house is the same as the number of houses situated to the right of Mr. Singh's house."
4. Mr. Sen said, "Neither Mr. Pathak nor Mr. Bajaj is my immediate neighbour. The number of houses to my left and right is exactly the same as the number of houses situated to the left and right of Mr. Gupta's house, respectively."
5. Mr. Gupta said, "Mr. Ambani's house is two places to the left of my house, and Mr. Sharma's house is two places to the left of Mr. Tilak's house. Mr. Ambani is not a neighbour of Mr. Bose."

[Click here for Solution](#)

1. Which of the following statements is definitely false?
 1. There are two houses between Mr. Bose's house and Mr. Sharma's house.
 2. Mr. Tilak's house is located between the houses of Mr. Bose and Mr. Pathak.
 3. Mr. Arora is Mr. Pathak's immediate neighbour.
 4. Mr. Ambani's house is located between the houses of Mr. Arora and Mr. Pathak.
2. Whose house is located to the immediate left of Mr. Pathak's house if there are two houses located between the houses of Mr. Sen and Mr. Bajaj?
 1. Mr. Arora
 2. Mr. Ambani
 3. Mr. Bose
 4. Mr. Sharma
3. Whose house is located two places to the left of the house which is exactly opposite Mr. Singh's house?
 1. Mr. Bajaj
 2. Mr. Pathak
 3. Mr. Sharma
 4. There is no such house
4. Mr. Gupta wants to visit Mr. Bose, Mr. Pathak, Mr. Ambani, and Mr. Sharma on a Sunday morning. Whose house will he visit last if he decides to visit the houses in an increasing order of the distances from his house?
 1. Mr. Ambani
 2. Mr. Pathak
 3. Mr. Sharma
 4. Mr. Bose

SET 262 Train journey

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Ritu started her train journey from New Delhi to Kolkata. There are 9 stoppages – A, B, C, D, E, F, G, H, and K (not necessarily in this order) in between New Delhi and Kolkata. Ritu at the start of the journey has downloaded a mobile application which enabled her to calculate the distance travelled by her. Based on Ritu's observation, the following table is given which gives the distance (in km) between two stoppages at a time.

	E	F	G	H	K
New Delhi	2046	224	3038	1670	694
A	474	1348	1566	98	878
B	572	2394	420	948	1924
C	1534	288	2526	1158	182
D	802	1020	1794	426	550

1. Find the distance (in km) of the 5th stoppage from New Delhi.
2. What is the absolute difference (in km) between the distance between stoppages B and G and that between C and H?
3. How many stoppages are there between C and B?
4. What is the distance (in km) between New Delhi and Kolkata if Kolkata is 568 km away from stoppage B?

[Click her for video solution](#)

SET 263 Gamblers

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Four gamblers Vito, Jack, John and Tony played a betting game, “Jo Jeeta Wo Hi Sikander”. This game is played with four number cards, numbered from 1 to 4. In every round, each player gets one number card and bets Rs. 10 on their number card. The one who gets the highest number card wins and takes all the money betted in the round. The betting amount is fixed at Rs. 10 for each player for the first ten rounds. After ten such rounds, in the eleventh round each one has to bet the amount equal to the least amount any player is left with. Following details are known about the results of their game.

1. No player won any two consecutive rounds.
2. At the end of round 4 at least three players had equal amounts of money left with them.
3. From round 1 to round 10, each player won a distinct number of rounds.
4. At the start of the game all the four gamblers had Rs. 100 each.
5. Tony won the maximum number of rounds till round ten.
6. During the game, the amount left with John was never less than Rs. 100.
7. Each player won at least one round.

1. Find the amount left with Jack at the end of round 4.

- | | | | |
|----------|-----------|-------|-----|
| 1. Rs 80 | 2. Rs 100 | 3. Rs | 120 |
| | 4. Rs 110 | | |

2. What amount does each player have to bet in the eleventh round?

- | | | |
|----------|----------|----------------------------|
| 1. Rs 40 | 2. Rs 50 | 3. Either Rs. 40 or Rs. 50 |
| | 4. Rs 60 | |

3. After 10 rounds, which of the following may be the amount left with any of the four players?

- | | | | |
|-----------|-----------|-------|-----|
| 1. Rs 150 | 2. Rs 130 | 3. Rs | 160 |
| | 4. Rs 180 | | |

4. Find the amount left with Tony after round 8.

- | | | | |
|-----------|-----------|-------|-----|
| 1. Rs 110 | 2. Rs 120 | 3. Rs | 130 |
| | 4. Rs 140 | | |

[Click here for Video solution](#)

SET 264 Tshirt brands

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Five friends - Raj, Preeti, Romi, Sahib, and Aastha - each bought 1 T-shirt of different brands among six available brands of T-shirts in the shop – Roadster, Nike, Puma, Adidas, Incense, and Forever. Further information known to us:

- Aastha bought a T-shirt of neither Forever nor Roadster.
- Preeti bought a T-shirt of neither Adidas, nor Puma.
- If Raj bought T-shirt of brand Nike, then Romi bought one of Incense.
- Romi's T-shirt was costlier than Sahib's T-shirt, which was cheaper than Raj's T-shirt.
- Either Sahib's T-shirt was of brand Forever or Preeti's T-shirt was of brand Incense.
- Aastha's T-shirt was costlier than Preeti's T-shirt, which was costlier than only Roadster's T-shirt, which was bought by one of the 5 friends. Also, Preeti's T-shirt is cheaper than Adidas T-shirt.
- The cheapest T-shirt was not of brand Forever, and the costliest T-shirt was of brand Nike. Only if Romi's T-shirt was of brand Puma, then Raj's T-shirt was not of brand Roadster.
- The Adidas T-shirt was costlier than Puma and Forever T-shirt, neither of which were bought by Raj.

[Click here for video solution](#)

1. Who among the following bought the cheapest T-shirt?

1. Raj 2. Romi 3. Aastha 4. Sahib

2. Who bought the costliest T-shirt?

1. Raj 2. Romi 3. Aastha 4. Sahib

3. The T-shirt of which brand was not bought by any of the 5 friends?

1. Roadster 2. Forever 3. Adidas 4. Puma

4. Which of the following statements must be true?

1. Raj bought a Roadster's T-shirt.
2. Romi's T-shirt was costlier than Aastha's T-shirt.
3. Sahib bought Adidas T-shirt.
4. The Puma T-shirt was the 3rd costliest among the five T-shirts bought by the five friends.

SET 265 Survey

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

A survey of 2000 people of a society was conducted by a company named XYZ Ltd. to find the popularity of three newspapers -TOI, The Hindu and The Indian Express. All of them voted for at least one newspaper. It is also known that:

- (i) The number of people who like both TOI and The Hindu is 25% less than the people who like both The Indian Express and The Hindu.
- (ii) The number of people who like only TOI is 50 more than 3 times the number of persons who like all three newspapers.
- (iii) The number of people who like only The Indian Express is 50 less than 3 times the number of people who like only The Hindu.
- (iv) The number of people who like both TOI and The Indian Express is double the number of people who like both TOI and The Hindu.
- (v) The ratio of the number of people who like only The Indian Express to those who like TOI and The Indian Express but not The Hindu is 4: 5.
- (vi) The number of people who like all three newspapers is one-third of the number of persons who like both TOI and The Hindu.
- (vii) The number of persons who like only The Hindu is 70 more than one-fifth of one-fifth of the total number of people who participated.

[Click here for video solution](#)

1. What is the number of people who do not like TOI?

2. What is the number of people who do not like TOI and The Hindu but like The Indian Express?

3. If the number of people who likes only The Hindu and the people who likes only The Indian Express are interchanged, then which newspaper is liked by maximum number of people?

1. The Hindu

2. The Indian Express

3. TOI

4. Cannot be determined

4. If number of people who likes only The Hindu and the people who likes only The Indian Express are interchanged, then which newspapers likeliness increased by maximum percentage?

1. The Hindu

2. The Indian Express

3. TOI

4. Cannot be determined

SET 266 Games

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)


[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Every year several players participate in two games i.e., Korfball and Volleyball in annual sports meet of Chinchua country. The following bar diagram shows the sum of the total number of players (i.e., in Korfball and Volleyball combined) who participated in the given three years period from 2016 to 2020. So, in 2016, 2018 and 2020, a total of 4920 players participated.



1. The total number of players participated (i.e., in Korfball and Volleyball combined) in the year 2020 was:

2. The number of players participated in Korfball in 2018 was:

3. By what percentage was the total number of players (i.e., in Korfball and Volleyball combined) participated in the year 2017 greater than the total number of players (i.e., in Korfball and Volleyball combined) participated in the year 2019?

1. 8.66% 2. 10.64% 3. 12.83% 4. 14.33%

4. Which of the following is the ratio of the number of players participated in Korfball in the year 2019 to that in 2020?

1. 55: 13 2. 41: 47 3. 22: 21 4. 33: 29

5. The number of players participated in Volleyball in the year 2016 was:

1. The sum of the number of players participated in Volleyball in the years 2016, 2018 and 2020 was 2170.

2. The sum of the number of players participated in Volleyball in the years 2016, 2017 and 2018 was 2580.

Further, the ratio of the number of players participated in Korfball to that in Volleyball in the five years from 2016 to 2020 was 37: 52, 1: 1, 48: 25, 55: 39 and 5: 3 in some order.

[Click here for video solution](#)

SET 267 Tournament

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

A, B, C, D, E, F, G, H, I, J and K are 11 players selected for their school team for a cricket tournament. The tournament has six matches. The team gives an opportunity to all the 11 players mentioned to play in the first three matches in the tournament. Depending on the number of centuries (i.e. a score of at least 100 runs) hit by the players, they get an opportunity to play in the remaining three matches of the tournament. A player who hits a century in one of the first three matches gets an opportunity to play in one more match out of the remaining three. Similarly, a player who hits a century in two or three of the first three matches gets an opportunity to play in two or all the three more matches out of the remaining three, respectively. The players who are not given an opportunity to play in the remaining three matches are replaced by other players who have been kept in the 'reserve' by the team. None of the players scored more than one century in any of the matches.

The following points are known:

1. Out of the 11 players mentioned, only B played all the six matches in the tournament.
2. Out of the 11 players mentioned, five players played exactly 5 matches in the tournament.
3. The number of players out of the 11 players mentioned who hit a century in Match 1, Match 3 and Match 2 of the tournament is in Arithmetic Progression in that order.

1. If the number of players who hit a century in Match 3 is double of the number of players who hit a century in Match 1, then how many players hit a century in Match 2?
1. 9 2. 11 3. Either 9 or 11. Neither 9 nor 11
2. If only one among 11 players hit a century in Match 1, then how many players hit a century in Match 2?
1. 8 2. 12 3. 18 4. 7
3. If 10 players hit a century in Match 2, then how many friends hit a century in Match 1?
4. How many combinations are possible for the number of players who hit a century in Match 1, Match 2 and Match 3?

[Click here for video solution](#)

SET 268 Performance evaluation

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Cricketing board of a new team is doing a performance evaluation, wherein number of centuries scored by players in the duration of past 3 years is being surveyed. The table below showed the number of centuries scored by the cricketers with the number of players who hit them are given. For example. 18 players were able to hit 3 centuries in the domestic session, while 4 players were able to hit 13 centuries over the same duration. Furthermore, the mean number of centuries hit by the cricketers, who hit 3 or more than 3 centuries in the said duration is 7 and the mean number of centuries hit by the cricketers, who hit 12 or less than 12 centuries in the said duration is 6. Tabulated data filled partially is as below:

Number of centuries scored	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Number of players	11	6	4	18										4	3	1

1. What is the total number of cricketers taken into consideration?
2. What is the total number of centuries hit by these players?
3. What is the approximate minimum average century of cricketers who hit at most 4 centuries in the said duration?

1. 1.54 2. 1.74 3. 1.8 4. 1.85
4. What is the number of cricketers hitting 12 number of centuries in the said duration?

1. 7 2. 18 3. 19 4. Cannot be determined

[Click here for video solution](#)

SET 269 Ratings

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

United Nations, astonishingly, by a team of five committees — P, Q, R, S and T, decided to give ratings from 3 to 15, in multiples of 3, to five of the world's most war-invoking countries — America, Russia, France, Britain and China. Herein, lower the rating, the milder the approach for invoking violence across the globe. Below are the other points worth mentioning:

- 1. Median ratings Britain, China and France were 12 and America and Russia had median of 6 and 9 respectively.
- 2. Mode ratings of countries in alphabetical order are 6, 12, 15, 15 and 9 respectively.
- 3. Span, defined as the difference between the maximum and the minimum ratings, in alphabetical order of the countries are 9, 9, 12, 12 and 9 respectively.
- 4. Committee P awarded maximum possible ratings to China, as did Q to France, R to China and France and T awarded maximum possible ratings to Britain.
- 5. Committee P awarded minimum possible rating to America, as did Q to China and R to Russia.
- 6. Mean of the ratings received by the countries in alphabetical order is 6.6, 11.4, 10.2, 10.8 and 7.8 respectively.
- 7. Mean of the ratings awarded by the committees in alphabetical order is 10.2, 7.8, 11.4, 9 and 8.4 respectively.
- 8. Sum of the rating given by committee P and T to America is multiple of 9 which is also true for Britain and China as well.
- 9. Sum of the rating given by committee P and T to France is multiple of 6 which is also true for Russia.

Note: It is America given, not US, so alphabetically it will come first in the sequence of countries.

1. How many individual ratings from the committees to the countries cannot be determined uniquely?
1. 0 2. 1 3. 2 4. 3
2. Which of the following committees gave its median rating to exactly one of the countries?
1. S 2. P 3. Q 4. T
3. What is the median of the ratings given by committee R to the five countries?
4. What is the ratings awarded by committee P to country France?
5. Which of the committees did not rate 12 to any of the countries?
1. P 2. Q 3. R 4. No committee

[Click here for video solution](#)

SET 270 Comic books

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Chandu is the owner of the famous book shop 'Chand Comics Shop'. He sells only three types of Comics namely 'Kaka Choudhary', 'Shanty' and 'Gillu'. The prices per copy of the comics 'Kaka Choudhary', 'Shanty' and 'Gillu' are Rs. 8, Rs. 4 and Rs. 10 respectively. On 1st March, 2024, thirty customers visited the shop. Each of them bought a single copy of a comic book among the three types and paid the price using coins of denominations of Rs. 10 and Rs. 2. Either every customer paid Chandu the exact change or Chandu gave change to his customers in case a customer paid a higher denomination coin. Chandu had no money with him at the beginning of the day. After every 10 customers, he noted that:

1. At least one copy of each type of comic was sold in every batch of 10 copies sold.
2. After selling the first ten copies, he had six coins of Rs. 10 and two coins of Rs. 2 with him.
3. After selling the next ten copies, he had thirteen coins of Rs. 10 and twelve coins of Rs. 2 with him.
4. After selling the last ten copies, he had twenty-two coins of Rs. 10 and nine coins of Rs. 2 with him.

1. On 1st March 2024, if the least possible number of customers bought the comic 'Kaka Choudhary', then the total number of customers who bought the comic, 'Shanty' was:

2. On 1st March 2024, the number of customers who bought 'Gillu' among the first ten customers was:

3. Which of the following can be the number of copies of 'Kaka Choudhary' sold on 1st March 2024?

1. 6 2. 9 3. 8 4. 10

4. On 1st March 2024, the number of customers who bought the comic 'Gillu' was:

1. 13 or 14 2. 12 or 14 3. 13 or 15 4. 14 or 15

[Click here for Video Solution](#)

SET 271 Arrangement Set

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Eight people - Eshita, Saumya, Khushi, Manan, Vanshita, Aachal, Ananya and Tanisha - with varying bank balances, are sitting around a circular table facing the centre. Further,

- I. Eshita is to the immediate right of the richest person.
- II. For any pair of persons sitting next to each other, there is at least one person from the remaining six who is richer than one of them and poorer than the other.
- III. The poorest person is sitting opposite Tanisha, who is next to neither Saumya nor Khushi. Neither Saumya nor Khushi is the poorest.
- IV. The third richest person is to the right of the third poorest person, who is sitting opposite Aachal.
- V. Ananya is between the fourth richest person and Manan; who is opposite Eshita.
- VI. There is one person between Saumya and Khushi. Tanisha is to the left of Aachal.

1. Who is to the immediate left of the richest person?

- 1. Aachal 2. Tanisha 3. Saumya 4. Khushi

2. How many people are poorer than the person who is sitting opposite the fifth richest person?

- 1. 5 2. 4 3. 3 4. 2

3. If Khushi is opposite Aachal, who is sitting opposite Saumya?

- 1. Eshita 2. Manan 3. Ananya 4. Vanshita

4. The amount of money with each person is a perfect square. Which of these can never be the amount with Tanisha if Manan and Eshita have Rs. 25 lakhs and Rs. 100 lakhs, in no specific order?

- 1. Rs 81 Lakhs 2. Rs 49 Lakh 3. Rs 36 Lakh 4. None of the above

5. The amount of money with each person is a perfect square. What can be the minimum total amount (in Rs. lakhs) that Ananya and Saumya together have, if Vanshita has Rs. 225 lakhs?

- 1. 514 2. 365 3. 545 4. None of these

[Click here for Video Solution](#)

SET 272 CM's Initiative

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

The Bada Pradesh CM's New initiative to modernize the government schools in villages of Amaravathi, Belur, Chinkapur, Dumigarh and Eluru of Eastern districts was announced on 11th October 2024. The DEO of the place visited the schools and listed the following information/feedback-

1. Two of these schools have a functional secondary education system in place, three of them have a functional indoor toilet facility and three of them are accessible by metallic roads from the nearest town.
2. Two of the schools have more than fifteen teachers, two have between seven and fifteen teachers and one school has less than seven teachers.
3. Only two of the schools have electricity, and in addition to it, they have a functional indoor toilet facility and access by metallic roads from the nearest town.
4. One school with less than seven teachers has a functional indoor toilet facility, but neither has a functional secondary education system nor an access by metallic roads from the nearest town. Each of the schools having more than fifteen teachers has a functional indoor toilet facility. Out of the two schools having between seven and fifteen teachers only one has a functional secondary education system and access by metallic roads from the nearest town.
5. The school at Amaravathi is accessible by metallic roads from the nearest town. The school at Belur has more than fifteen teachers. The school at Dumigarh has a functional indoor toilet facility and access by metallic roads from the nearest town, but does not have a functional secondary education system. The school at Eluru has a functional indoor toilet facility but is not accessible by metallic roads from the nearest town. The school at Chinkapur does not have a functional secondary education system in place.

1. The school in which village has a functional indoor toilet facility and also a functional secondary education system?

- | | |
|-------------|--------------|
| 1. Belur | 2. Chinkapur |
| 3. Dumigarh | 4. Eluru |

2. The school in which village does not have any of the facilities available to the schools of the other four villages?

- | | |
|-------------|--------------|
| 1. Belur | 2. Chinkapur |
| 3. Dumigarh | 4. Eluru |

3. The schools in which two of the villages have electricity?

- | | |
|-------------------------|-------------------------|
| 1. Amaravathi and Belur | 2. Amaravathi and Eluru |
| 3. Belur and Dumigarh | 4. Dumigarh and Eluru |

4. The school in which village has less than seven teachers?

- | | |
|-------------|--------------|
| 1. Belur | 2. Chinkapur |
| 3. Dumigarh | 4. Eluru |

[Click here for Video Solution](#)

SET 273 Classmates

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Four classmates of Management Studies, Brunish branch had earned their post graduate diploma in management from four of the top management institutions of India, namely LRIX Jamshedpur, PS Gain Mumbai, MII Calcutta and MII Ahmedabad in 1995. They all met each other for the first time along with their families on the occasion of the Brunish reunion on the 4th February 2023. All of them had one daughter each, with Mansi being the name of the daughters of two of them.

Mishu's father was from MII Ahmedabad. Mr Metara Sinha was a successful chartered accountant. Mr Mitreya Mitra was not a student of PS Gain Mumbai, and his daughter's name was not Mili. Mr Mahabya Sengupta was from LRIX Jamshedpur and was not a banker. The father of one of the girl's named Mansi was an HR head. Mili's father was not a marketing head, nor a student of PS Gain Mumbai. Mr Mrinal Chatterjee was not from MII Calcutta, nor was he a banker.

1. Who were the fathers of the two girls named Mansi ?

- 1. Mr Mrinal Chatterjee and Mr Mahabya Sengupta
- 2. Mr Mitreya Mitra and Mr Metara Sinha
- 3. Mr Mitreya Mitra and Mr Mrinal Chatterjee
- 4. None of the above

2. What was the name of the daughter of the student of MII Calcutta ?

- 1. Mishu
- 2. Mili
- 3. Mansi
- 4. Cannot be uniquely

3. Who was the banker ?

- 1. Mr Mrinal Chatterjee
- 2. Mr Metara Sinha
- 3. Mr Mitreya Mitra
- 4. Mr Mahabya

4. What was the profession of Mr Mahabya Sengupta?

- 1. Banker
- 2. HR head
- 3. Marketing head
- 4. Cannot be uniquely determined

[Click here for Video Solution](#)

SET 274 Flow of funds

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

E-mart is the largest global e-commerce and business services transporter in the world, with its own fleet of aircrafts, ships and transporting vehicles. The following is the information about the inflow and outflow of funds on various heads of E-mart in 2025:

Inflow of funds from bookings are distributed among E-commerce, International and Interstate in a ratio of 3:2:1 and remaining income is from Investment and Sundry each contributing to 5% of overall inflow.

The outflow of funds is largely spent on Wages a 30%, Fuel a 20%, Lease/Duty charges a 20%, and 10% as Undisclosed outflow. The remaining out flow is divided among Dividend, Pension and Capital/Assets in a ratio 5:7:8.

The profit made would be the inflow value minus the outflow value.

[Click here for video solution](#)

1. If in 2025 the overall inflow of funds was 600 million USD, and the overall outflow 540 million USD, then what was the ratio between the amount spent on fuel and the amount earned by international bookings by E-mart in 2025?

1. 3:5 2. 3:7 3. 5: 8 4. 4: 7

2. If in the year 2025, the sum of the inflow due to interstate bookings and sundry income were 150 million USD, then what would the overall profit or loss of E-mart (in million USD) be, given that the sum of the outflow due to pensions and dividends were 54 million USD?

1. 360 2. 300 3. 180 4. 96

3. If in 2025, E-mart incurred a loss of 60 million USD and if the total inflow of funds was 5% less than the outflow of funds, then what was the inflow of funds (in million USD) due to international bookings?

1. 296 2. 312 3. 342 4. 360

4. If the value of Interstate bookings is equal to the Lease/Duty charges of E-mart in 2025, then what was the ratio of the international bookings and Wages?

1. 2:5 2. 3: 4 3. 1: 1 4. 4: 3

SET 275 Building

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Ten persons named M, N, O, P, Q, R, S, T, U and V live one above another in a building which has 10 floors. The bottom - most floor is number one and the topmost floor is number 10. The age of each person is a different number of years among 2, 9, 10, 11, 29, 20, 15, 28, 35 and 50 years. The persons with odd numbered age live on even numbered floor and person with even numbered age live on odd number floor. E.g., person whose age is 2 years can live on floor number 1, 3, 5 and so on. T is three floors above the floor, where the person of 9 years old lives. The average age of S and M is equal to the age of P. There are two floors between U and Q. Age of U is 10 years. M lives on a floor above U, who lives above O. S does not live on the bottom – most floor and his age is more than the age of T. R lives just above V. T's age is not 2 years. N, whose age is 29 years, lives on topmost floor. Age of Q is 15 years. There are three people who live above U.

1. Which person lives just above the person whose age is the lowest?

1. U 2. V 3. R 4. P

2. Which of the following persons lives on the 8th floor?

1. U 2. N 3. T 4. P

3. What is the sum of the ages of people who live on the first and second floor?

1. 13 2. 11 3. 59 4. 52

4. What is the age of the person who lives in the fifth floor?

1. 28 2. 11 3. 10 4. 15

[Click here for video solution](#)

SET 276 Coaching Institutes

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

There are six coaching institutes named A, B, C, D, E and F in Delhi, out of which one is the CA coaching institute. Each institute starts daily classes at a different time and ends classes at a different time. One of the institutes begins classes at 7:30 am and one of the institutes ends classes at 9:30 pm. Each institute has different number of students such that one of the institutes has 320 students.

The following information is also known:

1. The institute which has 370 students starts its classes at 6:30 am but is neither C nor F. The JEE coaching institute ends its daily classes at 11:30 pm.
2. The institute named C, the CLAT coaching institute, the institute that has 200 students, the institute that starts at 7:00 a.m., the institute that ends classes at 9:00 p.m., and the institute B are all distinct.
3. The institute E has 390 students and starts classes at 8:30 a.m. The institute which ends classes at 9:00 pm or 10:00 pm doesn't start its classes at either 6:30 am or 8:30 am.
4. The institute which has 260 students starts its classes at 6 am. The institute C starts its classes at 8 a.m. and ends its classes at 11 p.m. A is a CAT coaching institute and does not start its classes at 7:00 a.m.
- 5, F is a IPMAT coaching institute, and it ends its classes at 9:00 p.m. The institute which ends its classes at 10:30 pm has 450 students and it is neither NEET nor the JEE coaching institute.

1. Which coaching institute is represented by B?
1. NEET 2. CA 3. JEE 4. Cannot be determined
2. How many students are there in NEET coaching institute?
3. Which of the following is the correct combination of starting time of classes and ending time of the classes for a particular institute?
1. 8.30 am - 11.30 pm 2. 7.30 am - 10.30 pm
3. 6.30 am - 9.30 pm 4. None of these
4. What is the name of the institute which has 260 students?
1. D 2. F 3. C 4. B

[Click here for video solution](#)

SET 277 Employee Event

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

On the occasion of its Founders Day, a multinational corporation organized four events for its employees. The employees registered their names for participating in singing, dancing, painting and yoga celebration events.

1. The number of employees who registered themselves for any combination of the four events is a non-zero multiple of 18.
2. The number of employees who registered in all four events is 54. Each employee registered in at least one event.
3. The number of employees who registered for only dancing and singing is equal to the number of employees who registered only for dancing, singing, and yoga which is 36.
4. The number of employees who registered only for singing, painting, and yoga is equal to the number of employees who registered only for painting.
5. The number of employees who registered only for dancing and yoga is equal to the number of employees who registered for only singing which is 72.
6. The number of employees who registered for only dancing, singing, and painting is equal to the number of employees who registered only for singing and painting is half of the number of employees who registered only for painting.
7. The number of employees who registered for only dancing, painting, and yoga is equal to the number of employees who registered only for the yoga celebration.
8. The number of employees who registered for only dancing and painting is equal to the number of employees who registered for only singing and yoga celebration which is three times the number of employees who registered only for yoga.
9. The number of registrations is highest for singing (i.e., 324). The number of registrations is least for painting (i.e., 252) and the remaining two events have the same number of registrations.

1. The total number of employees in the company is:

2. The number of employees who registered for exactly three events are:

1. 106 2. 108 3. 102 4. 110

3. The number of employees who registered for at least two events are:

1. 404 2. 412 3. 414 4. 408

4. The number of employees who registered for dancing and yoga are:

[Click here for video solution](#)

SET 278 Grades

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Ten friends (four girls and six boys) P, Q, R, S, T, U, V, W, X and Y got a grade out of grade A, grade B and grade C in an Engineering exam. Exactly two girls and exactly two boys got grade A. Further it is known that at least two friends got grade B and at least two friends got grade C. Only girls got grade B.

1. V did not get grade A and W did not get the same grade as V.
2. Q and T both are boys and got the same grade.
3. P, a girl, got grade A and R also got grade A.
4. S got grade A and W, a boy, did not get grade A.
5. U got grade B.

[Click here for video solution](#)

1. Which of the following statements is definitely true?

- | | |
|-----------------------------|-----------------------------|
| 1. Both V and U got grade B | 2. Both T and W got grade A |
| 3. Both S and X got grade A | 4. Both Q and V got grade C |

2. If X is a girl, then who all are the boys in the group of ten friends?

- | | |
|------------------------|------------------------|
| 1. S, V, Q, T, W and Y | 2. S, R, V, Q, T and W |
| 3. S, R, Q, T, W and Y | 4. R, Y, Q, T, W and V |

3. Which of the following is definitely false?

1. Both U and V got grade B
2. All of P, S, R and V got grade A
3. All of Q, T and W got grade C
4. None of these

4. If S and R are boys then find the grade of X.

- | | | | |
|------------|------------|------------|-------------------------|
| 1. Grade A | 2. Grade B | 3. Grade C | 4. Cannot be determined |
|------------|------------|------------|-------------------------|

SET 279 Dance Academy

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Nritya-Shakti is a dance academy that conducts dance classes for Bharatnatyam, Kathak and Kathakali. Each enrolled student can opt for either one dance form or two dance forms or all three dance forms. It is known that, the number of students who opted for Bharatnatyam is less than the number of students who opted for Kathak, which, in turn, is less than the number of students who opted for Kathakali.

1. If 100 students have enrolled for Bharatnatyam, then find the minimum number of students enrolled in the dance academy.
2. If each student enrolls for at least two dance forms and in all 100 students opt for Kathak, then find the minimum number of students enrolled in the dance academy.
3. If 56 students opted for Bharatnatyam, 112 students opted for Kathak and 128 students opted for Kathakali, and maximum possible number of students opted for both Kathak and Kathakali only (but not for Bharatnatyam), then find the maximum number of students enrolled in the dance academy.
4. If 40 students opted for Bharatnatyam, 50 students opted for Kathak and 60 students opted for Kathakali, then what can be the minimum number of students enrolled in the dance academy?
5. In all 200 students have enrolled with the academy. The number of students who have enrolled in Bharatnatyam, Kathak and Kathakali are 80, 100 and 120 respectively. What can be the maximum number of students who have enrolled in only one dance form?

[Click here for video solution](#)

SET 280 Ranks

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Five football players of India were asked to rank 5 football teams - P, Q, R, S and T - of other countries from 1 to 5 as per their performances in last year's tournament, where rank 1 being the highest and rank 5 being the lowest. Team P was ranked same by all the five players while team Q was ranked same by exactly 4 players. Team R was given the same rank by 3 players and another same rank by 2 players. Team S was given the same rank by 3 players and two different ranks by the other 2 players and team T was ranked same by only 2 players and ranked different by the other 3. At the end, each team was assigned a final rank equivalent to the rank that was assigned to that team by maximum number of players. All five teams had different final ranks and final ranks of teams P, Q and R were 1, 2 and 3 respectively. Also, team R was ranked 4 by exactly two players. Each player had given a different ranking to each of the five teams.

1. Which of the following ranks were given by a player to team Q?

1. 3 2. 4 3. 5 4. 4 or 5

2. How many players can rank team S as 4?

3. Find the sum of the two ranks given to the team S, which were different from the same rank given by the three players?

1. 6 2. 8 3. 7 4. 5

4. Which of the following is the correct order of teams, when arranged in increasing order of the sum of the ranks given to them by the 5 players?

1. P, Q, R, S, T
2. P, Q, R, T, S
3. P, Q, T, R, S
4. Sum is same for two or more teams

[Click here for video solution](#)

SET 281 MBA Colleges

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)


[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Five MBA colleges- P, Q, R, S, and T — were rated from 1 to 5 in five different attributes — Placement (PL), Hostel Facilities (HF), Food (FD), Personality Development (PD), and Ethical Awareness (EA), where 1 being the lowest rating and 5 being the highest. According to the overall rating of each college i.e., the sum of the ratings got by a college in all five attributes, the college which was rated highest was tagged as the "most aspiring" college and the one which was rated least was tagged as the "under-developed". The following bar graph shows the details about the number of people for each given rating.



Further details known to us are:

1. All colleges got a rating of 5 in at most three attributes.
2. No college got an overall rating of less than 12.
3. Each of the five colleges got the rating of both 2 and 4 at least once in some of the attribute(s).

1. If according to the overall rating, the five colleges are in the order $P > Q > R > S > T$, where T has the minimum possible overall rating and P has the maximum possible overall rating, then what is the overall rating for R?

1. 15
2. 17
3. 14
4. Cannot be determined

2. If only two colleges P and S got the overall rating as 17 and despite getting a rating of 1 in one of the attributes, none of them were tagged as under developed, then what can be the smallest possible overall rating of the college tagged as the "most aspiring"?

1. 17
2. 19
3. 18
4. 20

3. Which of the following cannot be an overall rating of the college tagged as the "under-developed"?

1. 12
2. 13
3. 15
4. All are possible

4. If three of the five colleges got their overall rating as distinct prime numbers, then what could be the possible sum of the ratings of the colleges tagged as the "most aspiring" and the "under-developed"?

1. 33
2. 31
3. 36
4. 30

[Click here for video solution](#)

SET 282 Bakery

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Bakers Oven supplied cupcakes and doughnuts for three birthday parties, which were being celebrated at the houses of Mary, Nancy and Patsy. Bakers Oven supplies only two flavors - chocolate and vanilla - of cupcakes and doughnuts. The total number of cupcakes and doughnuts supplied to all three parties is 700.

It is also known that:

- Exactly 45% of the total order was for cupcakes.
- The total order for Patsy's party was 90 more than the total order for Mary's party.
- Nancy ordered an equal number of cupcakes and doughnuts and the number of vanilla cupcakes supplied to her was ten less than the number of vanilla doughnuts.
- Exactly 30% of the total order was for Mary. The number of chocolate doughnuts ordered by her was double the number of chocolate cupcakes ordered by her.
- Patsy ordered 50% of the total number of chocolate doughnuts.

The table gives details of few items supplied to the three birthday parties.

	Cupcakes	Chocolate flavoured items
Mary	80	90
Nancy	—	110
Patsy	140	—

1. Who ordered the maximum number of vanilla cupcakes?

1. Mary 2. Nancy 3. Patsy 4. Cannot be determined

2. What was the total number chocolate flavored doughnuts ordered by all three of them?

3. If 20% of the total order at Patsy's house was for vanilla cupcakes, then what was the difference in the total number of chocolate doughnuts and chocolate cupcakes supplied by Baker's Oven to these three parties?

4. What was the total number of vanilla doughnuts supplied by Baker's Oven to these three parties?

[Click here for video solution](#)

SET 283 Survey

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

200 boys were surveyed for their favourite drinks. Every boy liked one or more than one of the three drinks among Tea, Coffee and Cold drink. Following is the additional information about their choices.

- The number of boys who liked tea only is less than the number of boys who liked coffee only but more than the number of boys who liked cold drink only.
- The number of boys who liked exactly two drinks is more than the number of boys who liked all three drinks but less than the number of boys who liked the coffee only.
- The number of boys who liked both the drinks tea and coffee but not cold drink is at least thrice the number of boys who liked both the drinks coffee and cold drink but not tea which is at least equal to 1.

[Click here for video solution](#)

1. The number of boys who liked tea only is at most:
2. The number of boys who liked coffee only is at most:
3. If the number of boys who liked tea only is maximum possible, then what is the minimum number of boys who liked tea and coffee but not cold drink?
4. If the number of boys who liked cold drink only and the number of boys who liked all three drinks are 23 and 42 respectively, then what is the maximum number of boys who liked tea and coffee but not cold drink?
5. The number of boys who liked all the three drinks is at most:

SET 284 Shopping

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Six friends — Anita, Babita, Chandni, Danish, Eshita and Fatima decided to go for shopping to purchase items viz. T-shirt, bag, ring, shoes and wristband having cost as Rs. 1100/piece, Rs.1800/piece, Rs.400/piece, Rs.4500/pair and Rs.300/piece respectively. Together, they purchased total 22 items and spent Rs.2900, Rs.3200, Rs.4700, Rs.5500, Rs.5600 and Rs.7100 in any order. These friends belong to six different places of Delhi-NCR — Saket, Vikaspuri, Lajpat Nagar, Ghaziabad, Noida and Preet Vihar — not necessarily in that order. The following information is also known:

I. The number of items purchased by each friend was neither less than 2 nor more than 4. At least 3 items of each type were purchased by six of them put together.

II. The amount spent by Babita who had not purchased wrist band was less than that by the friend who was from Lajpat Nagar but more than that by the friend from Saket.

III. Eshita from Vikaspuri purchased single piece (or pair) of any type of items.

IV. The friend, who had spent the most, had not purchased T-shirt. Friend from Noida had purchased shoes.

V. Fatima was from Ghaziabad. The absolute difference between the amount spent by Chandni and Danish was more than Rs. 1500.

VI. Amount spent by Chandni was more than that by Babita but less than that by the friend who belongs to Noida.

1. How many T-shirts was/were purchased by the friend who belonged to Saket?

1. 0 2. 1 3. 2 4. Either 1 or 2

2. How many of the following combination(s) is/are definitely correct?

I. Anita – Saket – 2 T-shirts, 1 ring and 1 wrist band.

II. Eshita – Vikaspuri – Rs.3200

III. Chandni – Lajpat Nagar – 1 shoe, 2 rings and 1 wristband

IV. Babita - Noida - Rs.4700

1. 1 2. 2 3. 3 4. 4

3. The number of items purchased was maximum for

1. Ring 2. Wristband 3. T-shirt 4. Bag

4. Which of the following pairs could have spent the least and the maximum amount respectively?

1. Anita and Eshita 2. Fatima and Danish
3. Anita and Danish 4. Eshita and Fatima

[Click here for video solution](#)

SET 285 IT Officers

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Ten officers Pawan, Aman, Rajat, Sunita, Trilok, Ujjawal, Viveka, Jatin, Kamal and Yuvraj, of an IT company, are posted in five different regions, East, West, North, South and North East of India, with at least one officer in each region. These officers have different salaries and they are ranked from 1 to 10 on the basis of their salary i.e., the officer having maximum salary is ranked 1 and the officer having lowest salary is ranked 10. Any two officers ranked on consecutive positions are not posted in same region. It is also known that,

I. Two officers among Kamal, Yuvraj and Ujjawal, are posted in same region and are ranked at alternate positions. Sunita and Aman are posted in same region.

II. Rajat, Viveka, Kamal and Trilok are ranked on 3rd, 5th, 7th and 10th position respectively.

III. The difference between the number of officers having salary more than Pawan and less than Jatin is an even number.

IV. Salary of Yuvraj is more than Pawan, which in turn, is more than Ujjawal.

[Click here for video solution](#)

1. In how many different ways can they be ranked?

2. How many of the following statement(s) is/are definitely true?

I. Rank of Jatin is 1.

II. Sum of the ranks of Sunita and Aman is an even number.

III. Rajat and Pawan are not necessarily posted in same region.

IV. Trilok and Ujjawal are posted in the same region.

1. 1

2. 2

3. 3

4. 4

Additional information for questions 3 and 4:

I. Salary of the officers in the East region is represented by SE; in West region is represented by Sw and so on for all the five regions.

Also, it is known that $SE > Sw > SN > Ss > SNE$

II. In each region, equal number of officers are posted.

III. The difference between the salary of any two consecutively ranked officers is Rs. 1 lakh.

IV. Yuvraj and Rajat are posted in same region.

3. In how many way(s) can they be posted in their respective regions?

1. 1

2. 2

3. 3

4. 4

4. Yuvraj and Rajat belong to which region?

1. East

2. West

3. North

4. South

SET 286 Contractors

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Four contractors - A, B, C and D - are building four structures such that each one is building a distinct structure. They are using four different materials - P, Q, R and S - to build their complete individual structures. When asked about the quantity of the material which they are using while building those structures, the following observations were made from their answers:

I. The ratio of the materials P, Q, R and S used by A to build the structure is 1: 2: 3: 4. Also, the total quantity of P, used by A, B, C and D, was in the ratio of 1: 3: 5: 7.

II. The total quantity of P, Q, R and S taken together, used by A, B and C were in the ratio of 10: 12: 17. Also, the total quantity of P, Q and R that was used, by all four, were in the ratio of 16: 9: 14.

III. The quantity of material R used by any of the four contractors is the average of the quantity of Q and S used by that contractor.

IV. The quantity of material S used by contractor D is twice of the quantity of material R used by contractor B which in turn is equal to the quantity of material Q used by contractor C.

1. If contractor A uses 1800 kg of Q, then the total quantity (in kg) of S used by all 4 contractors is:
2. Which contractor used the maximum quantity of S?
1. A 2. B 3. C 4. D
3. What is the ratio of the quantity of P used by A to the quantity of Q used by C?
1. 1: 2 2. 1: 3 3. 2: 3 4. 3: 5
4. The ratio of the quantity of Q used by contractors A, B, C and D is:
1. 1: 3: 5: 7 2. 2: 2: 2: 3: 2 3. 3: 3: 3: 4: 4 4. 4: 4: 4: 5: 6

[Click here for video solution](#)

SET 287 Supermarket

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Ms. Seema went to a supermarket with her two kids - Mohit and Kamal. In that supermarket, five baskets - basket I, basket II, basket III, basket IV and basket V - of fruits were there. In each basket, there were twenty fruits consisting of only five types - apple, orange, mango, guava and watermelon - with at least one fruit of each of the five types. Mohit and Kamal were always proud of identifying fruits of special kind. If a fruit was either an apple or an orange, Mohit would always identify it correctly. Also, he could confuse mango, guava and watermelon with any of the five types of fruits. Similarly, if a fruit was a mango or a guava or a watermelon, then Kamal would always identify it correctly else for apple and orange, he could confuse it with any of the five types.

Mohit tried to identify the fruits in each of the five baskets and came up with the Table I on the left to show the number of fruits of each type in each basket and Kamal, then, tried to identify the fruits in each of those same five baskets and came up with the Table II on right to show the number of fruits of each type in each basket:

Fruit	Basket I	Basket II	Basket III	Basket IV	Basket V
Apple	5	2	1	2	7
Orange	3	3	3	2	7
Mango	7	5	8	2	4
Guava	4	4	2	3	2
Watermelon	1	6	6	11	0
Total	20	20	20	20	20

Fruit	Basket I	Basket II	Basket III	Basket IV	Basket V
Apple	5	1	2	2	9
Orange	1	1	2	1	2
Mango	1	2	2	4	3
Guava	2	5	6	7	4
Watermelon	11	11	8	6	2
Total	20	20	20	20	20

1. Find the least possible number of watermelons in all the five baskets taken together.

2. Which of the following statements is definitely false?

- 1. The number of mangoes in basket IV is 1.
- 2. The number of apples in basket I is 3.
- 3. The number of watermelons in basket II is 9.
- 4. None of the above

3. If the number of guavas in basket IV is 6, then find the number of oranges in basket IV.

4. For how many of the five baskets can the exact number of mangoes be determined?

- 1. 2
- 2. 1
- 3. 0
- 4. More than 2

[Click here for video solution](#)

SET 288 School Tests

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)


[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

In class X of Bal Bharti School, in Port Blaire, five students Akash, Bharat, Chandan, Deepak and Eshan appeared in four tests. The tests are of Physics, Chemistry, Mathematics and Biology. The maximum marks in each test are 100. Each student was ranked from 1 to 5 in each subject, in the descending order of the marks obtained by him in that subject. In any Subject, no two students had the same marks. The bar graph below provides the marks of four of the five students, Akash, Bharat, Chandan and Deepak, in each the four subjects Physics, Chemistry, Mathematics and Biology. The table below provides the sum of the ranks obtained by these four students in the four subjects.



Name	Sum of ranks
Akash	13
Bharat	10
Chandan	18
Deepak	10

- What is the sum of the ranks obtained by Eshan in all the four subjects?
- In how many of the four subjects was Bharat's rank better, i.e., numerically lower, than that of Eshan?
- Which of the following can be the total marks of Eshan in Mathematics and Chemistry combined?
 - 160
 - 150
 - 130
 - 100
- Which of the following statements is definitely true?
 - The marks of Eshan in all the four subjects combined is greater than 270.
 - The marks of Eshan in all the four subjects combined is less than 270.
 - The marks of Eshan in all the four subjects combined is greater than 320.
 - The marks of Eshan in all the four subjects combined is less than 320.
- Which of the following can be the marks of Eshan in Physics?
 - 85
 - 75
 - 68
 - 60

[Click here for video solution](#)

SET 289 MNC SET

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

In 2025, 200 employees of a multinational company visited some of the countries among England, France, Belgium, Austria and Germany. Further, each person visited at least one country. Any person who visited England also visited Belgium, while any person who visited Germany also visited Austria. Any person who visited France also visited England, while no person who visited Austria visited England. It is also known that

1. The number of persons who visited France was twice the number of persons who visited only Austria.
2. The number of persons who visited only Belgium was ten less than the number of persons who visited exactly one country.
3. The number of persons who visited Germany was four more than the number of persons who visited England.
4. The number of persons who visited at least three countries was 60.
5. The number of persons who visited England was forty more than the number of persons who visited only Austria.
6. The number of persons who visited Belgium was seventy more than the number of persons who visited Austria.

1. How many persons visited exactly one country?
2. How many persons visited Belgium and exactly one other country?
3. Among the persons who visited Belgium, how many persons visited Austria?
4. How many persons visited Austria?

[Click here for video solution](#)

SET 290 Venn Diagram

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

In a class of 100 students, 60 students like Physics, 50 students like Chemistry and 40 students like Maths. It is known that at least one student likes only Physics, only Chemistry and only Maths. Similarly, at least one student likes both Physics and Chemistry (but not Maths), both Physics and Maths (but not Chemistry) and both Chemistry and Maths (but not Physics). Further, at least one student likes all the three subjects. Each student likes at least one subject.

1. What can be the maximum number of students who like all the three subjects?

1. 23 2. 40 3. 37 4. 24

2. What can be the maximum number of students who like exactly two subjects?

1. 24 2. 48 3. 46 4. 49

3. If exactly 15 students like all the three subjects, then what can be the maximum value of the sum of the number of students who like both Physics and Maths but not Chemistry, and the number of students who like both Chemistry and Maths but not Physics?

1. 24 2. 25 3. 19 4. 22

4. If exactly 15 students like all the three subjects, then what can be the maximum number of students who like both Physics and Chemistry but not Maths?

1. 24 2. 31 3. 18 4. Cannot be determined

[Click here for video solution](#)

SET 291 Distribution Set

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Sixty-eight pencils are distributed among eight students – A, B, C, D, E, F, G and H – such that each student got at least five pencils and no two students got the same number of pencils.

Also, the following information is known:

- 1. C got as many pencils more than D as F got less than G.
- 2. E got exactly 11 pencils.
- 3. A got twice the number of pencils that B got.
- 4. C got more pencils than each of F and H but less than G.

1. Who got the least number of pencils?
1. B 2. D 3. F 4. H
2. The total number of pencils with B, D, F and H put together is:
3. The total number of pencils with B and G is equal to the total number of pencils with
1. A and F 2. H and C 3. C and D 4. F and H
4. The number of students who got more pencils than F is
1. 5 2. 4 3. 6 4. None of the above

[Click here for video solution](#)

SET 292 Road Trip

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Pawan wants to go on a road trip with exactly five of his friends. He has to select five friends who will accompany him out of eight friends – A through H. Of these eight friends, A, B, F and G are girls and the remaining are boys. Further, only C, E and F know how to drive the car. When selecting the five friends, Pawan wants to select at least two friends who know how to drive the car.

Further, it is also known that

- 1. If A is selected, E cannot be selected.
- 2. If B is selected, both C and D must be selected.
- 3. G cannot be selected unless F is selected.
- 4. C can be selected if and only if G is selected.
- 5. H cannot be selected unless both B and F are selected.

1. What is the maximum number of girls that Pawan can select?
1. 1 2. 2 3. 3 4. 4

2. How many of the eight friends will definitely be selected?
1. 1 2. 2 3. 3 4. 4

3. Who among the following will definitely not be selected?
1. A 2. E 3. H 4. G

4. In how many ways can Pawan select the five friends?
1. 5 2. 2 3. 3 4. 4

[Click here for video solution](#)

SET 293 Queue

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Seven persons – A through G – were standing in a queue, one behind the other, not necessarily in the same order. Among these seven persons, five persons were males and the other two were females. Further, four of them were engineers and three of them were doctors.

It is known that

1. No two doctors were standing next to each other and there was at least one female engineer and one female doctor.
2. G, a male doctor, was standing immediately behind a female, while C, who is a male, is standing immediately in front of a female engineer.
3. E, who was not standing immediately in front of an engineer, was standing immediately behind F, who is a doctor, while C was standing behind at least two doctors.
4. B is standing in front of D and there is exactly one doctor, one engineer and one female standing between the two of them.

1. How many persons are standing behind F?

2. Who among the following is a female engineer?

1. E 2. D 3. B 4. A

3. What is the maximum number of persons standing between any two doctors of the same gender?

4. Who among the following is standing immediately in front to a female doctor?

1. B 2. D 3. C 4. None of these

[Click here for video solution](#)

SET 294 Employee Votes

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Rajesh, the CEO of Techse Ltd, wanted to set up a new office. He shortlisted three cities – Bangalore, Kanpur and Pune – for setting up the new office. He asked all the employees in the company to vote for at least one city and at most three cities and decided to choose the city which obtained the maximum votes.

After all the employees voted, he observed the following:

- 1. The number of employees who voted only for Kanpur was the same as the number of employees who voted for Pune but not Bangalore.
- 2. The number of employees who voted for exactly two cities is 28 and the number of employees who voted for at least two cities is 47.
- 3. The number of employees who voted for Kanpur but not Pune is 8 more than the number of employees who voted for all the three cities.
- 4. The number of employees who voted for Bangalore but not Kanpur is 31, while the number of employees who voted for Pune is 47.
- 5. The number of employees who voted for both Pune and Bangalore is 33.

1. How many employees voted for both Kanpur and Bangalore but not Pune?

1. 12

2. 13

3. 14

4. 15

2. How many employees voted for the city which received the highest number of votes?

1. 63

2. 47

3. 57

4. 43

3. The number of employees who voted for only Kanpur is the same as the number of employees who voted for:

1. Bangalore but not Pune

2. both Pune and Kanpur

3. Pune but not Kanpur

4. Pune and Bangalore but not Kanpur

4. What is the difference between the number of employees who voted for Pune and the number of employees who voted for Kanpur?

1. 11

2. 12

3. 5

4. None of these

[Click here for video solution](#)

SET 295 Tournament

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)


[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Five players – A, B, C, D and E – participated in a tournament which had three matches – match I, match II and match III. Each of the five players played all the three matches. In the three figures below (one for each match, match I, match II and match III), the points scored by the three highest scoring players in each match are mentioned, along with the names of the players (given in brackets) and the central triangle in each figure represents total points scored by the three highest scoring players as a percentage of the total points scored by all the five players put together. No two players had the same number of points in a match and no player scored the same number of points in any two matches. At the end of the three matches, the performance of the players is evaluated using two indices along with the points they scored in the tournament. The Consistency index (K) of a player is the difference between the lowest and the highest points scored by him in the three matches and the Reliability index (R) of a player is the middle value when the scores of the player are arranged in an increasing order.



[Click her for video solution](#)

1. What is the minimum number of points scored by D in the tournament?
2. For how many of the given players, is it possible to calculate the exact R index?
3. At least how many players scored less than 135 points in all the three matches together?
4. Which of the following could be the best value of K index (i.e., the least numerical value) for any player in the tournament?

1. 12 2. 7 3. 9 4. 5

SET 296 E-mail Attachment

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

My friend, Kohli, sent me an e-mail which had the details of the runs that he scored in four innings. Instead of sending the runs he scored in each inning separately, he said that he added the runs in two innings at a time and was sending the six unequal totals so obtained. These totals were given in ascending order in the file that he sent as an attachment with the e-mail. When I opened the e-mail attachment, I found that the first, third and fourth figures appeared as junk characters due to some corruption in the file and I could read only the remaining three figures – 169, 178 and 180.

I sent a mail back to Kohli that I needed some more data to calculate his runs in each inning.

He replied as follows:

1. “Instead of using *my* runs in the e-mail, if I had used the runs that my friend Sharma scored (in the same four innings), you would still have got the same figures for the three totals that you were able to read in the e-mail”.
2. “The highest runs that I scored among the four innings is more than that scored by Sharma.”
3. “There is no multiple of 5 among Sharma’s runs whereas there is one among mine.”

1. Which of the following statements is not true regarding the runs of Kohli in the four innings?

1. The highest runs is not less than 91.
2. The sum of the highest runs and the third highest runs is 178.
3. The sum of the third highest runs and the fourth highest runs is 169.
4. The least runs is not more than 83.

2. What are the highest runs scored by Kohli?

3. What is the difference between the highest runs scored by Sharma and the lowest runs scored by Kohli?

- | | | | |
|-------|-------|-------|-------|
| 1. 10 | 2. 11 | 3. 12 | 4. 13 |
|-------|-------|-------|-------|

4. What are the least runs scored by Sharma?

[Click here for video solution](#)

SET 297 Three Fruits

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

An ancient tribe living in a Central African forest uses apples, oranges and bananas as their currency for all their transactions. Each apple is worth a certain number of oranges and each orange is worth a certain number of bananas. Any member of the tribe can exchange any number of the apples, oranges or bananas that he/she has with an equivalent number of other fruits. The three fruits are always traded whole, i.e., they are never cut into parts for the purpose of exchanging. The tribe does not have access to any other types of fruits.

On a particular day, Xio'tole, a member of this tribe, had with him four apples, three oranges and five bananas. He first exchanged one apple with one orange and three bananas. Later, he exchanged three oranges and one banana with two apples.

1. Today morning, Xi'jaee, the brother of Xio'tole, exchanged exactly one fruit and ended up with equal number of apples, oranges and bananas. What is the minimum total number of fruits that he could have had before he exchanged the fruit?
2. If, immediately after Xio'tole exchanged the fruits, he purchased a boat, the maximum possible price of the boat is equivalent to
1. 3 apples, 3 oranges, 8 bananas

2. 5 apples, 2 oranges, 5 bananas

3. 1 apple, 9 oranges, 4 bananas

4. 4 apples, 2 oranges, 10 bananas
3. Xigumbe, a member of this tribe, had with him 6 apples, 11 oranges and 9 bananas. What is the total number of fruits that he can exchange in order to be left with an equal number of apples, oranges and bananas?
1. 3

2. 4

3. 5

4. More than one of the above
4. De'yshan, a member of this tribe, had with her at least one fruit of each type. First, she exchanged two oranges and then she exchanged two apples. After this, she exchanged a certain number of bananas for exactly one apple and she ended up with an equal number of apples, oranges and bananas. What is the minimum number of fruits that she had with her after she exchanged the fruits?

[Click here for video solution](#)

SET 298 Meteorological Department

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)


[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Karan works in the Meteorological Department, and he has to measure the temperature (in $^{\circ}\text{C}$) at 9:00 AM every day. However, during a certain period of twenty days, from Day 1 to Day 20, Karan measured the temperature on only ten days. He then plotted the ten points on a graph sheet and connected consecutive points on the graph using straight lines, forming a line graph. The line graph that Karan made is presented below:



Further, it is also known that

1. The difference in temperature between any two consecutive measurements that Karan took was not more than 4°C .
2. The difference in the temperature measured by Karan for the third time and for the fourth time was 4°C .
3. The second measurement that Karan took was the same as the eighth measurement that he took.

1. On which of the following days did Karan measure the temperature?

1. Day 2
2. Day 17
3. Day 6
4. More than one of the above

2. What is the average of the temperatures measured by Karan during the ten days?

1. 30.5°C
2. 30.2°C
3. 30.3°C
4. 30.4°C

3. If the average temperature at 9:00 AM from Day 1 to Day 4 is 30°C , what is the temperature at 9:00 AM on Day 2?

1. 25°C
2. 28°C
3. 31°C
4. Cannot be determined

4. What is the difference (in $^{\circ}\text{C}$) between the fifth measurement and the ninth measurement that Karan took?

[Click here for video solution](#)

SET 299 Table Tennis Coach

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

It is known that

- [Click here for video solution](#)

1. B 2. F 3. G 4. More than one of the above

1. 2 2. 3 3. 4 4. 5

1. 0 2. 1 3. 2 4. None of the above

1. 2 2. 3 3. 4 4. 8

1. 4 2. 8 3. 12 4. 16

SET 300 Research Project

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

XYZ Ltd. conducted an online exam and selects 150 candidates for a research project. Each of the selected candidates can be classified as having either a good or an average academic record, as freshers or as having work- experience, as B.Sc. graduate or B. Stat graduate. It is further known that the number of candidates with work experience is half the number of freshers. The number of candidates who are B. Stat is twice those who are B.Sc. graduates. The number of freshers having a good academic record is same as the number of B.Sc. candidates having a good academic record. The number of B.Sc. graduates with work-experience and an average academic record is one more than the number of B. Stat graduates who are freshers and have a good academic record. The number of candidates with an average academic record is 54 more than those with good academic record.

1. What is the difference between the number of B. Stat graduates who have work-experience and an average academic record, and the number of B.Sc. graduates who are freshers and have a good academic record?

2. If the number of freshers with a good academic record is 22, what is minimum number of B.Sc. graduates who are freshers and have an average academic record as a percentage of total number of B.Sc. graduates?

1. 0% 2. 2% 3. 8% 4. 10%

3. If 16.67% of the number of candidates with an average academic record are B. Stat candidates with work experience, find the number of B.Sc. graduates who are freshers and have a good academic record.

4. If the number of B.Sc. graduates who have an average academic record and are experienced is the minimum possible, then which of the following can be the number of freshers with an average academic record?

1. 51 2. 100 3. 101 4. Any of the above

[Click here for video solution](#)

SET 301 Blood Test

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Sixteen patients in a hospital must undergo a blood test for a disease. It is known that exactly one of them has the disease. The hospital has only eight testing kits and has decided to pool blood samples of patients into eight vials for the tests. The patients are numbered 1 through 16, and the vials are labelled A, B, C, D, E, F, G, and H. The following table shows the vials into which each patient's blood sample is distributed.

Patient	Vials	Patient	Vials
1	B, D, F, H	9	A, D, F, H
2	B, D, F, G	10	A, D, F, G
3	B, D, E, H	11	A, D, E, H
4	B, D, E, G	12	A, D, E, G
5	B, C, F, H	13	A, C, F, H
6	B, C, F, G	14	A, C, F, G
7	B, C, E, H	15	A, C, E, H
8	B, C, E, G	16	A, C, E, G

If a patient has the disease, then each vial containing his/her blood sample will test positive. If a vial tests positive, one of the patients whose blood samples were mixed in the vial has the disease. If a vial tests negative, then none of the patients whose blood samples were mixed in the vial has the disease.

[Click here for video solution](#)

1. Suppose vial C tests positive and vials A, E and H test negative. Which patient has the disease?
1. Patient 2
2. Patient 6
3. Patient 14
4. Patient 8
2. Suppose vial A tests positive and vials D and G test negative. Which of the following vials should we test next to identify the patient with the disease?
1. Vial C
2. Vial H
3. Vial B
4. Vial E
3. Which of the following combinations of test results is NOT possible?
1. Vial B positive, vials C, F and H negative
2. Vials B and D positive, vials F and H negative
3. Vials A and E positive, vials C and D negative
4. Vials A and G positive, vials D and E negative
4. Suppose one of the lab assistants accidentally mixed two patients' blood samples before they were distributed to the vials. Which of the following correctly represents the set of all possible numbers of positive test results out of the eight vials?
1. {5,6,7,8}
2. {4,5}
3. {4,5,6,7,8}
4. {4,5,6,7}

SET 302 Basement Parking

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

A shopping mall has a large basement parking lot with parking slots painted in it along a single row. These slots are quite narrow; a compact car can fit in a single slot but an SUV requires two slots. When a car arrives, the parking attendant guides the car to the first available slot from the beginning of the row into which the car can fit.

For our purpose, cars are numbered according to the order in which they arrive at the lot. For example, the first car to arrive is given a number 1, the second a number 2, and so on. This numbering does not indicate whether a car is a compact or an SUV. The configuration of a parking lot is a sequence of the car numbers in each slot. Each single vacant slot is represented by letter V.

For instance, suppose cars numbered 1 through 5 arrive and park, where cars 1, 3 and 5 are compact cars and 2 and 4 are SUVs. At this point, the parking lot would be described by the sequence 1, 2, 3, 4, 5. If cars 2 and 5 now vacate their slots, the parking lot would now be described as 1, V, V, 3, 4. If a compact car (numbered 6) arrives subsequently followed by an SUV (numbered 7), the parking lot would be described by the sequence 1, 6, V, 3, 4, 7.

Answer the following questions INDEPENDENTLY of each other.

1. Initially cars numbered 1, 2, 3, and 4 arrive among which 1 and 4 are SUVs while 2 and 3 are compact cars. Car 1 then leaves, followed by the arrivals of car 5 (a compact car) and car 6 (an SUV). Car 4 then leaves. Then car 7 (an SUV) and car 8 (a compact car) arrive. At this moment, which among the following numbered car is parked next to car 3?

1. 8 2. 5 3. 7 4. 6

2. Suppose eight cars have arrived, of which two have left. Also suppose that car 4 is a compact and car 7 is an SUV. Which of the following is a POSSIBLE current configuration of the parking lot?

1. 8, 2, 3, V, 5, 6, 7 2. 8, 2, 3, V, 6, 5, 7
3. V, 2, 3, 7, 5, 6, 8 4. 8, 2, 3, V, 5, 7, 6

3. Suppose the sequence at some point of time is 4, 5, 6, V, 3. Which of the following is NOT necessarily true?

1. Car 3 is an SUV 2. Car 5 is a compact
3. Car 4 is a compact 4. Car 1 is an SUV

4. Suppose that car 4 is not the first car to leave and that the sequence at a time between the arrival of the car 7 and car 8 is V, 7, 3, 6, 5. Then which of the following statements MUST be false?

1. Car 4 is an SUV 2. Car 2 is a compact
3. Car 6 is a compact 4. Car 7 is a compact

[Click here for video solution](#)

SET 303 Cab Company

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

The local office of the APP-CAB company evaluates the performance of five cab drivers, Arun, Barun, Chandan, Damodaran, and Eman for their monthly payment based on ratings in five different parameters (P1 to P5) as given below:

- P1: timely arrival
- P2: behaviour
- P3: comfortable ride
- P4: driver's familiarity with the route
- P5: value for money

Based on feedback from the customers, the office assigns a rating from 1 to 5 in each of these parameters. Each rating is an integer from a low value of 1 to a high value of 5. The final rating of a driver is the average of his ratings in these five parameters. The monthly payment of the drivers has two parts – a fixed payment and final rating-based bonus. If a driver gets a rating of 1 in any of the parameters, he is not eligible to get bonus. To be eligible for bonus a driver also needs to get a rating of five in at least one of the parameters.

The partial information related to the ratings of the drivers in different parameters and the monthly payment structure (in rupees) is given in the table below:

	P1	P2	P3	P4	P5	Fixed Payment	Bonus
Arun				4		Rs. 1000	Rs. 250 × Final Rating
Barun	3					Rs. 1200	Rs. 200 × Final Rating
Chandan			2			Rs. 1400	Rs. 100 × Final Rating
Damodaran		3				Rs. 1300	Rs. 150 × Final Rating
Eman					2	Rs. 1100	Rs. 200 × Final Rating

The following additional facts are known.

1. Arun and Barun have got a rating of 5 in exactly one of the parameters. Chandan has got a rating of 5 in exactly two parameters.
2. None of drivers has got the same rating in three parameters.

1. If Damodaran does not get a bonus, what is the maximum possible value of his final rating?

1. 3.6
2. 3.8
3. 3.2
4. 3.4

2. If Eman gets a bonus, what is the minimum possible value of his final rating?

1. 3.4
2. 2.8
3. 3.0
4. 3.2

3. If all five drivers get bonus, what is the minimum possible value of the monthly payment (in rupees) that a driver gets?

1. 1700
2. 1740
3. 1750
4. 1600

4. If all five drivers get bonus, what is the maximum possible value of the monthly payment (in rupees) that a driver gets?

1. 1960
2. 1950
3. 2050
4. 1900

[Click here for video solution](#)

SET 304 Types of medicine

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

1000 patients currently suffering from a disease were selected to study the effectiveness of treatment of four types of medicines — A, B, C and D. These patients were first randomly assigned into two groups of equal size, called treatment group and control group. The patients in the control group were not treated with any of these medicines; instead, they were given a dummy medicine, called placebo, containing only sugar and starch. The following information is known about the patients in the treatment group.

- a. A total of 250 patients were treated with type A medicine and a total of 210 patients were treated with type C medicine.
- b. 25 patients were treated with type A medicine only. 20 patients were treated with type C medicine only. 10 patients were treated with type D medicine only.
- c. 35 patients were treated with type A and type D medicines only. 20 patients were treated with type A and type B medicines only. 30 patients were treated with type A and type C medicines only. 20 patients were treated with type C and type D medicines only.
- d. 100 patients were treated with exactly three types of medicines.
- e. 40 patients were treated with medicines of types A, B and C, but not with medicines of type D. 20 patients were treated with medicines of types A, C and D, but not with medicines of type B.
- f. 50 patients were given all the four types of medicines. 75 patients were treated with exactly one type of medicine.

1. How many patients were treated with medicine type B?
2. The number of patients who were treated with medicine types B, C and D, but not type A was:
3. How many patients were treated with medicine types B and D only?
4. The number of patients who were treated with medicine type D was:

[Click here for video solution](#)

SET 305 Elections

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

who polled the third highest number of votes, and so on. There were no ties (in number of votes polled by the candidates) in any of the constituencies in this election.

dates (i.e., one who is not the winning candidate) who fail to secure more than the valid votes polled in the constituency, lose their security deposits. The following table provides information about the winning and losing candidates in the

	Constituency			
	A	B	C	D
No. of candidates contesting	10	12	5	8
Total No. of valid votes polled	5,00,000	3,25,000	6,00,030	
No. of votes polled by the winning candidate	2,75,000	48,750		
No. of votes polled by the first runner up	95,000			37,500
No. of votes polled by the second runner up				30,000
% of valid votes polled by the third runner up				10%

The following additional facts are known:

1. The first runner up polled 10,000 more votes than the second runner up in constituency A.
2. None of the candidates who contested in constituency C lost their security deposit. The difference in votes polled by any pair of candidates in this constituency was at least 10,000.
3. The winning candidate in constituency D polled 5% of valid votes more than that of the first runner up. All the candidates who lost their security deposits while contesting for this constituency, put together, polled 35% of the valid votes.

1. What is the percentage of votes polled in total by all the candidates who lost their security deposits while contesting for constituency A?
2. How many candidates who contested in constituency B lost their security deposit?
3. What BEST can be concluded about the number of votes polled by the winning candidate in constituency C?
 1. less than 2,00,010
 2. 1,40,010
 3. between 1,40,005 and 1,40,010
 4. 1,40,006
4. What was the number of valid votes polled in constituency D?
 1. 1,75,000
 2. 1,50,000
 3. 62,500
 4. 1,25,000
5. The winning margin of a constituency is defined as the difference of votes polled by the winner and that of the first runner up. Which of the following CANNOT be the list of constituencies, in increasing order of winning margin?
 1. B, C, D, A
 2. D, B, C, A
 3. B, D, C, A
 4. D, C, B, A
6. For all the four constituencies taken together, what was the approximate number of votes polled by all the candidates who lost their security deposit expressed as a percentage of the total valid votes from these four constituencies?
 1. 23.91%
 2. 23.54%
 3. 32.00%
 4. 38.25%

[Click here for video solution](#)

SET 306 Types of Prizes

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

A new game show on TV has 100 boxes numbered 1, 2, . . . , 100 in a row, each containing a mystery prize. The prizes are items of different types, a, b, c, . . . , in decreasing order of value. The most expensive item is of type a, a diamond ring, and there is exactly one of these. You are told that the number of items at least doubles as you move to the next type. For example, there would be at least twice as many items of type b as of type a, at least twice as many items of type c as of type b and so on. There is no particular order in which the prizes are placed in the boxes.

1. What is the minimum possible number of different types of prizes?

2. What is the maximum possible number of different types of prizes?

3. Which of the following is not possible?

- 1. There are exactly 60 items of type d.
- 2. There are exactly 30 items of type b
- 3. There are exactly 45 items of type c
- 4. There are exactly 75 items of type e

4. You ask for the type of item in box 45. Instead of being given a direct answer, you are told that there are 31 items of the same type as box 45 in boxes 1 to 44 and 43 items of the same type as box 45 in boxes 46 to 100.

What is the maximum possible number of different types of items?

- 1. 6
- 2. 4
- 3. 3
- 4. 5

[Click here for video solution](#)

SET 307 Supermarket

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

A supermarket has to place 12 items (coded A to L) in shelves numbered 1 to 16. Five of these items are types of biscuits, three are types of candies and the rest are types of savouries. Only one item can be kept in a shelf. Items are to be placed such that all items of same type are clustered together with no empty shelf between items of the same type and at least one empty shelf between two different types of items. At most two empty shelves can have consecutive numbers.

The following additional facts are known.

1. A and B are to be placed in consecutively numbered shelves in increasing order.
2. I and J are to be placed in consecutively numbered shelves both higher numbered than the shelves in which A and B are kept.
3. D, E and F are savouries and are to be placed in consecutively numbered shelves in increasing order after all the biscuits and candies.
4. K is to be placed in shelf number 16.
5. L and J are items of the same type, while H is an item of a different type.
6. C is a candy and is to be placed in a shelf preceded by two empty shelves.
7. L is to be placed in a shelf preceded by exactly one empty shelf.

1. In how many different ways can the items be arranged on the shelves?

1. 4 2. 1 3. 2 4. 8

2. Which of the following items is not a type of biscuit?

1. B 2. A 3. L 4. G

3. Which of the following can represent the numbers of the empty shelves in a possible arrangement?

1. 1,7,11,12 2. 1,2,8,12
3. 1,2,6,12 4. 1,5,6,12

4. Which of the following statements is necessarily true?

1. There are at least four shelves between items B and C
2. There are two empty shelves between the biscuits and the candies
3. All candies are kept before biscuits
4. All biscuits are kept before candies

[Click here for video solution](#)

SET 308 Tournament

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Six players – Tanzi, Umeza, Wangdu, Xyla, Yonita and Zeneca competed in an archery tournament. The tournament had three compulsory rounds, Rounds 1 to 3. In each round every player shot an arrow at a target. Hitting the center of the target (called bull’s eye) fetched the highest score of 5. The only other possible scores that a player could achieve were 4, 3, 2 and 1. Every bull’s eye score in the first three rounds gave a player one additional chance to shoot in the bonus rounds, Rounds 4 to 6. The possible scores in Rounds 4 to 6 were identical to the first three.

A player’s total score in the tournament was the sum of his/her scores in all rounds played by him/her. The table below presents partial information on points scored by the players after completion of the tournament. In the table, NP means that the player did not participate in that round, while a hyphen means that the player participated in that round and the score information is missing.

	Round-1	Round-2	Round-3	Round-4	Round-5	Round-6
Tanzi	-	4	-	5	NP	NP
Umeza	-	-	-	1	2	NP
Wangdu	-	4	-	NP	NP	NP
Xyla	-	-	-	1	5	-
Yonita	-	-	3	5	NP	NP
Zeneca	-	-	-	5	5	NP

The following facts are also known.

1. Tanzi, Umeza and Yonita had the same total score.
2. Total scores for all players, except one, were in multiples of three.
3. The highest total score was one more than double of the lowest total score.
4. The number of players hitting bull’s eye in Round 2 was double of that in Round 3.
5. Tanzi and Zeneca had the same score in Round 1 but different scores in Round 3.

1. What was the highest total score?
1. 25 2. 21 3. 24 4. 23
2. What was Zeneca's total score?
1. 21 2. 22 3. 23 4. 24
3. Which of the following statements is true?
1. Xyla’s score was 23
2. Xyla was the highest scorer
3. Zeneca was the highest scorer
4. Zeneca’s score was 23
4. What was Tanzi's score in Round 3?
1. 5 2. 4 3. 1 4. 3

[Click here for video solution](#)

SET 309 Evaluation

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)


[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Five vendors are being considered for a service. The evaluation committee evaluated each vendor on six aspects – Cost, Customer Service, Features, Quality, Reach, and Reliability. Each of these evaluations are on a scale of 0 (worst) to 100 (perfect). The evaluation scores on these aspects are shown in the radar chart. For example, Vendor 1 obtains a score of 52 on Reliability, Vendor 2 obtains a score of 45 on Features and Vendor 3 obtains a score of 90 on Cost.



[Click here for video solution](#)

- On which aspect is the median score of the five vendors the least?
1. Quality 2. Cost 3. Customer Service 4. Reliability
- A vendor's final score is the average of their scores on all six aspects. Which vendor has the highest final score?
1. Vendor 1 2. Vendor 2 3. Vendor 4 4. Vendor 3
- List of all the vendors who are among the top two scorers on the maximum number of aspects is:
1. Vendor 2 and Vendor 5 2. Vendor 1 and Vendor 5
3. Vendor 1 and Vendor 2 4. Vendor 2, Vendor 3 and Vendor 4
- List of all the vendors who are among the top three vendors on all six aspects is:
1. Vendor 1 2. None of the Vendors
3. Vendor 3 4. Vendor 1 and Vendor 3

SET 310 Crime Analysis

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)


To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

The Ministry of Home Affairs is analysing crimes committed by foreigners in different states and union territories (UT) of India. All cases refer to the ones registered against foreigners in 2016.

The number of cases – classified into three categories: IPC crimes, SLL crimes and other crimes – for nine states/UTs are shown in the figure below. These nine belong to the top ten states/UTs in terms of the total number of cases registered. The remaining state (among top ten) is West Bengal, where all the 520 cases registered were SLL crimes.

The table below shows the ranks of the ten states/UTs mentioned above among ALL states/UTs of India in terms of the number of cases registered in each of the three category of crimes. A state/UT is given rank r for a category of crimes if there are $(r-1)$ states/UTs having a larger number of cases registered in that category of crimes. For example, if two states have the same number of cases in a category, and exactly three other states/UTs have larger numbers of cases registered in the same category, then both the states are given rank 4 in that category. Missing ranks in the table are denoted by *.

	IPC Crimes	SLL Crimes	Other Crimes
Delhi	*	*	*
Goa	*	4	*
Haryana	8	6	*
Karnataka	3	2	*
Kerala	*	9	*
Maharashtra	3	4	8
Puducherry	13	29	*
Tamil Nadu	11	7	*
Telangana	6	9	8
West Bengal	17	*	16



1. What is the rank of Kerala in the 'IPC crimes' category?
2. In the two states where the highest total number of cases are registered, the ratio of the total number of cases in IPC crimes to the total number in SLL crimes is closest to:
1. 11:10 2. 19: 20 3. 1: 9 4. 3: 2
3. Which of the following is DEFINITELY true about the ranks of states/UT in the 'other crimes' category?
i) Tamil Nadu: 2 ii) Puducherry: 3
1. both i) and ii) 2. only i) 3. only ii) 4. neither i) , nor ii)
4. What is the sum of the ranks of Delhi in the three categories of crimes?

SET 311 Cryptography

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

The following table represents addition of two six-digit numbers given in the first and the second rows, while the sum is given in the third row. In the representation, each of the digits 0, 1, 2, 3, 4, 5, 6, 7, 8, 9 has been coded with one letter among A, B, C, D, E, F, G, H, J, K, with distinct letters representing distinct digits.

		B	H	A	A	G	F
+		A	H	J	F	K	F
	A	A	F	G	C	A	F

[Click here for video solution](#)

1. Which digit does the letter A represent?
2. Which digit does the letter B represent?
3. Which among the digits 3, 4, 6 and 7 cannot be represented by the letter D?
4. Which among the digits 4, 6, 7 and 8 cannot be represented by the letter G?

SET 312 Street Maps

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)


[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

The figure below shows the street map for a certain region with the street intersections marked from a through l. A person standing at an intersection can see along straight lines to other intersections that are in her line of sight and all other people standing at these intersections. For example, a person standing at intersection g can see all people standing at intersections b, c, e, f, h, and k. In particular, the person standing at intersection g can see the person standing at intersection e irrespective of whether there is a person standing at intersection f.



1. Who is standing at intersection a?
 1. No one 2. Y 3. V 4. W
2. Who can V see?
 1. U, W and Z only 2. Z only
 3. U and Z only 4. U only
3. What is the minimum number of street segments that X must cross to reach Y?
 1. 1 2. 4 3. 3 4. 2
4. Should a new person stand at intersection d, who among the six would she see?
 1. U and Z only 2. V and X only
 3. W and X only 4. U and W only

Six people U, V, W, X, Y, and Z, are standing at different intersections. No two people are standing at the same intersection.

The following additional facts are known.

1. X, U, and Z are standing at the three corners of a triangle formed by three street segments.
2. X can see only U and Z.
3. Y can see only U and W.
4. U sees V standing in the next intersection behind Z.
5. W cannot see V or Z.
6. No one among the six is standing at intersection d.

[Click here for video solution](#)

SET 313 Three Departments

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)


[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

A large store has only three departments, Clothing, Produce, and Electronics. The following figure shows the percentages of revenue and cost from the three departments for the years 2016, 2017 and 2018. The dotted lines depict percentage levels. So, for example, in 2016, 50% of store's revenue came from its Electronics department while 40% of its costs were incurred in the Produce department.



In this setup, Profit is computed as (Revenue – Cost) and Percentage Profit as Profit/Cost × 100%.

It is known that

1. The percentage profit for the store in 2016 was 100%.
2. The store’s revenue doubled from 2016 to 2017, and its cost doubled from 2016 to 2018.
3. There was no profit from the Electronics department in 2017.
4. In 2018, the revenue from the Clothing department was the same as the cost incurred in the Produce department.

1. What was the percentage profit of the store in 2018?
2. What was the ratio of revenue generated from the Produce department in 2017 to that in 2018?
1. 4: 3 2. 9: 16 3. 8: 5 4. 16: 9
3. What percentage of the total profits for the store in 2016 was from the Electronics department?
4. What was the approximate difference in profit percentages of the store in 2017 and 2018?
1. 8.3 2. 15.5 3. 25 4. 33.3

SET 314 Elections

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

Students in a college are discussing two proposals –

- A: a proposal by the authorities to introduce dress code on campus, and
B: a proposal by the students to allow multinational food franchises to set up outlets on college campus.
A student does not necessarily support either of the two proposals.

In an upcoming election for student union president, there are two candidates in fray: Sunita and Ragini. Every student prefers one of the two candidates.
A survey was conducted among the students by picking a sample of 500 students.
The following information was noted from this survey.

1. 250 students supported proposal A and 250 students supported proposal B.
2. Among the 200 students who preferred Sunita as student union president, 80% supported proposal A.
3. Among those who preferred Ragini, 30% supported proposal A.
4. 20% of those who supported proposal B preferred Sunita.
5. 40% of those who did not support proposal B preferred Ragini.
6. Every student who preferred Sunita and supported proposal B also supported proposal A.
7. Among those who preferred Ragini, 20% did not support any of the proposals.

1. Among the students surveyed who supported proposal A, what percentage preferred Sunita for student union president?
2. What percentage of the students surveyed who did not support proposal A preferred Ragini as student union president?
3. What percentage of the students surveyed who supported both proposals A and B preferred Sunita as student union president?
1. 25 2. 50 3. 20 4. 40
4. How many of the students surveyed supported proposal B, did not support proposal A and preferred Ragini as student union president?
1. 150 2. 210 3. 200 4. 40

[Click here for video solution](#)

SET 315 Languages Spoken

Students love our Social Media Presence, know yourself why !!



[Instagram Channel](#)

Exam Updates & Vocab Building



[Facebook Prep Group](#)

All major practices & Events



[Telegram Practice Group](#)

[Telegram Channel](#)



[LinkedIn](#)

To register for our CAT Courses, visit www.quantifiers.in | Call/WA: 9988656560

ence				✓				✓
------	--	--	--	---	--	--	--	---

following facts are known.

Each team speaks exactly four languages and has the same number of members.

- Robert is in Team 1 and Quentin is in Team 3.

Clocks & Calendar – Very Important for SNAP/CMAT



[Click here to watch complete lecture](#)

GEOMETRY REVISION
SESSION – Cover the
important aspects

[Click here to watch complete lecture](#)

Very important for CAT

Quantifiers



The Bullet Time Concept
Learn one of the best applications of relative speed



Quantifiers



The Bullet Time Concept
*Learn one of the best
applications of relative
speed*



Quantifiers



The Bullet Time Concept
Learn one of the best applications of relative speed



[Click here to learn
new concept](#)

DESCARTE'S RULE OF SIGN CHANGE

+--+--+--+--+--

POWERED BY: QUANTIFIERS

[Click here to learn new
concept](#)

Quantifiers

Making Education Easier

Set of the day and Read of the day

**If you want to receive these sets,
important questions and practice links
in WhatsApp inbox, fill the form**

[Click here to fill the form](#)



*Join our FB & Telegram group for
regular practice*

[Click here to join our Facebook
Group](#)

[Click here to join Telegram doubt discussion Group](#)

**If you want to receive these sets,
important questions and practice links
in WhatsApp inbox, fill the form**

[Click here to fill the form](#)



Read of the day:

[Click here to discover read of the day](#)



Reading
Comprehension

[RC of the day -
Join Group to
Attempt](#)

[Click here to join our Facebook Group](#)



If you want to receive these sets,
important questions and practice links
in WhatsApp inbox, fill the form

[Click here to fill the form](#)



**NEW BATCH FOR
CAT SOON**

THIS IS NOT THE END, THIS IS WHERE THE JOURNEY BEGINS 😊



?

You

This is where we will write your story, because we know you've it in you, and we will do our best to bring out the best version of you.

Together we will.

#Milkekrenge