

FLIGHT PLAN					
PRIORITY <<≡ FF →		ADDRESSEE(S) <<≡			
DATE OF FILING 		ORIGINATOR <<≡			
SPECIFIC IDENTIFICATION OF ADDRESSEE(S) AND/OR ORIGINATOR					
3. MESSAGE TYPE <<≡ (FPL —		7. AIRCRAFT IDENTIFICATION 		8. FLIGHT RULES —	
TYPE OF FLIGHT <<≡					
9. NUMBER —		TYPE OF AIRCRAFT 		WAKE TURBULENCE CATEGORY /	
10. EQUIPMENT — <<≡					
13. DEPARTURE AERODROME 		TIME <<≡			
15. CRUISING SPEED 		LEVEL 		ROUTE →	
16. DESTINATION AERODROME —					
TOTAL EET 		ALTN AERODROME →		2 ND ALTN AERODROME → <<≡	
18. OTHER INFORMATION —					
) <<≡					
SUPPLEMENTARY INFORMATION (NOT TO BE TRANSMITTED IN FPL MESSAGES)					
19 ENDURANCE		EMERGENCY RADIO			
HR MIN E / → P /		UHF VHF ELT → R /			
SURVIVAL EQUIPMENT → / POLAR DESERT MARITIME JUNGLE		JACKETS LIGHT FLOURES UHF VHF J / L F U V			
DINGHIES NUMBER CAPACITY COVER COLOUR					
→ D / → → C → <<≡					
AIRCRAFT COLOUR AND MARKINGS A /					
REMARKS N / <<≡					
PILOT IN COMMAND C /) <<≡					
FILED BY					
CERTIFICATION					
This is to certify that the above entries are true and correct and that, pilot-in-command of this aircraft, pledge not to fly over prohibited and restricted areas; will not willfully deviate from the filed flight plan, except when necessary in the interest of safety; will operate only in accordance with existing Civil and Military regulations; and will not operate in any manner inimical to the security of the Republic of the Philippines. The herein Pilot-in-Command is qualified to fly the route mentioned in this Flight Plan.					
_____ PILOT'S NAME AND SIGNATURE		_____ LICENSE NO., RATING & EXPIRY DATE		OR _____ DULY AUTHORIZED REPRESENTATIVE	
_____ LICENSE NO.& EXPIRY DATE					
CAAP ACCEPTANCE					
Received by:		Date/Time Filed		Facility/Airport	

I N S T R U C T I O N S

1. Accomplish form in Triplicate:
- a) Original (white) to AIS, FSS, TWR or Airport Officer In-Charge

b) Duplicate (yellow) to pilot in-command

c) Triplicate (green) to aircraft owner/operator
2. Complete all items in the Flight Plan form as required using capital letters.
3. Completed flight plan form must be personally filed, faxed or AFTN by the pilot in-command or his duly licensed authorized representative (Licensed Flight Dispatcher) with the appropriate air traffic services unit (AIS, FSS and TWR accordingly) one (1) hour before the EOBT.
4. ERASURE OR ALTERATION IN ACCOMPLISHING THIS FORM IS NOT ALLOWED.
5. Filed flight plan shall be kept for a period of one (1) year and must be made available for references by the appropriate authority.
6. Attach passenger manifest (for general aviation flights).
7. Include client name, postal address with expiry date to operate and contact number in the remarks (for general aviation flights).

Q U I C K G U I D E

Field 10a

N No capabilities-
Include no other entries if filed
S Standard
A GBAS Landing System
B LPV (APV w/SBAS)
C LORAN C
D DME

E1-E3 ACARS
E1 FMC WPR
E2 D-FIS
E3 PDC
F ADF
G GNSS
H HF RTF
I INS

J1 CPDLC ATN
J1 VDL Mode 2

J2-J7 CPDLC FANS 1/A
J2 HFDL
J3 VDL Mode A
J4 VDL Mode 2
J5 Satcom Inmarsat
J6 Satcom MTSAT
J7 Satcom Iridium
K MLS
L ILS

Satcom RTE
M1 Inmarsat
M2 MTSAT
M3 Iridium
O VOR

P1-P9 RCP
P1 CPDLC RCP 400
P2 CPDLC RCP240
P3 Sat Voice RCP400
P4-P9 Reserved
Q Reserved
R PBN
T TACAN
U UHF RTF
V VHF RTF
W RVSM
X MNPS
Y 8.33 kHz VHF
Z Other Cap.

- Notes:
1. Filing R requires a PBN/ entry in Field 18
2. Filing Z requires a NAV/, COM/, or DAT/ entry in Field 18
3. Standard equipment is VOR, VHF, and ILS
4. File Field in the order shown (e.g. SDGIRW)

Field 10b

N No capability-
Include no other entries if filed

Transponder (file no more than one letter)
A Mode A
CMode A and C

S Mode S, ACID and Altitude
P Mode S, Altitude, no ACID
I Mode S, ACID, no Altitude
X Mode S, no ACID, no Altitude
E Mode S, ACID, Altitude, extended squitter
H Mode S, ACID, Altitude, Enhanced Surveillance
L Mode S, ACID, Altitude, Enhanced Surveillance,
extended squitter

ADS-B
B1 1090 MHz out capability, or
B2 1090 MHz out and in capability
U1 UAT out capability, or
U2 UAT out and in capability
V1 VDL Mode 4 out capability, or
V2 VDL Mode 4 out and in capability

ADS-C
D1 ADS-C FANS-1/A, and/or
G1 ADS-C ATN

Note:
1.Include items as applicable for transponder, ADS-B, and ADS-C. File “N” only if none of the capabilities are applicable.

Field 18 Other Information

(File in this order)

STS/ Special Handling (see list)
PBN/ Performance Based Navigation (see list)
NAV/ Other Navigation Capability (see FAA rqmts)
COM/ Other Comm. Capability
DAT/ Other Data Application or Capabilities
SUR/ Other Surveillance Capability (see FAA rqmts)
DEP/ Non-standard Departure (e.g. MD24)
DEST/ Non-standard Destination (e.g. EMI090021)
DOF/ Date of Flight (e.g. 121123)
REG/ Registration (if not in callsign) (e.g. N123A)
EET/ Estimated Elapsed Times (e.g. KZNY0124)
SEL/ SELCAL (e.g. BPAM)
TYP/ Non-standard AC Type
CODE/ 24-bit address (e.g. A519D9)
DLE/ Delay (at a fix) (e.g. EXXON0120)
OPR/ Operator
ORGN/ Flight Plan Originator (e.g. KHOUARCW)
PER/ Performance Category (e.g. A)
ALTN/ Non-standard Alternate(s) (e.g. 61NC)
RALT/ Enroute Alternate(s) (e.g. EINN CYR KDTW)
TALT/ TAKE-OFF Alternate(s) (e.g. KTEB)
RIF/ Route to revised Destination
RMK/ Remarks

PBN/ capabilities (8 max)

A1 RNAV10 (RNP10)L1 RNP 4

RNAV 5
B1 All
B2 GNSSO2 GNSS
B3 DME/DME

RNP 1
O1 All
O3 DME/DME

B5 INS or IRS
B6 LORANC

RNAV 2
C1 All
C2 GNSS
C3 DME/DME
C4 DME/DME/IRU

Approach
S1 RNP APCH
S2 RNP APCH w/
BARO VNAV

RNAV 1
D1All
D2 GNSS
D3 DME/DME
D4 DME/DME/IRU without RF

AR Approach
T1 RNP AR APCH
with RF
T2 RNP AR APCH

SUR/ capabilities

RSP180
RSP400

DEST/ Non-standard Destination

Ex. DEST/1234N56789E where
where: 12 – degrees, 34 – minutes
567 – degrees, 89 - minutes

Republic of the Philippines
CIVIL AVIATION AUTHORITY OF THE PHILIPPINES
Old MIA Rd. Pasay City, Metro Manila 1300

FLIGHT PLAN			
PRIORITY <<≡ FF →		ADDRESSEE(S)	
DATE OF FILING 0 18 0 0 0 0 →		ORIGINATOR ____ <<≡	
SPECIFIC IDENTIFICATION OF ADDRESSEE(S) AND/OR ORIGINATOR			
3. MESSAGE TYPE <<≡ (FPL —		7. AIRCRAFT IDENTIFICATION R P C 1 8 8 6	
9. NUMBER — 1		10. EQUIPMENT S / C <<≡	
TYPE OF AIRCRAFT S I R A		WAKE TURBULENCE CATEGORY L	
13. DEPARTURE AERODROME Z Z Z Z		TIME 0 1 0 0 <<≡	
15. CRUISING SPEED N 0 0 8 0		LEVEL A 0 0 6 5	
ROUTE RPT-20 BINALONAN → RPUG → RPUS → RPUQ → RPL			
<<≡			
16. DESTINATION AERODROME — R P L I		TOTAL EET 0 2 0 0 →	
		ALTN AERODROME R P U Q	
		2ND ALTN AERODROME R P U S <<≡	
18. OTHER INFORMATION DOF/ 221108 DEP/ RPT-20 BINALONAN RMK/ STUDENT: JOSE MARI CHAN 123456-SPL P2002JF 25 APR 2024) <<≡			
SUPPLEMENTARY INFORMATION (NOT TO BE TRANSMITTED IN FPL MESSAGES)			
19 ENDURANCE		EMERGENCY RADIO	
HR MIN E / 0 5 0 0 →		PERSONS ON BOARD P / 0 0 2	
SURVIVAL EQUIPMENT → S / X		JACKETS J / X	
POLAR DESERT MARITIME JUNGLE X X M J		LIGHT FLOURES UHF VHF X F X X	
DINGHIES NUMBER CAPACITY COVER COLOUR → X / [] [] C [] <<≡			
AIRCRAFT COLOUR AND MARKINGS A / WHITE BODY - BLUE TAIL - AIRCRAFT IDENTIFICATION ON RIGHT WING			
REMARKS N / WCC AVIATION COMPANY - BINALONAN, PANGASINAN - 04/09/23 - 075-636-5896 <<≡			
PILOT IN COMMAND C / JUAN DELA CRUZ) <<≡			
FILED BY			
CERTIFICATION			
This is to certify that the above entries are true and correct and that, pilot-in-command of this aircraft, pledge not to fly over prohibited and restricted areas; will not wilfully deviate from the filed flight plan, except when necessary in the interest of safety; will operate only in accordance with existing Civil and Military regulations; and will not operate in any manner inimical to the security of the Republic of the Philippines. The herein Pilot-in-Command is qualified to fly the route mentioned in this Flight Plan.			
Juan Dela Cruz (signature)		123456-CPL/FI P2002JF 15 MAR '25 OR	
PILOT'S NAME AND SIGNATURE		DULY AUTHORIZED REPRESENTATIVE	
LICENSE NO., RATING & EXPIRY DATE		LICENSE NO.& EXPIRY DATE	
CAAP ACCEPTANCE			
Received by:		Date/Time Filed Facility/Airport	

FLIGHT PLAN GUIDE

- ADDRESSEE: Input 8-digit sequence of addressee
 - E.g., ICAO four-letter location indicator assigned to the destination + ICAO three-letter designator identifying the aeronautical authority, service or aircraft operating agency addressed + the letter "X" or the one-letter designator identifying the department or division of the organization addressed.
 - References: ICAO Doc 7910 & 8585
 - **Leave this area blank**
- DATE OF FILING: 6-digit date-time group (day of the month, time in Zulu)
 - **E.g., Input "280100", as in 28th day of the month, 9:00AM local time**
- ORIGINATOR: Input 8-digit sequence of originator
 - Like the Addressee format but identifying the place of origin and the organization from which the message is originating from.
 - **Leave this area blank**
- AIRCRAFT IDENTIFICATION
 - Input the nationality or common mark and registration mark of the aircraft when it will be used for radiotelephony as the call sign or if the aircraft is not equipped with a radio.
 - **E.g., Input "RPC1972", "RPC1028", "RPC2284"**
- FLIGHT RULES:
 - I: IFR
 - **V: VFR**
 - Y: Initial IFR, followed by subsequent changes of flight rules
 - Z: Initial VFR, followed by subsequent changes of flight rules
 - **Input "V" for Visual Flight Rules**
- TYPE OF FLIGHT:
 - S: Scheduled Air Service
 - N: Non-scheduled Air Service
 - **G: General Aviation**
 - M: Military
 - X: other than any category defined above
 - General Aviation (GA) is defined by the International Civil Aviation Organization (ICAO) as "all civil aviation operations other than scheduled air services and non-scheduled air transport operations for remuneration or hire".
 - **Input "G" for General Aviation**

- NUMBER OF AIRCRAFT

- 1 or 2 characters, if more than one (1)
- **Input "1", for one (1) aircraft**

- TYPE OF AIRCRAFT

- Input appropriate aircraft type designator according to ICAO Doc 8643.
 - Cessna 152: **C152**
 - Cessna 172: **C172**
 - Tecnam P2002JF: **SIRA**
 - Tecnam P2006T: **P06T**
 - Cessna Grand Caravan: **C208**
 - GippsAero GA-8 Airvan: **GA8**
 - Let Turbolet: **L410**
- Note: If no designator is assigned, input "ZZZZ" and specify in Item 18 (Other Information) the numbers and type of aircraft preceded by "TYP/"
- **Input either "C152", "SIRA", "C172", or "P06T"**

- WAKE TURBULENCE CATEGORY

- Indicate the maximum certificated take-off mass of the aircraft through
 - H: Heavy – more than 136,000kg
 - M: Medium – less than 136,000kg, more than 7,000 kg
 - L: Light – less than 7,000kg
 - **Input "L" for Light Category**

- EQUIPMENT

- Radio Communication, Navigation, and Approach Aid Equipment and Capabilities
 - N: No COM/NAV/Approach Air Equipment carried
 - **S: Standard COM/NAV/Approach Air Equipment carried**
 - Standard Equipment is VHF, VOR, ILS
 - Surveillance Equipment
 - N: No equipment carried
 - A: Transponder Mode A
 - **C: Transponder Mode A & C**
- **Input "S/C" for Standard Equipment and Transponder Mode C carried**

- DEPARTURE AERODROME

- Only input 4-letter ICAO location designators. If no designator is assigned, input "ZZZZ" and specify in Item 18 the location of the aerodrome preceded by "DEP/"
- E.g., RPUS, RPUQ, RPUG
- **If RPT-20 Binalonan, Input "ZZZZ" and specify the location in Item 18 (Other Information) preceded by "DEP/"**

- TIME

- Input 4-digit ETD time group in Zulu
- **E.g.,**
 - **for 6:00AM sorties – 2200**
 - **for 10:00AM sorties – 0200**
 - **for 2:00PM sorties – 0600, so on**

- CRUISING SPEED

- True Airspeed for the first or whole cruising portion of the flight
- It can either be expressed in
 - KPH: K followed by 4 figures (K0110)
 - **Knots: N followed by 4 figures (N0080)**
 - Mach Number: M followed by 3 figures (to the nearest hundredth of unit)
 - **Input “N0080” to signify 80 knots**
 - **This will depend on the type of aircraft**

- CRUISING LEVEL:

- The planned cruising level for the first or whole portion of the route to be flown
- It can either be expressed in
 - Flight Level: F followed by 3 figures (F085, F250)
 - Meters: S followed by 4 figures (S1130)
 - **Altitude in hundreds of feet: A followed by 3 figures (A045, A100)**
 - **For air works/pattern work, input highest altitude to be used**
 - Altitude in tens of meters: M followed by 4 figures (M0840)
 - For uncontrolled VFR flights, input VFR
 - **E.g., Input “A0045” to signify cruising altitude of 4500 feet**

- ROUTE

- In our case, insert routes as airports
 - **E.g., For XC: RPT-20 BINALONAN → RPUG → RPUS**
- For local flights
 - **E.g., For LCL: RPT-20 BINALONAN (LOCAL)**

- DESTINATION AERODROME

- Only input 4-letter ICAO location designators. If no designator is assigned, input “ZZZZ” and specify in Item 18 the location of the aerodrome preceded by “DEST/”
- E.g., RPUS, RPUQ, RPUG
- **If RPT-20 Binalonan, Input “ZZZZ” and specify the location in Item 18 (Other Information) preceded by “DEST/”**

- TOTAL EET

- Input estimated enroute time as HH/MM
- **Such as "0130"**

- ALTERNATE AERODROMES

- Only input 4-letter ICAO location designators. If no designator is assigned, input "ZZZZ" and specify in Item 18 the location of the alternate aerodrome preceded by "ALTN/"
- E.g., RPUS, RPUQ, RPUG
- **If RPT-20 Binalonan, Input "ZZZZ" and specify the location in Item 18 (Other Information) preceded by "ALTN/"**

- OTHER INFORMATION

- Input "0" if no other information
- If Departure Aerodrome is "ZZZZ", input "DEP/RPT-20 Binalonan"
- If Destination Aerodrome is "ZZZZ", input "DEST/RPT-20 Binalonan"
- If Alternate Aerodrome is "ZZZZ", input "ALTN/RPT-20 Binalonan"
- **Required: Input date of flight departure in a six-figure format (YY/MM/DD) preceded by "DOF/"**
 - E.g., "DOF/ 221103"
- **Input any other plain language remarks such as name of student, checkrides, or test flights preceded by "RMK/"**
 - E.g.,
 - **If student is still SPL:**
 - "RMK/ STUDENT: JOSE MARI CHAN | 123456-SPL | C152 | 15 MAR '23"
 - **If student is PPL:**
 - "RMK/ INSTRUCTOR: JUAN DELA CRUZ | 123456-CPL/FI | C152 | 25 APR '24"
 - **"RMK/ TEST FLIGHT"**
 - **"RMK/ PPL CHECKRIDE"**

- ENDURANCE

- Input 4-number group indicating hours and minutes (HH/MM)
- **E.g., Input "0400"**

- PERSONS ON BOARD

- Total number of persons (pax and crew) on board
- "TBN" if total number of persons is not known at time of filing
- **E.g.,**
 - **Input "002" (Student and FI)**
 - **Input "004" (Student, FI, 2 Pax)**

- EMERGENCY AND SURVIVAL EQUIPMENT

- EMERGENCY RADIO
 - Cross out boxes that are not available
 - **Cross out "U"**
- SURVIVAL EQUIPMENT
 - Cross out boxes that are not available
 - **Cross out "P" and "D"**
- JACKETS
 - Cross out boxes that are not available
 - **Cross out "L", "U", and "V"**
- DINGHIES
 - 1: a small boat carried on or towed behind a larger boat as a tender or a lifeboat.
2: a small sailboat. 3: a rubber life raft.
 - **Cross out "D" as no dinghy is carried**

- AIRCRAFT COLOR AND MARKINGS

- Input aircraft color and appropriate significant markings
- **Input "WHITE BODY – BLUE TAIL – AIRCRAFT IDENTIFICATION ON RIGHT WING"**

- REMARKS

- Cross out "N" if no remarks
- Or indicate any other survival equipment carried or remarks regarding survival equipment, flight school and location, A/C expiry date to operate, contact number (safety department)
- **Input "WCC AVIATION COMPANY – BINALONAN, PANGASINAN – AIRCRAFT EXPIRY DATE TO OPERATE – 075-636-5896 (CONTACT NUMBER)"**

- PILOT IN COMMAND

- Input the name of the PIC
- In the case student trainees with no PPL yet, input the name of the Flight Instructor (FI)
- First Name – Middle Name – Last Name
- **If student is still SPL:**
 - **Input name of the FI as PIC "JUAN DELA CRUZ"**
- **If student is PPL:**
 - **Input name of student as PIC "JOSE MARI CHAN"**

- FILED BY

- Input the name of unit, agency, or person filing the flight plan
- For student trainees with no PPL yet, input the name of the Flight Instructor (FI) and the appropriate License Number, Aircraft Rating appropriate to the flight, and Expiry Date of License.
- **If student is still SPL:**
 - **Input name of the FI "Juan Dela Cruz, 123456 – CPL/FI P2002JF 15 MAR 2025"**
- **If student is PPL:**
 - **Input name of student "Jose Mari Chan, 123456 – PPL P2002JF 25 APR 2024"**