

Malware Monitoring Report

VFS Global Services Pvt. Ltd.

<http://www.vfsglobal.com/Newzealand/>

Confidential

Scan Date: 2018-01

Scope

Malware Monitoring for URL <http://www.vfsglobal.com/Newzealand/>

Limitations

1. The entire test was carried out with no prior knowledge of the systems and applications.
2. All test were carried out without any known credentials to systems and applications.
3. IndusGuard does not allowed to carry out any DoS attacks or to run any exploits which can affect systems availability.

Confidentiality

This document contains sensitive and/or confidential information, do not distribute, email, fax or transfer via any electronic mechanism without proper authorization. Information contained with in this document should be handled with appropriate caution. While reasonable attempts have been made to confirm the accuracy of the data contained herein, IndusGuard, assumes no liability for the completeness, use of, or conclusions drawn from such data.


Disclaimer

This, or any other, Security Audit cannot and does not guarantee security. IndusGuard makes no warranty or claim of any kind, whatsoever, about the accuracy or usefulness of any information provided herein. By using this information you agree that IndusGuard shall be held harmless in any event. IndusGuard makes this information available solely under its Terms of Service Agreement published at soc.indusguard.com.


Executive Summary

Total number of alert(s) identified are **15**


Alert v/s Severity Pie Chart



Alert v/s Open Status Pie Chart




Alert v/s Severity Bar Chart



Alert Summary

Severity	Total
Critical	0
High	0
Medium	9
Low	6
Info	0

Comparison Chart



Comparison Summary















Severity	14 Jan	15 Jan	16 Jan	17 Jan	18 Jan
Critical	0	0	0	0	0
High	0	0	0	0	0
Medium	9	9	9	9	9
Low	6	6	6	6	6
Info	0	0	0	0	0



Alert Details

Title	Total
Suspicious Change	9
External JavaScript	6

URL Blacklist Status

 Google Blacklist		SAFE
 Google Malware		SAFE
 Norton Safe Web		SAFE
 McAfee		SAFE
 PhishTank		SAFE
 Bing		SAFE
 Yahoo		SAFE

Alerts

Alert ID: **295919428**
Found on: 2018-01-18
Severity: Medium

Suspicious Change

Open Status: OPEN
First Found: 2017-12-07

Link Placed On: <http://www.vfsglobal.com/Newzealand/>

Affected URL: <http://www.vfsglobal.com/>

Solution:

IndusGuard has detected suspicious change in the code. Please compare below mentioned actual and modified source codes, and take appropriate action.

Detail:

The URL header may be changed by an external entity. If this change is authentic then you can neutralize it.

Result:

Header Difference

```

<meta http-equiv="Content-Type" content="text/html; charset=utf-8">
<title>VFS Global</title>
<meta name="google-site-verification" content="xahrZyiOj65i2PlzNsN4t6lOfXLsvV4l8f8Zxz4PKog">
<meta name="description" content="VFS Global, Diplomatic Missions and Governments Worldwide">
<meta name="keywords" content="VFS Global, Diplomatic Missions and Governments Worldwide, visa services, visa service,
global visa services, visa processing service, visa services chennai, indian visa, gulf visa services, tourist visa, visa application,
how to get visa, emirates visa services, visa services in india, , visa requirements, online visa application, visa online, visa services
in Chennai, european visa, visas, international visa service, visa office, visa services, travel visa, global visa service, visa
processing services, visa forms, emirates airlines visa service, visa services india, indian visa services, passport, us visa, visa
agent, uk visa india, schengen visa, us visa application, student visa services, visa service agency, russian visa application form,
canadian visa, indian embassy, saudi visa services, uk visa services in india, visa for America, visa india, visa help, worldwide visa
services, chinese visa service, tourist visa for us, chinese visa form, passport & visa services, visa service provider, australian visa,
visa service providers, how to get a visa, french visa, american visa, student visa, india visa, chinese visa application, marhaba
visa services, chinese visa requirements, europe visa, british embassy, work visa, saudi visa, passport application, us travel visa,
chinese business visa, american visa application form, us tourist visa, vfs visa services, indian visa service, types of visa, british
visa, visa validity service, visa information, russian tourist visa, visa agency, visa application form, visa form, passport forms,
chinese visa, global isas, visa and passport services, passport and visa services, business visa, international visa services, tourist
visa to us, us visa services, chinavisa, types of visas, on line passport application, visa services ebsite, visa express, chinese visa
application form, visa service provider list, american visa application, visa passport services, quick visa services, russian visa
requirements, travel agent visa service,">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<link rel="stylesheet" type="text/css" href="css/style.css">
<link rel="stylesheet" type="text/css" href="css/website.css">
<link rel="stylesheet" type="text/css" href="css/responsive.css">
<link rel="shortcut icon" type="image/x-icon" href="images/common/vfs.ico">
<link rel="shortcut icon" type="image/x-icon" href="images/common/vfs.ico">

```



```

<script type="text/javascript" src="js/ddaccordion.js"></script>
<script type="text/javascript" src="http://ajax.googleapis.com/ajax/libs/jquery/1.4.2/jquery.min.js">
</script>
<script src="http://ajax.googleapis.com/ajax/libs/jquery/1.9.0/jquery.min.js"></script>
<!-- Google Tag Manager -->
<script>(function(w,d,s,l,i){w[l]=w[l]||[];w[l].push(['gtm.start':
new Date().getTime(),event:'gtm.js']);var f=d.getElementsByTagName(s)[0],
j=d.createElement(s),dl=l!='dataLayer'?'&l='+l:'';j.async=true;j.src=
'https://www.googletagmanager.com/gtm.js?id='+i+dl;f.parentNode.insertBefore(j,f);
})(window,document,'script','dataLayer','GTM-P9Q5746');</script>
<!-- End Google Tag Manager -->
<!-- Global site tag (gtag.js) - Google Analytics -->
<script async="" src="https://www.googletagmanager.com/gtag/js?id=UA-40516346-1"></script>
<script>
window.dataLayer = window.dataLayer || [];
function gtag(){dataLayer.push(arguments);}
gtag('js', new Date());

gtag('config', 'UA-40516346-1');
</script>
<script type="text/javascript">

ddaccordion.init({
headerclass: "menuheaders", //Shared CSS class name of headers group
contentclass: "menucontents", //Shared CSS class name of contents group
revealtype: "mouseover", //Reveal content when user clicks or onmouseover the header? Valid value: "click", or "mouseover"
mouseoverdelay: 200, //If revealtype="mouseover", set delay in milliseconds before header expands onMouseover
collapseprev: true, //Collapse previous content (so only one open at any time)? true/false
defaultexpanded: [], //index of content(s) open by default [index1, index2, etc]. [] denotes no content.
onemustopen: false, //Specify whether at least one header should be open always (so never all headers closed)
animatedefault: false, //Should contents open by default be animated into view?
persiststate: false, //persist state of opened contents within browser session?
toggleclass: ["unselected", "selected"], //Two CSS classes to be applied to the header when it's collapsed and expanded,
respectively ["class1", "class2"]
togglehtml: ["none", "", ""], //Additional HTML added to the header when it's collapsed and expanded, respectively ["position",
"html1", "html2"] (see docs)
animatespeed: 500, //speed of animation: integer in milliseconds (ie: 200), or keywords "fast", "normal", or "slow"
oninit:function(expandedindices){ //custom code to run when headers have initialized
//do nothing
},
onopenclose:function(header, index, state, isuseractivated){ //custom code to run whenever a header is opened or closed
//do nothing
}
})

</script>
<script type="text/javascript" src="js/jquery.js"></script>
<script type="text/javascript" src="js/easySlider1.7.js"></script>
<script type="text/javascript">
$(document).ready(function(){
$("#slider").easySlider({
auto: true,
continuous: true
});
});
</script>
<script type="text/javascript">
function menu(whatState)
{ //alert (whatState);
document.getElementById("langu").style.display=whatState;
}
</script>
<script type="text/javascript">
function menu(whatState)
{ //alert (whatState);
document.getElementById("langu").style.display=whatState;
}
</script>
<script language="javascript" type="text/javascript">
function senddata()
{
window.location = "search/search.asp?text=" + document.getElementById('search').value;
}
</script>
<script src="js/responsive.js" type="application/javascript"></script>
<!-- (max-width: 768px)>
<script>
$(function(){
$("#visa_info_panel").insertBefore(".watermark");

```



```
});
</script>
<[endif]->
```

Alert ID: 295919453	Found on: 2018-01-18	Severity: Medium
Suspicious Change		
Open Status: OPEN	First Found: 2017-12-07	
Link Placed On:	http://www.vfsglobal.com/	
Affected URL:	http://www.vfsglobal.com/index.asp	

Solution:

IndusGuard has detected suspicious change in the code. Please compare below mentioned actual and modified source codes, and take appropriate action.

Detail:

The URL header may be changed by an external entity. If this change is authentic then you can neutralize it.

Result:

Header Difference

```
<meta http-equiv="Content-Type" content="text/html; charset=utf-8">
<title>VFS Global</title>
<meta name="google-site-verification" content="xahrZyiOj65i2PlzNsN4t6lOfXLsvV4l8f8Zxz4PKog">
<meta name="description" content="VFS Global, Diplomatic Missions and Governments Worldwide">
<meta name="keywords" content="VFS Global, Diplomatic Missions and Governments Worldwide, visa services, visa service,
global visa services, visa processing service, visa services chennai, indian visa, gulf visa services, tourist visa, visa application,
how to get visa, emirates visa services, visa services in india, , visa requirements, online visa application, visa online, visa services
in Chennai, european visa, visas, international visa service, visa office, visa services, travel visa, global visa service, visa
processing services, visa forms, emirates airlines visa service, visa services india, indian visa services, passport, us visa, visa
agent, uk visa india, schengen visa, us visa application, student visa services, visa service agency, russian visa application form,
canadian visa, indian embassy, saudi visa services, uk visa services in india, visa for America, visa india, visa help, worldwide visa
services, chinese visa service, tourist visa for us, chinese visa form, passport & visa services, visa service provider, australian visa,
visa service providers, how to get a visa, french visa, american visa, student visa, india visa, chinese visa application, marhaba
visa services, chinese visa requirements, europe visa, british embassy, work visa, saudi visa, passport application, us travel visa,
chinese business visa, american visa application form, us tourist visa, vfs visa services, indian visa service, types of visa, british
visa, visa validity service, visa information, russian tourist visa, visa agency, visa application form, visa form, passport forms,
chinese visa, global isas, visa and passport services, passport and visa services, business visa, international visa services, tourist
visa to us, us visa services, chinavisa, types of visas, on line passport application, visa services ebsite, visa express, chinese visa
application form, visa service provider list, american visa application, visa passport services, quick visa services, russian visa
requirements, travel agent visa service,">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<link rel="stylesheet" type="text/css" href="css/style.css">
<link rel="stylesheet" type="text/css" href="css/website.css">
<link rel="stylesheet" type="text/css" href="css/responsive.css">
<link rel="shortcut icon" type="image/x-icon" href="images/common/vfs.ico">
<link rel="shortcut icon" type="image/x-icon" href="images/common/vfs.ico">

<script type="text/javascript" src="js/ddaccordion.js"></script>
<script type="text/javascript" src="http://ajax.googleapis.com/ajax/libs/jquery/1.4.2/jquery.min.js">
</script>src="http://ajax.googleapis.com/ajax/libs/jquery/1.9.0/jquery.min.js"></script>
<!-- Google Tag Manager -->
<script>(function(w,d,s,l,i){w[l]=w[l]||[];w[l].push(['gtm.start':
new Date().getTime(),event:'gtm.js']);var f=d.getElementsByTagName(s)[0],
j=d.createElement(s),dl=l!='dataLayer'?'&l='+l:'';j.async=true;j.src=
'https://www.googletagmanager.com/gtm.js?id='+i+dl;f.parentNode.insertBefore(j,f);
})(window.document,'script','dataLayer','GTM-P9Q5746');</script>
<!-- End Google Tag Manager -->
<!-- Global site tag (gtag.js) - Google Analytics -->
<script async="" src="https://www.googletagmanager.com/gtag/js?id=UA-40516346-1"></script>
<script>
window.dataLayer = window.dataLayer || [];
function gtag(){dataLayer.push(arguments);}
gtag('js', new Date());

gtag('config', 'UA-40516346-1');
</script>
<script type="text/javascript">
```

```

ddaccordion.init({
headerclass: "menuheaders", //Shared CSS class name of headers group
contentclass: "menucontents", //Shared CSS class name of contents group
revealtype: "mouseover", //Reveal content when user clicks or onmouseover the header? Valid value: "click", or "mouseover"
mouseoverdelay: 200, //If revealtype="mouseover", set delay in milliseconds before header expands onmouseover
collapseprev: true, //Collapse previous content (so only one open at any time)? true/false
defaultexpanded: [], //index of content(s) open by default [index1, index2, etc]. [] denotes no content.
onemustopen: false, //Specify whether at least one header should be open always (so never all headers closed)
animatedefault: false, //Should contents open by default be animated into view?
persiststate: false, //persist state of opened contents within browser session?
toggleclass: ["unselected", "selected"], //Two CSS classes to be applied to the header when it's collapsed and expanded,
respectively ["class1", "class2"]
togglehtml: ["none", "", ""], //Additional HTML added to the header when it's collapsed and expanded, respectively ["position",
"html1", "html2"] (see docs)
animatespeed: 500, //speed of animation: integer in milliseconds (ie: 200), or keywords "fast", "normal", or "slow"
oninit:function(expandedindices){ //custom code to run when headers have initialized
//do nothing
},
onopenclose:function(header, index, state, isuseractivated){ //custom code to run whenever a header is opened or closed
//do nothing
}
})

</script>
<script type="text/javascript" src="js/jquery.js"></script>
<script type="text/javascript" src="js/easySlider1.7.js"></script>
<script type="text/javascript">
$(document).ready(function(){
$("#slider").easySlider({
auto: true,
continuous: true
});
});
</script>
<script type="text/javascript">
function menu(whatState)
{ //alert (whatState);
document.getElementById("langu").style.display=whatState;
}
</script>
<script type="text/javascript">
function menu(whatState)
{ //alert (whatState);
document.getElementById("langu").style.display=whatState;
}
</script>
<script language="javascript" type="text/javascript">
function senddata()
{
window.location = "search/search.asp?text=" + document.getElementById('search').value;
}
</script>
<script src="js/responsive.js" type="application/javascript"></script>
<!-- (max-width: 768px)-->
<script>
$(function(){
$(".visa_info_panel").insertBefore(".watermark");
});
</script>
<[endif]>

```

Alert ID: 295919458

Found on: 2018-01-18

 Severity: Medium

Suspicious Change

Open Status: OPEN

First Found: 2017-12-11

Link Placed On: <http://www.vfsglobal.com/>

Affected URL: http://www.vfsglobal.com/about_us/company_profile.asp

Solution:

IndusGuard has detected suspicious change in the code. Please compare below mentioned actual and modified source codes, and take appropriate action.



Detail:

The URL header may be changed by an external entity. If this change is authentic then you can neutralize it.

Result:

Header Difference

```
<meta http-equiv="Content-Type" content="text/html; charset=utf-8">
<title>VFS Global</title>
<link rel="stylesheet" type="text/css" href="../css/style.css">
<link rel="stylesheet" type="text/css" href="../css/responsive.css">
<link rel="shortcut icon" type="image/x-icon" href="../images/common/vfs.ico">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<script type="text/javascript" src="../js/ddaccordion.js"></script>
<script type="text/javascript" src="http://ajax.googleapis.com/ajax/libs/jquery/1.4.2/jquery.min.js"></script>
```

```
<!-- Google Tag Manager -->
<script>(function(w,d,s,l,i){w[l]=w[l]||[];w[l].push(['gtm.start',
new Date().getTime(),event:'gtm.js']);var f=d.getElementsByTagName(s)[0],
j=d.createElement(s),dl='dataLayer'?&l='+l:'';j.async=true;j.src=
'https://www.googletagmanager.com/gtm.js?id='+i+dl;f.parentNode.insertBefore(j,f);
})(window,document,'script','dataLayer','GTM-P9Q5746');</script>
<!-- End Google Tag Manager -->
<!-- Global site tag (gtag.js) - Google Analytics -->
<script async="" src="https://www.googletagmanager.com/gtag/js?id=UA-40516346-1"></script>
<script>
window.dataLayer = window.dataLayer || [];
function gtag(){dataLayer.push(arguments);}
gtag('js', new Date());

gtag('config', 'UA-40516346-1');
</script>
<script type="text/javascript">
```

```
ddaccordion.init({
headerclass: "menuheaders", //Shared CSS class name of headers group
contentclass: "menucontents", //Shared CSS class name of contents group
revealttype: "mouseover", //Reveal content when user clicks or onmouseover the header? Valid value: "click", or "mouseover"
mouseoverdelay: 200, //if revealttype="mouseover", set delay in milliseconds before header expands onMouseover
collapseprev: true, //Collapse previous content (so only one open at any time)? true/false
defaultexpanded: [0], //index of content(s) open by default [index1, index2, etc]. [] denotes no content.
onemustopen: false, //Specify whether at least one header should be open always (so never all headers closed)
animatedefault: true, //Should contents open by default be animated into view?
persiststate: false, //persist state of opened contents within browser session?
toggleclass: ["unselected", "selected"], //Two CSS classes to be applied to the header when it's collapsed and expanded,
respectively ["class1", "class2"]
togglehtml: ["none", "", ""], //Additional HTML added to the header when it's collapsed and expanded, respectively ["position",
"html1", "html2"] (see docs)
animatespeed: 500, //speed of animation: integer in milliseconds (ie: 200), or keywords "fast", "normal", or "slow"
oninit:function(expandedindices){ //custom code to run when headers have initialized
//do nothing
},
onopenclose:function(header, index, state, isuseractivated){ //custom code to run whenever a header is opened or closed
//do nothing
}
})
```

```
</script>
<script type="text/javascript" src="../js/jquery.js"></script>
<script type="text/javascript" src="../js/easySlider1.7.js"></script>
<script type="text/javascript">
$(document).ready(function(){
$("#slider").easySlider({
auto: true,
continuous: true
});
});
</script>
<script type="text/javascript">
function menu(whatState)
{ //alert (whatState);
document.getElementById("langu").style.display=whatState;
}
```




```

</script>
<script language="javascript" type="text/javascript">
function senddata()
{
window.location = "search/search.asp?text=" + document.getElementById('search').value;
}
</script>
<script src="../../js/responsive.js" type="application/javascript"></script>

```

Alert ID: 295919459	Found on: 2018-01-18	Severity: Medium
Suspicious Change		
Open Status: OPEN	First Found: 2017-12-11	
Link Placed On:	http://www.vfsglobal.com/	
Affected URL:	http://www.vfsglobal.com/services_solutions/services_solutions.asp	

Solution:

IndusGuard has detected suspicious change in the code. Please compare below mentioned actual and modified source codes, and take appropriate action.

Detail:

The URL header may be changed by an external entity. If this change is authentic then you can neutralize it.

Result:

Header Difference

```

<meta http-equiv="Content-Type" content="text/html; charset=utf-8">
<title>VFS Global</title>
<link rel="stylesheet" type="text/css" href="../../css/style.css">
<link rel="stylesheet" type="text/css" href="../../css/responsive.css">
<link rel="shortcut icon" type="image/x-icon" href="../../images/common/vfs.ico">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<script type="text/javascript" src="../../js/ddaccordion.js"></script>
<script type="text/javascript" src="http://ajax.googleapis.com/ajax/libs/jquery/1.4.2/jquery.min.js"></script>
<!-- Google Tag Manager -->
<script>(function(w,d,s,l,i){w[l]=w[l]||[];w[l].push(['gtm.start',
new Date().getTime(),event:'gtm.js']);var f=d.getElementsByTagName(s)[0],
j=d.createElement(s),dl=l!='dataLayer'?'&l='+l:'';j.async=true;j.src=
'https://www.googletagmanager.com/gtm.js?id='+i+dl;f.parentNode.insertBefore(j,f);
})(window,document,'script','dataLayer','GTM-P9Q5746');</script>
<!-- End Google Tag Manager -->
<!-- Global site tag (gtag.js) - Google Analytics -->
<script async="" src="https://www.googletagmanager.com/gtag/js?id=UA-40516346-1"></script>
<script>
window.dataLayer = window.dataLayer || [];
function gtag(){dataLayer.push(arguments);}
gtag('js', new Date());

gtag('config', 'UA-40516346-1');
</script>
<script type="text/javascript">

ddaccordion.init({
headerclass: "menuheaders", //Shared CSS class name of headers group
contentclass: "menucontents", //Shared CSS class name of contents group
revealtype: "mouseover", //Reveal content when user clicks or onmouseover the header? Valid value: "click", or "mouseover"
mouseoverdelay: 200, //if revealtype="mouseover", set delay in milliseconds before header expands onMouseover
collapseprev: true, //Collapse previous content (so only one open at any time)? true/false
defaultexpanded: [0], //index of content(s) open by default [index1, index2, etc]. [] denotes no content.
onemustopen: false, //Specify whether at least one header should be open always (so never all headers closed)
animatedefault: true, //Should contents open by default be animated into view?
persiststate: false, //persist state of opened contents within browser session?
toggleclass: ["unselected", "selected"], //Two CSS classes to be applied to the header when it's collapsed and expanded,
respectively ["class1", "class2"]
togglehtml: ["none", "", ""], //Additional HTML added to the header when it's collapsed and expanded, respectively ["position",
"html1", "html2"] (see docs)
animatespeed: 500, //speed of animation: integer in milliseconds (ie: 200), or keywords "fast", "normal", or "slow"
oninit:function(expandedindices) //custom code to run when headers have initialized
//do nothing
},
onopenclose:function(header, index, state, isuseractivated) //custom code to run whenever a header is opened or closed
//do nothing

```

```

}
})

</script>
<script type="text/javascript" src="../../js/jquery.js"></script>
<script type="text/javascript" src="../../js/easySlider1.7.js"></script>
<script type="text/javascript">
$(document).ready(function(){
$("#slider").easySlider({
auto: true,
continuous: true
});
});
</script>
<script type="text/javascript">
function menu(whatState)
{ //alert (whatState);
document.getElementById("langu").style.display=whatState;
}
</script>
<script language="javascript" type="text/javascript">
function senddata()
{
window.location = "search/search.asp?text=" + document.getElementById('search').value;
}
</script>
<script src="../../js/responsive.js" type="application/javascript"></script>

```

Alert ID: 295919460	Found on: 2018-01-18	Severity: Medium
Suspicious Change		
Open Status: OPEN	First Found: 2017-12-11	
Link Placed On:	http://www.vfsglobal.com/	
Affected URL:	http://www.vfsglobal.com/customisation_innovation/customisation.asp	

Solution:

IndusGuard has detected suspicious change in the code. Please compare below mentioned actual and modified source codes, and take appropriate action.

Detail:

The URL header may be changed by an external entity. If this change is authentic then you can neutralize it.

Result:

Header Difference

```

<meta http-equiv="Content-Type" content="text/html; charset=utf-8">
<title>VFS Global</title>
<link rel="stylesheet" type="text/css" href="../../css/style.css">
<link rel="stylesheet" type="text/css" href="../../css/responsive.css">
<link rel="shortcut icon" type="image/x-icon" href="../../images/common/vfs.ico">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<script type="text/javascript" src="../../js/ddaccordion.js"></script>
<script type="text/javascript" src="http://ajax.googleapis.com/ajax/libs/jquery/1.4.2/jquery.min.js"></script>
<!-- Google Tag Manager -->
<script>(function(w,d,s,l,i){w[l]=w[l]||[];w[l].push({'gtm.start':
new Date().getTime(),event:'gtm.js'});var f=d.getElementsByTagName(s)[0],
j=d.createElement(s),dl=l!='dataLayer'?'&l='+l:'';j.async=true;j.src=
'https://www.googletagmanager.com/gtm.js?id='+i+dl;f.parentNode.insertBefore(j,f);
})(window,document,'script','dataLayer','GTM-P9Q5746');</script>
<!-- End Google Tag Manager -->
<!-- Global site tag (gtag.js) - Google Analytics -->
<script async="" src="https://www.googletagmanager.com/gtag/js?id=UA-40516346-1"></script>
<script>
window.dataLayer = window.dataLayer || [];
function gtag(){dataLayer.push(arguments);}
gtag('js', new Date());

gtag('config', 'UA-40516346-1');
</script>
<script type="text/javascript">

```

```

ddaccordion.init({

```



```

headerclass: "menuheaders", //Shared CSS class name of headers group
contentclass: "menucontents", //Shared CSS class name of contents group
revealttype: "mouseover", //Reveal content when user clicks or onmouseover the header? Valid value: "click", or "mouseover"
mouseoverdelay: 200, //if revealttype="mouseover", set delay in milliseconds before header expands onMouseover
collapseprev: true, //Collapse previous content (so only one open at any time)? true/false
defaultexpanded: [0], //index of content(s) open by default [index1, index2, etc]. [] denotes no content.
onemustopen: false, //Specify whether at least one header should be open always (so never all headers closed)
animatedefault: true, //Should contents open by default be animated into view?
persiststate: false, //persist state of opened contents within browser session?
toggleclass: ["unselected", "selected"], //Two CSS classes to be applied to the header when it's collapsed and expanded,
respectively ["class1", "class2"]
togglehtml: ["none", "", ""], //Additional HTML added to the header when it's collapsed and expanded, respectively ["position",
"html1", "html2"] (see docs)
animatespeed: 500, //speed of animation: integer in milliseconds (ie: 200), or keywords "fast", "normal", or "slow"
oninit:function(expandedindices) //custom code to run when headers have initialized
//do nothing
},
onopenclose:function(header, index, state, isuseractivated){ //custom code to run whenever a header is opened or closed
//do nothing
}
})

</script>
<script type="text/javascript" src="../../js/jquery.js"></script>
<script type="text/javascript" src="../../js/easySlider1.7.js"></script>
<script type="text/javascript">
$(document).ready(function(){
$("#slider").easySlider({
auto: true,
continuous: true
});
});
</script>
<script type="text/javascript">
function menu(whatState)
{ //alert (whatState);
document.getElementById("langu").style.display=whatState;
}
</script>
<script language="javascript" type="text/javascript">
function senddata()
{
window.location = "search/search.asp?text=" + document.getElementById('search').value;
}
</script>
<script src="../../js/responsive.js" type="application/javascript"></script>

```

Alert ID: 295919461	Found on: 2018-01-18	Severity: Medium
Suspicious Change		
Open Status: OPEN	First Found: 2017-12-11	
Link Placed On:	http://www.vfsglobal.com/	
Affected URL:	http://www.vfsglobal.com/our_expertise/security_practices.asp	

Solution:

IndusGuard has detected suspicious change in the code. Please compare below mentioned actual and modified source codes, and take appropriate action.

Detail:

The URL header may be changed by an external entity. If this change is authentic then you can neutralize it.

Result:

Header Difference

```

<meta http-equiv="Content-Type" content="text/html; charset=utf-8">
<title>VFS Global</title>
<link rel="stylesheet" type="text/css" href="../../css/style.css">
<link rel="stylesheet" type="text/css" href="../../css/responsive.css">
<link rel="shortcut icon" type="image/x-icon" href="../../images/common/vfs.ico">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<script type="text/javascript" src="../../js/ddaccordion.js"></script>

```



```

<script type="text/javascript" src="http://ajax.googleapis.com/ajax/libs/jquery/1.4.2/jquery.min.js"></script>
<!-- Google Tag Manager -->
<script>(function(w,d,s,l,i){w[l]=w[l]||[];w[l].push(['gtm.start':
new Date().getTime(),event:'gtm.js']);var f=d.getElementsByTagName(s)[0],
j=d.createElement(s),dl=l!='dataLayer'?'&l='+l:'';j.async=true;j.src=
'https://www.googletagmanager.com/gtm.js?id='+i+dl;f.parentNode.insertBefore(j,f);
})(window,document,'script','dataLayer','GTM-P9Q5746');</script>
<!-- End Google Tag Manager -->
<!-- Global site tag (gtag.js) - Google Analytics -->
<script async="" src="https://www.googletagmanager.com/gtag/js?id=UA-40516346-1"></script>
<script>
window.dataLayer = window.dataLayer || [];
function gtag(){dataLayer.push(arguments);}
gtag('js', new Date());

gtag('config', 'UA-40516346-1');
</script>
<script type="text/javascript">

ddaccordion.init({
headerclass: "menuheaders", //Shared CSS class name of headers group
contentclass: "menucontents", //Shared CSS class name of contents group
revealtype: "mouseover", //Reveal content when user clicks or onmouseover the header? Valid value: "click", or "mouseover"
mouseoverdelay: 200, //If revealtype="mouseover", set delay in milliseconds before header expands onMouseover
collapseprev: true, //Collapse previous content (so only one open at any time)? true/false
defaultexpanded: [0], //Index of content(s) open by default [index1, index2, etc]. [] denotes no content.
onemustopen: false, //Specify whether at least one header should be open always (so never all headers closed)
animatedefault: true, //Should contents open by default be animated into view?
persiststate: false, //persist state of opened contents within browser session?
toggleclass: ["unselected", "selected"], //Two CSS classes to be applied to the header when it's collapsed and expanded,
respectively ["class1", "class2"]
togglehtml: ["none", "", ""], //Additional HTML added to the header when it's collapsed and expanded, respectively ["position",
"html1", "html2"] (see docs)
animatespeed: 500, //speed of animation: integer in milliseconds (ie: 200), or keywords "fast", "normal", or "slow"
oninit:function(expandedindices){ //custom code to run when headers have initialized
//do nothing
},
onopenclose:function(header, index, state, isuseractivated){ //custom code to run whenever a header is opened or closed
//do nothing
}
})

</script>
<script type="text/javascript" src="../../js/jquery.js"></script>
<script type="text/javascript" src="../../js/easySlider1.7.js"></script>
<script type="text/javascript">
$(document).ready(function(){
$("#slider").easySlider({
auto: true,
continuous: true
});
});
</script>
<script type="text/javascript">
function menu(whatState)
{ //alert (whatState);
document.getElementById("langu").style.display=whatState;
}
</script>
<script language="javascript" type="text/javascript">
function senddata()
{
window.location = "search/search.asp?text=" + document.getElementById('search').value;
}
</script>
<script src="../../js/responsive.js" type="application/javascript"></script>

```

Alert ID: 295919462

Found on: 2018-01-18

 Severity: Medium

Suspicious Change

Open Status: OPEN

First Found: 2017-12-11

Link Placed On: <http://www.vfsglobal.com/>

Affected URL: http://www.vfsglobal.com/news_events/news_coverage.asp


Solution:

IndusGuard has detected suspicious change in the code. Please compare below mentioned actual and modified source codes, and take appropriate action.

Detail:

The URL header may be changed by an external entity. If this change is authentic then you can neutralize it.

Result:

Header Difference

```
<meta http-equiv="Content-Type" content="text/html; charset=utf-8">
<title>VFS Global</title>
<link rel="stylesheet" type="text/css" href="../css/style.css">
<link rel="stylesheet" type="text/css" href="../css/responsive.css">
<link rel="shortcut icon" type="image/x-icon" href="../images/common/vfs.ico">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<script type="text/javascript" src="../js/ddaccordion.js"></script>
<script type="text/javascript" src="http://ajax.googleapis.com/ajax/libs/jquery/1.4.2/jquery.min.js"></script>
<!-- Google Tag Manager -->
<script>(function(w,d,s,l,i){w[l]=w[l]||[];w[l].push(['gtm.start':
new Date().getTime(),event:'gtm.js']);var f=d.getElementsByTagName(s)[0],
j=d.createElement(s),dl=l!='dataLayer'?'&l='+l:'';j.async=true;j.src=
'https://www.googletagmanager.com/gtm.js?id='+i+dl;f.parentNode.insertBefore(j,f);
})(window,document,'script','dataLayer','GTM-P9Q5746');</script>
<!-- End Google Tag Manager -->
<!-- Global site tag (gtag.js) - Google Analytics -->
<script async="" src="https://www.googletagmanager.com/gtag/js?id=UA-40516346-1"></script>
<script>
window.dataLayer = window.dataLayer || [];
function gtag(){dataLayer.push(arguments);}
gtag('js', new Date());

gtag('config', 'UA-40516346-1');
</script>
<script type="text/javascript">

ddaccordion.init({
headerclass: "menuheaders", //Shared CSS class name of headers group
contentclass: "menucontents", //Shared CSS class name of contents group
revealtype: "mouseover", //Reveal content when user clicks or onmouseover the header? Valid value: "click", or "mouseover"
mouseoverdelay: 200, //if revealtype="mouseover", set delay in milliseconds before header expands onMouseover
collapseprev: true, //Collapse previous content (so only one open at any time)? true/false
defaultexpanded: [0], //index of content(s) open by default [index1, index2, etc]. [] denotes no content.
onemustopen: false, //Specify whether at least one header should be open always (so never all headers closed)
animatedefault: true, //Should contents open by default be animated into view?
persiststate: false, //persist state of opened contents within browser session?
toggleclass: ["unselected", "selected"], //Two CSS classes to be applied to the header when it's collapsed and expanded,
respectively ["class1", "class2"]
togglehtml: ["none", "", ""], //Additional HTML added to the header when it's collapsed and expanded, respectively ["position",
"html1", "html2"] (see docs)
animatespeed: 500, //speed of animation: integer in milliseconds (ie: 200), or keywords "fast", "normal", or "slow"
oninit:function(expandedindices){ //custom code to run when headers have initialized
//do nothing
},
onopenclose:function(header, index, state, isuseractivated){ //custom code to run whenever a header is opened or closed
//do nothing
}
})

</script>
<script type="text/javascript" src="../js/jquery.js"></script>
<script type="text/javascript" src="../js/easySlider1.7.js"></script>
<script type="text/javascript">
$(document).ready(function(){
$("#slider").easySlider({
auto: true,
continuous: true
});
});
</script>
<script type="text/javascript">
function menu(whatState)
{ //alert (whatState);
document.getElementById("langu").style.display=whatState;
}
}
```

```

</script>
<script language="javascript" type="text/javascript">
function senddata()
{
window.location = "search/search.asp?text=" + document.getElementById('search').value;
}
</script>
<script src="../../js/responsive.js" type="application/javascript"></script>

```

Alert ID: 295919549	Found on: 2018-01-18	Severity: Medium
Suspicious Change		
Open Status: OPEN	First Found: 2017-12-11	
Link Placed On:	http://www.vfsglobal.com/	
Affected URL:	http://www.vfsglobal.com/contact_us/overview.asp	

Solution:

IndusGuard has detected suspicious change in the code. Please compare below mentioned actual and modified source codes, and take appropriate action.

Detail:

The URL header may be changed by an external entity. If this change is authentic then you can neutralize it.

Result:

Header Difference

```

<meta http-equiv="Content-Type" content="text/html; charset=utf-8">
<title>VFS Global</title>
<link rel="stylesheet" type="text/css" href="../../css/style.css">
<link rel="stylesheet" type="text/css" href="../../css/responsive.css">
<link rel="shortcut icon" type="image/x-icon" href="../../images/common/vfs.ico">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<script type="text/javascript" src="../../js/ddaccordion.js"></script>
<script type="text/javascript" src="http://ajax.googleapis.com/ajax/libs/jquery/1.4.2/jquery.min.js"></script>
<!-- Google Tag Manager -->
<script>(function(w,d,s,l,i){w[l]=w[l]||[];w[l].push(['gtm.start',
new Date().getTime(),event:'gtm.js']);var f=d.getElementsByTagName(s)[0],
j=d.createElement(s),dl=l!='dataLayer'?'&l='+l:'';j.async=true;j.src=
'https://www.googletagmanager.com/gtm.js?id='+i+dl;f.parentNode.insertBefore(j,f);
})(window,document,'script','dataLayer','GTM-P9Q5746');</script>
<!-- End Google Tag Manager -->
<!-- Global site tag (gtag.js) - Google Analytics -->
<script async="" src="https://www.googletagmanager.com/gtag/js?id=UA-40516346-1"></script>
<script>
window.dataLayer = window.dataLayer || [];
function gtag(){dataLayer.push(arguments);}
gtag('js', new Date());

gtag('config', 'UA-40516346-1');
</script>
<script type="text/javascript">

ddaccordion.init({
headerclass: "menuheaders", //Shared CSS class name of headers group
contentclass: "menucontents", //Shared CSS class name of contents group
revealtypes: "mouseover", //Reveal content when user clicks or onmouseover the header? Valid value: "click", or "mouseover"
mouseoverdelay: 200, //if revealtypes="mouseover", set delay in milliseconds before header expands onMouseover
collapseprev: true, //Collapse previous content (so only one open at any time)? true/false
defaultexpanded: [0], //index of content(s) open by default [index1, index2, etc]. [] denotes no content.
onemustopen: false, //Specify whether at least one header should be open always (so never all headers closed)
animatedefault: true, //Should contents open by default be animated into view?
persiststate: false, //persist state of opened contents within browser session?
toggleclass: ["unselected", "selected"], //Two CSS classes to be applied to the header when it's collapsed and expanded,
respectively ["class1", "class2"]
togglehtml: ["none", "", ""], //Additional HTML added to the header when it's collapsed and expanded, respectively ["position",
"html1", "html2"] (see docs)
animatespeed: 500, //speed of animation: integer in milliseconds (ie: 200), or keywords "fast", "normal", or "slow"
oninit:function(expandedindices) //custom code to run when headers have initialized
//do nothing
},
onopenclose:function(header, index, state, isuseractivated) //custom code to run whenever a header is opened or closed
//do nothing

```

```

}
})

</script>
<script type="text/javascript" src="../../js/jquery.js"></script>
<script type="text/javascript" src="../../js/easySlider1.7.js"></script>
<script type="text/javascript">
$(document).ready(function(){
$("#slider").easySlider({
auto: true,
continuous: true
});
});
</script>
<script type="text/javascript">
function menu(whatState)
{ //alert (whatState);
document.getElementById("langu").style.display=whatState;
}
</script>
<script language="javascript" type="text/javascript">
function senddata()
{
window.location = "search/search.asp?text=" + document.getElementById('search').value;
}
</script>
<script src="../../js/responsive.js" type="application/javascript"></script>
<script src="../../js/visa-info.js" type="application/javascript"></script>

```

Alert ID: 295919550	Found on: 2018-01-18	Severity: Medium
Suspicious Change		
Open Status: OPEN	First Found: 2017-12-11	
Link Placed On:	http://www.vfsglobal.com/	
Affected URL:	http://www.vfsglobal.com/careers/our_hr_Philosophy.asp	

Solution:

IndusGuard has detected suspicious change in the code. Please compare below mentioned actual and modified source codes, and take appropriate action.

Detail:

The URL header may be changed by an external entity. If this change is authentic then you can neutralize it.

Result:

Header Difference

```

<meta http-equiv="Content-Type" content="text/html; charset=utf-8">
<title>VFS Global</title>
<link rel="stylesheet" type="text/css" href="../../css/style.css">
<link rel="stylesheet" type="text/css" href="../../css/responsive.css">
<link rel="shortcut icon" type="image/x-icon" href="../../images/common/vfs.ico">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<script type="text/javascript" src="../../js/ddaccordion.js"></script>
<script type="text/javascript" src="http://ajax.googleapis.com/ajax/libs/jquery/1.4.2/jquery.min.js"></script>
<!-- Google Tag Manager -->
<script>(function(w,d,s,l,i){w[l]=w[l]||[];w[l].push(['gtm.start',
new Date().getTime(),event:'gtm.js']);var f=d.getElementsByTagName(s)[0],
j=d.createElement(s),dl=l!='dataLayer'?'&l='+l:'';j.async=true;j.src=
'https://www.googletagmanager.com/gtm.js?id='+i+dl;f.parentNode.insertBefore(j,f);
})(window,document,'script','dataLayer','GTM-P9Q5746');</script>
<!-- End Google Tag Manager -->
<!-- Global site tag (gtag.js) - Google Analytics -->
<script async="" src="https://www.googletagmanager.com/gtag/js?id=UA-40516346-1"></script>
<script>
window.dataLayer = window.dataLayer || [];
function gtag(){dataLayer.push(arguments);}
gtag('js', new Date());

gtag('config', 'UA-40516346-1');
</script>
<script type="text/javascript">


```

```

ddaccordion.init({
headerclass: "menuheaders", //Shared CSS class name of headers group
contentclass: "menucontents", //Shared CSS class name of contents group
revealtype: "mouseover", //Reveal content when user clicks or onmouseover the header? Valid value: "click", or "mouseover"
mouseoverdelay: 200, //if revealtype="mouseover", set delay in milliseconds before header expands onMouseover
collapseprev: true, //Collapse previous content (so only one open at any time)? true/false
defaultexpanded: [0], //index of content(s) open by default [index1, index2, etc]. [] denotes no content.
onemustopen: false, //Specify whether at least one header should be open always (so never all headers closed)
animatedefault: true, //Should contents open by default be animated into view?
persiststate: false, //persist state of opened contents within browser session?
toggleclass: ["unselected", "selected"], //Two CSS classes to be applied to the header when it's collapsed and expanded,
respectively ["class1", "class2"]
togglehtml: ["none", "", ""], //Additional HTML added to the header when it's collapsed and expanded, respectively ["position",
"html1", "html2"] (see docs)
animatespeed: 500, //speed of animation: integer in milliseconds (ie: 200), or keywords "fast", "normal", or "slow"
oninit:function(expandedindices){ //custom code to run when headers have initialized
//do nothing
},
onopenclose:function(header, index, state, isuseractivated){ //custom code to run whenever a header is opened or closed
//do nothing
}
})

</script>
<script type="text/javascript" src="../../js/jquery.js"></script>
<script type="text/javascript" src="../../js/easySlider1.7.js"></script>
<script type="text/javascript">
$(document).ready(function(){
$("#slider").easySlider({
auto: true,
continuous: true
});
});
</script>
<script type="text/javascript">
function menu(whatState)
{ //alert (whatState);
document.getElementById("langu").style.display=whatState;
}
</script>
<script language="javascript" type="text/javascript">
function senddata()
{
window.location = "search/search.asp?text=" + document.getElementById('search').value;
}
</script>
<script src="../../js/responsive.js" type="application/javascript"></script>

```

Alert ID: 295919431	Found on: 2018-01-18	 Severity: Low
External JavaScript		
Open Status: OPEN	First Found: 2017-12-08	
Link Placed On:	http://www.vfsglobal.com/	
Affected URL:	https://www.googletagmanager.com/gtag/js	

Solution:

IndusGuard has detected an external javascript that is hosted on some other internet location. Please analyze it and take an appropriate action.

Detail:

We have found an external javascript on this URL.

This is a possible way to inject malware in your website. If this javascript is legitimate then please add this alert to the whitelist.

Alert ID: 295919437	Found on: 2018-01-18	 Severity: Low
External JavaScript		
Open Status: OPEN	First Found: 2017-07-31	
Link Placed On:	http://www.vfsglobal.com/	
Affected URL:	https://www.images-home.com/image.js	

Solution:


IndusGuard has detected an external javascript that is hosted on some other internet location. Please analyze it and take an appropriate action.



Detail:

We have found an external javascript on this URL.

This is a possible way to inject malware in your website. If this javascript is legitimate then please add this alert to the whitelist.

Alert ID: 295919438	Found on: 2018-01-18	 Severity: Low
External JavaScript		
Open Status: OPEN	First Found: 2017-12-07	
Link Placed On:	http://www.vfsglobal.com/	
Affected URL:	http://ajax.googleapis.com/ajax/libs/jquery/1.9.0/jquery.min.js	


Solution:

IndusGuard has detected an external javascript that is hosted on some other internet location. Please analyze it and take an appropriate action.

Detail:

We have found an external javascript on this URL.

This is a possible way to inject malware in your website. If this javascript is legitimate then please add this alert to the whitelist.

Alert ID: 295919457	Found on: 2018-01-18	 Severity: Low
External JavaScript		
Open Status: OPEN	First Found: 2017-07-31	
Link Placed On:	http://www.vfsglobal.com/about_us/company_profile.asp	
Affected URL:	http://ajax.googleapis.com/ajax/libs/jquery/1.4.2/jquery.min.js	


Solution:

IndusGuard has detected an external javascript that is hosted on some other internet location. Please analyze it and take an appropriate action.

Detail:

We have found an external javascript on this URL.

This is a possible way to inject malware in your website. If this javascript is legitimate then please add this alert to the whitelist.

Alert ID: 295921917	Found on: 2018-01-19	 Severity: Low
External JavaScript		
Open Status: OPEN	First Found: 2017-08-01	
Link Placed On:	http://www.vfsglobal.com/austria/thailand/	
Affected URL:	http://ajax.googleapis.com/ajax/libs/jquery/1.4.3/jquery.min.js	


Solution:

IndusGuard has detected an external javascript that is hosted on some other internet location. Please analyze it and take an appropriate action.

Detail:

We have found an external javascript on this URL.

This is a possible way to inject malware in your website. If this javascript is legitimate then please add this alert to the whitelist.

Alert ID: 295922273	Found on: 2018-01-19	 Severity: Low
External JavaScript		
Open Status: OPEN	First Found: 2017-08-01	
Link Placed On:	http://www.vfsglobal.com/bulgaria/oman/	
Affected URL:	http://ajax.googleapis.com/ajax/libs/jquery/1.6.0/jquery.min.js	

Solution:

IndusGuard has detected an external javascript that is hosted on some other internet location. Please analyze it and take an appropriate action.

Detail:

We have found an external javascript on this URL.

This is a possible way to inject malware in your website. If this javascript is legitimate then please add this alert to the whitelist.

