

D

C

B






A

D

C

B

A



SIM Technology		
DRAWN BY SHENGWU.SUN	PROJECT SIM68_EVB	TITLE connector
CHECKED BY <NAME HERE>	SIZE A3	VER V1.02
	SHEET 1 of 4	2012-02-21

D

D

C


C

B

B

A


A




	R229	R227	R230	R228
FULL SPEED	NM	1K5	NM	NM
LOW SPEED	NM	NM	NM	1K5
HOST Device	15K	NM	15K	NM

SIM Technology		
DRAWN BY SHENGWU.SUN	PROJECT SIM68_EVB	TITLE USB TO UART
CHECKED BY <NAME HERE>	SIZE A3	VER V1.02
SHEET 2 of 4		2012-02-21


D



C






B





A

3



3

2



S302	Loading From
2-3	SQI Flash
2-1	UART

SIM Technology

DRAWN BY SHENGWU.SUN	PROJECT SIM68_EVB	TITLE POWER
CHECKED BY <NAME HERE>	SIZE A3	VER V1.02
SHEET 3 of 4		2012-02-21

2

1

1

D

C

B

A

6

5


4

3



2

1

EEPROM




CAN Transceiver



Accelerometer

Gyroscope



SIM Technology

DRAWN BY SHENGWU.SUN	PROJECT SIM68_EVB	TITLE SPI INTERFACE
CHECKED BY <NAME HERE>	SIZE A3	VER V1.02
SHEET 4 of 4		2012.02.21

D

C

B

A

6

5

4

3

2

1