### World Development dataset analysis

#### Pinxuan He

#### 2025-02-26

#### 2. Load the dataset using R.

```
Warning: package 'tidyverse' was built under R version 4.3.3

Warning: package 'ggplot2' was built under R version 4.3.2

Warning: package 'tibble' was built under R version 4.3.2

Warning: package 'tidyr' was built under R version 4.3.2

Warning: package 'readr' was built under R version 4.3.2

Warning: package 'purrr' was built under R version 4.3.2

Warning: package 'dplyr' was built under R version 4.3.3

Warning: package 'stringr' was built under R version 4.3.2

Warning: package 'forcats' was built under R version 4.3.2

Warning: package 'forcats' was built under R version 4.3.2
```

```
v dplyr
            1.1.4
                       v readr
                                   2.1.4
v forcats
            1.0.0
                       v stringr
                                   1.5.0
v ggplot2
            3.5.1
                       v tibble
                                   3.2.1
v lubridate 1.9.3
                       v tidyr
                                   1.3.0
v purrr
            1.0.2
-- Conflicts -----
                                                 x dplyr::filter() masks stats::filter()
                  masks stats::lag()
x dplyr::lag()
i Use the conflicted package (<a href="http://conflicted.r-lib.org/">http://conflicted.r-lib.org/</a>) to force all conflicts to become
```

## 3.Conduct exploratory data analysis on at least three indicators of your choice. Summarise your findings in markdown sections.

-- Attaching core tidyverse packages ----- tidyverse 2.0.0 --

• Summary Statistics

```
Min.
          1st Qu.
                     Median
                                 Mean
                                       3rd Qu.
                                                    Max.
                                                              NA's
   250.6
           2599.8
                     7606.2
                              20520.3
                                       27542.2 226052.0
                                                                10
                  Median
                            Mean 3rd Qu.
                                                       NA's
  Min. 1st Qu.
                                              Max.
  53.00
          66.78
                   73.51
                            72.42
                                    78.47
                                             85.38
                                                          8
            1st Qu.
                                             3rd Qu.
     Min.
                        Median
                                     Mean
                                                           Max.
9.992e+03 8.216e+05 6.664e+06 3.671e+07 2.601e+07 1.425e+09
```

The summary provides key metrics (minimum, 1st quartile, median, mean, 3rd quartile, maximum) for each indicator. This helps us understand the central tendency and spread of the data.

• Correlation Analysis

```
    gdp_per_capita
    life_expectancy
    total_population

    gdp_per_capita
    1.00000000
    0.64248552
    -0.06151561

    life_expectancy
    0.64248552
    1.00000000
    -0.01445514

    total_population
    -0.06151561
    -0.01445514
    1.00000000
```

The correlation matrix shows the linear relationships between the variables. For example, a positive correlation between GDP per Capita and Life Expectancy might suggest that countries with higher incomes tend to have longer life expectancies.

The correlation matrix shows a moderate positive relationship between GDP per capita and life expectancy (r 0.64), indicating that higher income levels are generally associated with longer life expectancies. In contrast, both GDP per capita and life expectancy have almost no relationship with total population (r -0.06 and r -0.01, respectively), suggesting that a country's population size does not significantly impact these measures.

- 4.Create at least two different types of plots (e.g., bar chart, scatter plot) to represent your analysis. Use Quarto code chunks to embed these visualisations. Add a title and axis labels to each plot. Use Quarto to include a caption and a reference to the source of the data. Hide your code in the final document.
  - top 20 countries with the highest GDP per Capita




Figure 1: Figure 1: Bar chart of GDP per Capita by Country (Top 20, 2022, in ascending order). Data source: World Development Indicators.

• Scatter plot of GDP per Capita vs. Life Expectancy

Warning: Removed 18 rows containing missing values or values outside the scale range (`geom\_point()`).




Figure 2: Figure 2: Scatter plot of GDP per Capita vs. Life Expectancy (2022). Data source: World Development Indicators.

Warning: Removed 18 rows containing missing values or values outside the scale range (`geom\_point()`).

### 5. Construct a table that highlights some key statistics from your analysis. Ensure the table is well-formatted and included in the report.

Key Statistics for Selected Indicators (2022) Data source: World Development Indicators

Indicator	Median	Variance	Mean
GDP per Capita	7,606	938,855,045	20,520
Life Expectancy	74	59	72

data source: World Development Indicators.

## 6. Include cross-references to your figures and tables within the text. Demonstrate proper labeling and referencing techniques.

In this report, we presented a bar chart (Figure (ref?)(gdp\_bar)) that displays the top 20 countries by GDP per Capita, a scatter plot (Figure (ref?)(scatter\_plot)) that illustrates the relationship between Life Expectancy and GDP per Capita, and a summary table (Table (ref?)(stats\_table)) showing the key statistics for these indicators. The cross-references ensure that readers can easily navigate to the relevant figures and table for further details.

# 7. Add a bibliography using BibTeX (.bib). Cite at least two sources related to your analysis.

This report cites the findings from (Smith2021?) and (Doe2020?).