













pgAdmin 4

Browser

- > django_migrations
- > django_session
- ▼ iha
 - Columns (5)
 - id
 - marka
 - model
 - agirlik
 - kategori_id
 - Constraints
 - Indexes
 - RLS Policies
 - Rules
 - Triggers
- ▼ kategori
 - Columns
 - Constraints (1)
 - kategoriler_pkey
 - Indexes
 - RLS Policies
 - Rules
 - Triggers
- ▼ kullanicilar
 - Columns (5)
 - Constraints (1)
 - kullanicilar_pkey
 - Indexes
 - RLS Policies
 - Rules
 - Triggers
- > Trigger Functions

Dashboard Properties SQL Statistics Dependencies Dependents Processes postgres/post... postgres/post. < > »

public.iha/BaykarDb/postgres@PostgreSQL 15

Query Query History

```
1 SELECT * FROM public.iha
2 ORDER BY id ASC
```

Data Output Messages Notifications

d	PK	bigint	marka	character varying (150)	model	character varying (150)	agirlik	character varying (150)	kategori_id	bigint
1		10	Akinci	TB-3	333Kg		24			
2		11	deneme	deneme	deneme		25			

Total rows: 2 of 2 Query complete 00:00:01.890 Ln 1, Col 1

pgAdmin 4

Browser

- model
- agirlik
- kategori_Id
- Constraints
- Indexes
- RLS Policies
- Rules
- Triggers
- kategori
 - Columns (2)
 - id
 - kategori
 - Constraints (1)
 - kategori_pkey
 - Indexes
 - RLS Policies
 - Rules
 - Triggers
- kullaniciilar
 - Columns (5)
 - id
 - adi
 - soyadi
 - email
 - sifre
 - Constraints (1)
 - kullaniciilar_pkey
 - Indexes
 - RLS Policies
 - Rules

Dashboard Properties SQL Statistics Dependencies Dependents Processes postgres/post... postgres/post. < > ↻

public.kullaniciilar/BaykarDb/postgres@PostgreSQL 15

Query Query History

```
1 SELECT * FROM public.kullaniciilar
2 ORDER BY id ASC
```

Data Output Messages Notifications

	id [PK] bigint	adi character varying (150)	soyadi character varying (150)	email character varying (150)	sifre character varying (150)
1	1	ismail	simail	ismail@ismail.com	12345
2	2	zafer1	bayraktar1	zb@gmail.com	12345

Total rows: 2 of 2 Query complete 00:00:02.777 Ln 1, Col 1

pgAdmin 4

Browser

- model
- agirlik
- kategori_Lid
- > Constraints
- > Indexes
- > RLS Policies
- > Rules
- > Triggers
- ▼ kategori
 - Columns (2)
 - id
 - kategori
 - > Constraints (1)
 - kategori_pkey
 - > Indexes
 - > RLS Policies
 - > Rules
 - > Triggers
- ▼ kullanicilar
 - Columns (5)
 - id
 - adi
 - soyadi
 - email
 - sifre
 - > Constraints (1)
 - kullanicilar_pkey
 - > Indexes
 - > RLS Policies
 - > Rules

Dashboard Properties SQL Statistics Dependencies Dependents Processes postgres/post... postgres/post. < > ↻

public.kategori/BaykarDb/postgres@PostgreSQL 15

Query Query History

```
1 SELECT * FROM public.kategori
2 ORDER BY id ASC
```

Data Output Messages Notifications

	id [PK] bigint	kategori character varying (150)
1	23	Uçak
2	24	Drone
3	25	Helikopter
4	26	Deneme

Total rows: 4 of 4 Query complete 00:00:00.741 Ln 1, Col 1

pgAdmin 4

Browser

- > Procedures
- > 1.3 Sequences
- > Tables (13)
 - > auth_group
 - > auth_group_permissions
 - > auth_permission
 - > auth_user
 - > auth_user_groups
 - > auth_user_user_permissions
 - > django_admin_log
 - > django_content_type
 - > django_migrations
 - > django_session
 - > iha
 - > Columns (5)
 - id
 - marka
 - model
 - agirlik
 - kategori_id
 - > Constraints
 - > Indexes
 - > RLS Policies
 - > Rules
 - > Triggers
 - > kategori
 - > kullanicilar
 - > Trigger Functions
 - > Types
 - > Views

public.iha/BaykarDb/postgres@PostgreSQL 15

Query

```
1 SELECT * FROM public.iha
2 ORDER BY id ASC
```

Data Output

	id [PK] bigint	marka character varying (150)	model character varying (150)	agirlik character varying (150)	kategori_id bigint
1	10	Akinci	TB-3	333Kg	24
2	11	deneme	deneme	deneme	25

Total rows: 2 of 2 Query complete 00:00:02.240 Ln 1, Col 1