HishabAI — Technical Documentation

Agentic SME Finance Copilot · 2026 Shenzhen International FinTech Competition, International Track · Topic E

Team NexFin — Sanika Heeya (Leader), Tasfia Tasneem Aastha, Abdullah Al Fayed · University of Liberal Arts Bangladesh & University of Dhaka · github.com/PIXEL-L00P/Hishab_Copilot



1. Problem and solution

Problem domain. Approximate figures, with the category each source uses:

Figure	Category	Source
≈ 7.9 million enterprises	SMEs	The Financial Express, 27 Jun 2025, "MSMEs face financing gap of $2.8 billion" (cites unnamed sources) — https://thefinancialexpress.com.bd/trade/msmes-face-financing-gap-of-28-billion
≈ 25% of the economy / GDP	CMSMEs	Same article; and LightCastle Partners (2020) cited by Friedrich Naumann Foundation, 17 May 2024 — https://www.freiheit.org/bangladesh/brief-overview-smes-bangladesh-challenges-and-way-forward
≈ 40% of overall employment	CMSMEs	The Financial Express, 27 Jun 2025
≈ 10% access bank finance	CMSMEs	The Financial Express, 27 Jun 2025

SME and CMSME (cottage, micro, small and medium) are different categories; the slide labels each figure with the category its source uses.

The problem. Small retailers in Bangladesh (clothing shops, grocers, online sellers) often keep their accounts in paper ledgers, mobile-wallet histories and memory. Three problems follow:

1. **Shortfalls are discovered too late.** Seasonal businesses buy stock weeks before Eid or winter, while rent, salaries, festival bonuses and loan instalments arrive on fixed dates. Owners notice a cash gap only when a supplier or employee cannot be paid.
2. **Financing is matched badly.** Owners do not know which products they qualify for or can afford, so they turn to expensive informal credit or take loans whose instalments their cash flow cannot carry.
3. **Lenders cannot assess them.** Information is scattered, unstructured and unverified.

Existing solutions and the gap.

Option today	What it does well	What is missing
Paper khata (ledger book)	Simple, familiar, free	No warning before cash runs out; easily lost

Option today	What it does well	What is missing
Digital ledger / bookkeeping apps	Digitise sales and dues; reminders	Look backwards; little forecasting or planning
Accounting software	Full books and reports	Built for accountants; complex for small shops
Bank, NGO and MFI loans	Provide finance	Slow; owners don't know what they qualify for or can afford
General AI chatbots	Answer questions fluently	Can't see the shop's data; may invent numbers; can't act safely


No tool connects *predicting the cash gap → planning the fix → acting safely → finding affordable finance*, in Bangla, for informal shops. That is the gap HishabAI fills.

The solution. HishabAI is an AI agent that takes part in the shop's financial management rather than only reporting on it:

Step	What the agent does	Component
Observe	Reads weekly records, open customer dues (*baki*), supplier bills and loans	Database
Predict	Forecasts weekly sales for 8 weeks with a calibrated uncertainty band	Forecast model (ours)
Analyse	Projects cash week by week, raises an alert, computes margin, break-even and DSCR	Financial engine
Decide	Drafts a payment plan: which bills to move, whom to remind, how much financing is still needed	Payment planner
Match	Ranks financing options by eligibility, affordability and speed	Financing matcher
Compare	Benchmarks margin, growth, costs, overdue dues, cash buffer and DSCR against anonymised similar shops	Peer benchmarking
Act	Queues supplier requests, reminders and lender sharing for **owner approval**	Permission gateway
Explain	Briefs the owner in English or Bangla with the numbers behind each step	Agent

Topic E asks for three capabilities: *financing-option matching, cash-flow management with alerts, and business financial analysis*. All three are implemented and connected in one agent loop. Business analysis covers both the shop's own figures and a privacy-preserving comparison with similar shops.

2. System architecture



Layer	Implementation	Notes
UI	`app/static/` (HTML, CSS, vanilla JS, SVG charts)	No external libraries or CDNs; strict Content-Security-Policy
API	`app/server.py` (Python `http.server`, threaded)	JSON API; authentication and role checks on every business endpoint
Agent	`app/agent.py`	Tool registry, permission gateway `call_tool()`, approvals, cash check, chat
Analytics	`app/finance_engine.py`, `app/planner.py`, `app/financing.py`, `app/benchmark.py`	Deterministic, unit-tested formulas
ML	`app/features.py`, `app/forecast.py`, `ml/train_forecast.py`	scikit-learn gradient boosting; features shared by training and serving
Data	`app/db.py` (SQLite)	13 tables including actions, sandbox outbox, shared reports and hash-chained audit log
Security	`app/security.py`, `app/audit.py`	Passwords, sessions, lockout, role matrix, tamper-evident log

Design choice: minimal dependencies. The backend uses only the Python standard library plus numpy/pandas/scikit-learn. A reviewer can run it on any laptop in minutes, and the attack surface stays small.

Design choice: language model optional. The agent runs fully offline with a rule-based planner that understands English and Bangla intents. If an API key is set, an LLM plans the tool calls instead. In both modes every action passes through the same gateway (Section 5), so the safety properties do not depend on the model behaving well.

3. Data

3.1 Synthetic dataset

No public dataset contains weekly cash-flow records of Bangladeshi SMEs, so we built a documented generator (`data/generate_synthetic.py`, fixed seed). It creates **40 Dhaka clothing shops × 159 weeks** (2 Oct 2023 – 18 Oct 2026, 6,360 weekly records) encoding these local patterns:

Pattern	How it is modelled
Eid-ul-Fitr peak	Sales rise over the 5 weeks before Eid (up to +150% in the peak week) and drop the week after; per-shop sensitivity 0.7–1.3
Eid-ul-Adha, Pohela Boishakh, winter, monsoon	Smaller uplifts or dips (+35%, +25%, +8%, −10%)
Shocks	Random weeks at −40% (e.g. hartal or flooding), probability about 1.2% per week
Credit sales (*baki*)	8–30% of sales; 92% collected after 3 weeks, 5% after 6 weeks, 3% bad debt
Stock purchasing	Bought about 3 weeks ahead of demand at (1 − gross margin) of sales
Fixed costs	Rent and salaries in the first week of each month; a festival bonus of one month's salary before each Eid; loan instalment around the 10th
Owner behaviour	Owner draws a share of the month's cash surplus; injects cash if the balance goes negative

Open items on 19 Oct 2026 (customer dues, supplier bills, loans) are generated for every shop. The demo shop, *Style Corner*, has hand-written items that create a realistic winter-stock cash crunch. One of its customer notes contains a deliberate prompt-injection string used in the security tests.

Limitation. Synthetic data lets us develop and test the system against known ground truth. It cannot show real-world accuracy. A pilot with real shops is the next step (Section 11).

3.2 Database schema (SQLite)

Table	Purpose
`users`, `sessions`	Accounts (PBKDF2 hash + salt, lockout fields); session token **hashes** with expiry
`businesses`, `memberships`	Business profile; user ↔ business role (`owner`, `accountant`, `lender`)
`weekly_records`	Weekly sales, cash/credit split, collections, purchases, fixed costs, cash balance (**append-only** through the API)

Table	Purpose
`receivables`, `payables`, `loans`	Open customer dues, supplier bills (flexible flag, category), loan instalments
`financing_products`	Catalogue with eligibility rules (illustrative terms)
`agent_actions`	Every tool call: tool, tier, status, parameters, result, requester, approver, expiry
`outbox`, `shared_reports`	Sandbox side effects created only by approved tier-2 actions
`audit_log`	Hash-chained security and activity log

4. Core algorithms

4.1 Sales forecasting model (our own trained model)

Task. Given a shop's weekly sales up to week *t*, predict sales for weeks *t+1* … *t+8*.

Approach. One global model for all shops, trained on *relative* sales so it transfers across shop sizes:

- Scale: *s* = mean sales of the last 12 weeks. Target: log(sales$_{t+h}$ / *s*).
- Features (19): horizon *h*; last four weeks ÷ *s*; 4- and 26-week means ÷ *s*; 12-week trend; last year's ratio for the target week; the origin week's distance to Eid-ul-Fitr; and calendar features of the **target** week (days to/since each Eid, Eid week, Boishakh week, month).
- Model: `HistGradientBoostingRegressor` (400 trees, learning rate 0.05, 31 leaves, min 40 samples per leaf).
- Uncertainty: two quantile models (P10, P90) give the band. **Conformalised quantile regression** then widens it by a margin learned on a held-out calibration window (the last 26 training weeks), so the nominal 80% band is honest.


Evaluation protocol (strict). Test set = 10 shops never seen in training (every 4th shop, including the demo shop) × the last 53 weeks (13 Oct 2025 – 12 Oct 2026, which includes both Eids). Training uses the other 30 shops, with targets only before the test period. The model is compared with three baselines computed from the same information: last week, the 4-week mean, and seasonal naive (last year's same week, rescaled).

Unseen shops, test year (4,240 forecasts)	WAPE	MAE (BDT/week)	WAPE in pre-Eid weeks
HishabAI model	**12.5%**	**23,124**	**12.0%**
Baseline: 4-week mean	20.9%	38,777	36.3%
Baseline: last week	23.4%	43,466	36.0%
Baseline: seasonal naive	24.3%	44,970	35.3%

- The model cuts error by **40%** compared with the best baseline, and by about **two-thirds** in the weeks before Eid, which are the weeks that matter most for cash planning.
- It beats the best baseline at **every horizon** from 1 to 8 weeks (WAPE 12.0–12.7% vs 16.3–22.2%).
- Interval coverage: 71.6% before calibration, **87.9% after** (target 80%). Coverage above the nominal level means the band is **conservative** (wider than necessary), not perfectly calibrated: the conformal margin was learned with a model fitted on data before April 2025 and scored on the next

26 weeks (Apr–Oct 2025), where its errors were larger (WAPE 14.2%, raw band coverage 56%) than the final model's on the test year (WAPE 12.5%, raw coverage 72%), because the final model is trained on more data. The margin is therefore wider than the test year needs. We report it as conservative; for early cash warnings a slightly wide band errs on the safe side.

- **What exactly is predicted:** weekly *sales*. Cash balances are then projected by the deterministic engine (4.2).
- **WAPE** = Σ|actual − forecast| ÷ Σ actual over all forecasts in the test set (all shops, weeks and horizons).
- **Best baseline:** the 4-week moving average (WAPE 20.9%); the 40% figure is 1 − 12.5/20.9.
- **Scope:** these are results on **synthetic** data. They demonstrate prototype performance, not accuracy on real Bangladeshi shops; a pilot with real records is required before any accuracy claim about real shops.
- A leakage test (`tests/test_forecast.py`) confirms that changing any data after the forecast origin does not change the features.



The final served model is retrained on all shops and weeks. Training takes about 20 seconds on a laptop CPU; the model file is 1.9 MB.

4.2 Cash projection and alerts (`finance_engine.project_cash`)

For each future week *w* (forecast sales *Sw*, credit share *c*, purchase ratio *p*, all estimated from the shop's own history):

```
inflow(w)  = (1 − c)·S_w                              cash sales
           + c·S_(w−3)                                 collection of new credit sales (3-week
lag)
           + Σ open dues due in w × 0.85               (overdue dues: × 0.50, in week 1)
outflow(w) = p·S_w                                     routine restocking
           + rent + salaries                           if w is the first week of a month
           + festival bonus (one month's salaries)     in the week before an Eid
           + utilities & other (12-week average)
           + loan instalments due in w
           + committed supplier/other bills due in w
closing(w) = closing(w−1) + inflow(w) − outflow(w)
```

The projection runs twice: with the expected forecast (P50) and with the low end of the band (pessimistic). The **safety buffer** is half a month of rent plus salaries. Alert levels:

- **critical**: expected cash goes below zero;
- **warning**: expected cash goes below the buffer, or pessimistic cash goes below zero;
- **healthy**: otherwise.

Other engine outputs: estimated gross margin (1 − purchases ÷ sales, 52 weeks), break-even sales (fixed costs ÷ margin), monthly operating cash flow, **DSCR** (operating cash flow ÷ debt service), runway in weeks, overdue dues, and owner cash injections in the last year (a stress signal).

4.3 Payment planner (`planner.draft_payment_plan`)

A greedy, deterministic and explainable algorithm:

1. Project cash. Find the first week below the safety buffer.
2. Among **flexible** open bills due on or before that week, pick the largest. Salaries, rent, tax, utilities and loan instalments are never eligible.
3. Try moving it 1–4 weeks later. Keep the option that pushes the first tight week **furthest out**, which buys time for financing to arrive; then prefer the highest minimum balance; ties go to the shortest delay.
4. Repeat until no week is below the buffer or no movable bill is left.
5. Add reminders for overdue customer dues. These are not counted in the plan, so the plan stays conservative.
6. Remaining gap = buffer − lowest balance, rounded up to the next ৳10,000 → financing need and the date it is needed by.

Demo result (Style Corner, synthetic). Cash would go below zero in the week of 2 Nov 2026 (week 3) and reach its projected low of −৳1,75,475 in the week of 9 Nov (week 4). Moving two winter-stock bills by 4 weeks shifts the first shortfall to the week of 7 Dec (week 8). The remaining ৳2,10,000 becomes a financing need due by 7 Dec 2026.

4.4 Financing matcher (`financing.match_financing`)

For each product in the catalogue:

- **Eligibility rules:** amount range, months in business, average monthly sales, collateral, trade licence, and women-only schemes.
- **Affordability:** instalment = standard amortisation at the mid-point rate; **DSCR after the loan** = operating cash flow ÷ (existing + new instalments), which must be ≥ 1.25.
- **Timing:** is the processing time shorter than the days until the money is needed?
- **Ranking:** eligible first, then fast enough, then lowest total interest. Every option carries readable reasons for and against.

Worked numbers (demo, ৳2,10,000 need). Instalment = equal monthly payments on a reducing balance at the mid-point of each indicative rate range over the product tenure; e.g. 6% for 24 months → ৳9,307. DSCR after the loan = monthly operating cash flow (average of the last 26 weeks × 4.33 = ৳87,181) ÷ (existing instalment ৳45,000 + new instalment) → 87,181 ÷ 54,307 = 1.61. DSCR uses recent actual cash flow, not the forecast. The bank SME loan is priced at its ৳3,00,000 minimum amount. “Eligible” means the rule-based check found no blocking reason; it is not a guarantee of approval.

For the demo shop the best match is the *women-entrepreneur SME loan*: about ৳9,307 per month, DSCR 1.61, around 21 days to arrange, which is in time because the supplier extensions bought a month. The bank SME loan is rejected (collateral required, DSCR 1.21), and so is the digital merchant loan (DSCR 1.07). The catalogue's terms are **illustrative**; in production they would come from partner lenders.

4.5 Loan-readiness report

A structured summary (12 months of sales and purchases, margin, cash flow, DSCR, dues, an 8-week forecast with range, data provenance and limitations) that a lender can review. It reaches a lender **only** through a tier-2 action the owner approves.

4.6 Peer benchmarking (`benchmark.compare_with_peers`)

Question it answers: *"Is my shop doing well compared with shops like mine, and where am I losing money?"*

- **Peer group:** same category and district, excluding the shop itself (39 peers for the demo shop).
- **Six measures**, each with a known "better" direction: gross margin ↑, 12-week sales growth vs last year ↑, fixed costs as a share of sales ↓, overdue dues as a share of monthly sales ↓, cash buffer in weeks ↑, DSCR ↑ (only shops with loans).
- **Statistics:** peer median, 25th and 75th percentiles, and the shop's percentile rank (share of peers it beats; ties count half). Rank ≥ 70 → *strong*, < 35 → *needs attention*.
- **Quantified tips** for measures that need attention, e.g. *overdue-dues gap × monthly sales* = cash that would be freed by matching the peer level.
- **Privacy:** results are released only when at least **5 peers** exist (k-anonymity). Only medians, quartiles and the shop's own rank are returned, never another shop's name, identifier or value. A lender's report contains only the shop's percentile ranks.

Demo result (Style Corner, 39 peers): gross margin 37.2% vs peer median 32.7% (better than 85%), *strong*; overdue dues 9.4% of monthly sales vs 4.0% (better than 13%), *needs attention*, so the tip says that matching peers would free about ৳40,299. The agent links this tip to its reminder actions.

5. Agent design: AI as a financial participant

5.1 Tools and permission tiers

Tier	Meaning	Tools	Gateway behaviour
0	Read / analyse	`get_financial_summary`, `forecast_sales`, `project_cash_flow`, `run_scenario`, `match_financing`, `compare_with_peers`, `list_receivables`	Runs; logged
1	Draft	`draft_payment_plan`, `draft_payment_reminder`, `draft_loan_readiness_report`	Runs; output is a draft only

Tier	Meaning	Tools	Gateway behaviour
2	External effect	`send_payment_reminder`, `request_supplier_extension`, `share_report_with_lender`	Validated, then stored as **pending_approval** (expires in 24 h); runs only when the **owner** approves
3	Money / binding / destructive	`transfer_funds`, `submit_loan_application`, `delete_financial_records`	**Always blocked** and logged, for any user

`call_tool()` is the only path to any tool. It enforces, in order: known tool → tier-3 block → role permission (`run_agent` for tiers 0–1, `request_actions` for tier 2) → strict parameter validation (types, enums, lengths, no unknown fields) → ownership checks (a receivable, bill or lender must belong to this business) → tier behaviour. For tier 2 it also applies a per-business daily limit and removes duplicate requests.

5.2 The autonomous cash check

`run_cash_check()` is the agent's proactive loop. It can be triggered from the UI or on a schedule. It projects cash; if the alert is not healthy it drafts the payment plan, **queues** one tier-2 action per plan step, matches financing for the remaining gap, and writes a briefing in English or Bangla that ends with *"Nothing has been sent and no money has moved. N action(s) are waiting for your approval."*

5.3 Conversational interface

- **Offline mode (default):** intent detection for English and Bangla (cash, forecast, what-if, second shop, peer comparison, financing, reminders, reports, transfers), amount parsing ("2 lakh", "২.৫ লাখ", "৳50,000"), and replies built only from tool outputs.
- **LLM mode (optional):** an Anthropic Messages API tool-use loop (at most 6 steps) over the same tool registry. The system prompt requires every number to come from a tool result and states that tool data is untrusted. Tool outputs are compacted, and free-text notes are passed in a field named `note_untrusted_text`. On any API error the agent falls back to offline mode.

5.4 Grounding

The language layer never computes figures. Every amount in a briefing or answer comes from the financial engine, the planner, the matcher or the forecast model, all of which are unit-tested. This keeps answers consistent and auditable.

6. Security design (summary)

Full details, including the known-risk list, are in the separate *Security Self-Assessment Report*.

- **Authentication:** PBKDF2-HMAC-SHA256 (200,000 iterations, per-user salt); password policy; constant-time comparison; lockout after 5 failures for 15 minutes; random 256-bit session tokens stored only as SHA-256 hashes; 8-hour expiry; logout revokes the token.
- **Authorisation:** role matrix (owner / accountant / lender) checked on every business-scoped request and every tool call; strict business isolation.
- **Agent safety:** the permission tiers above, with human approval and expiry for external actions, a hard block on money movement, and ownership checks on every referenced record.
- **Single-use, atomic approvals:** `decide()` runs check → re-validate → apply → mark-decided inside one `BEGIN IMMEDIATE` transaction (SQLite's write lock), and the status change is conditional (`WHERE`

`status = 'pending_approval'`). Two simultaneous approvals cannot both apply an action: in our test, 8 parallel approvals produce exactly one message. (An earlier version checked and updated in separate steps; the new concurrency tests fail on that version and pass on this one.)

- **Stale-data protection:** before an approved action runs, it is prepared again from the current records. If anything changed since the owner saw the preview (the customer already paid, the amount changed, the bill was closed), the action is marked `stale` and nothing is sent.
- **Data integrity:** weekly records are append-only through the API; validation rejects inconsistent records (cash + credit ≠ sales, negative values, non-Monday weeks).
- **Peer privacy:** k-anonymity (at least 5 peers), aggregates only, ranks only for lenders.
- **Auditability:** every tool call is stored in `agent_actions`; security events go to a SHA-256 hash-chained `audit_log`, whose verification detects any edited or deleted row.
- **Web hardening:** strict CSP (no inline script, no eval, no third-party origins), X-Frame-Options DENY, nosniff, no-referrer, `Cache-Control: no-store`, 64 KB body limit, JSON content-type enforcement, generic 500 errors, and a static-file whitelist (no path traversal). The UI inserts all data with `textContent`, never `innerHTML`.

7. Testing and evidence

Suite	Tests	Covers
`test_finance_engine.py`	11	Formatting, amortisation, break-even, projection arithmetic, scenario validation, owner injections reported in taka
`test_forecast.py`	4	Band ordering, short-history fallback, **no future leakage**, model beats baselines
`test_planner_financing.py`	7	Plan buys time, extension limits, non-deferrable bills, eligibility rules, ranking
`test_security.py`	9	Hashing, password policy, lockout, token hashing/expiry/logout, role matrix, isolation, audit tampering
`test_agent.py`	21	Tier enforcement, approval/rejection/expiry/duplicates, validation, cross-business refs, **prompt-injected LLM**, Bangla
`test_benchmark.py`	7	Peer statistics, demo profile, tip arithmetic, **k-anonymity threshold**, no peer data leakage, lender sees ranks only
`test_api.py`	9	401/403/404/400/413/409 paths, security headers, benchmark access, end-to-end approval → lender visibility

Suite	Tests	Covers
`test_concurrency.py`	7	**8 simultaneous approvals send once**, approve + reject at once, audit chain under concurrent writes, **stale approvals** (customer paid, amount changed) are refused and stay refused
`test_live_data.py`	6	Customer payment / new bill / bill paid change cash and the projection, change detector, entry permissions and business isolation, input validation, **Bangla API returns the same numbers**

Total: 81 tests, all passing (`evidence/test_results.txt`). The end-to-end script `scripts/run_demo.py` runs 25 checks against the live server and records every request and response (`evidence/execution_log.jsonl`, `evidence/EXECUTION_EVIDENCE.md`): **25/25 pass**.

8. Live, bilingual web app

- **Live data entry.** Owners and accountants can add next week's figures (pre-filled from last week, closing cash calculated as they type), a new customer due, or a new bill, and can mark a due or a bill as paid. Payments entered between weekly records go to an append-only `cash_events` ledger, so cash moves immediately; the next weekly record's closing balance already includes them. Every change re-runs the forecast, cash projection, alert and benchmark.
- **Updates from other users.** The page checks a cheap change counter (`/api/businesses/{id}/version`) every 8 seconds and refreshes when anything was recorded, for example when the accountant adds a bill while the owner is watching.
- **Full Bangla interface.** One button switches every label, table, chart axis, alert, briefing, chat reply, approval summary, financing reason and benchmark tip between English and Bangla (`app/i18n.py` on the server, a string table in `app/static/app.js`). Calculations are done once in English and only the finished text is translated, so both languages always show identical figures (tested).
- **What-if simulator** recalculates as you type, with presets (second shop, sales −20%).
- Opening `index.html` directly as a file shows instructions to start the server instead of an empty page.

9. Innovation and user experience

1. **An agent that acts safely.** It proposes concrete actions (supplier extensions, reminders, lender sharing), prepares them fully with message previews, and executes them only with one-tap owner approval. Money movement is impossible by construction.
2. **Time-aware financing.** The planner and matcher work together: rescheduling buys time, and the matcher checks whether a cheaper loan can arrive before the gap. The shop can then use a concessional loan instead of expensive emergency credit.
3. **Local intelligence.** Eid, Boishakh and festival-bonus effects are built into both the model and the cash engine. The lakh/crore number format and Bangla interaction suit owners who do not use English.
4. **Benchmarking without exposing anyone.** Owners learn where they stand against similar shops, with a taka figure for each gap, while k-anonymity keeps every shop's data private.

5. **Measured, not claimed.** The forecast is benchmarked on unseen shops with calibrated uncertainty; safety claims are backed by automated tests and logged evidence.

10. AI components and business model

AI component	Role
Our own trained model	Weekly sales forecaster (Section 4.1): our contribution, trained and evaluated by the team
Pretrained foundation model (optional)	An LLM (Claude via API) for free-form conversation and tool planning; bounded by the permission gateway; the agent runs offline without it

Who pays. Shops never pay per message. Forecasts, alerts, plans, financing matching, benchmarking and the offline agent run on our own code at near-zero marginal cost. The LLM is used only for free-form questions, with smaller models and daily limits. Revenue: (1) banks, NGOs and microfinance institutions pay for consented, structured loan-readiness reports that lower their assessment cost and default risk; (2) an optional premium plan for unlimited AI conversation. Network effect: each new shop improves peer benchmarks for all.

11. Limitations and roadmap

Limitation	Plan
Synthetic data only	Pilot with 10–20 Dhaka shops; import mobile-wallet and bank statements; retrain and re-evaluate
Illustrative financing terms	Partner with lenders and MFIs for verified product terms; add an API for applications that the owner submits
Sandbox outbox	Connect an SMS/WhatsApp gateway behind the same approval step
No self-registration	Accounts are pre-created for the demo. In production, onboarding includes owner verification and invite-only roles for accountants and lenders. Owner verification: phone OTP plus trade-licence check; accountants and lenders join only through an invitation from the owner.
Manual or CSV data entry	Photo-of-ledger (khata) capture with OCR and owner confirmation
Single-node SQLite, no TLS in the dev server	Deploy behind HTTPS reverse proxy; PostgreSQL with row-level security; secrets manager
Rule-based Bangla intents	LLM mode for open questions; Bangla evaluation set
Peer groups from one category and city	More categories and districts as shops join; differential-privacy noise for small groups

12. How to run

Source code: **https://github.com/PIXEL-L00P/Hishab_Copilot** (full details in `README.md`). Requirement: **Python 3.10 or newer**. No API key, payment or database server is needed; the trained model and the synthetic data are included.

Windows (PowerShell):

```
git clone https://github.com/PIXEL-L00P/Hishab_Copilot.git
cd Hishab_Copilot
python -m venv .venv                 # create a virtual environment (once)
.venv\Scripts\activate               # turn it on (every new terminal)
pip install -r requirements.txt      # install numpy, pandas, scikit-learn, joblib (once)
python scripts/seed_db.py            # create the SQLite database data/hishab.db
python -m app.server                 # start the server
```

If PowerShell says that running scripts is disabled, run `Set-ExecutionPolicy -Scope CurrentUser RemoteSigned` once, then activate again.

macOS / Linux: the same commands, with `python3 -m venv .venv` and `source .venv/bin/activate`.

Then open **http://127.0.0.1:8000** and sign in as `farhana` / `StyleCorner#2026` (owner). Other demo accounts: `rakib` / `Accounts#2026` (accountant) and `lender_demo` / `LenderDesk#2026` (lender).

Check the results yourself: `python -W ignore -m unittest discover -s tests -t .` (81 tests) and `python scripts/run_demo.py` (25 end-to-end checks).

13. References

Sources for the facts and methods we use. All shop, peer and lender data is synthetic (`data/generate_synthetic.py`).

Problem domain (Bangladesh)

1. The Financial Express (27 June 2025). "MSMEs face financing gap of $2.8 billion". https://thefinancialexpress.com.bd/trade/msmes-face-financing-gap-of-28-billion
2. Friedrich Naumann Foundation for Freedom, Bangladesh (17 May 2024). "Brief overview of SMEs in Bangladesh: challenges and way forward" (citing LightCastle Partners, 2020). https://www.freiheit.org/bangladesh/brief-overview-smes-bangladesh-challenges-and-way-forward

Forecasting and evaluation methods

3. Hyndman, R. J. and Athanasopoulos, G. (2021). *Forecasting: Principles and Practice*, 3rd edition. OTexts. https://otexts.com/fpp3/ (baselines and error measures).
4. Romano, Y., Patterson, E. and Candès, E. (2019). "Conformalized Quantile Regression". *Advances in Neural Information Processing Systems 32* (NeurIPS 2019).
5. Pedregosa, F. et al. (2011). "Scikit-learn: Machine Learning in Python". *Journal of Machine Learning Research* 12, 2825–2830.

Security

6. Moriarty, K., Kaliski, B. and Rusch, A. (2017). *PKCS #5: Password-Based Cryptography Specification Version 2.1*. RFC 8018. https://www.rfc-editor.org/rfc/rfc8018
7. OWASP Foundation. *Password Storage Cheat Sheet* and *Content Security Policy Cheat Sheet*. OWASP Cheat Sheet Series. https://cheatsheetseries.owasp.org/
8. SQLite documentation, "Transaction". https://www.sqlite.org/lang_transaction.html