

Technical Architecture, Security, and Deployment of the Adobe Creative Cloud Pro and Enterprise Ecosystems

Source guide

This technical guide details the architectural hierarchy and administrative governance of Adobe’s professional and enterprise ecosystems, categorizing offerings into tiers like Creative Cloud Pro and Enterprise Edition 4 to meet diverse business scales. It explores the transition to Named User Licensing (NUL) and sophisticated identity management models, which ensure secure, real-time validation of software entitlements across corporate networks. The text also highlights the integration of generative AI through Adobe Firefly, emphasizing strict data retention policies and content provenance standards to protect intellectual property. Finally, the source outlines rigorous security protocols and virtualization strategies, showcasing how the Common Controls Framework (CCF) standardizes compliance and protects multi-tenant cloud environments.

Platform Taxonomy and Enterprise Licensing Configurations

The modern enterprise creative ecosystem demands a platform that balances the high-performance computing requirements of multi-discipline design teams with the strict administrative, security, and compliance requirements of corporate IT departments.[1, 2] Within this framework, Adobe has structured its business-oriented software offerings into distinct logical tiers: Creative Cloud Pro for Teams, Creative Cloud Pro Plus for Teams, and Creative Cloud for Enterprise (predominantly deployed under Edition 4 agreements).[3, 4, 5] This taxonomy addresses varying organizational scales, security boundaries, and content development lifecycles.[6, 7]

To support business growth and secure intellectual property, Adobe renamed its "Creative Cloud All Apps" business configurations to "Creative Cloud Pro for teams".[4] This updated tier provides design teams with expanded access to generative artificial intelligence (AI) engines, increased monthly generative credit pools, and the ability to integrate non-Adobe generative models.[4]

For larger organizations, "Creative Cloud for teams Pro Edition" was transitioned to "Creative Cloud Pro Plus for teams".[4] This option integrates unlimited downloads of the standard Adobe Stock asset library to prevent project delays.[8, 9]

At the top of this taxonomy is "Creative Cloud for Enterprise Edition 4," which introduces dedicated cloud virtualization paths, advanced single sign-on (SSO) identity federation, priority technical support, and comprehensive legal risk mitigation.[5, 7, 10]

Architectural Feature	Creative Cloud Pro for Teams	Creative Cloud Pro Plus for Teams	Creative Cloud for Enterprise (Edition 4)
Target Scale & Reseller Model	Small Business (1–10 licenses typical) [7]	Mid-Market Business (pooled teams) [7, 8]	Large Enterprise / Government / Education (ETLA/EEA) [10, 11]

Storage Provisions	1 TB pooled storage per seat [3, 6]	1 TB pooled storage per seat [5, 6]	1 TB per seat; pooled organizationally [1, 5, 12]
Generative AI Credit Allocations	4,000 credits/month per license [4]	4,000 credits/month per license [4]	Up to 8,000 credits/month [7]
Adobe Stock Asset Entitlements	Standard Image/Vector; Credit-based [4]	Unlimited Standard Assets (Standard License) [4, 8]	Unlimited Standard Assets; Video/Audio/Premium options [7]
Stock License Type	Enhanced License [7]	Enhanced License [7]	Extended License (merchandise/resale rights included) [7, 8, 9]
Maximum IP Indemnification	US\$10,000 per asset [7]	US\$10,000 per asset [4]	Greater of US\$3,000,000 or 2x Sales Order fees [7]
Administrative Delegation	System Admin only [7]	System Admin only [7]	Full RBAC (System, Product, Deployment, Support Admins) [7, 12]

The financial and operational inefficiencies associated with ad-hoc asset acquisition underscore the value of the Pro Plus and Enterprise licensing tiers.[7, 9] Historically, creative teams have faced significant workflow friction, losing up to five hours per week searching for stock assets, experiencing over ten hours of weekly friction due to administrative bottlenecks, and waiting at least twenty-four hours for purchase approvals.[9]

By standardizing on a plan with unlimited Adobe Stock access, organizations can eliminate the overhead of manual purchase approvals, prevent the accidental deployment of unlicensed media, and maintain continuous project momentum.[8, 9]

Service Partitioning and Administrative Entitlement Governance

To maintain operational control, the Admin Console divides the Creative Cloud software suite into core background operations and configurable creative services.[12, 13] This logical segregation allows IT administrators to restrict high-risk cloud capabilities while keeping primary desktop publishing applications functional.[1, 12]

Service Classification	Component Name	Operational Function	Administrative Configuration
Core Service (Always-On)	File Syncing [12]	Background local-to-cloud disk synchronization.	Non-configurable; mandatory for storage-enabled plans.[12]
Core Service (Always-On)	Collaboration Services [12]	Real-time project sharing and commenting.	Non-configurable; essential for creative team sync.[12]
Core Service (Always-On)	CC Asset Storage [12]	Enterprise storage allocation and user folder mapping.	Non-configurable; forms the basis of pooled storage.[6, 12]
Core Service (Always-On)	CC Libraries [12]	Centralized repository for colors, character styles, and graphics.	Non-configurable; maintains company brand resources.[6, 12]
Core Service (Always-On)	Color CC [12]	Palette curation and color space mapping.	Non-configurable.[12]
Core Service (Always-On)	Sync Settings [12]	User application preferences and workspace customization.	Non-configurable.[12]

Configurable Service	Adobe Sign [12]	Enterprise e-signature workflow and routing.	Can be enabled or disabled via Admin Console product profiles.[12]
Configurable Service	Behance Community [12]	Public creative portfolio showcase and networking.	Can be disabled to enforce corporate asset confidentiality.[12]
Configurable Service	Typekit Fonts [12]	Cloud font synchronization and licensing.	Configurable; can be deactivated to restrict external font use.[12]
Configurable Service	PDF Services [12]	Cloud-based document extraction, conversion, and assembly.	Configurable.[12]
Configurable Service	Team Projects [12]	Premiere/After Effects cloud-hosted collaborative video editing.	Configurable; can be toggled based on team role requirements.[12]

These services are managed using Product Profiles within the Admin Console, allowing administrators to delegate permissions to specific user groups.[12, 14] For example, an administrator can create a restricted profile that enables core desktop design utilities while disabling public-facing collaborative platforms like Behance and Adobe Portfolio to protect corporate assets.[12]

----- **Identity Management and Named User Licensing (NUL) Architectures**


Managing access to desktop applications has evolved from static serial numbers to Named User Licensing (NUL).[12, 15] This change aligns with modern security practices by requiring real-time identity validation.[1, 15] Local serialized licensing methods are deprecated because they lack granular administrative visibility and are prone to credential misuse.[15]

Named User Licensing (NUL) Validation Flow

When a user initiates an application such as Adobe Photoshop, the local system does not rely on a locally stored registry key to permit execution.[1, 15] Instead, it pings Adobe Identity Services via the endpoint `resources.licenses.adobe.com` over a secure TLS connection.[1, 15]

The application queries the Admin Console to determine if the specific user has an active entitlement.[15, 16] If validated, the application is provisioned for the session; if the user's entitlement has been revoked, the local application is instantly deactivated.[12, 15]

For environments that cannot maintain a persistent network connection to external license endpoints, such as secure government laboratories, Adobe provides Feature Restricted Licensing (FRL).[10, 15] This model enables offline activation via local packaging assets managed through the Admin Console.[15]



Identity Models and Data Lifecycle Management

To manage access, administrators can configure three primary identity models within the enterprise hierarchy.[12, 13] The choice of identity model directly impacts who owns the created content, how passwords are managed, and how user data is retained when accounts are deprovisioned.[12]

- Federated ID:** Under this model, the corporate directory is federated to Adobe's Identity Management Services (IMS) using SAML 2.0 or OpenID Connect (OIDC).[12, 14] Authentication is handled entirely by the organization's Identity Provider (IdP), such as Microsoft Azure Active Directory, Okta, or Google Workspace.[12, 14] This setup keeps passwords within the corporate perimeter.[12] If an employee is terminated, disabling their account in the local IdP instantly revokes their access to Adobe services and data.[12]

- **Enterprise ID:** This model is designed for organizations that want to own the accounts and associated assets but do not have a SAML-compliant IdP.[12] Adobe hosts the credentials and performs authentication, but the identity remains under corporate ownership and management.[12]
- **Adobe ID:** This model uses individual accounts created and managed entirely by end users.[12] Because the user retains ownership of the identity and any associated personal storage, this option is generally restricted to external vendors or temporary contractors.[12]

If an administrator deprovisions a Federated ID or Enterprise ID account from the Admin Console, the associated cloud storage is locked immediately.[16] To prevent accidental data loss, the system holds the data in a cached, inaccessible state for ninety days.[16] During this grace period, a storage administrator can reclaim the assets and transfer them to an active user.[1] If no action is taken, the files are permanently deleted from Adobe's servers after the ninety-day window closes.[16]

----- **Infrastructure Security, Encryption, and Multi-Tenant Storage Architecture**


The Creative Cloud back-end is hosted on AWS using a multi-region, multi-tenant deployment model.[1, 16] This architecture uses segmented Virtual Private Clouds (VPCs) and dedicated encryption pipelines to isolate customer data.[1, 16]


Logical Network Segmentation and Storage Isolation

To prevent lateral movement and isolate public services from core storage layers, each AWS deployment region is split into two logically isolated VPC instances: the Creative Cloud for Enterprise VPC and the Shared Cloud VPC.[1]

User Generated Content (UGC) is processed by Amazon Elastic Compute Cloud (EC2) nodes and routed to regional storage pools.[1]

Symmetric metadata is cataloged in MongoDB instances running on Amazon Elastic Block Store (EBS), while the core asset binaries are written to Amazon Simple Storage Service (S3) buckets.[1, 16] These S3 buckets are protected by Identity and Access Management (IAM) policies that enforce least-privilege access.[16]





Encryption Mechanisms and Cryptographic Lifecycle Management

Data protection protocols are applied to assets both in transit and at rest.[16, 17] These safeguards help ensure compliance with enterprise confidentiality requirements [1, 16]:

- **Encryption in Transit:** All client-to-cloud communications use HTTPS connections protected by TLS v1.2 or higher, using symmetric AES 128-bit or 256-bit Galois/Counter Mode (GCM) block ciphers.[16, 17] This prevents interception and man-in-the-middle attacks.[16]
- **Encryption at Rest:** Content stored in S3 is encrypted using AES 256-bit symmetric keys that are unique to each customer and domain.[16] These keys are managed by the Amazon Key Management Service (KMS) and align with FIPS 140-2 standards and NIST 800-57 recommendations.[16]
- **Dedicated Key Control (Envelope Encryption):** Large enterprise customers can control a customer-specific, dedicated encryption key using envelope encryption.[1, 16] Under this model, the customer manages the master key in AWS KMS, while Adobe uses it to encrypt the specific data keys used to secure local S3 buckets.[1, 16]
- **Key Rotation and Revocation Policies:** Platform-managed encryption keys are rotated annually.[16] If a security incident occurs, or a domain must be isolated, administrators can instantly revoke their master key via the Admin Console.[16] This action revokes the KMS keys, rendering all encrypted data in the associated S3 buckets instantly unreadable and executing a cryptographic erasure across the entire cloud footprint.[16]

Adobe Firefly Services and Document Intelligence Architectures


Integrating machine learning and generative artificial intelligence (AI) into enterprise workflows requires clear guardrails around model training, API security, and content origin tracking.[17, 18]

To address these challenges, Adobe has developed distinct, audited security and metadata

frameworks for both the Firefly AI models and Acrobat's Document Intelligence features.[17, 19]

Firefly API Architecture and Data Retention Controls

To support automated high-volume production, Firefly Services are exposed as RESTful endpoints protected by OAuth Server-to-Server authentication.[17] Developers register applications inside the Developer Console, generating a unique Client ID and Client Secret.[17] These credentials are sent to Adobe Identity Management Services (IMS) to request a temporary access token that must accompany every subsequent API call.[17]



The Firefly architecture uses short data retention windows to prevent customer data from remaining on intermediate processing servers longer than necessary.[17] When a client application makes a generative request, input prompts and configuration data are stored in logging systems for ninety days before automatic deletion.[17]

If the request uses reference imagery—such as for Generative Fill, Generative Match, or Generative Expand workflows—the uploaded assets are stored in an AES 256-bit encrypted S3 bucket.[17]

To protect customer privacy, these reference assets are programmatically deleted 24 hours after the initial transaction.[17]

Similarly, custom model weights used to maintain brand style are cached in an encrypted S3 location for two weeks before automatic eviction.[17]

Generated outputs are cached temporarily in an AES 256-bit encrypted AWS S3 repository.[17] These output files are deleted from the cache after 24 hours for images, and after seven days for audio and video assets.[17]

Training Dataset Integrity and Content Provenance

To protect organizations from IP infringement claims, Adobe trains its Firefly models only on licensed content—including Adobe Stock—and public domain assets where the copyright has expired.[18]

Furthermore, Adobe's terms of service guarantee that the company will not train its AI models on customer content, prompt histories, or generated outputs.[17, 18]

To provide transparency, Firefly automatically attaches a cryptographically signed metadata manifest to generated assets, adhering to the Content Authenticity Initiative (CAI) standard.[18] This manifest contains provenance metadata detailing the tools used, the AI model involved, and whether the image is entirely computer-generated.[17]

To protect user privacy, prompt text is never included in the metadata.[17]

An irreversible cryptographic hash of the image is written directly to the CAI verification registry.[17] This allows external platforms to verify the asset's origin, even if the local metadata has been stripped from the file.[17]

Document Intelligence and LLM Guardrails

Adobe Acrobat uses specialized AI frameworks to analyze and reflow document layouts.[19] The core of this system is **Liquid Mode**, a proprietary machine learning engine that parses PDF structures, identifies structural boundaries (such as headers, body paragraphs, tables, and lists), and creates a responsive HTML representation for mobile displays.[19]

For semantic questions and summaries, Acrobat integrates with large language models (LLMs), using the Microsoft Azure OpenAI Service for features like the Acrobat AI Assistant.[19]

This integration is governed by strict contractual agreements that mirror Adobe's data privacy standards.[19] Under these terms, Azure OpenAI is prohibited from manually reviewing customer inputs, storing user data, or using customer document content to train its models.[19]

High-Performance Virtualization and Deployment Engineering

Deploying graphics-intensive applications like Photoshop, After Effects, and Premiere Pro on Virtual Desktop Infrastructure (VDI) requires careful planning around GPU allocation, peripheral device routing, and user profile management.[2] Standard virtualization techniques often struggle with the processing demands and low latency requirements of high-performance video editing and motion graphics pipelines.[2]

High-Performance Remote Workstations


To support virtualized design workflows, Adobe collaborates with cloud providers (including Microsoft Azure, AWS, and Google Cloud) and hardware virtualization partners like NVIDIA and Teradici.[2]

The recommended deployment pattern uses **HP Anyware** running the **PC-over-IP (PCoIP)** protocol.[2] This protocol uses advanced display compression to deliver low-latency streams up to 4K resolution at 60 frames per second over standard IP networks.[2]

Additionally, this approach provides hardware-level redirection for specialized input devices, such as pressure-sensitive Wacom tablets, while maintaining multi-monitor alignments on the client machine.[2]

User Profile Management and Registry Configurations

For virtual desktop environments where user instances are dynamically provisioned and destroyed upon logout, administrators must configure profile redirection.[15, 20] This step is critical to ensure that activation states, local workspace settings, and cached cloud profiles persist between sessions.[15]



To enable proper roaming, the virtual desktop must be configured to sync specific directories and registry paths to the enterprise profile store [15, 20]:

- **Directory Roaming Path:** Sync the local path `<user>/AppData/Roaming/Adobe/` to ensure activation tokens, local settings, and custom brushes persist across sessions.[15, 20]
- **Registry Roaming Hive:** Sync the `HKEY_CURRENT_USER (HKCU)` registry hive to preserve user workspace layouts and preferences.[15, 20]

; Example Setup.ini configuration for automated legacy serialization fallback

RequireMSI=3.0

CmdLine=/qn

[Product]

Legacy_Activation=1

ISX_SERIALNUMBER=9119xxxxxxxxxxxxxxxxxxxxxx

; Example Abcpy.ini configuration for offline deployment packaging

Install_Mode=1

ISX_SERIALNUMBER=9119xxxxxxxxxxxxxxxxxxxxxx

Companyname=Enterprise_Licensee

Virtualization Optimizations and Antivirus Configuration

When deploying applications via Citrix Provisioning Services (PVS) or VMware Horizon, administrators must clean the golden master image before generating snapshots [21, 22]:

- **Antivirus GUID Reset:** To prevent cloned virtual machines from sharing duplicate identifiers and causing conflicts in corporate endpoint management systems, administrators must remove the local security agent GUID.[22] For environments running McAfee or similar platforms on Citrix golden images, delete the registry key: `RegPath: HKLM\Software\WoW6432Node\Network Associate\Policy Orchestrator\Agent\GUID` Removing this key forces the security agent to generate a unique identifier upon boot, ensuring proper isolation for each cloned virtual machine.[22]
- **Master Image IP Release:** Run the command `ipconfig /release` to clear the DHCP lease from the master image immediately before capturing a snapshot, preventing network configuration conflicts on newly booted virtual desktops.[21]
- **vDisk Registry Purge:** For dynamic virtual disks boot-mapped from a PVS server, administrators must mount the vDisk registry and clear local network configuration properties.[22] Under the registry hive path: `vDisk Registry Path: HKLM\vDisk\Controlset001\Services\tcpip\parameters` Clear the values for `DhcpDomain`, `DhcpNameserver`, `HostName`, `NameServer`, and `NV HostName`. [22] This step ensures that the virtual machine receives fresh DNS and hostname assignments from the hypervisor upon boot, rather than inheriting the master image's parameters.[22]

To optimize rendering performance on Remote Desktop Services (RDS) or terminal server environments, administrators can disable intensive screen-drawing routines.[20] Under **Edit > Preferences > Rendering** in Acrobat, uncheck **Smooth line art** and **Smooth**

images to reduce display processing overhead and improve scrolling responsiveness on thin-client protocols.[20]

For video editing workflows, Premiere Pro requires high-speed scratch storage to prevent playback lag.[23, 24] Virtual workstations should use a dedicated high-speed SSD RAID-0 array, connected via E-SATA, USB 3, or Thunderbolt, to handle high-resolution 4K media without saturating the primary virtual system drive.[24]

Project Format	Raw Footage Length	Minimum Local Memory	Recommended Local Memory	Target Storage Interface
Standard Definition (DV)	Under 30 minutes [24]	8 GB System RAM [23]	16 GB System RAM [23]	Standard SATA SSD / HDD [23]
High Definition (HD)	Under 30 minutes [24]	8 GB System RAM [23]	16 GB System RAM [23]	High-Speed SATA SSD [23, 24]
High Definition (HD)	Over 30 minutes [24]	16 GB System RAM [24]	32 GB System RAM [24]	Dedicated NVMe SSD [23]
Ultra High Definition (4K)	Under 30 minutes [24]	16 GB System RAM [24]	32 GB System RAM [24]	NVMe SSD PCIe Gen4 [23, 24]
4K / Multi-Camera Workflows	Over 30 minutes [24]	32 GB System RAM [23]	64 GB+ System RAM	External RAID-0 / 10 GbE SAN [23, 24]

Governance, Risk Management, and the Adobe Common Controls Framework (CCF)

To maintain a consistent security posture across its multi-cloud environment, Adobe uses an open-source security framework called the Common Controls Framework (CCF).[25, 26] This

framework maps security activities across infrastructure, operational teams, and software development lifecycles to ensure compliance with global certifications and standards.[26, 27]

Control Rationalization Methodology

The primary goal of the CCF is to address audit fatigue and simplify compliance management.[26] Historically, organizations with multiple cloud offerings had to manage separate audits for ISO/IEC 27001, SOC 2, FedRAMP, and HIPAA.[26, 28] The CCF addresses this by consolidating overlapping requirements into a unified set of common controls.[26] (ISO 27001, SOC 2, FedRAMP, HIPAA, etc.)



The CCF rationalization process consolidated over 4,300 control requirements from more than twenty global frameworks into approximately 315 key controls across 25 security domains.[26]

These domains cover critical areas like Backup Management, Business Continuity, Site Operations, Proactive Security, and Cryptography.[26]

Audited Common Activities and Enforcement

The CCF defines specific operational requirements that are verified by independent third-party auditors to maintain active certifications [26, 29]:

- **Asset Inventory Tracking:** All organizational systems must run a centrally monitored Endpoint Detection and Response (EDR) agent.[25] This agent performs continuous behavioral monitoring to detect and respond to threats in real time.[25]
- **Operational Drift Remediation:** Cloud storage and compute resources are monitored by automated policy tools.[25] These systems scan AWS Config, Azure Policy, and GCP Organization Policy to detect and automatically remediate configuration drift, such as unauthorized public access on S3 buckets or unencrypted EBS volumes.[25]
- **Unified Event Logging:** System logs are aggregated into a central Splunk instance managed by the Cyber Defense Center.[25] This centralized monitoring allows security analysts to perform deep event analysis, identify potential anomalies, and accelerate incident response timelines.[25]
- **Business Contingency Verification:** Production groups must run documented disaster recovery tests at regular intervals.[28] These exercises test failover protocols against target recovery objectives, document test results, and log any remediation actions required to address exceptions.[28]

-
1. Creative Cloud for enterprise - Adobe,
<https://www.adobe.com/cc-shared/assets/pdf/trust/cce-security-whitepaper.pdf>
 2. Adobe Creative Cloud deployment on Virtual Desktop Infrastructures (VDI),
<https://helpx.adobe.com/enterprise/using/creative-cloud-deployment-on-vdi.html>
 3. Compare plans | Adobe Creative Cloud for business,
<https://www.adobe.com/creativecloud/business/teams/plans.html>
 4. Changes to Creative Cloud for teams plans | Adobe Account,
<https://helpx.adobe.com/account/individual/subscriptions-and-plans/plan-types-and-eligibility/changes-to-teams-plan.html>
 5. Creative Cloud for enterprise Edition 4 overview - SHI,
<https://www.content.shi.com/cms-content/accelerator/media/pdfs/adobe/adobe-102224-creative-cloud-for-enterprise-edition-4-overview.pdf>
 6. Adobe Creative Cloud Individual vs. Teams,
<https://www.adobe.com/creativecloud/business/teams/upgradetoteams.html>
 7. Pricing Plans & Packages | Creative Cloud for Business,
<https://business.adobe.com/products/creativecloud-business/pricing.html>
 8. Creative Cloud Pro Edition - Adobe,
<https://www.adobe.com/cc-shared/assets/pdf/business/proedition/fy22q3-cc-stock-stock-x-y-en-ccproeditionsolutionsguide.pdf>
 9. BUYER'S GUIDE - Creative Cloud Pro Edition - Adobe,
<https://www.adobe.com/cc-shared/assets/pdf/business/teams/sdk/cc-pro-buyers-guide-022323.pdf>
 10. Overview: Deploying Creative Cloud for enterprise - Adobe Help Center,
<https://helpx.adobe.com/enterprise/using/enterprise-deployment-overview.html>
 11. Features | Adobe Creative Cloud for enterprise,
<https://www.adobe.com/creativecloud/business/enterprise/features.html>
 12. Named User Licensing Migration Guide | Adobe Creative Cloud,
https://www.adobe.com/content/dam/cc/us/en/creativecloud/business/enterprise/deploy-and-manage/Adobe_Named_User_Licensing_Migration_Guide.pdf
 13. Prepare to deploy Adobe Creative Cloud packages | Enterprise,
<https://helpx.adobe.com/enterprise/using/preparing-deploy.html>
 14. Deploy Adobe Acrobat | Enterprise,
<https://helpx.adobe.com/enterprise/using/deploying-acrobat.html>
 15. Licensing — Deployment Planning and Configuration - Adobe,
<https://www.adobe.com/devnet-docs/acrobatetk/tools/AdminGuide/licensing.html>
 16. Adobe Creative Cloud for enterprise security overview,
https://www.adobe.com/content/dam/cc/us/en/security/pdfs/CCE_security_whitepaper.pdf

17. adobe-firefly-services-security-fact-sheet.pdf,
<https://www.adobe.com/cc-shared/assets/pdf/trust-center/ungated/whitepapers/creative-cloud/adobe-firefly-services-security-fact-sheet.pdf>
18. Adobe Firefly | Comprehensive & Commercially Safe AI Content Creation for Businesses, <https://business.adobe.com/products/firefly-business/firefly-ai-approach.html>
19. Adobe's Approach to Generative AI in Digital Documents,
<https://blog.adobe.com/en/publish/2024/02/20/adobes-approach-generative-ai-digital-documents>
20. Remote Desktop Services — Acrobat Desktop Virtualization Guide - Adobe,
<https://www.adobe.com/devnet-docs/acrobatetk/tools/VirtualizationGuide/remotedesktopservices.html>
21. VMware Horizon Deployments — Acrobat Desktop Virtualization Guide - Adobe,
<https://www.adobe.com/devnet-docs/acrobatetk/tools/VirtualizationGuide/vmware.html>
22. Citrix Virtual Apps and Desktops — Acrobat Desktop Virtualization Guide - Adobe,
<https://www.adobe.com/devnet-docs/acrobatetk/tools/VirtualizationGuide/citrix.html>
23. Adobe Premiere Pro | Specs, reviews and EoL info - InvGate,
<https://invgate.com/itdb/adobe-premiere-pro>
24. Performance optimization techniques for Premiere Pro - Adobe Help Center,
https://helpx.adobe.com/ph_fil/premiere-pro/kb/performance-optimization-techniques-for-premiere-pro.html
25. Adobe Operational Security Overview,
<https://www.adobe.com/cc-shared/assets/pdf/trust/adobe-operational-security-overview.pdf>
26. Adobe Common Controls Framework (CCF),
<https://www.adobe.com/trust/compliance/adobe-ccf.html>
27. Compliance - Adobe, https://www.adobe.com/id_en/security/compliance.html
28. Open_Source_CCF_Excel - v4.0 - Adobe,
https://www.adobe.com/pdf/Open_Source_CCF.pdf
29. Adobe Compliance - certifications, standards, and regulations | Adobe Trust Center,
<https://www.adobe.com/trust/compliance.html>