Services   Search for services, features, blogs, docs, and more   [Alt+S]   More

Amazon S3   ✕

Buckets

Access Points

Object Lambda Access Points

Multi-Region Access Points

Batch Operations

Access analyzer for S3

Block Public Access settings for this account

▼ **Storage Lens**

Dashboards

AWS Organizations settings

Feature spotlight   3

▶ AWS Marketplace for S3

Amazon S3 > Buckets > staticwebproject1

staticwebproject1 Info

Publicly accessible

Objects   **Properties**   **Permissions**   **Metrics**   **Management**

Access Points

Bucket overview

AWS Region	Amazon Resource Name (ARN)	Creation date
US East (Ohio) us-east-2	arn:aws:s3:::staticwebproject1	April 26, 2022, 22:28:03 (UTC+02:00)

Bucket Versioning

Versioning is a means of keeping multiple variants of an object in the same bucket. You can use versioning to preserve, retrieve, and restore every version of every object stored in your Amazon S3 bucket. With versioning, you can easily recover from both unintended user actions and application failures. **Learn more** 🔗

Feedback   Looking for language selection? Find it in the new Unified Settings   Privacy   Terms   Cookie preferences

© 2022, Amazon Web Services, Inc. or its affiliates.

Services   🔍   [Alt+S]   More

Disabled

Multi-factor authentication (MFA) delete
An additional layer of security that requires multi-factor authentication for changing Bucket
Versioning settings and permanently deleting object versions. To modify MFA delete settings,
use the AWS CLI, AWS SDK, or the Amazon S3 REST API. **Learn more** ↗

Disabled

Tags (0)   **Edit**

Track storage cost or other criteria by tagging your bucket. **Learn more** ↗

Key	Value
No tags associated with this resource.	

Default encryption   **Edit**

Automatically encrypt new objects stored in this bucket. **Learn more** ↗

Default encryption
Disabled

Services   🔍   [Alt+S]   More

Enable objects stored in the Intelligent-Tiering storage class to tier-down to the Archive Access tier or the Deep Archive Access tier which are optimized for objects that will be rarely accessed for long periods of time. **Learn more** ↗

| **View details** | **Edit** | **Delete** | **Create configuration** |

🔍 *Find Intelligent-Tiering Archive configurations*

Name	**Status**	**Scope**	**Days until transition to Archive Access tier**

No archive configurations

No configurations to display.

| **Create configuration** |

Server access logging | **Edit** |

Log requests for access to your bucket. **Learn more** ↗

Server access logging

Disabled

Services   🔍   [Alt+S]   More

Name ▲	Access ▽

No data events

No data events to display.

[**Configure in CloudTrail** ↗]

Event notifications (0)

Send a notification when specific events occur in your bucket. **Learn more** ↗

[**Edit**]   [**Delete**]   [**Create event notification**]

☐	Name	Event types	Filter

No event notifications

Choose **Create event notification** to be notified when a

[**Create event notification**]

Amazon EventBridge

For additional capabilities, use Amazon EventBridge to build event-driven applications at scale using S3 event notifications. **Learn more** ↗ or **see EventBridge pricing** ↗

[**Edit**]

Feedback   Looking for language selection? Find it in the new Unified Settings   Privacy   Terms   Cookie preferences

© 2022, Amazon Web Services, Inc. or its affiliates.

Services   🔍   [Alt+S]   More

Transfer acceleration

Edit

Use an accelerated endpoint for faster data transfers. **Learn more** 🗗

Transfer acceleration

Disabled

Object Lock

Store objects using a write-once-read-many (WORM) model to help you prevent objects from being deleted or overwritten for a fixed amount of time or indefinitely. **Learn more** 🗗

Edit

Object Lock

Disabled

ⓘ Amazon S3 currently does not support enabling Object Lock after a bucket has been created. To enable Object Lock for this bucket, contact Customer Support 🗗

Requester pays

When enabled, the requester pays for requests and data transfer costs, and anonymous access to this bucket is disabled. **Learn more** 🗗

© 2022, Amazon Web Services, Inc. or its affiliates.

Services

[Alt+S]

More

Disabled

Static website hosting

Edit

Use this bucket to host a website or redirect requests. **Learn more**

Static website hosting

Enabled

Hosting type

Bucket hosting

Bucket website endpoint

When you configure your bucket as a static website, the website is available at the AWS Region-specific website endpoint of the bucket. **Learn more**

http://staticwebproject1.s3-website.us-east-2.amazonaws.com

lock Public Access settings for his account

torage Lens

ashboards

WS Organizations settings

eature spotlight   3

WS Marketplace for S3

Feedback   Looking for language selection? Find it in the new Unified Settings

Privacy   Terms   Cookie preferences