



Module 8 – KNN K-Nearest Neighbors



Prof. Pedram Jahangiry







Class Modules

- Module 1- Introduction to Deep Learning
- Module 2- Setting up Machine Learning Environment
- Module 3- Linear Regression (Econometrics approach)
- Module 4- Machine Learning Fundamentals
- Module 5- Linear Regression (Machine Learning approach)
- Module 6- Penalized Regression (Ridge, LASSO, Elastic Net)
- Module 7- Logistic Regression
- Module 8- K-Nearest Neighbors (KNN)
- Module 9- Classification and Regression Trees (CART)
- Module 10- Bagging and Boosting
- Module 11- Dimensionality Reduction (PCA)
- Module 12- Clustering (KMeans Hierarchical)








Road map







13



Topics

Part I


- 1. KNN Classification
- 2. Performance metrics and choice of K


Part II

- 1. KNN Regression
- 2. KNN vs Linear Regression
- 3. Performance metrics and choice of K

Part III

- 1. Curse of Dimensionality
- 2. Pros and Cons of KNN
- 3. KNN applications in Finance








Part I KNN Classification





KNN (K-Nearest Neighbors)

K-nearest neighbor (KNN) is one of the simplest and best-known non-parametric supervised learning technique most often used for classification. The idea is to classify a new observation by finding similarities ("nearness") between it and its *k*-nearest neighbors in the existing dataset.



- The choice of the **distance metric**, as well as the **value for** *k*, are the choices the analyst makes before running the algorithm. So, these are hyperparameters.
- Contrary to other learning algorithms that allow discarding the training data after the model is built, KNN keeps all training examples in memory.






KNN steps

- 1. Choose number of neighbors K (positive integer)
- 2. Choose the <u>distance metric</u> (Minkowski, Euclidian, Manhattan, etc.)
- 3. Identify the K points in the training data that are closest to x_{te} in the test set. This neighborhood is represented by N_0 .
- 4. Estimate the conditional probability for class j as the fraction of points in N_0 whose response values equal j:

$$\Pr(Y = j \mid X = x_{te}) = \frac{1}{K} \sum_{i \in N_0} I(y_i = j)$$


5. Classifies the test observation x_{te} to the class with the largest probability.







KNN Decision Boundary





- Two classes: blue and orange!
- Black cross: a test observation.
- When K=3, black cross is classified as: Blue
- Repeat this process for every potential element in the feature space!

- KNN decision boundary is shown in black.
- The blue grid indicates the region in which a test observation will be assigned to the blue class, and
- the orange grid indicates the region in which it will be assigned to the orange class.





Performance metrics

• Error rate = 1 - Accuracy \longrightarrow

$$Accuracy = \frac{TN + TP}{TN + TP + FN + FP}$$

		Predictions	
		0 negative	1 positive
Actual	0 negative	TN	FP
Act	1 positive	FN	TP


1	n		
Τ	$\sum T$	/	^ \
—	$\sum I(y_i)$	Ŧ	y_i)
n		,	,
	i=1		

- A good classifier is one for which the test error is smallest.
- Like any other classifier, if the data is highly imbalanced, then we should use f1score, precision and recall instead of the error rate.




Choice of K (Bias Variance Trade Off)

- K=1 very flexible model: Low bias but high variance.
- As K grows, less flexible model, decision boundary gets close to linear. This corresponds to a low variance but high bias.
- Optimal value of K:








Part II KNN Regression





KNN Regression

• The KNN regression method is closely related to the KNN classifier





$$\hat{f}(x_{te}) = \frac{1}{K} \sum_{i \in N_0} y_i$$



Choice of K (Bias Variance Trade Off)

- K=1 very flexible model: Low bias but high variance.
- As K grows, less flexible model, regression fit gets smoother and smoother. This corresponds to a low variance but high bias.
- Optimal value of K:








13



Choice of K (Bias Variance Trade Off)

- K=1 very flexible model: Low bias but high variance.
- As K grows, less flexible model, regression fit gets smoother and smoother. This corresponds to a low variance but high bias.








Linear regression vs KNN regression

- Black curve is the true relationship between y and X
- Green dashed line: KNN MSE_test
- Black dashed line: OLS MSE_test
- The more non-linear the true relationship, the better performance of KNN compared to OLS.

өд Епо 0.10

0.05





15

1/K


Part III Pros and Cons Applications in Finance





Curse of Dimensionality

- The "Curse of Dimensionality" is a problem with the relationship between dimensionality and volume.
- Sparsity of data occurs when moving to higher dimensions. the volume of the space represented grows so quickly that the data cannot keep up and thus becomes sparse. (*Bellman*, 1957)







17



KNN and the Curse of Dimensionality







18



KNN's Pros and Cons

Pros:

- Intuitive and simple
- No assumption (non-parametric)
- Easy to implement for multi-class problem
- Used both for classification and regression
- Few parameters/hyper-parameters

Cons:

- Slow (memory-based approach)
- Curse of dimensionality
- Not good with multiple categorical features
- Choice of K
- No interpretation (None!)







KNN Applications in finance

- Bankruptcy prediction
- Stock price prediction (buy/sell/hold)
- Corporate bond credit rating assignments
- Money laundering analysis
- Bank customer profiling
- Loan management
- Customized equity and bond index creation





Class Modules

- ✓ Module 1- Introduction to Deep Learning
- ✓ Module 2- Setting up Machine Learning Environment
- ✓ Module 3- Linear Regression (Econometrics approach)
- ✓ Module 4- Machine Learning Fundamentals
- ✓ Module 5- Linear Regression (Machine Learning approach)
- ✓ Module 6- Penalized Regression (Ridge, LASSO, Elastic Net)
- ✓ Module 7- Logistic Regression
- ✓ Module 8- K-Nearest Neighbors (KNN)
- Module 9- Classification and Regression Trees (CART)
- Module 10- Bagging and Boosting
- Module 11- Dimensionality Reduction (PCA)
- Module 12- Clustering (KMeans Hierarchical)



