


TIME-OPTIMAL AO-RRT FOR SIMULATED FORMULA E CAR

Authors:
Parker Humes
Natalie Stratton
Alex Christiansen



PROJECT OVERVIEW

- Project Goal: **Find optimal race line for known track map**
 - Minimize lap time
 - Respect physics
- Use Sample-Based Planning
 - Large, continuous state-space
 - Complex vehicle dynamics
- Use Indianapolis Motor Speedway as testbed
 - Generalize to other tracks



AO-RRT REVIEW

1) Sample

$x_{rand}, c_{rand}, t_{rand}, u_{rand}$

2) Find Nearest

x_{rand}, c_{rand}

3) Propagate

$x_{near}, u_{rand}, t_{rand}$

4) Trajectory Cost

$c_{new} = cost(y_{near}) + cost(\pi_{new})$

5) Grow Tree

If feasible

6) Update Min

If $x_{new} \in X_g$ and $c_{new} < c_{max}$

WHY WE CHOSE AO-RRT

- Sampling – no discretization of large map
- Asymptotically optimal
- Handles kinodynamic constraints
- Allows custom cost function



VEHICLE MODEL


Friction Circle:

- $m_{car} \sqrt{a_t^2 + a_l^2} \leq \mu_{tires} f_n(m, v)$
- Normal force includes downforce (function of velocity)
 - Drag and downforce taken from CFD Analysis [1]
- Track assumed perfectly flat
- $\mu = 1.5$ – Consistent with performance road tire (not slick)

Bicycle Motion Model:

- State
 - (x, y) – position of rear tire
 - θ – orientation about z-axis
 - Added:
 - $S(x, y)$ – track centerline progress
 - v – forward velocity (*added for dynamics*)
- Controls/Inputs
 - a – Throttle/Brake
 - ψ – Steering Angle

VEHICLE MODEL




Bicycle Motion Model:



- State
 - (x, y) – position of rear tire
 - θ – orientation about z-axis
 - Added:
 - $S(x, y)$ – track centerline progress
 - v – forward velocity (*added for dynamics*)
- Controls/Inputs
 - a – Throttle/Brake
 - ψ – Steering Angle

AO-RRT MODIFICATIONS

- Gaussian Control Sampling
 - Usually you're driving (mostly) straight.
 - Usually you want to be on the gas OR on the brake
 - Still probabilistically complete
- Track Centerline Progress Parameterization $S(x, y)$
 - Goal samples attach to root node
 - Cost Function: $T = \int_0^L \frac{1}{v(s)} ds$
- Collision Checking Includes Tire Slip
- K-Nearest Neighbor Expansion
 - Helps get out of terminal states




AO-RRT PSEUDOCODE




RESULTS – ASYMPTOTIC OPTIMALITY

- Segments close to the finish are optimized early on
- Early mistakes take extremely long to improve
- This run took just over 3 hours
 - No significant improvement for 40k iterations
- As $t \rightarrow \infty$, we approach the optimal path.
 - It might have to be really close to $t = \infty$...




RESULTS – ASYMPTOTIC OPTIMALITY


- Segments close to the finish are optimized early on
- Early mistakes take extremely long to improve
- This run took just over 3 hours
 - No significant improvement for 40k iterations
- As $t \rightarrow \infty$, we approach the optimal path.
 - It might have to be really close to $t = \infty$...




RESULTS – ASYMPTOTIC OPTIMALITY





RESULTS: GENERATED PATHS



RESULTS: GENERATED PATHS




WHAT ABOUT FOR A SHORT TRACK SEGMENT




**OTHER
TRACKS**

**BRANDS
HATCH**




PROJECT LIMITATIONS

- AO-RRT is limited for large tracks
- Simple physics model
 - Lap times not comparable to real life
- Very short rollouts
- Instantaneous change in steering angle ψ
- Track Elevation/Banking neglected



PROJECT LIMITATIONS

- AO-RRT is limited for large tracks
- Simple physics model
 - Lap times not comparable to real life
- Very short rollouts
- Instantaneous change in steering angle ψ
- Track Elevation/Banking neglected




FUTURE WORK

- Optimizing data structure (KD tree or similar)
- Further Parameter tuning
- Heuristic pruning
- Use a different algorithm (MPPI, perhaps)
- Inject further racing knowledge
 - Cost function
 - Guided Sampling
- Plan for track segments (i.e. a single corner or series of corners)

QUESTIONS?

[1] AirShaper Analysis by Wouter Remmerie:
<https://www.linkedin.com/pulse/aero-shake-down-formula-e-versus-one-wouter-remmerie>



RESULTS: GENERATED PATHS

