



21 cols

PD


Horizontal visual stimulus
Vertical visual stimulus
Merged fitted





separate
 21 cols
 PD
 DMD
 1.4 mm
 Area RO
 10.44
 mm²
 Area ON
 1.07 mm²
 SDC
 10.2%
 tDC
 100.0%
 PD ROI
 0.2805
 mW mm²
 P_{total}
 2.928 mW

20250826R2



separate

20 cols

PD

Horizontal visual stimulus

Vertical visual stimulus

Merged fitted

Area

ROI

11.53

mm²

Area

ON

1.2 mm²

SDC 9.8%

TDC

100.0%

PD

ROI

0.2686

mm²

PD

Total

30.68 mW

Gabor contrast (%)

Biasing

Masking

Overall: n.s.

p = 0.245

Full 95%

Gabor contrast (%)

Biasing

Masking

Gabor contrast (%)


Biasing

Masking

Gabor contrast (%)


Biasing

Masking




	A	B	α	β	X0
Baseline	0.70	0.02	0.8	0.0	
Con-Opto	0.51	0.5	0.82	0.8	
Incon-Opto	0.68	0.20	0.9	0.8	
DeltaAICc _{x0}	0	-2.1			

Horizontal visual stimulus Vertical visual stimulus Merged fitted



	A	B	α	β	X0
Baseline	0.30	0.03	4.5	0.0	
Con-Opt	0.71	0.59	2.2	0.2	
Incon-Opt	0.88	0.54	1.8	0.2	
DeltaAICc _{y0}			-3.3		



8.0% 10.0% 11.7%

95%

Gray Masking Full 95%

separate

21 cols

PD

Horror

2.4.4

-21



Area PC



9.47 ml

Area

ON

136 mi

Free

SDC

144%

tDC

100.00%

100.0%
55

PD ROI

3051

0395 10

mw mr

五

total

30732 m

cr

or

○



0 -

4

△ -

0

1



Gabor contrast (Gabor contrast (Gabor contrast (%))

8.0%

26.0%


15.0%

separate

20 cols

PD

Horizontal visual stimulus Vertical visual stimulus Merged fitted



20 co/s

Hor

-21

Area RC

9.55 m

 Φ

sDC

tDC

100.0 %
DD

3888

mvw mr


2000

or -


() —

 $\triangleleft -$


C



Overall: n.s. (%)
p = 0.933



4.0 % 0.0 % 0.1 %



separate

21 cols

PD

DMD

2.14 mm

mm

Area

ROI

9.48 mm²

Area ON

1.35 mm²

SDC

14.3%

fDC

50.0%

PD

ROI

0.1953

mm²

Total

1.049 mW

mm

mm

mm

mm

mm

mm

mm

mm

mm

mm

mm

mm

mm

mm


mm

mm

Horizontal visual stimulus

Vertical visual stimulus

Merged fitted



BL:

separate

21 cols

PD

DMD

2.14 mm

mm

Area ROI

9.48 mm²

Area ON

1.35 mm²

SDC

14.3%

fDC

76.0%

PD

ROI

0.2969

mW mm²

PD

Total

20.10 mW

mm

mm

mm

mm

mm

mm

mm

mm


mm


mm

mm

mm


mm






separate
 22 cols
 PD
 DMD
 1.4 mm
 Area
 ROI
 10.72
 mm²
 Area
 ON
 1.39 mm²
 SDC
 13.0%
 tDC
 76.0%
 PD ROI
 0.2699
 mW mm²
 P_{total}
 2.882 mW

20250918R2



separate
 22 cols
 PD
 DMD
 1.4 mm
 Area
 ROI
 10.89
 mm²
 Area
 ON
 1.40 mm²
 SDC
 12.8%
 tDC
 26.0%
 PD ROI
 0.0913
 mW mm²
 P_{total}
 0.993 mW


20250919R3



separate
 22 cols
 PD
 DMD


20250924R2

Horizontal visual stimulus Vertical visual stimulus Merged fitted



	A	B	α	$\beta X0$
Baseline	2.50	0.03	5.0	0.0
Con-Opto	4.63	0.00	2.40	6.0
Incon-Opto	6.59	7.40	0.6	0.0


DeltaAICc_x = 0.0



separate
22 cols
PD
DMD

20250924R3

Horizontal visual stimulus Vertical visual stimulus Merged fitted



BL:

separate

22 cols

PD

DMD

2.74 mm

mm

Area

ROI

9.98 mm²

Area

ON

1.37 mm²

SDC

13.8%

fDC

30.0%

PD

ROI


0.736

mm²

PD


Total

11.28 mW

mm²mm²mm²mm²mm²mm²mm²mm²mm²mm²mm²mm²

separate
22 cols
PD
DMD

Horizontal visual stimulus Vertical visual stimulus Merged fitted



BL:

separate

22 cols

PD

DMD

2.14 mm

mm

Area

ROI

11.03

mm²

Area

ON

1.61 mm²

SDC

9.3%

TDC

100.0%

PD

ROI

0.2542

mm²

PD

Total

20.78 mW

mm²

mm

mm

mm

mm

mm


mm

mm

mm

mm

mm



A B α β X0
 Baseline 3.50 0.00 0.00
 Con-Opto 2.52 0.00 0.00
 Incon-Opto 1.11 0.00 0.00
 DeltaAICc_x -6.4

Overall: n.s.
p = 0.375

Gr... null 95%

BL:

separate

22 cols

PD

DMD

2.14 mm

Area

ROI

11.03

mm²

Area

ON

1.61 mm²

SDC

9.3%

fDC

50.0%

PD

ROI

0.127

mm²

PD

Total

1.89 mW

Area

ON

1.61 mm²

SDC

9.3%

fDC

50.0%

PD

ROI

0.127

mm²


PD


Total

Horizontal visual stimulus

Vertical visual stimulus


Merged fitted





BL:
separate
21 cols
PD

Horizontal visual stimulus Vertical visual stimulus Merged fitted



BL:

separate

22 cols

PD

DMD

2.14 mm

mm

Area

ROI

11, 18

mm²

Area

ON

1.95 mm²

SDC

9.5%

TDC

100.0%

PD

ROI

0.2593

mm²



PD

Total

20.83 mW

mm²mm²mm²mm²mm²mm²mm²mm²mm²mm²mm²mm²

Horizontal visual stimulus Merged fitted




Gabor contrast (%) or contrast (%)

2.0% 8.0% 5.8%

Baseline 4.50 0.00 2.80
 Con-Opto 4.57 0.01 2.50
 Incon-Opto 4.31 0.12 2.73
 DeltaAICc_x -7.9

Overall: n.s.
 $p = 0.327$

Grat 95%






Overall: n.s.
p = 0.352

Full 95%




-9.2%



BL:
separate
20 cols
PD

Horizontal visual stimulus Vertical visual stimulus Merged fitted



	A	B	α	$\beta X0$
Baseline	2.50	0.02	0.0	0.0
Con-Opto	1.81	0.09	0.0	0.5
Incon-Opto	2.62	0.2	0.5	

DeltaAICc_X -2.8

separate

20 cols

PD

DMD

2.74 mm

mm

Area ROI

9.39 mm²

Area ON

1.44 mm²

SDC

15.3%

fDC

100.0%

PD

ROI

0.4198

mW mm²

PD

Total

3.039 mW

mm

mm

mm

mm

mm

mm

mm

mm

mm

mm

mm

mm

mm

mm

mm

mm

Horizontal visual stimulus

Vertical visual stimulus

Merged fitted

Correct (%)

Baseline

Con-Opto

Incon-Opto

Correct (%)

Correct (%)

Correct (%)

Correct (%)

Correct (%)

Correct (%)

Correct (%)

Correct (%)

Correct (%)

Correct (%)

Correct (%)

A B α β X0
 Baseline 3.45 0.42 0.0
 Con-Opto 10.55 0.14 0.55.7
 Incon-Opto 14.13 2.55.7
 DeltaAICc_X -6.3

Overall: n.s.
p = 0.924

Biasing

Masking

Biasing

Masking

Biasing

Masking

Biasing

Masking

Biasing


Masking


Gabor contrast (%)


0.0%

-2.0%


0.8%







Ordered power-effect bands, $k=3$, score=0.419






Figure 1: Behavioral performance of the monkey. The figure consists of six line graphs arranged in a 2x3 grid. The top row shows 'Horizontal visual stimulus', 'Vertical visual stimulus', and 'Merged' conditions. The bottom row shows 'Gabor contrast (%)' for the same three conditions. Each graph plots 'Correct (%)' on the y-axis (0 to 100) against 'Gabor contrast (%)' on the x-axis (0 to 100). Three data series are shown: 'Baseline' (black circles), 'Con-Opto' (red triangles), and 'Incon-Opto' (blue inverted triangles). In the top row, performance is generally high, with Baseline and Con-Opto reaching near 100% correct, while Incon-Opto is lower. In the bottom row, performance is lower, with Baseline and Con-Opto reaching around 10-20% correct, while Incon-Opto is near 0%. A legend in the top right corner provides statistical data for each condition.


Condition	A	B	α	β	X0
Baseline	8.50	0.01	5.3	10.0	
Con-Opto	59.64	4.3	30.3		
Incon-Opto	60.43	3	60.3		

DeltaAICc: 0 34.3


Overall: n.s. p = 0.297

Figure 1: Behavioral performance in the visual search task. The figure consists of six line graphs arranged in a 2x3 grid. The top row shows 'Correct (%)' for 'Horizontal visual stimulus', 'Vertical visual stimulus', and 'Merged' conditions. The bottom row shows 'ΔCorrect (%)' for 'Biasing' and 'Masking' conditions. Each graph plots performance against 'Gabor contrast (%)' (0, 2.5, 5.0, 7.5, 10.0). The legend for the top row includes 'Baseline' (black circle), 'Con-Opto' (red triangle), and 'Incon-Opto' (blue inverted triangle). The legend for the bottom row includes 'Biasing' (black square) and 'Masking' (gray square). The overall p-value is less than 0.001.


Power cluster 1, Columns 0 / 90° ($n_{\text{expt}}=10$)




Power cluster 2, Columns 0 / 90° ($n_{\text{expt}}=14$)




Power cluster 3, Columns 0 /90 ($n_{\text{expt}}=5$)



Power cluster 1 individual Weibull parameters, Columns 0 / 90



Power cluster 2 individual Weibull parameters, Columns 0 / 90



Power cluster 3 individual Weibull parameters, Columns 0 / 90

(n_{exp} = 5) | Signed-BX0 merged panel parameters

