Services definition

Contents

Groups services 4
Group class selection 4
Group selection 4
Group add 4
Group editor 4
Group full editor 5
Group class editor 5
Group translation 5
Group related subjects 5
Group related deliveries 6
Groups searching 6
Group removing 6
Items services 7
Item class selection 7
Item selection 7
Item add 7
Item editor 7
Item full editor 8
Item class editor 8
Item preview 8
Item authoring 8
Item translation 9
Items searching 9
Item removing 9
Results services 9
Results searching 9
Result Table 10
Subjects services 11
Subject class selection 11

Subject selection....11
Subject add....11
Subject editor....11
Subject full editor....12
Subject class editor....12
Subject translation....12
Subject's group selection....12
Subjects searching....13
Subject removing....13
Tests services....14
Test class selection....14
Test selection....14
Test add....14
Test editor....14
Test full editor....15
Test class editor....15
Test's items authoring....15
Test parameters....15
Test preview....16
Test translation....16
Test related items....16
Tests searching....16
Test removing....17
Delivery services....18
Delivery class selection....18
Delivery selection....18
Deliveries searching....18
Delivery add....18
Delivery editor....19
Delivery full editor....19
Devlivery class editor....19
Delivery exclude subject....19
Delivery related campaigns....20

Delivery removing 20
Delivery compilation 20
Campaign class selection 20
Campaign selection 21
Campaigns searching 21
Campaign add 21
Campaign editor 21
Campaign full editor 22
Campaign class editor 22
Campaign related delivery 22
Campaign removing 22
ResultServer class selection 23
ResultServer selection 23
ResultServers searching 23
ResultServer add 23
ResultServer editor 24
ResultServer full editor 24
ResultServer class editor 24
ResultServer related delivery 24
ResultServer removing 25

Groups services

Group class selection

Description:Select a group (sub)class

Url: /taoGroups/SaSGroups/sasSelect

Parameter IN: selectInstance = false

Parameter OUT: groupClassUri

Group selection

Description:Select a group

Url: /taoGroups/SaSGroups/sasSelect

Parameter IN: selectInstance = true

Parameter OUT: groupClassUri, groupUri

Group add

Description:Add a new group and redirect to the edit form

Url: /taoGroups/SaSGroups/sasAddInstance

Parameter IN: classUri = ^groupClassUri

Parameter OUT: groupUri

Group editor

Description:Edit group properties

Url: /taoGroups/SaSGroups/sasEditInstance

Parameter IN: uri = ^groupUri, classUri = ^groupClassUri

Parameter OUT:

Group full editor

Description:Full edit form: edit group properties, select group subjects and deliveries

Url: /taoGroups/SaSGroups/editGroup

Parameter IN: uri = ^groupUri, classUri = ^groupClassUri

Parameter OUT:

Group class editor

Description:Edit a Group (sub)class: add/edit/delete class properties

Url: /taoGroups/SaSGroups/editGroupClass

Parameter IN: classUri = ^groupClassUri

Parameter OUT:

Group translation

Description:Translate the value of the group properties

Url: /taoGroups/SaSGroups/translateInstance

Parameter IN: uri = ^groupUri, classUri = ^groupClassUri, target_lang = ^groupTargetLang

Parameter OUT:

Group related subjects

Description:Select the subjects linked to the group

Url: /taoGroups/SaSGroups/selectSubjects

Parameter IN: uri = ^groupUri, classUri = ^groupClassUri

Parameter OUT: subjectUris

Group related deliveries

Description:Select the deliveries linked to the group

Url: /taoGroups/SaSGroups/selecDeliveries

Parameter IN: uri = ^groupUri, classUri = ^groupClassUri

Parameter OUT: deliveryUris

Groups searching

Description:Search groups instances

Url: /taoGroups/SaSGroups/search

Parameter IN:

Parameter OUT: groupUris

Group removing

Description:Delete a group instance

Url: /taoGroups/SaSGroups/sasDeleteInstance

Parameter IN: uri = ^groupUri, classUri = ^groupClassUri

Parameter OUT:

Items services

Item class selection

Description:Select an item (sub)class

Url: /taoItems/SaSItems/sasSelect

Parameter IN: selectInstance = false

Parameter OUT: itemClassUri

Item selection

Description:Select an item

Url: /taoItems/SaSItems/sasSelect

Parameter IN: selectInstance = true

Parameter OUT: itemClassUri, itemUri

Item add

Description:Add a new item and redirect to the edit form

Url: /taoItems/SaSItems/sasAddInstance

Parameter IN: classUri = ^itemClassUri

Parameter OUT: itemUri

Item editor

Description:edit item properties

Url: /taoItems/SaSItems/sasEditInstance

Parameter IN: uri = ^itemUri, classUri = ^itemClassUri

Parameter OUT:

Item full editor

Description:Full edit form: edit item properties and preview item

Url: /taoItems/SaSItems/editItem

Parameter IN: uri = ^itemUri, classUri = ^itemClassUri

Parameter OUT:

Item class editor

Description:Edit a Item (sub)class: add/edit/delete class properties

Url: /taoItems/SaSItems/editItemClass

Parameter IN: classUri = ^itemClassUri

Parameter OUT:

Item preview

Description:Preview an item

Url: /taoItems/SaSItems/preview

Parameter IN: uri = ^itemUri, classUri = ^itemClassUri

Parameter OUT:

Item authoring

Description:Open the authoring tool of the selected item

Url: /taoItems/SaSItems/authoring

Parameter IN: uri = ^itemUri, classUri = ^itemClassUri

Parameter OUT:

Item translation

Description:Translate the value of the item properties

Url: /taoItems/SaSItems/translateInstance

Parameter IN: uri = ^itemUri, classUri = ^itemClassUri, target_lang = ^itemTargetLang

Parameter OUT:

Items searching

Description:Search items instances

Url: /taoItems/SaSItems/search

Parameter IN:

Parameter OUT: itemUris

Item removing

Description:Delete an item instance

Url: /taoItems/SaSItems/sasDeleteInstance

Parameter IN: uri = ^itemUri, classUri = ^itemClassUri

Parameter OUT:

Results services

Results searching

Description:Search results instance form

Url: /taoResults/SaSResults/search

Parameter IN:

Parameter OUT: resultUris

Result Table

Description:Open the UTR table on the results

Url: /taoResults/SaSResults/createTable

Parameter IN: classUri = ^resultClassUri

Parameter OUT:

Subjects services

Subject class selection

Description:Select a subject (sub)class

Url: /taoSubjects/SaSSubjects/sasSelect

Parameter IN: selectInstance = false

Parameter OUT: subjectClassUri

Subject selection

Description:Select a subject

Url: /taoSubjects/SaSSubjects/sasSelect

Parameter IN: selectInstance = true

Parameter OUT: subjectClassUri, subjectUri

Subject add

Description:Add a new subject and redirect to the edit form

Url: /taoSubjects/SaSSubjects/sasAddInstance

Parameter IN: classUri = ^subjectClassUri

Parameter OUT: subjectUri

Subject editor

Description:Edit subject properties

Url: /taoSubjects/SaSSubjects/sasEditInstance

Parameter IN: uri = ^subjectUri, classUri = ^subjectClassUri

Parameter OUT:

Subject full editor

Description:Full edit form: edit subject properties, select subject's group

Url: /taoSubjects/SaSSubjects/editSubject

Parameter IN: uri = ^subjectUri, classUri = ^subjectClassUri

Parameter OUT:

Subject class editor

Description:Edit a Subject (sub)class: add/edit/delete class properties

Url: /taoSubjects/SaSSubjects/editSubjectClass

Parameter IN: classUri = ^subjectClassUri

Parameter OUT:

Subject translation

Description:Translate the value of the subject properties

Url: /taoSubjects/SaSSubjects/translateInstance

Parameter IN: uri = ^subjectUri, classUri = ^subjectClassUri, target_lang = ^subjectTargetLang

Parameter OUT:

Subject's group selection

Description:Select the subject's group

Url: /taoSubjects/SaSSubjects/addToGroup

Parameter IN: uri = ^subjectUri, classUri = ^subjectClassUri

Parameter OUT:

Subjects searching

Description:Search subject instances

Url: /taoSubjects/SaSSubjects/search

Parameter IN:

Parameter OUT: subjectUris

Subject removing

Description:Delete a subject

Url: /taoSubjects/SaSSubjects/sasDeleteInstance

Parameter IN: uri = ^subjectUri, classUri = ^subjectClassUri

Parameter OUT:

Tests services

Test class selection

Description:Select a test (sub)class

Url: /taoTests/SaSTests/sasSelect

Parameter IN: selectInstance = false

Parameter OUT: testClassUri

Test selection

Description:Select a test

Url: /taoTests/SaSTests/sasSelect

Parameter IN: selectInstance = true

Parameter OUT: testClassUri, testUri

Test add

Description:Add a new test and redirect to the edit form

Url: /taoTests/SaSTests/sasAddInstance

Parameter IN: classUri = ^testClassUri

Parameter OUT: testUri

Test editor

Description:Edit subject properties

Url: /taoTests/SaSTests/sasEditInstance

Parameter IN: uri = ^testUri, classUri = ^testClassUri

Parameter OUT:

Test full editor

Description:Full edit form: edit test properties, select and sort test's items

Url: /taoTests/SaSTests/editTest

Parameter IN: uri = ^testUri, classUri = ^testClassUri

Parameter OUT:

Test class editor

Description:Edit a Test (sub)class: add/edit/delete class properties

Url: /taoTests/SaSTests/editTestClass

Parameter IN: classUri = ^testClassUri

Parameter OUT:

Test's items authoring

Description:Edit the test related items properties

Url: /taoTests/SaSTests/itemSequence

Parameter IN: uri = ^testUri, classUri = ^testClassUri

Parameter OUT:

Test parameters

Description:Edit the test parameters

Url: /taoTests/SaSTests/authoring

Parameter IN: uri = ^testUri, classUri = ^testClassUri

Parameter OUT:

Test preview

Description:Compile and preview the test

Url: /taoTests/SaSTests/preview

Parameter IN: uri = ^testUri

Parameter OUT:

Test translation

Description:Translate the value of the test properties

Url: /taoTests/SaSTests/translateInstance

Parameter IN: uri = ^testUri, classUri = ^testClassUri, target_lang = ^testTargetLang

Parameter OUT:

Test related items

Description:Select and sort the test related items

Url: /taoTests/SaSTests/selectItems

Parameter IN: uri = ^testUri, classUri = ^testClassUri

Parameter OUT: itemUris

Tests searching

Description:Search test instances

Url: /taoTests/SaSTests/search

Parameter IN:

Parameter OUT: testUris

Test removing

Description:Delete a test instance

Url: /taoTests/SaSTests/sasDeleteInstance

Parameter IN: uri = ^testUri, classUri = ^testClassUri

Parameter OUT:

Delivery services

Delivery class selection

Description:Select a delivery (sub)class

Url: /taoDelivery/SaSDelivery/sasSelect

Parameter IN: selectInstance = false

Parameter OUT: deliveryClassUri

Delivery selection

Description:Select a delivery

Url: /taoDelivery/SaSDelivery/sasSelect

Parameter IN: selectInstance = true

Parameter OUT: deliveryClassUri, deliveryUri

Deliveries searching

Description:Search deliveries instances

Url: /taoDelivery/SaSDelivery/search

Parameter IN:

Parameter OUT: deliveryUris

Delivery add

Description:Add a new delivery and redirect to the edit form

Url: /taoDelivery/SaSDelivery/sasAddInstance

Parameter IN: classUri = ^deliveryClassUri

Parameter OUT: deliveryUri

Delivery editor

Description:Edit delivery properties

Url: /taoDelivery/SaSDelivery/sasEditInstance

Parameter IN: uri = ^deliveryUri, classUri = ^deliveryClassUri

Parameter OUT:

Delivery full editor

Description:Full edit form: edit delivery properties, exclude testees and select campaigns

Url: /taoDelivery/SaSDelivery/editDelivery

Parameter IN: uri = ^deliveryUri, classUri = ^deliveryClassUri

Parameter OUT:

Devlivery class editor

Description:Edit a Delivery (sub)class: add/edit/delete class properties

Url: /taoDelivery/SaSDelivery/editDeliveryClass

Parameter IN: classUri = ^deliveryClassUri

Parameter OUT:

Delivery exclude subject

Description:Select subject to exclude of the delivery

Url: /taoDelivery/SaSDelivery/excludeSubjects

Parameter IN: uri = ^deliveryUri, classUri = ^deliveryClassUri

Parameter OUT: subjectUris

Delivery related campaigns

Description:Select delivery campaigns

Url: /taoDelivery/SaSDelivery/selectCampaign

Parameter IN: uri = ^deliveryUri, classUri = ^deliveryClassUri

Parameter OUT: campaignUris

Delivery removing

Description:Delete a delivery instance

Url: /taoDelivery/SaSDelivery/sasDeleteInstance

Parameter IN: uri = ^deliveryUri, classUri = ^deliveryClassUri

Parameter OUT:

Delivery compilation

Description:Compile all the tests composing the delivery

Url: /taoDelivery/SaSDelivery/compileView

Parameter IN: uri = ^deliveryUri, classUri = ^deliveryClassUri

Parameter OUT:

Campaign class selection

Description:Select a campaign (sub)class

Url: /taoDelivery/SaSCampaign/sasSelect

Parameter IN: selectInstance = false

Parameter OUT: campaignClassUri

Campaign selection

Description:Select a campaign

Url: /taoDelivery/SaSCampaign/sasSelect

Parameter IN: selectInstance = true

Parameter OUT: campaignClassUri, campaignUri

Campaigns searching

Description:Search campaigns instances

Url: /taoDelivery/SaSCampaign/search

Parameter IN:

Parameter OUT: campaignUris

Campaign add

Description:Add a new campaign and redirect to the edit form

Url: /taoDelivery/SaSCampaign/sasAddInstance

Parameter IN: classUri = ^campaignClassUri

Parameter OUT: campaignUri

Campaign editor

Description:Edit campaign properties

Url: /taoDelivery/SaSCampaign/sasEditInstance

Parameter IN: uri = ^campaignUri, classUri = ^campaignClassUri

Parameter OUT:

Campaign full editor

Description:Full edit form: edit campaign properties and select related deliveries

Url: /taoDelivery/SaSCampaign/editCampaign

Parameter IN: uri = ^campaignUri, classUri = ^campaignClassUri

Parameter OUT:

Campaign class editor

Description:Edit a campaign (sub)class: add/edit/delete class properties

Url: /taoDelivery/SaSCampaign/editCampaignClass

Parameter IN: classUri = ^campaignClassUri

Parameter OUT:

Campaign related delivery

Description:Select campaign deliveries

Url: /taoDelivery/SaSCampaign/selectDeliveries

Parameter IN: uri = ^campaignUri, classUri = ^campaignClassUri

Parameter OUT:

Campaign removing

Description:Delete a campaign instance

Url: /taoDelivery/SaSCampaign/sasDeleteInstance

Parameter IN: uri = ^campaignUri, classUri = ^campaignClassUri

Parameter OUT:

ResultServer class selection

Description:Select a ResultServer (sub)class

Url: /taoDelivery/SaSResultServer/sasSelect

Parameter IN: selectInstance = false

Parameter OUT: resultServerClassUri

ResultServer selection

Description:Select a result server

Url: /taoDelivery/SaSResultServer/sasSelect

Parameter IN: selectInstance = true

Parameter OUT: resultServerClassUri, resultServerUri

ResultServers searching

Description:Search ResultServers instances

Url: /taoDelivery/SaSResultServer/search

Parameter IN:

Parameter OUT: resultServerUris

ResultServer add

Description:Add a new ResultServer and redirect to the edit form

Url: /taoDelivery/SaSResultServer/sasAddInstance

Parameter IN: classUri = ^resultServerClassUri

Parameter OUT: resultServerUri

ResultServer editor

Description:Edit result server properties

Url: /taoDelivery/SaSResultServer/sasEditInstance

Parameter IN: uri = ^resultServerUri, classUri = ^resultServerClassUri

Parameter OUT:

ResultServer full editor

Description:Full edit form: edit campaign properties and select related deliveries

Url: /taoDelivery/SaSResultServer/editResultServer

Parameter IN: uri = ^resultServerUri, classUri = ^resultServerClassUri

Parameter OUT:

ResultServer class editor

Description:Edit a ResultServer (sub)class: add/edit/delete class properties

Url: /taoDelivery/SaSResultServer/editResultServerClass

Parameter IN: classUri = ^resultServerClassUri

Parameter OUT:

ResultServer related delivery

Description:Select result server deliveries

Url: /taoDelivery/SaSResultServer/selectDeliveries

Parameter IN: uri = ^resultServerUri, classUri = ^resultServerClassUri

Parameter OUT: deliveryUris

ResultServer removing

Description:Delete a ResultServer instance

Url: /taoDelievry/SaSResultServer/sasDeleteInstance

Parameter IN: uri = ^resultServerUri, classUri = ^resultServerClassUri

Parameter OUT:

```
Generated by wfEngine/scripts/wikiSas.php : SaSWiki::transform on 2010-07-05
```