

CovidHelp System in PHP

Bachelor of Technology (Computer Science & Engineering)

(Session: 2018-2022)



Submitted to:

Prof. Sanjeev Dhawan
CSE Department
UIET, KUK

Submitted by:

Prateek Bajpai
251802067
CSE-A 6th Sem.

University Institute of Engineering and Technology

Kurukshetra University Kurukshetra – 136119

Declaration

I am Prateek Bajpai student of B.Tech in the Department of Computer Science & Engineering University institute of Engineering and Technology, Kurukshetra University , Kurukshetra under class Roll No. 251802067 for the session 2018-22,

hereby ,declare that the Project Report on “CovidHelp System” has been completed by me for College PROJECT .

Table of Content

S.No	Description	Page No.
1.	Acknowledgement	5
2.	Introduction on Project Idea	6
3.	Source & Technology Used in Project	7-17
4.	Project Overview	18-20
5.	Development Phase of Project	21-66
6.	Screenshots of Project	67-70
7.	Benefits of CovidHelp System	71
8.	Conclusion	72

Acknowledgement

I would like to express my special thanks to gratitude to my teachers for their guidance & Support for Completing this Project.

I also express thanks to my College UIET Kurukshetra they give me Opportunities for make this Project to Enhance my Practical Knowledge with this Projects.

We are very Thankful to him.

Finally, we wish to say thanks to all Teachers of the C.S.E Dept for their kind cooperation.

Introduction on Project Idea

Project Name: CovidHelp System

Objective:

To Help People for Search Hospital Beds Availability State Wise Report During Covid Pandemic Condition.

To Book Registration for Covid Vaccine.

To Check Covid Cases State Wise Data.

Main Objective to Help People with this CovidHelp System in all Manner.

Project Overview

CovidHelp System(Help People During Covid Pandemic) is Web Based Project Idea those for People to easy to find Covid Facilities that Provided by Government.

CovidHelp System Provided Authenticate Data is extract from Government Website.

CovidHelp System is Web Based Project so, that uses Web Technology like HTML, CSS, JavaScript, PHP,Bootstrap & MySql.

Language Used: CSS, JavaScript, PHP

Framework Used: Bootstrap

Database Used: MySQL

Technology & Sources Used

CovidHelp System Build build with

- ❖ HTML
- ❖ CSS
- ❖ JavaScript
- ❖ Bootstrap
- ❖ PHP
- ❖ MySQL

HTML (Hyper Text Markup Language)

The HyperText Markup Language, or HTML is the standard markup language for documents designed to be displayed in a web browser. It can be assisted by technologies such as Cascading Style Sheets and scripting languages such as JavaScript.



HTML (Hypertext Markup Language) is the code that is **used** to structure a web page and its content. For example, content could be structured within a set of paragraphs, a list of bulleted points, or using images and data tables.

Anatomy of an HTML document

```
<!DOCTYPE html>

<html>

  <head>

    <meta charset="utf-8">

    <title>My test page</title>

  </head>

  <body>

  </body>

</html>
```

- ✓ **<!DOCTYPE html>** — doctype. It is a required preamble. In the mists of time, when HTML was young (around 1991/92), doctypes were meant to act as links to a set of rules that the HTML page had to follow to be considered good HTML, which could mean automatic error checking and other useful things. However these days, they don't do much and are basically just needed to make sure your document behaves correctly. That's all you need to know for now.
- ✓ **<html></html>** — the [<html>](#) element. This element wraps all the content on the entire page and is sometimes known as the root element.

- ✓ **<head></head>** — the [<head>](#) element. This element acts as a container for all the stuff you want to include on the HTML page that *isn't* the content you are showing to your page's viewers. This includes things like [keywords](#) and a page description that you want to appear in search results, CSS to style our content, character set declarations, and more.
- ✓ **<meta charset="utf-8">** — This element sets the character set your document should use to UTF-8 which includes most characters from the vast majority of written languages. Essentially, it can now handle any textual content you might put on it. There is no reason not to set this and it can help avoid some problems later on.
- ✓ **<title></title>** — the [<title>](#) element. This sets the title of your page, which is the title that appears in the browser tab the page is loaded in. It is also used to describe the page when you bookmark/favorite it.
- ✓ **<body></body>** — the [<body>](#) element. This contains *all* the content that you want to show to web users when they visit your page, whether that's text, images, videos, games, playable audio tracks, or whatever else.

CSS (Cascading Style Sheet)

Cascading Style Sheets is a style sheet language used for describing the presentation of a document written in a markup language such as HTML. CSS is a cornerstone technology of the World Wide Web, alongside HTML and JavaScript.




CSS is used to control the style of a web document in a simple and easy way.

A CSS comprises of style rules that are interpreted by the browser and then applied to the corresponding elements in your document. A style rule is made of three parts –

- **Selector** – A selector is an HTML tag at which a style will be applied. This could be any tag like `<h1>` or `<table>` etc.
- **Property** – A property is a type of attribute of HTML tag. Put simply, all the HTML attributes are converted into CSS properties. They could be *color*, *border* etc.
- **Value** – Values are assigned to properties. For example, *color* property can have value either *red* or *#F1F1F1* etc.
- You can put CSS Style Rule Syntax as follows –

```
selector { property: value }
```




Advantages of CSS

- **CSS saves time** – You can write CSS once and then reuse same sheet in multiple HTML pages. You can define a style for each HTML element and apply it to as many Web pages as you want.
- **Pages load faster** – If you are using CSS, you do not need to write HTML tag attributes every time. Just write one CSS rule of a tag and apply it to all the occurrences of that tag. So less code means faster download times.
- **Easy maintenance** – To make a global change, simply change the style, and all elements in all the web pages will be updated automatically.
- **Superior styles to HTML** – CSS has a much wider array of attributes than HTML, so you can give a far better look to your HTML page in comparison to HTML attributes.
- **Multiple Device Compatibility** – Style sheets allow content to be optimized for more than one type of device. By using the same HTML document, different versions of a website can be presented for handheld devices such as PDAs and cell phones or for printing.
- **Global web standards** – Now HTML attributes are being deprecated and it is being recommended to use CSS. So its a good idea to start using CSS in all the HTML pages to make them compatible to future browsers.

JavaScript

JavaScript is a lightweight, interpreted **programming** language. It is designed for creating network-centric applications. It is complimentary to and integrated with Java. **JavaScript** is very easy to implement because it is integrated with HTML. It is open and cross-platform.



Syntax of JavaScript

JavaScript can be implemented using JavaScript statements that are placed within the **<script>... </script>** HTML tags in a web page.

```
<script ...>  
    JavaScript code  
</script>
```

Applications of Javascript Programming

Javascript is one of the most widely used **programming languages** (Front-end as well as Back-end). It has its presence in almost every area of software development. I'm going to list a few of them here:

- **Client side validation** - This is really important to verify any user input before submitting it to the server and Javascript plays an important role in validating those inputs at front-end itself.
- **Manipulating HTML Pages** - Javascript helps in manipulating HTML page on the fly. This helps in adding and deleting any HTML tag very easily using javascript and modify your HTML to change its look and feel based on different devices and requirements.
- **User Notifications** - You can use Javascript to raise dynamic pop-ups on the webpages to give different types of notifications to your website visitors.
- **Back-end Data Loading** - Javascript provides Ajax library which helps in loading back-end data while you are doing some other processing. This really gives an amazing experience to your website visitors.
- **Presentations** - JavaScript also provides the facility of creating presentations which gives website look and feel. JavaScript provides RevealJS and BespokeJS libraries to build a web-based slide presentations.
- **Server Applications** - Node JS is built on Chrome's Javascript runtime for building fast and scalable network applications. This is an event based library which helps in developing very sophisticated server applications including Web Servers.

Bootstrap

Bootstrap is a free and open-source CSS framework directed at responsive, mobile-first front-end web development. It contains CSS- and JavaScript-based design templates for typography, forms, buttons, navigation, and other interface components.

Bootstrap 5 is the newest version of Bootstrap, which is the most popular HTML, CSS, and JavaScript framework for developing responsive, mobile-first websites.



Bootstrap Framework using which you can create web projects with ease.

What Bootstrap Package Includes?

- **Scaffolding** – Bootstrap provides a basic structure with Grid System, link styles, and background.
- **CSS** – Bootstrap comes with the feature of global CSS settings, fundamental HTML elements styled and enhanced with extensible classes, and an advanced grid system.

- **Components** – Bootstrap contains over a dozen reusable components built to provide iconography, dropdowns, navigation, alerts, pop-overs, and much more.
- **JavaScript Plugins** – Bootstrap contains over a dozen custom jQuery plugins. You can easily include them all, or one by one.
- **Customize** – You can customize Bootstrap's components, LESS variables, and jQuery plugins to get your very own version.

PHP

The **PHP Hypertext Preprocessor (PHP)** is a programming language that allows web developers to create dynamic content that interacts with databases. PHP is basically used for developing web based software applications. This tutorial helps you to build your base with PHP.



Common uses of PHP

- PHP performs system functions, i.e. from files on a system it can create, open, read, write, and close them.

- PHP can handle forms, i.e. gather data from files, save data to a file, through email you can send data, return data to the user.
- You add, delete, modify elements within your database through PHP.
- Access cookies variables and set cookies.
- Using PHP, you can restrict users to access some pages of your website.
- It can encrypt data.

Characteristics of PHP

Five important characteristics make PHP's practical nature possible –

- Simplicity
- Efficiency
- Security
- Flexibility
- Familiarity

Syntax

The most universally effective PHP tag style is –

```
<?php...?>
```

MySQL

MySQL is the most popular Open Source Relational SQL Database Management System. MySQL is one of the best RDBMS being used for developing various web-based software applications. MySQL is developed, marketed and supported by MySQL AB, which is a Swedish company. This

tutorial will give you a quick start to MySQL and make you comfortable with MySQL programming.



What is a Database?

A database is a separate application that stores a collection of data. Each database has one or more distinct APIs for creating, accessing, managing, searching and replicating the data it holds.

MySQL - PHP Syntax

```
mysqli_connect($connect);  
mysqli_query($connect,"SQL statement");
```

Project Overview

CovidHelp System

Project:

Name: CovidHelp System

Developed By: Prateek Bajpai

Introduction:

CovidHelp System is Developed for Help People During Covid Pandemic for Search Covid Facilities.

Objective:

- To Help People for Search Hospital Beds Availability State Wise Report During Covid Pandemic Condition.
- To Book Registration for Covid Vaccine.
- To Check Covid Cases State Wise Data.

Purpose:

Main Purpose of Create this Project is to help People to finds beds Availabilty Status & Other Covid Facilities.

About Logical Code:

Programming Language Used → CSS, JavaScript, PHP

Framework Used → Bootstrap

Database Used → MySQL

Idea Used → VS Code

Development Phase of CovidHelp System

cov.php

```
<?php

    include '_dbconnect1.php';

?>

<!doctype html>
<html lang="en">
    <head>
        <!-- Required meta tags -->
        <meta charset="utf-8">
        <meta name="viewport" content="width=device-width, initial-
scale=1, shrink-to-fit=no">

        <!-- Bootstrap CSS -->
        <link rel="stylesheet" href="_cov1.css">

        <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.
0/dist/css/bootstrap.min.css"
        integrity="sha384-
B0vP5xmATw1+K9KRQjQERJvTumQW0nPEzvf6L/Z6nronJ3oUOFUFpCjEUQouq2+1" crossori
gin="anonymous">

        <title>CovidCare</title>
    </head>

    <body>
<?php
include '_header1.php';
?>

<div class="d-flex justify-content-center mx-3 my-5">
<div class="left">

```

```

</div>
<div class="right">

<h1>Let's Stay Home & Fight Against Covid-19</h1>

</div>
</div>
<hr>

<div class="d-flex justify-content-center my-5">
<div class="col-md-3">
<div class="card border border-dark" id="card1">
  <div class="card-body">
    <h5 class="card-title text-center">Active</h5>
    <h5 class="card-title text-center">3,45000</h5>
  </div>
</div>
</div>

<div class="col-md-3">
  <div class="card border border-dark" id="card2">
    <div class="card-body">
      <h5 class="card-title text-center ">Discharged</h5>
      <h5 class="card-title text-center">3,45,000</h5>
    </div>
  </div>
</div>

  <div class="col-md-3">
    <div class="card border border-dark" id="card3">
      <div class="card-body">
        <h5 class="card-title text-center">Death</h5>
        <h5 class="card-title text-center">12056</h5>
      </div>
    </div>
  </div>
</div>
</div>

```

```

<hr>

<div class="trackerstates mx-3 my-5">

<h3 id=headthree>Covid-19 Cases of States Wise</h3>
<table class="table border border-dark my-4">
  <thead>
    <tr>
      <th class="table-secondary" scope="col">S.No</th>
      <th class="table-info" scope="col">Name of State</th>
      <th class="table-secondary" scope="col">Active Cases</th>
      <th class="table-info" scope="col">Discharged Cases</th>
      <th class="table-secondary" scope="col">Death</th>
    </tr>
  </thead>
  <tbody>
    <?php
$sql="SELECT * FROM `covidstats____sheet2`";
$result=mysqli_query($conn,$sql);
while($row = mysqli_fetch_assoc($result)){
echo "<tr>
      <td>" . $row['COL 1'] . "</td>
      <td class='table-primary'>" . $row['COL 2'] . "</td>
      <td class='table-warning'>" . $row['COL 3'] . "</td>
      <td class='table-success'>" . $row['COL 4'] . "</td>
      <td class='table-danger'>" . $row['COL 5'] . "</td>
    </tr>";
}

    ?>
  </tbody>
</table>

  </div>

</div>

<?php
include '_footer.php';

```

```
?>

<script src="https://code.jquery.com/jquery-3.5.1.slim.min.js"
integrity="sha384-
DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj"
crossorigin="anonymous"></script>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.0/dist/js/bootstra
p.bundle.min.js"
integrity="sha384-
Piv4xVNRyMGpQkS2by6br4gNJ7DXjqk09RmUpJ8jgGtD7zP9yug3goQfGII0yAns"
crossorigin="anonymous"></script>

</body>
</html>
```

covhost.php

```
<?php
echo "<nav class='navbar navbar-expand-lg navbar-light bg-light'>
  <a class='navbar-brand' href='#'>Navbar</a>
  <button class='navbar-toggler' type='button' data-
toggle='collapse' data-target='#navbarSupportedContent' aria-
controls='navbarSupportedContent' aria-expanded='false' aria-
label='Toggle navigation'>
    <span class='navbar-toggler-icon'></span>
  </button>

  <div class='collapse navbar-collapse' id='navbarSupportedContent'>
    <ul class='navbar-nav mr-auto'>
      <li class='nav-item active'>
        <a class='nav-link' href='#'>Home <span class='sr-
only'>(current)</span></a>
      </li>
      <li class='nav-item'>
        <a class='nav-link' href='#'>Link</a>
      </li>
      <li class='nav-item dropdown'>
```



```

        <a class="nav-link dropdown-
toggle" href="#" id="navbarDropdown" role="button" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false">
    Dropdown
</a>
<div class="dropdown-menu" aria-labelledby="navbarDropdown">
    <a class="dropdown-item" href="#">Action</a>
    <a class="dropdown-item" href="#">Another action</a>
    <div class="dropdown-divider"></div>
    <a class="dropdown-item" href="#">Something else here</a>
</div>
</li>
<li class="nav-item">
    <a class="nav-link disabled" href="#" tabindex="-1" aria-
disabled="true">Disabled</a>
</li>
</ul>
<form class="form-inline my-2 my-lg-0">
    <input class="form-control mr-sm-
2" type="search" placeholder="Search" aria-label="Search">
    <button class="btn btn-outline-success my-2 my-sm-
0" type="submit">Search</button>
</form>
</div>
</nav>"

include 'signModal.php';
include 'loginModal.php';
?>

```

_header1.php

```

<?php
session_start();
echo '<nav class="navbar navbar-expand-lg navbar-dark bg-dark">
<a class="navbar-brand" href="cov.php">CovidCare</a>
<button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarSupportedContent"

```

```

aria-controls="navbarSupportedContent" aria-expanded="false" aria-
label="Toggle navigation">
    <span class="navbar-toggler-icon"></span>
</button>

<div class="collapse navbar-collapse" id="navbarSupportedContent">
    <ul class="navbar-nav mr-auto">
        <li class="nav-item active">
            <a class="nav-link" href="cov.php">Home <span class="sr-
only">(current)</span></a>
        </li>
        <li class="nav-item active">
            <a class="nav-link" href="covhost.php">Covid Facilities</a>
        </li>';

        if(isset($_SESSION['loggedin']) && $_SESSION['loggedin']==true){
            echo '<li class="nav-item active">
                <a class="nav-link" data-toggle="modal" data-
target="#addcovidModal" href="#">Add Covid Care Center</a>
            </li>';
        }
    else{
        echo '<li class="nav-item active">
            <a class="nav-link" data-toggle="modal" data-
target="#loginModal" href="#">Add Covid Care Center</a>
        </li>';
    }

    echo '<li class="nav-item active">
        <a class="nav-
link" href="nearcovidcenter.php">Covid Center Near Your Home</a>
    </li>
    </ul>
    <div class="row mx-2">';

    if(isset($_SESSION['loggedin']) && $_SESSION['loggedin']==true){
        echo '<form class="form-inline my-2 my-lg-
0" method="get" action="search.php">

```

```

        <input class="form-control mr-sm-
2" name="search" type="search" action="search.php" placeholder="Search" a
ria-label="Search">
        <button class="btn btn-success my-2 my-sm-
0" type="submit">Search</button>
        <p class="text-light my-0 mx-
2">Welcome '. $_SESSION['useremail']. ' </p>
        <a href="_logout.php" class="btn btn-outline-success ml-
2">Logout</a>
        </form>';
    }
else{
    echo '<form class="form-inline my-2 my-lg-0">
        <input class="form-control mr-sm-
2" type="search" placeholder="Search" aria-label="Search">
        <button class="btn btn-outline-success my-2 my-sm-
0" type="submit">Search</button>
    </form>
    <button class="btn btn-outline-success my-2" data-toggle="modal" data-
target="#signupModal">Sign Up</button>
    <button class="btn btn-outline-success my-2" data-toggle="modal" data-
target="#loginModal">Log In</button>';
}

    echo '
</div>
</div>
</nav>';

include '_loginModal.php';
include '_signupModal.php';
include '_addcovidmodal.php';
if(isset($_GET['signupsuccess']) && $_GET['signupsuccess']=="true"){
    echo '<div class="alert alert-success alert-dismissible fade show my-
0" role="alert">
        <strong>Success!</strong> You can now login
        <button type="button" class="close" data-dismiss="alert" aria-
label="Close">
            <span aria-hidden="true">&times;</span>
        </button>
    </div>';
}

```

```

        </div>';
    }
    if(isset($_GET['addcovidcentersuccess']) && $_GET['addcovidcentersuccess']
=="true"){
        echo '<div class="alert alert-success alert-dismissible fade show my-
0" role="alert">
            <strong>Success!</strong> Thanks for Submitting Covid Center I
nformation
            <button type="button" class="close" data-dismiss="alert" aria-
label="Close">
                <span aria-hidden="true">&times;</span>
            </button>
        </div>';
    }
    if(isset($_GET['vaccineregistrationsuccess']) && $_GET['vaccineregisterat
ionsuccess']=="true"){
        echo '<div class="alert alert-success alert-dismissible fade show my-
0" role="alert">
            <strong>Success!</strong> Your Covid Registration Successfull
y Done and Your Registration Number is $rand
            <button type="button" class="close" data-dismiss="alert" aria-
label="Close">
                <span aria-hidden="true">&times;</span>
            </button>
        </div>';
    }
?>

```

__dbconnect.php

```

<?php
$server = "localhost";
$username = "root";
$password = "";
$database="users";

// Create connection

```

```

$con = new mysqli($server, $username, $password,$database);

// Check connection
if (!$con) {
    die("Connection failed: " . mysqli_connect_error());
}

?>

```

__dbconnect1.php

```

<?php
$server = "localhost";
$username = "root";
$password = "";
$database="csv_db 19";

// Create connection
$conn = new mysqli($server, $username, $password,$database);

// Check connection
if (!$conn) {
    die("Connection failed: " . mysqli_connect_error());
}

?>

```

__COV.CSS

```

*{
    margin: 0;
    padding: 0;
}

```

```

.warning{
  display: flex;
}
.left{
max-width: 50%;
display: block;
margin: auto;
}
.right{
  max-width: 50%;
  display: block;
  margin: auto;
}
.right h1{
  font-size: 3rem;
  font-family: Impact, Haettenschweiler, 'Arial Narrow Bold', sans-
serif;
}
.left img{
  height: 250px;
  width: 325px;
}
#headthree{
  text-align: center;
}
.table{
  max-width: 85%;
  margin:auto;
}
.vaccine{
  max-width: 65%;
  margin: auto;
}
#card1{
background-color: #b0d6fb;
border-radius: 20px;
}
#card2{

```

```

background-color: #94e8ad;
border-radius: 20px;
}
#card3{
background-color: #b95a62;
border-radius: 20px;
}
#card1:hover{
background-color: #216196;
}
#card2:hover{
background-color: #74947d;
}
#card3:hover{
background-color: #5c5e08;
}
.row{
margin: auto;
}
.card h5:hover{
color:white;
}

#frm1{
max-width:90%;
}
#frmh4{
margin-right:70px;
}

@media only screen and (max-width: 850px) {
    *{
        margin: 0;
        padding: 0;
    }

    .warning{
        display: flex;
    }

    .left{

```

```
max-width: 50%;
display: block;
margin: auto;
}
.right{
    max-width: 50%;
    display: block;
    margin: auto;
}
.right p{
    margin: auto;
}
.left img{
    height: 200px;
    width: 275px;
}
#headthree{
    text-align: center;
}
}
.table{
    max-width: 85%;
    margin:auto;
}
#card1{
background-color: #b0d6fb;
border-radius: 20px;
}
#card2{
background-color: #94e8ad;
border-radius: 20px;
}
#card3{
background-color: #b95a62;
border-radius: 20px;
}
#card1:hover{
    background-color: #216196;
}
#card2:hover{
```



```

        background-color: #74947d;
    }
    #card3:hover{
        background-color: #5c5e08;
    }
    .row{
        margin: auto;
    }
    .card h5:hover{
        color:white;
    }

    #frm1{
        max-width:90%;
    }
    #frmh4{
        margin-right:70px;
    }
}

```

__footer.php

```

<div class="footer-fluid bg-dark text-light">
    <p class="text-center">Copyright @ Rerved 2020-21</p>
</div>

```

__footer.css

```

*{
    margin: 0;
    padding: 0;
}
.footer{
    background-color: black;
}

```

```

}
.footer p{
  color:white;
  text-align: center;
  align-items: center;
}

```

_signupModal.php

```

<!-- Modal -->

<!-- Modal -->
<div class="modal fade" id="signupModal" tabindex="-1" aria-
labelledby="exampleModalLabel" aria-hidden="true">
  <div class="modal-dialog">
    <div class="modal-content">
      <div class="modal-header">
        <h5 class="modal-title" id="exampleModalLabel">CovidCare</h5>
        <button type="button" class="close" data-dismiss="modal" aria-
label="Close">
          <span aria-hidden="true">&times;</span>
        </button>
      </div>
      <form action="_signuphandle.php" method="post">
        <div class="modal-body">

          <div class="form-group">
            <label for="exampleInputEmail1">Email address</label>
            <input type="email" class="form-
control" id="signupEmail" name="signupEmail" aria-describedby="emailHelp">
            <small id="emailHelp" class="form-text text-
muted">We'll never share your email with anyone else.</small>
          </div>

          <div class="form-group">
            <label for="exampleInputPassword1">Password</label>

```

```

        <input type="password" class="form-
control" id="signupPassword" name="signupPassword">
    </div>
    <div class="form-group">
        <label for="exampleInputPassword1">Confirm Passwor
d</label>
        <input type="password" class="form-
control" id="signupcPassword" name="signupcPassword">
    </div>

    <button type="submit" class="btn btn-
primary">Signup</button>
    </div>

    </form>

</div>
</div>
</div>

```

__signuphandle.php

```

<?php
$showError = "false";
if($_SERVER["REQUEST_METHOD"] == "POST"){
    include '_dbconnect.php';
    $email = $_POST['signupEmail'];
    $password = $_POST['signupPassword'];
    $cpassword = $_POST['signupcPassword'];

    // Check whether this email exists
    $existSql = "select * from `userbase` where email = '$email'";
    $result = mysqli_query($con, $existSql);
    $numRows = mysqli_num_rows($result);
    if($numRows>0){
        $showError = "Email already in use";
    }
}

```

```

    }
    else{
        if($password == $cpassword){
            $hash = password_hash($password, PASSWORD_DEFAULT);
            $sql = "INSERT INTO `userbase` (`email`, `password`, `timestamp`) VALUES ('$email', '$hash', current_timestamp())";
            $result = mysqli_query($con, $sql);

            if($result){
                $showAlert = true;
                header("Location: cov.php?signupsuccess=true");
                exit();
            }

        }
        else{
            $showError = "Passwords do not match";
        }
    }
    header("Location: cov.php?signupsuccess=false&error=$showError");
}
?>

```

_loginModal.php

```

<!-- Modal -->

<!-- Modal -->
<div class="modal fade" id="loginModal" tabindex="-1" aria-labelledby="exampleModalLabel" aria-hidden="true">
  <div class="modal-dialog">
    <div class="modal-content">
      <div class="modal-header">
        <h5 class="modal-title" id="exampleModalLabel">Login</h5>

```

```

        <button type="button" class="close" data-dismiss="modal" aria-
label="Close">
        <span aria-hidden="true">&times;</span>
    </button>
</div>
<form action="_loginhandle.php" method="post">
    <div class="modal-body">
        <div class="form-group">
            <label for="loginEmail">Email</label>
            <input type="text" class="form-
control" id="loginEmail" name="loginEmail"
                aria-describedby="emailHelp">
            <!-- <small id="emailHelp" class="form-text text-
muted">We'll never share your email with anyone
                else.</small> -->
        </div>
        <div class="form-group">
            <label for="loginPass">Password</label>
            <input type="password" class="form-
control" id="loginPass" name="loginPass">
        </div>

        <button type="submit" class="btn btn-
primary">Submit</button>
    </div>
</form>
</div>
</div>

```

_loginhandle.php

```

<?php
$showError = "false";
if($_SERVER["REQUEST_METHOD"] == "POST"){
    include '_dbconnect.php';
    $email = $_POST['loginEmail'];

```

```

$password = $_POST['loginPass'];

$sql = "Select * from userbase where email='$email'";
$result = mysqli_query($con, $sql);
$numRows = mysqli_num_rows($result);
if($numRows==1){
    $row = mysqli_fetch_assoc($result);
    if(password_verify($password, $row['password'])){
        session_start();
        $_SESSION['loggedin'] = true;
        $_SESSION['sno'] = $row['sno'];
        $_SESSION['useremail'] = $email;
        echo "logged in". $email;
    }
    header("Location: cov.php");
}
}
?>

```

_logout.php

```

<?php
session_start();
echo "Logging you out. Please wait...";

session_destroy();
header("Location: cov.php")
?>

```

_addcovidmodal.php

```

<div class="modal fade" id="addcovidModal" tabindex="-1" aria-
labelledby="exampleModalLabel" aria-hidden="true">

```

```

<div class="modal-dialog">
  <div class="modal-content">
    <div class="modal-header">
      <h5 class="modal-
title" id="exampleModalLabel">Add Covid Care Center Information</h5>
      <button type="button" class="close" data-dismiss="modal" aria-
label="Close">
        <span aria-hidden="true">&times;</span>
      </button>
    </div>
    <form action="_addcovidhandle.php" method="post">
      <div class="modal-body">

        <div class="form-group">
          <label for="exampleFormControlTextarea1">Enter Name of Covid Center</l
abel>
          <input class="form-
control" name="centername" type="text" placeholder="Fast Covid Care">
        </div>

        <div class="form-group">
          <label for="exampleFormControlTextarea1">Enter Address of Covid Center
</label>
          <input class="form-control" type="text" placeholder="B-
1 JanakPuri, Near Chandan Devi Hospital">
        </div>

        <div class="form-row">

          <div class="form-group col-md-4">
            <label for="inputState">State</label>
            <input type="text" class="form-
control" name="state" id="inputState">
          </div>

          <div class="form-group col-md-5">
            <label for="inputCity">City</label>
            <input type="text" class="form-control" name="city" id="inputCity">
          </div>

```

```

    <div class="form-group col-md-3">
      <label for="inputZip">Pin Code</label>
      <input type="text" class="form-
control" name="pincode" id="inputZip">
    </div>

  </div>

  <div class="form-row">

    <div class="form-group col-md-6">
      <label for="inputCity">Beds Capacity</label>
      <input type="text" placeholder="Total No. of Beds" class="form-
control" name="totalbed" id="bedscap">
    </div>

    <div class="form-group col-md-6">
      <label for="inputState">Vacant Beds</label>
      <input type="text" placeholder="Availiable Beds" class="form-
control" name="vacantbed" id="vacantbeds">
    </div>

  </div>

  <div class="form-group">
    <div class="form-check">
      <input class="form-check-input" type="checkbox" id="gridCheck">
      <label class="form-check-label" for="gridCheck">
        Confirm
      </label>
    </div>
  </div>

  <button type="submit" class="btn btn-primary">Submit</button>

```



```

        </div>

        </form>

    </div>
</div>
</div>

```

_addcovidhandle.php

```

<?php
if($_SERVER["REQUEST_METHOD"] == "POST"){
    include '_dbconnect1.php';

    $name = $_POST['centername'];
    $state = $_POST['state'];
    $city = $_POST['city'];
    $pin = $_POST['pincode'];
    $totalbed = $_POST['totalbed'];
    $vacantbed = $_POST['vacantbed'];

    $sql="INSERT INTO `covidcenter` (`centername`, `state`, `city`, `pincode`,
    `totalbed`, `vacantbed`) VALUES ('$name', '$state', '$city', '$pin', '$to
    talbed', '$vacantbed');";

    $result=mysqli_query($conn,$sql);

    if($result){
        $showAlarm = true;
        header("Location: cov.php?addcovidcentersuccess=true");
        exit();
    }
    header("Location: cov.php?addcovidcentersuccess=false&error=$showError
");
}

```

?>

covidvaccine.php

```
<!doctype html>
<html lang="en">
  <head>
    <!-- Required meta tags -->
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-
scale=1, shrink-to-fit=no">

    <!-- Bootstrap CSS -->
    <link rel="stylesheet" href="_cov1.css">
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@4.
6.0/dist/css/bootstrap.min.css" integrity="sha384-
B0vP5xmATw1+K9KRQjQERJvTumQW0nPEzvF6L/Z6nronJ3oU0FUFPcJEUQouq2+1" crossori
gin="anonymous">

    <title>CovidCare</title>
  </head>

  <body>
<?php
include '_header1.php';
?>

<div class="d-flex justify-content-center mx-3 my-5">
<div class="left">

</div>
<div class="right">

<h1>Let's Stay Home & Fight Against Covid-19</h1>

</div>
</div>
```

```

<hr>

<div class="d-flex justify-content-center my-5">
<div class="col-md-3">
<div class="card border border-dark" id="card1">
  <div class="card-body">
    <h5 class="card-title text-center">Active</h5>
    <h5 class="card-title text-center">3,45000</h5>
  </div>
</div>
</div>

<div class="col-md-3">
  <div class="card border border-dark" id="card2">
    <div class="card-body">
      <h5 class="card-title text-center ">Discharged</h5>
      <h5 class="card-title text-center">3,45,000</h5>
    </div>
  </div>

  <div class="col-md-3">
    <div class="card border border-dark" id="card3">
      <div class="card-body">
        <h5 class="card-title text-center">Death</h5>
        <h5 class="card-title text-center">12056</h5>
      </div>
    </div>
  </div>

</div>

<hr>

<div class="vaccine">

<form action="vaccinehandle.php" method="post">
<h3 id="headthree">Register for Covid Vaccination</h3>
  <div class="form-row my-4">

```

```

    <div class="col">
        <input type="text" name="fname" id="fname" class="form-
control" placeholder="First name">
    </div>
    <div class="col">
        <input type="text" name="lname" id="lname" class="form-
control" placeholder="Last name">
    </div>

</div>

<div class="form-row my-4">
    <div class="form-group col-md-6">
        <input type="number" class="form-control mobile-
input" name="mobilenno" id="mobilenno" placeholder="Enter 10 Digit Mobile Nu
mber">
    </div>
    <div class="form-group col-md-6">
        <input type="text" class="form-
control" name="age" id="age" placeholder="Enter Age">
    </div>
</div>

<div class="form-row my-4">
    <div class="form-group col-md-6">
        <input type="text" class="form-
control" name="state" id="state" placeholder="State">
    </div>
    <div class="form-group col-md-4">
        <input type="text" class="form-
control" name="city" id="city" placeholder="City">
    </div>
    <div class="form-group col-md-2">
        <input type="text" class="form-
control" name="pin" id="pin" placeholder="Pin Code">
    </div>
</div>

<div class="form-row my-4">

```

```

    <div class="mb-3 form-check">
      <input type="checkbox" class="form-check-input" id="exampleCheck1">
      <label class="form-check-label" for="exampleCheck1">Confirm</label>
    </div>
  </div>

  <button type="submit" class="btn btn-primary">Submit</button>

</form>

</div>

<?php
include '_footer.php';
?>

  <!-- Optional JavaScript; choose one of the two! -->

  <!-- Option 1: jQuery and Bootstrap Bundle (includes Popper) -->
  <script src="https://code.jquery.com/jquery-
3.5.1.slim.min.js" integrity="sha384-
DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj" crossorigin="anonymous"></script>
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.0/dist/js/bootstrap.bundle.min.js" integrity="sha384-
Piv4xVNRyMGpqKS2by6br4gNJ7DXjqk09RmUpJ8jgGtD7zP9yug3goQfGII0yAns" crossorigin="anonymous"></script>

  <!-- Option 2: Separate Popper and Bootstrap JS -->
  <!--
  <script src="https://code.jquery.com/jquery-
3.5.1.slim.min.js" integrity="sha384-
DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj" crossorigin="anonymous"></script>
  <script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.1/dist/umd/popper.min.js" integrity="sha384-
9/reFTGAw83EW2RDu2S0VKaIzap3H66lZH81PoYlFhbGU+6BZp6G7niu735Sk7lN" crossorigin="anonymous"></script>
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.0/dist/js/bootstrap.min.js" integrity="sha384-

```

```
+YQ4JLhJyBLPDQt//I+STsc9iw4uQqACwlvpslubQzn4u2UU2UFM80nGisd026JF" crossori  
gin="anonymous"></script>  
-->  
</body>  
</html>
```

vaccinehandle.php

```
<?php  
  
if($_SERVER["REQUEST_METHOD"] == "POST"){  
    include '_dbconnect1.php';  
  
    $fname = $_POST['fname'];  
    $lname = $_POST['lname'];  
    $age = $_POST['age'];  
    $mobilenos = $_POST['mobilenos'];  
    $state = $_POST['state'];  
    $city = $_POST['city'];  
    $pin = $_POST['pin'];  
  
    $sql="INSERT INTO `vaccine` (`fname`, `lname`, `age`, `mobilenos`, `state`,  
    `city`, `pin`) VALUES ('$fname', '$lname', '$age', '$mobilenos'$state', '  
    $city', '$pin');";  
  
    $result=mysqli_query($conn,$sql);
```

```

        if($result){
            $showAlarm = true;
            header("Location: covidvaccine.php?vaccineregistrationsuccess=true");
            exit();
        }
        header("Location: covidvaccine.php?vaccineregistrationsuccess=false&error=$showError");
    }

?>

```

_delhi.php

```

<?php

    include '_dbconnect1.php';

?>

<!doctype html>
<html lang="en">
    <head>
        <!-- Required meta tags -->
        <meta charset="utf-8">
        <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

        <!-- Bootstrap CSS -->
        <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.0/dist/css/bootstrap.min.css" integrity="sha384-B0vP5xmATw1+K9KRQjQERJvTumQW0nPEzvF6L/Z6nronJ3oUOFUFpCjEUQouq2+1" crossorigin="anonymous">

        <title>Hello, world!</title>

```

```

</head>
<link rel="stylesheet" href="_cov.css">
<body>
<?php
include '_header1.php';
?>

<div class="d-flex justify-content-center mx-3 my-5">
<div class="left">

</div>
<div class="right">
<h1>Let's Stay Home & Fight Against Covid-19</h1>
<p>You are Only the Number for the Country but Life for the Family </p>
<p>So, Safe You & Your Family from Covid-19</p>
</div>
</div>
<hr>
<div class="header my-5">
    <h3 class="text-center">Welcome to Delhi Covid Dashboard</h3>
</div>

<div class="dashboard my-5">

<form id="frm1" class="form-inline my-lg-0 justify-content-center">
<h4 id="frmh4">Search Hospital Beds Availiability</h4>
<input id="input" class="form-control mr-sm-2" type="search" placeholder="Search Hospitals" aria-label="Search" onkeyup="searchstatehelp()">
</form>

    <table class="table border border-dark my-5" id="table1">
        <thead>
            <tr>
                <th class="table-info" scope="col">Hospital Name</th>
                <th class="table-info" scope="col">Last Updated</th>
                <th class="table-info" scope="col">Total Beds</th>
                <th class="table-info" scope="col">Vacant Beds</th>
                <th class="table-
info" scope="col">Oxygen Left [Hours]</th>

```



```

        </tr>
    </thead>
    <tbody>
    <?php
$sql="SELECT * FROM `covid__sheet1__1_`";
$result=mysqli_query($conn,$sql);
while($row = mysqli_fetch_assoc($result)){
    if($row['COL 4']<50)
echo "<tr>
        <td class='table-danger'>" . $row['COL 1'] . "</td>
        <td class='table-danger'>" . $row['COL 2'] . "</td>
        <td class='table-danger'>" . $row['COL 3'] . "</td>
        <td class='table-danger'>" . $row['COL 4'] . "</td>
        <td class='table-danger'>" . $row['COL 5'] . "</td>
    </tr>";
    if($row['COL 4']>80)
echo "<tr>
        <td class='table-success'>" . $row['COL 1'] . "</td>
        <td class='table-success'>" . $row['COL 2'] . "</td>
        <td class='table-success'>" . $row['COL 3'] . "</td>
        <td class='table-success'>" . $row['COL 4'] . "</td>
        <td class='table-success'>" . $row['COL 5'] . "</td>
    </tr>";
    if($row['COL 4']>=50 && $row['COL 4']<=80)
echo "<tr>
        <td class='table-warning'>" . $row['COL 1'] . "</td>
        <td class='table-warning'>" . $row['COL 2'] . "</td>
        <td class='table-warning'>" . $row['COL 3'] . "</td>
        <td class='table-warning'>" . $row['COL 4'] . "</td>
        <td class='table-warning'>" . $row['COL 5'] . "</td>
    </tr>";
}

    ?>
    </tbody>
</table>

</div>

<script>

```

```

const searchstatehelp = () => {
    let filter = document.getElementById('input').value.toUpperCase();

    let myTable=document.getElementById('table1');
    // let myTbody=myTable.document.getElementsByTagName('tbody');
    let tr=table1.getElementsByTagName('tr');
    for(var i=0; i<tr.length; i++){
        let td=tr[i].getElementsByTagName('td')[0];

        if(td){
            let textvalue=td.textContent || td.innerHTML;
            if(textvalue.toUpperCase().indexOf(filter)>-1){
                tr[i].style.display="";
            }
            else{
                tr[i].style.display="none";
            }
        }
    }
}

```

</script>

```

<?php
include '_footer.php';
?>

```

<!-- Optional JavaScript; choose one of the two! -->

<!-- Option 1: jQuery and Bootstrap Bundle (includes Popper) -->

```

<script src="https://code.jquery.com/jquery-
3.5.1.slim.min.js" integrity="sha384-
DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj" crossorigin="anonymous"></script>

```

```

<script src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.0/dist/js/bootstrap.bundle.min.js" integrity="sha384-
Piv4xVNRyMGpqs2by6br4gNJ7DXjqk09RmUpJ8jgGtD7zP9yug3goQfGII0yAns" crossorigin="anonymous"></script>

```

```

    <!-- Option 2: Separate Popper and Bootstrap JS -->
    <!--
    <script src="https://code.jquery.com/jquery-
3.5.1.slim.min.js" integrity="sha384-
DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj" crossorigin="anonymous"></script>
    <script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.1/dist/umd/popper.min.js" integrity="sha384-
9/reFTGAW83EW2RDu2S0VKA1Zap3H66lZ81PoYlFhbGU+6BZp6G7niu735Sk7lN" crossorigin="anonymous"></script>
    <script src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.0/dist/js/bootstrap.min.js" integrity="sha384-
+YQ4JLhgyBLPDQt//I+STsc9iw4uQqACwlvpslubQzn4u2UU2UFM80nGisd026JF" crossorigin="anonymous"></script>
    -->
  </body>
</html>

```

_gujrat.php

```

<!doctype html>
<html lang="en">
  <head>
    <!-- Required meta tags -->
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

    <!-- Bootstrap CSS -->
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.0/dist/css/bootstrap.min.css" integrity="sha384-
B0vP5xmATw1+K9KRQjQERJvTumQW0nPEzvF6L/Z6nronJ3oUOFUFpCjEUQouq2+1" crossorigin="anonymous">

    <title>Hello, world!</title>
  </head>
  <link rel="stylesheet" href="_cov.css">
  <body>

```

```

<?php
include '_header1.php';
?>

<div class="d-flex justify-content-center mx-3 my-5">
<div class="left">

</div>
<div class="right">
<h1>Let's Stay Home & Fight Against Covid-19</h1>
<p>You are Only the Number for the Country but Life for the Family </p>
<p>So, Safe You & Your Family from Covid-19</p>
</div>
</div>
<hr>
<div class="header my-5">
    <h3 class="text-center">Welcome to Gujarat Covid Facilities</h3>
</div>
<div class="statehelp my-5">

<form id="frm1" class="form-inline my-lg-0 justify-content-center">
<h4 id="frmh4">Search Your District Covid Facilities</h4>
<input id="input" class="form-control mr-sm-2" type="search" placeholder="Search Your District Wise Hospitals" aria-label="Search" onkeyup="searchstatehelp()">
    </form>
    <table class="table table-striped border border-dark my-5" id="table1">
    <thead>
    <tr>
    <th class="table-info" scope="col">S.NO</th>
    <th class="table-info" scope="col">State Name</th>
    <th class="table-info" scope="col">Covid Facilities</th>
    </tr>
    </thead>
    <tbody>
    <tr>
    <th scope="row">1</th>
    <td>Gujarat</td>

```

```

        <td><a href="https://gujccovid19.gujarat.gov.in/">Detail Info</a></td>
    >
</tr>
<tr>
    <th scope="row">2</th>
    <td>Ahmedabad</td>
    <td><a href="https://ahna.org.in/covid19.html">Detail Info</a></td>
</tr>
<tr>
    <th scope="row">3</th>
    <td>Vadodara City</td>
    <td><a href="https://vmc.gov.in/Covid19VadodaraApp/Default.aspx">Detail
ail Info</a></td>
</tr>
<tr>
    <th scope="row">4</th>
    <td>Surat</td>
    <td><a href="http://office.suratsmartcity.com/SuratCOVID19/">Detail
Info</a></td>
</tr>
<tr>
    <td colspan="3"></td>
</tr>
</tbody>
</table>

</div>

<script>

const searchstatehelp = () => {
    let filter = document.getElementById('input').value.toUpperCase();

    let myTable=document.getElementById('table1');
    // let myTbody=myTable.document.getElementsByTagName('tbody');
    let tr=table1.getElementsByTagName('tr');
    for(var i=0; i<tr.length; i++){
        let td=tr[i].getElementsByTagName('td')[0];
    }
}

```

```

        if(td){
            let textvalue=td.textContent || td.innerHTML;
            if(textvalue.toUpperCase().indexOf(filter)>-1){
                tr[i].style.display="";
            }
            else{
                tr[i].style.display="none";
            }
        }
    }
}

</script>

<?php
include '_footer.php';
?>

<!-- Optional JavaScript; choose one of the two! -->

<!-- Option 1: jQuery and Bootstrap Bundle (includes Popper) -->
<script src="https://code.jquery.com/jquery-
3.5.1.slim.min.js" integrity="sha384-
DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj" crossorigin="anonymous"></script>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.0/dist/js/bootstrap.bundle.min.js" integrity="sha384-
Piv4xVNRyMGpqs2by6br4gNJ7DXjqk09RmUpJ8jgGtD7zP9yug3goQfGII0yAns" crossorigin="anonymous"></script>

<!-- Option 2: Separate Popper and Bootstrap JS -->
<!--
<script src="https://code.jquery.com/jquery-
3.5.1.slim.min.js" integrity="sha384-
DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj" crossorigin="anonymous"></script>
<script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.1/dist/umd/popper.min.js" integrity="sha384-

```

```

9/reFTGAw83EW2Rdu2S0VKaIzap3H66lZH81PoYlFhbGU+6BZp6G7niu735Sk7lN" crossorigin="anonymous"></script>
    <script src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.0/dist/js/bootstrap.min.js" integrity="sha384-
+YQ4JLhgyBLPDQt//I+STsc9iw4uQqACwlvpslubQzn4u2UU2UFM80nGisd026JF" crossorigin="anonymous"></script>
    -->
</body>
</html>

```

_haryana.php

```

<!doctype html>
<html lang="en">
  <head>
    <!-- Required meta tags -->
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

    <!-- Bootstrap CSS -->
    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.0/dist/css/bootstrap.min.css" integrity="sha384-
B0vP5xmATw1+K9KRQjQERJvTumQW0nPEzvF6L/Z6nronJ3oUOFUfPcjEUQouq2+1" crossorigin="anonymous">

    <title>Hello, world!</title>
  </head>
  <link rel="stylesheet" href="_cov.css">
  <body>
<?php
include '_header1.php';
?>

<div class="d-flex justify-content-center mx-3 my-5">
<div class="left">

</div>

```

```

<div class="right">
<h1>Let's Stay Home & Fight Against Covid-19</h1>
<p>You are Only the Number for the Country but Life for the Family </p>
<p>So, Safe You & Your Family from Covid-19</p>
</div>
</div>
<hr>
<div class="header my-5">
    <h3 class="text-center">Welcome to Haryana Covid Facilities</h3>
</div>
<div class="statehelp my-5">

<form id="frm1" class="form-inline my-lg-0 justify-content-center">
<h4 id="frmh4">Search Your District Covid Facilities</h4>
<input id="input" class="form-control mr-sm-
2" type="search" placeholder="Search Your District Wise Hospitals" aria-
label="Search" onkeyup="searchstatehelp()">
    </form>
    <table class="table table-striped border border-dark my-
5" id="table1">
    <thead>
    <tr>
    <th class="table-info" scope="col">S.NO</th>
    <th class="table-info" scope="col">State Name</th>
    <th class="table-info" scope="col">Covid Facilities</th>
    </tr>
</thead>
<tbody>
<tr>
    <th scope="row">1</th>
    <td>Haryana</td>
    <td><a href="https://coronaharyana.in/">Detail Info</a></td>
    </tr>
<tr>
    <th scope="row">2</th>
    <td>Gurgoan</td>
    <td><a href="https://covidggn.com/public/pages/gurugram-
hospitals">Detail Info</a></td>
    </tr>

```



```

        </tbody>
</table>

</div>

<script>

const searchstatehelp = () => {
    let filter = document.getElementById('input').value.toUpperCase();

    let myTable=document.getElementById('table1');
    // let myTbody=myTable.document.getElementsByTagName('tbody');
    let tr=table1.getElementsByTagName('tr');
    for(var i=0; i<tr.length; i++){
        let td=tr[i].getElementsByTagName('td')[0];

        if(td){
            let textvalue=td.textContent || td.innerHTML;
            if(textvalue.toUpperCase().indexOf(filter)>-1){
                tr[i].style.display="";
            }
            else{
                tr[i].style.display="none";
            }
        }
    }
}

</script>

<?php
include '_footer.php';
?>

<!-- Optional JavaScript; choose one of the two! -->

<!-- Option 1: jQuery and Bootstrap Bundle (includes Popper) -->

```

```

    <script src="https://code.jquery.com/jquery-
3.5.1.slim.min.js" integrity="sha384-
DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj" crossorigin="anonymous"></script>
    <script src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.0/dist/js/bootstrap.bundle.min.js" integrity="sha384-
Piv4xVNRyMGpqkS2by6br4gNJ7DXjqk09RmUpJ8jgGtD7zP9yug3goQfGII0yAns" crossorigin="anonymous"></script>

    <!-- Option 2: Separate Popper and Bootstrap JS -->
    <!--
    <script src="https://code.jquery.com/jquery-
3.5.1.slim.min.js" integrity="sha384-
DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj" crossorigin="anonymous"></script>
    <script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.1/dist/umd/popper.min.js" integrity="sha384-
9/reFTGAW83EW2RDu2S0VKAIZap3H66lZ81PoYlFhbGU+6BZp6G7niu735Sk7lN" crossorigin="anonymous"></script>
    <script src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.0/dist/js/bootstrap.min.js" integrity="sha384-
+YQ4JLhgyBLPDQt//I+STsc9iw4uQqACwlvpslubQzn4u2UU2UFM80nGisd026JF" crossorigin="anonymous"></script>
    -->
</body>
</html>

```

_maharashtra.php

```

<!doctype html>
<html lang="en">
  <head>
    <!-- Required meta tags -->
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

    <!-- Bootstrap CSS -->

```

```

    <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@4.6.0/dist/css/bootstrap.min.css" integrity="sha384-B0vP5xmATw1+K9KRQjQERJvTumQW0nPEzvF6L/Z6nronJ3oUOFUFpCjEUQouq2+1" crossorigin="anonymous">

    <title>Hello, world!</title>
</head>
<link rel="stylesheet" href="_cov.css">
<body>
<?php
include '_header1.php';
?>

<div class="d-flex justify-content-center mx-3 my-5">
<div class="left">

</div>
<div class="right">
<h1>Let's Stay Home & Fight Against Covid-19</h1>
<p>You are Only the Number for the Country but Life for the Family </p>
<p>So, Safe You & Your Family from Covid-19</p>
</div>
</div>
<hr>
<div class="header my-5">
    <h3 class="text-center">Welcome to Maharashtra Covid Facilities</h3>
</div>
<div class="statehelp my-5">

<form id="frm1" class="form-inline my-lg-0 justify-content-center">
<h4 id="frmh4">Search Your District Covid Facilities</h4>
<input id="input" class="form-control mr-sm-2" type="search" placeholder="Search Your District Wise Hospitals" aria-label="Search" onkeyup="searchstatehelp()">
    </form>
    <table class="table table-striped border border-dark my-5" id="table1">
    <thead>
    <tr>
    <th class="table-info" scope="col">S.NO</th>

```

```

        <th class="table-info" scope="col">State Name</th>
        <th class="table-info" scope="col">Covid Facilities</th>
    </tr>
</thead>
<tbody>
<tr>
    <th scope="row">1</th>
    <td>Navi Mumbai</td>
    <td><a href="https://nmmchealthfacilities.com/HospitalInfo/showhospitalist">Detail Info</a></td>
</tr>
<tr>
    <th scope="row">2</th>
    <td>Pune</td>
    <td><a href="https://www.divcommpunecovid.com/ccsbeddashboard/hsr">Detail Info</a></td>
</tr>
<tr>
    <th scope="row">3</th>
    <td>Thane</td>
    <td><a href="https://covidthane.org/availabiltyOfHospitalBeds.html">Detail Info</a></td>
</tr>
<tr>
    <th scope="row">4</th>
    <td>Nagpur</td>
    <td><a href="http://nsscdcl.org/covidbeds/AvailableHospitals.jsp">Detail Info</a></td>
</tr>
<tr>
    <th scope="row">5</th>
    <td>Nashik</td>
    <td><a href="http://covidcbars.nmc.gov.in/home/hospitalSummary">Detail Info</a></td>
</tr>
</tbody>
</table>

```

```

</div>

<script>

const searchstatehelp = () => {
    let filter = document.getElementById('input').value.toUpperCase();

    let myTable=document.getElementById('table1');
    // let myTbody=myTable.document.getElementsByTagName('tbody');
    let tr=table1.getElementsByTagName('tr');
    for(var i=0; i<tr.length; i++){
        let td=tr[i].getElementsByTagName('td')[0];

        if(td){
            let textvalue=td.textContent || td.innerHTML;
            if(textvalue.toUpperCase().indexOf(filter)>-1){
                tr[i].style.display="";
            }
            else{
                tr[i].style.display="none";
            }
        }
    }
}

</script>

<?php
include '_footer.php';
?>

<!-- Optional JavaScript; choose one of the two! -->

<!-- Option 1: jQuery and Bootstrap Bundle (includes Popper) -->
<script src="https://code.jquery.com/jquery-
3.5.1.slim.min.js" integrity="sha384-

```

```

DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj" crossorigin="anonymous"></script>
    <script src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.0/dist/js/bootstrap.bundle.min.js" integrity="sha384-
Piv4xVNRyMGpksS2by6br4gNJ7DXjqk09RmUpJ8jgGtD7zP9yug3goQfGII0yAns" crossorigin="anonymous"></script>

    <!-- Option 2: Separate Popper and Bootstrap JS -->
    <!--
    <script src="https://code.jquery.com/jquery-
3.5.1.slim.min.js" integrity="sha384-
DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj" crossorigin="anonymous"></script>
    <script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.1/dist/umd/popper.min.js" integrity="sha384-
9/reFTGAw83EW2RDu2S0VKaIzap3H66lZH81PoYlFhbGU+6BZp6G7niu735Sk7lN" crossorigin="anonymous"></script>
    <script src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.0/dist/js/bootstrap.min.js" integrity="sha384-
+YQ4JLhgyBLPDQt//I+STsc9iw4uQqACwlvpslubQzn4u2UU2UFM80nGisd026JF" crossorigin="anonymous"></script>
    -->
</body>
</html>

```

_nearcovidcenter.php

```

<?php

    include '_dbconnect1.php';

?>

<!doctype html>
<html lang="en">
    <head>

```

```

<!-- Required meta tags -->
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-
scale=1, shrink-to-fit=no">

<!-- Bootstrap CSS -->
<link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@4.
6.0/dist/css/bootstrap.min.css" integrity="sha384-
B0vP5xmATw1+K9KRQjQERJvTumQW0nPEzvF6L/Z6nronJ3oUOFUFpCjEUQouq2+1" crossori
gin="anonymous">

<title>Hello, world!</title>
</head>
<link rel="stylesheet" href="_cov.css">
<body>
<?php
include '_header1.php';
?>

<div class="d-flex justify-content-center mx-3 my-5">
<div class="left">

</div>
<div class="right">
<h1>Let's Stay Home & Fight Against Covid-19</h1>
<p>You are Only the Number for the Country but Life for the Family </p>
<p>So, Safe You & Your Family from Covid-19</p>
</div>
</div>
<hr>
<div class="header my-5">
<h3 class="text-center">Welcome to Delhi Covid Dashboard</h3>
</div>

<div class="dashboard my-5">

<form id="frm1" class="form-inline my-lg-0 justify-content-center">
<h4 id="frmh4">Search Hospital Beds Availiability</h4>

```

```

<input id="input" class="form-control mr-sm-2" type="search" placeholder="Search Hospitals" aria-label="Search" onkeyup="searchstatehelp()">
</form>

<table class="table border border-dark my-5" id="table1">
  <thead>
    <tr>
      <th class="table-info" scope="col">Covid Center Name</th>
      <th class="table-info" scope="col">State</th>
      <th class="table-info" scope="col">City</th>
      <th class="table-info" scope="col">Pin Code</th>
      <th class="table-info" scope="col">Total Beds</th>
      <th class="table-info" scope="col">Vacant Beds</th>
    </tr>
  </thead>
  <tbody>
    <?php
    $sql="SELECT * FROM `covidcenter`;
    $sno=0;
    $result=mysqli_query($conn,$sql);
    while($row = mysqli_fetch_assoc($result)){
    echo "<tr>
      <td>" . $row['centername']. "</td>
      <td>" . $row['state']. "</td>
      <td>" . $row['city']. "</td>
      <td>" . $row['pincode']. "</td>
      <td>" . $row['totalbed']. "</td>
      <td>" . $row['vacantbed']. "</td>
    </tr>";
    }
    ?>
  </tbody>
</table>

</div>

<script>

```



```

const searchstatehelp = () => {
    let filter = document.getElementById('input').value.toUpperCase();

    let myTable=document.getElementById('table1');
    //let myTbody=myTable.document.getElementsByTagName('tbody');
    let tr=table1.getElementsByTagName('tr');
    /for(var i=0; i<tr.length; i++){
        let td=tr[i].getElementsByTagName('td')[0];

        if(td){
            let textvalue=td.textContent || td.innerHTML;
            if(textvalue.toUpperCase().indexOf(filter)>-1){
                tr[i].style.display="";
            }
            else{
                tr[i].style.display="none";
            }
        }
    }
}

```

</script>

```

<?php
include '_footer.php';
?>

```

<!-- Optional JavaScript; choose one of the two! -->

<!-- Option 1: jQuery and Bootstrap Bundle (includes Popper) -->

```

<script src="https://code.jquery.com/jquery-
3.5.1.slim.min.js" integrity="sha384-
DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj" crossorigin="anonymous"></script>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.0/dist/js/boot
strap.bundle.min.js" integrity="sha384-
Piv4xVNRyMGpqs2by6br4gNJ7DXjqk09RmUpJ8jgGtD7zP9yug3goQfGII0yAns" crossorigin="anonymous"></script>


```

```
<!-- Option 2: Separate Popper and Bootstrap JS -->
<!--
  <script src="https://code.jquery.com/jquery-
3.5.1.slim.min.js" integrity="sha384-
DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj" crossorigin="anonymous"></script>
  <script src="https://cdn.jsdelivr.net/npm/popper.js@1.16.1/dist/umd/popper.min.js" integrity="sha384-
9/reFTGAW83EW2RDu2S0VKAiZap3H66lZ81PoYlFhbGU+6BZp6G7niu735Sk7lN" crossorigin="anonymous"></script>
  <script src="https://cdn.jsdelivr.net/npm/bootstrap@4.6.0/dist/js/bootstrap.min.js" integrity="sha384-
+YQ4JLhgyBLPDQt//I+STsc9iw4uQqACwlvpslubQzn4u2UU2UFM80nGisd026JF" crossorigin="anonymous"></script>
-->
</body>
</html>
```

Screenshots of Project

cov.php

[CovidCare](#) [Home](#) [Covid Facilities](#) [Add Covid Care Center](#) [Covid Center Near Your Home](#) [Search](#) [Sign Up](#) [Log In](#)




Let's Stay Home & Fight Against Covid-19

Active
3,45,000

Discharged
3,45,000

Death
12056




Covid-19 Vaccine Registration

Covid-19 Cases of States Wise

S.No	Name of State	Active Cases	Discharged Cases	Death
1	Andaman and Nicobar Islands	211	6056	74
2	Andhra Pradesh	187392	1069432	8615
3	Arunachal Pradesh	2002	17984	60
4	Assam	38146	249295	1628
5	Bihar	112977	464025	3215

Covhost.php



signupModal.php

The screenshot shows the CovidCare signup modal form. The modal has a title bar with "CovidCare" and a close button. It contains three input fields: "Email address", "Password", and "Confirm Password". Below the email field is a text line: "We'll never share your email with anyone else." At the bottom of the modal is a blue "Signup" button. The background shows a blurred version of the Covhost.php dashboard with a virus graphic on the left and the same statistics and table as seen in the previous screenshot. A watermark "Activate Windows" is visible on the right side of the background.

loginModal.php

CovidCare Home Covid Facilities Add Covid Care Search Sign Up Log In

Login

Email

pk

Password

..

Submit

Fight Against


Active
3,45,000

Discharged
3,45,000

Death
12056

Activate Windows
Go to Settings to activate Windows.

Nearcovidcenter.php



Let's Stay Home & Fight Against Covid-19

You are Only the Number for the Country but Life for the Family

So, Safe You & Your Family from Covid-19

Welcome to Delhi Covid Dashboard

Search Hospital Beds Availability Search Hospitals

Covid Center Name	State	City	Pin Code	Total Beds	Vacant Beds
Fast Covid Center	Delhi	New Delhi	110045	1000	800

Activate Windows
Go to Settings to activate Windows.

[CovidCare](#) [Home](#) [Covid Facilities](#) [Add Covid Care Center](#) [Covid Center Near Your Home](#)

[Search](#) [Sign Up](#) [Log In](#)

Active
3,45000

Discharged
3,45,000

Death
12056

Register for Covid Vaccination

☐ Confirm

Copyright @ Rerved 2020-21

Activate Windows
Go to Settings to activate Windows.

Benfits of CovidHelp System

1. CovidHelp System Help to find beds availability in Hosptals
2. CovidHelp System Helps to Registration for Covid Vaccine
3. CovidHelp System Show Reports on Live Staus of Covid Cases
4. CovidHelp System Provide SignUp & Login User Facilities

Conclusion

At last I can declare that this system is very helpful for help People During Covid Pandemic for Search Covid Facilities at one Platform.

The following are the advantages of proposed system.

1. CovidHelp System Help to find beds availability in Hosptals
2. CovidHelp System Helps to Registration for Covid Vaccine
3. CovidHelp System Show Reports on Live Staus of Covid Cases
4. CovidHelp System Provide SignUp & Login User Facilities

This is great Project where I Learn lots of thing during Develop this Project.

I Use W3School.com & More Other Internet Resources for make this CovidHelp System.