
Gender and semantic image choices

Exploratory Observational Association, Not Causal Effect

Coat labels and measurements | Fitting + validation only



Only discriminating comparisons enter a rate. Gray cells: fewer than 100 responses or 30 pairs.


Groups may see different pairs. A rate above 50% is not an adjusted preference effect or a significance test.

Unknown semantic values and no-detection endpoints excluded. Dog fallbacks retained; CLIP-inferred breed is not true pedigree.

Gender and semantic image choices

Exploratory Observational Association, Not Causal Effect

Other automated attributes | Fitting + validation only



Only discriminating comparisons enter a rate. Gray cells: fewer than 100 responses or 30 pairs.


Groups may see different pairs. A rate above 50% is not an adjusted preference effect or a significance test.

Unknown semantic values and no-detection endpoints excluded. Dog fallbacks retained; CLIP-inferred breed is not true pedigree.

Household pet history and semantic image choices

Exploratory Observational Association, Not Causal Effect

Coat labels and measurements | Fitting + validation only



Only discriminating comparisons enter a rate. Gray cells: fewer than 100 responses or 30 pairs.


Groups may see different pairs. A rate above 50% is not an adjusted preference effect or a significance test.

Unknown semantic values and no-detection endpoints excluded. Dog fallbacks retained; CLIP-inferred breed is not true pedigree.

Household pet history and semantic image choices

Exploratory Observational Association, Not Causal Effect

Other automated attributes | Fitting + validation only



Only discriminating comparisons enter a rate. Gray cells: fewer than 100 responses or 30 pairs.


Groups may see different pairs. A rate above 50% is not an adjusted preference effect or a significance test.

Unknown semantic values and no-detection endpoints excluded. Dog fallbacks retained; CLIP-inferred breed is not true pedigree.

Personal pet care and semantic image choices

Exploratory Observational Association, Not Causal Effect

Coat labels and measurements | Fitting + validation only



Only discriminating comparisons enter a rate. Gray cells: fewer than 100 responses or 30 pairs.


Groups may see different pairs. A rate above 50% is not an adjusted preference effect or a significance test.

Unknown semantic values and no-detection endpoints excluded. Dog fallbacks retained; CLIP-inferred breed is not true pedigree.

Personal pet care and semantic image choices

Exploratory Observational Association, Not Causal Effect

Other automated attributes | Fitting + validation only



Only discriminating comparisons enter a rate. Gray cells: fewer than 100 responses or 30 pairs.


Groups may see different pairs. A rate above 50% is not an adjusted preference effect or a significance test.

Unknown semantic values and no-detection endpoints excluded. Dog fallbacks retained; CLIP-inferred breed is not true pedigree.

Pet contact frequency and semantic image choices

Exploratory Observational Association, Not Causal Effect

Coat labels and measurements | Fitting + validation only



Only discriminating comparisons enter a rate. Gray cells: fewer than 100 responses or 30 pairs.

Groups may see different pairs. A rate above 50% is not an adjusted preference effect or a significance test.

Unknown semantic values and no-detection endpoints excluded. Dog fallbacks retained; CLIP-inferred breed is not true pedigree.

Pet contact frequency and semantic image choices

Exploratory Observational Association, Not Causal Effect

Other automated attributes | Fitting + validation only



Only discriminating comparisons enter a rate. Gray cells: fewer than 100 responses or 30 pairs.


Groups may see different pairs. A rate above 50% is not an adjusted preference effect or a significance test.

Unknown semantic values and no-detection endpoints excluded. Dog fallbacks retained; CLIP-inferred breed is not true pedigree.

Future pet intention and semantic image choices

Exploratory Observational Association, Not Causal Effect

Coat labels and measurements | Fitting + validation only



Only discriminating comparisons enter a rate. Gray cells: fewer than 100 responses or 30 pairs.


Groups may see different pairs. A rate above 50% is not an adjusted preference effect or a significance test.

Unknown semantic values and no-detection endpoints excluded. Dog fallbacks retained; CLIP-inferred breed is not true pedigree.

Future pet intention and semantic image choices

Exploratory Observational Association, Not Causal Effect

Other automated attributes | Fitting + validation only



Only discriminating comparisons enter a rate. Gray cells: fewer than 100 responses or 30 pairs.


Groups may see different pairs. A rate above 50% is not an adjusted preference effect or a significance test.

Unknown semantic values and no-detection endpoints excluded. Dog fallbacks retained; CLIP-inferred breed is not true pedigree.

Self-reported MBTI I/E and semantic image choices

Exploratory Observational Association, Not Causal Effect

Coat labels and measurements | Fitting + validation only



Only discriminating comparisons enter a rate. Gray cells: fewer than 100 responses or 30 pairs.


Groups may see different pairs. A rate above 50% is not an adjusted preference effect or a significance test.

Unknown semantic values and no-detection endpoints excluded. Dog fallbacks retained; CLIP-inferred breed is not true pedigree.

Self-reported MBTI I/E and semantic image choices

Exploratory Observational Association, Not Causal Effect

Other automated attributes | Fitting + validation only



Only discriminating comparisons enter a rate. Gray cells: fewer than 100 responses or 30 pairs.

Groups may see different pairs. A rate above 50% is not an adjusted preference effect or a significance test.

Unknown semantic values and no-detection endpoints excluded. Dog fallbacks retained; CLIP-inferred breed is not true pedigree.