## **PHASE III PROJECT**

**PROJECT TITLE**: PUBLIC TRANSPORT OPTIMIZATION

NAME : P.K.MUTHUMARI

**COLLEGE CODE**: 9530

**Reg No** : 953021106045

**COLLEGE NAME**: ST.MOTHER THERESA ENGINEERING COLLEGE

**TEAM NAME**: proj 201030 Team\_1

## **SOURCE CODE:**

import time

import serial

import gpsd

from gsmmodem import GsmModem

# Define serial port for GPS communication

gps\_serial = serial.Serial('/dev/ttyUSB0', 9600)

# Initialize GSM modem

modem = GsmModem(port='/dev/ttyUSB1', baudrate=9600)

modem.connect('<your\_pin>', 'your\_gsm\_device')

# Function to send an SMS

def send\_sms(message, recipient):

modem.sendSms(recipient, message)

# Function to get GPS coordinates

def get\_gps\_coordinates():

try:

```
packet = gpsd.get_current()
    if packet.mode >= 2:
      return packet.lat, packet.lon
    else:
      return None, None
  except Exception as e:
    print(f"Error reading GPS data: {e}")
    return None, None
# Main loop
while True:
 try:
    command = input("Enter a command: ")
    if command == "Track Vehicle":
      lat, lon = get gps coordinates()
      if lat is not None and lon is not None:
        message = f"Vehicle Tracking Alert:\nYour Vehicle Current Location is:\nLatitude:
{lat:.6f}\nLongitude: {lon:.6f}\nGoogle Maps Link:
https://www.google.com/maps/@{lat},{lon},14z"
        recipient = '850xxxxxxxx' # Replace with the actual phone number
        send_sms(message, recipient)
        print("SMS Sent")
      else:
        print("No GPS Fix")
    else:
      print("Invalid command")
  except KeyboardInterrupt:
    print("Exiting")
    break
```

# Disconnect GSM modem

modem.close()