ISSUE 日本語解説資料

Issue #119 SNS request-response contract command implementation split を整理する

GitHub で closed になっている issue 記録を、そのまま参照用 PDF に変換したもの。

Issue #119　更新: 2026/03/12

ソース: docs/portal/issues/issue-119-sns-request-response-contract-command-implementation-split.md

GitHub: https://github.com/PLAYER1-r7/MultiCloudProject/issues/119

計画　テスト　SNS

この ISSUE の要点

Issue 115 で contract regression command baseline は request-response compatibility と auth-error mapping に分離できたが、request shape、validation rejection、timeline read response shape を 1 つの repeatable implementation unit としてどう切るかは未固定のままである。このままだと shared API wrapper や response mapping 変更時に request/response evidence の実装粒度が揺れやすい。

目標

SNS request-response contract command implementation split を整理し、post request shape、invalid payload validation、timeline read response mapping を一貫した command implementation unit として固定する。

完了状態

CLOSED

1. この Issue が扱っていたこと

まず Summary と Goal から、この Issue が何を決めるためのものだったかを短く押さえる。

Issue 115 で contract regression command baseline は request-response compatibility と auth-error mapping に分離できたが、request shape、validation rejection、timeline read response shape を 1 つの repeatable implementation unit としてどう切るかは未固定のままである。このままだと shared API wrapper や response mapping 変更時に request/response evidence の実装粒度が揺れやすい。

目標

SNS request-response contract command implementation split を整理し、post request shape、invalid payload validation、timeline read response mapping を一貫した command implementation unit として固定する。

2. 完了判断の見方

Tasks、Definition of Done、Current Status の記述から、どこまで完了済みとして扱っているかを先に読む。

TASKS

Tasks セクションの有無は原文側で確認する。

DEFINITION OF DONE

Definition of Done セクションの有無は原文側で確認する。

> CLOSED / GitHub Issue: #119 / GitHub URL: https://github.com/PLAYER1-r7/MultiCloudProject/issues/119 / Sync Status: local body updated for closure sync

3. 依存関係と読み進め方

Dependencies や前提 Issue がある場合は、ここで関連先を先に把握しておくと読みやすい。

依存関係

- docs/portal/issues/issue-115-sns-contract-regression-test-command-baseline.md

読み方の注意

この解説書は原文の意思決定や完了状態を読みやすくするための補助資料である。最終的な正本は原文 Issue にあり、判断変更時は原文側を先に更新する。

4. 用語集

原文に残る英語や実務用語のうち、訳し切らずに補助説明を付けた方が読みやすい語をここにまとめる。

原語	日本語の扱い	補足
baseline	基準線	後続作業が参照する最小限の判断・実装・検証の出発点。
workflow	ワークフロー	GitHub Actions などで定義された自動処理の流れ。
owner	責任者	意思決定または更新責任を持つ担当者。文脈により product owner などを含む。

原語	日本語の扱い	補足
evidence	証跡	判断や完了状態の根拠になるログ、表、文書、出力結果。
mapping	対応付け	チェック項目とその根拠を結び付けて整理すること。
current status	現在の状態	Issue 文書時点での完了度合いや同期状況を示す節。
task contract	タスク契約	対象、目的、スコープ、検証計画、リスクを明文化した作業契約。

5. 原文

以下に Issue 原文をそのまま掲載する。詳細な根拠、証跡、チェックリストはこの原文を参照する。

概要

Issue 115 で contract regression command baseline は request-response compatibility と auth-error mapping に分離できたが、request shape、validation rejection、timeline read response shape を 1 つの repeatable implementation unit としてどう切るかは未固定のままである。このままだと shared API wrapper や response mapping 変更時に request/response evidence の実装粒度が揺れやすい。

目標

SNS request-response contract command implementation split を整理し、post request shape、invalid payload validation、timeline read response mapping を一貫した command implementation unit として固定する。

タスク契約

```
Task Contract

Metadata
- Task ID: ISSUE-119
- Title: SNS request-response contract command implementation split を整理する
- Requester: repository owner
- Target App: portal-web and future SNS service layer
- Environment: planning
- Priority: high
- Predecessor: Issue 115 (baseline; closed)

Objective
- Problem to solve: request-response compatibility grouping は fixed したが、post request shape、invalid payload validation、timeline read response mapping をどの single implementation unit で実装するかが未固定である
- Expected value: shared API / response mapping change 時に必要な request-response contract evidence を repeatable command implementation issue へ落とせる

Scope
- In scope: request-response command scope、target-to-command mapping、evidence shape、fallback direction、non-goals
- Out of scope: actual test code implementation、auth-error mapping implementation、CI wiring、integration suite implementation
- Editable paths: docs/portal/issues/issue-119-sns-request-response-contract-command-implementation-split.md, docs/portal/issues/issue-115-sns-contract-regression-test-command-baseline.md
- Restricted paths: apps/, infra/, .github/workflows/

Acceptance Criteria
- [x] AC-1: request-response command scope が読める
- [x] AC-2: request shape、invalid payload validation、timeline read response mapping の coverage が読める
- [x] AC-3: evidence shape と fallback direction が整理されている
- [x] AC-4: actual test implementation を含まない split issue に留まっている
```

Implementation Unit

- one command unit covers post request shape compatibility
- the same unit covers invalid payload rejection behavior
- the same unit covers timeline read response mapping compatibility

Implementation rule:

- request writer and read mapper evidence を 1 系統で残せる unit とする
- shared API wrapper change ではこの unit を省略しない

- auth boundary や write-failure visibility は本 issueに含めない

Evidence Shape

- command output for request shape compatibility
- command output for invalid payload rejection
- command output for timeline read response mapping

Current Codebase Fit

- current portal-web has no dedicated test directory and keeps the existing repeatable CLI validation in apps/portal-web/src/main.ts
- current command wiring is declared in apps/portal-web/package.json via `test:routes` and `test:baseline`
- browser-oriented verification already lives separately in apps/portal-web/scripts/verify-public-variants.mjs, so request/response contract work should stay on the non-browser CLI side first

Candidate Target Files

- primary support-module candidate: apps/portal-web/src/main.ts
- preferred extraction candidate once SNS contract logic exists: `apps/portal-web/src/sns-request-response-contract.ts`
- package wiring candidate: apps/portal-web/package.json

Target-file rule:

- do not grow browser rendering concerns and request/response contract concerns inside one long block in apps/portal-web/src/main.ts
- use apps/portal-web/src/main.ts only as temporary CLI glue if a dedicated SNS contract module is introduced
- keep package script wiring in apps/portal-web/package.json rather than hiding command entry behind ad hoc shell snippets

Test Placement Candidates

- first-fit command entry candidate: extend apps/portal-web/src/main.ts with a dedicated CLI flag that calls an extracted request/response validator
- second candidate if CLI branching in apps/portal-web/src/main.ts grows too large: `apps/portal-web/src/sns-request-response-contract-cli.ts`
- npm script candidate in apps/portal-web/package.json: `test:sns-request-response-contract`

Placement rule:

- this issue should start from the existing Node plus `--experimental-strip-types` pattern before introducing a new browser runner
- stdout evidence should remain shaped like the current route validation report style so it can sit beside `test:baseline`
- do not place request/response contract evidence under `scripts/verify-public-variants.mjs`; that file is already browser-host verification specific

Preferred Command Contract

- CLI flag candidate: `--validate-sns-request-response-contract`
- npm script candidate in apps/portal-web/package.json: `test:sns-request-response-contract`
- first command shape candidate: `node --experimental-strip-types ./src/main.ts --validate-sns-request-response-contract`

Contract rule:

- the first implementation pass should reuse the same Node invocation pattern already used by `test:routes`
- if the command outgrows apps/portal-web/src/main.ts, move the validator body first and keep the CLI surface stable

Expected Stdout Shape

preferred stdout shape should stay aligned with the existing route validation report style.

```
SNS request-response contract baseline
- Command: validate-sns-request-response-contract
- Request shape compatibility: passed | failed
- Invalid payload rejection: passed | failed
- Timeline read response mapping: passed | failed
- Result: passed | failed
- Issues: none | detailed issue list
```

Output rule:

- stdout should be short, deterministic, and readable beside the current route validation report
- failures should enumerate concrete issue lines rather than broad `contract failed` wording
- success output should still mention each covered surface so request shape, invalid payload rejection, and read response mapping remain visibly in scope

Exit And Failure Contract

- exit code `0` only when all three surfaces pass
- exit code `1` when request shape compatibility, invalid payload rejection behavior, or timeline read response mapping fails
- partial evidence should not downgrade to warning-only success

Failure rule:

- unresolved request shape or response mapping gaps should fail closed rather than emitting best-effort success
- this command should not absorb auth/error coverage just to avoid failure; that remains Issue 120 scope

Recommended Implementation Sequence

1. add a stable CLI flag branch in apps/portal-web/src/main.ts that is parallel to `--validate-routes` rather than mixed into browser runtime logic
2. define a report-builder function that mirrors the current `buildRouteValidationReport` style before extracting SNS-specific helper code

3. extract request and response contract checks into a dedicated support module once the report shape is stable enough to preserve
4. add the package script in apps/portal-web/package.json only after the CLI flag and stdout contract are fixed

Sequence rule:

- first lock the command surface and report shape, then lock helper extraction
- avoid starting with package-script naming alone before the CLI branch and output contract are settled

Cross-Issue Execution Order

overall preferred execution order across the active SNS implementation chain is:

1. Issue 119
2. Issue 120
3. Issue 122
4. Issue 121

Order meaning:

- Issue 119 is the first execution entry point because it establishes the narrowest CLI-oriented command surface and stdout contract
- Issue 120 should follow on the same CLI path only after Issue 119 fixes the command-entry and report-shape pattern
- browser suites should not start before the contract-side command pattern is established
- this issue is not blocked by the browser-side chain and should be treated as the first active implementation target

Fallback Direction

- request-response command が未整備でも auth-error command へ吸収しない
- temporary broader evidence を使う場合は request/response coverage を代替したことを明示する

Non-Goals

- actual test code implementation
- auth-error mapping implementation
- CI workflow integration
- integration suite implementation

Resolution

- Added the request-response contract validator entry on the existing Node CLI path in apps/portal-web/src/main.ts and kept the command surface fixed as `--validate-sns-request-response-contract`
- Added the dedicated validator/report module in apps/portal-web/src/snsRequestResponseContract.ts and shared support in apps/portal-web/src/snsContractShared.ts
- Added package wiring in apps/portal-web/package.json as `test:sns-request-response-contract`
- Validation result: `node --experimental-strip-types ./src/main.ts --validate-sns-request-response-contract` returned passed for request shape compatibility, invalid payload rejection, and timeline read response mapping

現在の状態

- CLOSED
- GitHub Issue: #119
- GitHub URL: https://github.com/PLAYER1-r7/MultiCloudProject/issues/119
- Sync Status: local body updated for closure sync

依存関係

- docs/portal/issues/issue-115-sns-contract-regression-test-command-baseline.md