ISSUE 日本語解説資料

Issue #121 SNS auth-post-readback suite implementation split を整理する

GitHub で closed になっている issue 記録を、そのまま参照用 PDF に変換したもの。

Issue #121　更新: 2026/03/11

ソース: docs/portal/issues/issue-121-sns-auth-post-readback-suite-implementation-split.md

GitHub: https://github.com/PLAYER1-r7/MultiCloudProject/issues/121

計画　セキュリティ　テスト　SNS

この ISSUE の要点

Issue 116 で integration suite baseline は auth-post-readback major flow と surface reachability に分離できたが、signed-out blocked、signed-in valid post、success readback、failure visibility の 4 状態をどの repeatable suite implementation unit として切るかは未固定のままである。このままだと shared auth/state/submit-state change 時の integration evidence が揺れやすい。

目標

SNS auth-post-readback suite implementation split を整理し、SNS major flow の 4 状態を一貫した suite implementation unit として固定する。

完了状態

CLOSED

1. この Issue が扱っていたこと

まず Summary と Goal から、この Issue が何を決めるためのものだったかを短く押さえる。

Issue 116 で integration suite baseline は auth-post-readback major flow と surface reachability に分離できたが、signed-out blocked、signed-in valid post、success readback、failure visibility の 4 状態をどの repeatable suite implementation unit として切るかは未固定のままである。このままだと shared auth/state/submit-state change 時の integration evidence が揺れやすい。

目標

SNS auth-post-readback suite implementation split を整理し、SNS major flow の 4 状態を一貫した suite implementation unit として固定する。

2. 完了判断の見方

Tasks、Definition of Done、Current Status の記述から、どこまで完了済みとして扱っているかを先に読む。

TASKS

Tasks セクションの有無は原文側で確認する。

DEFINITION OF DONE

Definition of Done セクションの有無は原文側で確認する。

CLOSED / GitHub Issue: #121 / GitHub URL: https://github.com/PLAYER1-r7/MultiCloudProject/issues/121 / Sync Status: synced to GitHub after local implementation snapshot refresh; closed after local browser-suite validation / implemented in portal-web as a local Playwright-backed suite and local SNS demo surface / validated locally with `npm run test:sns-auth-post-readback`, `npm run test:sns-surface-reachability`, `npm run test:routes`, and `npm run typecheck` / local browser-suite implementation, validation, and GitHub body sync are complete; this issue is retained as the closed implementation reference

3. 依存関係と読み進め方

Dependencies や前提 Issue がある場合は、ここで関連先を先に把握しておくと読みやすい。

依存関係

- docs/portal/issues/issue-116-sns-major-flow-integration-suite-baseline.md

読み方の注意

この解説書は原文の意思決定や完了状態を読みやすくするための補助資料である。最終的な正本は原文 Issue にあり、判断変更時は原文側を先に更新する。

4. 用語集

原文に残る英語や実務用語のうち、訳し切らずに補助説明を付けた方が読みやすい語をここにまとめる。

原語	日本語の扱い	補足
baseline	基準線	後続作業が参照する最小限の判断・実装・検証の出発点。
route metadata	ルートメタデータ	画面遷移や公開経路に付随する定義情報。
major flow	主要フロー	利用者や運用者が最初に通るべき中心的な操作の流れ。
production	本番環境	実際の利用者に公開される運用環境。
workflow	ワークフロー	GitHub Actions などで定義された自動処理の流れ。
owner	責任者	意思決定または更新責任を持つ担当者。文脈により product owner などを含む。
review	レビュー	内容や実装が要件を満たすか確認する工程。
evidence	証跡	判断や完了状態の根拠になるログ、表、文書、出力結果。
mapping	対応付け	チェック項目とその根拠を結び付けて整理すること。
current status	現在の状態	Issue 文書時点での完了度合いや同期状況を示す節。
task contract	タスク契約	対象、目的、スコープ、検証計画、リスクを明文化した作業契約。

5. 原文

以下に Issue 原文をそのまま掲載する。詳細な根拠、証跡、チェックリストはこの原文を参照する。

概要

Issue 116 で integration suite baseline は auth-post-readback major flow と surface reachability に分離できたが、signed-out blocked、signed-in valid post、success readback、failure visibility の 4 状態をどの repeatable suite implementation unit として切るかは未固定のままである。このままだと shared auth/state/submit-state change 時の integration evidence が揺れやすい。

目標

SNS auth-post-readback suite implementation split を整理し、SNS major flow の 4 状態を一貫した suite implementation unit として固定する。

タスク契約

```
Task Contract

Metadata
- Task ID: ISSUE-121
- Title: SNS auth-post-readback suite implementation split を整理する
- Requester: repository owner
- Target App: portal-web and future SNS service layer
- Environment: planning
- Priority: high
- Predecessor: Issue 116 (closed baseline reference)

Objective
- Problem to solve: auth-post-readback grouping は fixed したが、signed-out blocked、signed-in post success、failure visibility、readback consistency をどの single suite implementation unit で実装するかが未固定である
- Expected value: shared auth / state / submit-state change 時に必要な major-flow evidence を repeatable suite implementation issue へ落とせる

Scope
- In scope: auth-post-readback suite scope、state coverage mapping、evidence shape、fallback direction、non-goals
- Out of scope: actual test code implementation、surface reachability suite implementation、CI wiring、contract command implementation
- Editable paths: docs/portal/issues/issue-121-sns-auth-post-readback-suite-implementation-split.md, docs/portal/issues/issue-116-sns-major-flow-integration-suite-baseline.md
- Restricted paths: apps/, infra/, .github/workflows/

Acceptance Criteria
- [x] AC-1: auth-post-readback suite scope が読める
- [x] AC-2: blocked/success/failure/readback coverage が読める
- [x] AC-3: evidence shape と fallback direction が整理されている
- [x] AC-4: actual test implementation を含まない split issue に留まっている
```

Implementation Unit

- one suite unit covers signed-out blocked post flow
- the same unit covers signed-in valid post flow
- the same unit covers success readback and failure visibility

Implementation rule:

- auth state transition、post success、post failure、readback consistency を同一 major-flow evidence 系統で残せる unit とする
- shared auth/state/submit-state change ではこの unit を省略しない
- surface mount and CTA reachability は本 issue に含めない

Evidence Shape

- suite output for signed-out blocked flow
- suite output for signed-in success flow
- suite output for failure visibility and readback consistency

Current Codebase Fit

- current portal-web already carries a browser automation dependency through Playwright in apps/portal-web/package.json
- the existing browser-oriented verification path lives in apps/portal-web/scripts/verify-public-variants.mjs
- current app rendering and route metadata still live primarily in apps/portal-web/src/main.ts, and the SNS browser flow now uses dedicated `data-sns-*` hooks on the `/status` route instead of generic route metadata only

Implementation Snapshot

- implemented suite driver now exists at `apps/portal-web/scripts/verify-sns-auth-post-readback.mjs`
- local preview runner now exists at `apps/portal-web/scripts/run-sns-auth-post-readback.mjs`
- npm entrypoint now exists in apps/portal-web/package.json as `test:sns-auth-post-readback`
- the `/status` route now exposes a local interactive SNS demo surface in apps/portal-web/src/main.ts covering signed-out blocked, signed-in success, failure visibility, and readback consistency
- the first implementation pass remains local-preview-scoped and review-only for browser flow evidence; it does not introduce real SNS backend integration, persistent auth, or production write execution

Candidate Target Files

- primary suite driver candidate: `apps/portal-web/scripts/verify-sns-auth-post-readback.mjs`
- optional shared helper candidate if selector logic grows: `apps/portal-web/scripts/lib/sns-auth-post-readback-helpers.mjs`
- app-side stable hook candidate for future selectors: apps/portal-web/src/main.ts
- package wiring candidate: apps/portal-web/package.json

Target-file rule:

- keep browser flow orchestration in `apps/portal-web/scripts/` where browser verification already exists
- touch apps/portal-web/src/main.ts only to add stable, implementation-owned data hooks when SNS surfaces are introduced
- avoid placing major-flow browser logic inside Node CLI validation paths that currently serve route metadata checks

Test Placement Candidates

- first-fit suite placement candidate: standalone Playwright-backed script under `apps/portal-web/scripts/`

- npm script candidate in apps/portal-web/package.json: `test:sns-auth-post-readback`
- evidence output candidate: stdout summary block aligned with the current `verify-public-variants.mjs` markdown-table style, but scoped to SNS flow states

Placement rule:

- keep auth-post-readback suite separate from `verify-public-variants.mjs` so host-variant checks and SNS major-flow checks do not drift into one broad script
- signed-out, signed-in success, failure, and readback evidence should remain in one suite output even if helper modules are split
- do not require a new test directory before the first browser suite lands; current `scripts/` placement is the most repository-consistent entry point

Preferred Suite Contract

- script file candidate: `apps/portal-web/scripts/verify-sns-auth-post-readback.mjs`
- npm script candidate in apps/portal-web/package.json: `test:sns-auth-post-readback`
- first command shape candidate: `node ./scripts/verify-sns-auth-post-readback.mjs`

Contract rule:

- the first implementation pass should reuse the same script-based Playwright pattern already used by `test:public-variants`
- if helper complexity grows, extract helper code before changing the visible command surface

Expected Stdout Shape

preferred stdout shape should stay aligned with the current browser-verification markdown-table pattern.

```
SNS auth-post-readback verification

| Flow State | Result | Note |
| --- | --- | --- |
| signed-out blocked | passed | expected block preserved |
| signed-in post success | passed | submit path completed |
| failure visibility | passed | error state visible |
| readback consistency | passed | expected readback reached |
```

Output rule:

- stdout should stay short, deterministic, and suite-specific
- failures should identify whether the break is blocked flow, success flow, failure visibility, or readback consistency rather than collapsing into one generic suite failure
- success output should still list all four states so this suite remains visibly broader than Issue 122 but narrower than any future broad E2E pack

Exit And Failure Contract

- exit code `0` only when blocked flow, success flow, failure visibility, and readback consistency all pass
- exit code `1` when any one of those four states fails

- partial evidence should not downgrade to warning-only success

Failure rule:

- if the suite can mount SNS but cannot complete one of the four states, it should still fail closed
- this suite should not absorb surface reachability coverage just to avoid failure; that remains Issue 122 scope

Recommended Implementation Sequence

1. rely on the stable route, surface, and CTA hooks proven by the lighter reachability path before adding full auth-post-readback orchestration
2. add only the minimum additional SNS selectors or state markers needed on the render side of apps/portal-web/src/main.ts
3. create the standalone script entry under `apps/portal-web/scripts/` so it stays parallel to apps/portal-web/scripts/verify-public-variants.mjs and separate from Issue 122 scope
4. lock the markdown-table style stdout contract before extracting any shared helper file
5. add the package script in apps/portal-web/package.json only after the script path and output contract are fixed

Sequence rule:

- first depend on stable reachability hooks, then add full major-flow assertions
- avoid merging auth-post-readback flow into either the public-variants script or the lighter surface reachability script just to move faster

Cross-Issue Execution Order

overall preferred execution order across the active SNS implementation chain is:

1. Issue 119
2. Issue 120
3. Issue 122
4. Issue 121

Order meaning:

- Issue 121 is the last execution target in the current chain
- this issue should start only after Issue 122 proves that the SNS surface mount, entry path, and CTA reachability are stable enough for broader browser flow assertions
- this issue also benefits from contract-side command work in Issue 119 and Issue 120 already fixing request/response and auth/error baseline expectations
- if browser-side selectors or route hooks are still shifting during Issue 122, this issue should wait rather than becoming the place where reachability and major-flow breakage are debugged together

Fallback Direction

- auth-post-readback suite が未整備でも surface reachability suite へ吸収しない
- temporary narrower evidence を使う場合は落とした state coverage を明示する

Non-Goals

- actual test code implementation

- surface reachability suite implementation
- CI workflow integration
- contract command implementation

現在の状態

- CLOSED
- GitHub Issue: #121
- GitHub URL: https://github.com/PLAYER1-r7/MultiCloudProject/issues/121
- Sync Status: synced to GitHub after local implementation snapshot refresh; closed after local browser-suite validation
- implemented in portal-web as a local Playwright-backed suite and local SNS demo surface
- validated locally with `npm run test:sns-auth-post-readback`, `npm run test:sns-surface-reachability`, `npm run test:routes`, and `npm run typecheck`
- local browser-suite implementation, validation, and GitHub body sync are complete; this issue is retained as the closed implementation reference

依存関係

- docs/portal/issues/issue-116-sns-major-flow-integration-suite-baseline.md