ISSUE 日本語解説資料

Issue #122 SNS surface reachability suite implementation split を整理する

GitHub で closed になっている issue 記録を、そのまま参照用 PDF に変換したもの。

Issue #122　更新: 2026/03/11

ソース: docs/portal/issues/issue-122-sns-surface-reachability-suite-implementation-split.md

GitHub: https://github.com/PLAYER1-r7/MultiCloudProject/issues/122

計画　テスト　SNS

この ISSUE の要点

Issue 116 で integration suite baseline は auth-post-readback major flow と surface reachability に分離できたが、SNS surface mount、entry link integrity、posting CTA reachability をどの repeatable suite implementation unit として切るかは未固定のままである。このままだと shared route/layout/loading change 時の reachability evidence が揺れやすい。

目標

SNS surface reachability suite implementation split を整理し、surface mount と CTA reachability を一貫した suite implementation unit として固定する。

完了状態

CLOSED

1. この Issue が扱っていたこと

まず Summary と Goal から、この Issue が何を決めるためのものだったかを短く押さえる。

Issue 116 で integration suite baseline は auth-post-readback major flow と surface reachability に分離できたが、SNS surface mount、entry link integrity、posting CTA reachability をどの repeatable suite implementation unit として切るかは未固定のままである。このままだと shared route/layout/loading change 時の reachability evidence が揺れやすい。

目標

SNS surface reachability suite implementation split を整理し、surface mount と CTA reachability を一貫した suite implementation unit として固定する。

2. 完了判断の見方

Tasks、Definition of Done、Current Status の記述から、どこまで完了済みとして扱っているかを先に読む。

TASKS

Tasks セクションの有無は原文側で確認する。

DEFINITION OF DONE

Definition of Done セクションの有無は原文側で確認する。

> CLOSED / GitHub Issue: #122 / GitHub URL: https://github.com/PLAYER1-r7/MultiCloudProject/issues/122 / Sync Status: synced to GitHub after local implementation snapshot refresh; closed after local browser-suite validation / implemented in portal-web as a dedicated SNS surface reachability path with stable browser selectors / validated locally with `npm run test:sns-surface-reachability`, `npm run test:routes`, and `npm run typecheck` / local browser-suite implementation, validation, and GitHub body sync are complete; this issue is retained as the closed implementation reference

3. 依存関係と読み進め方

Dependencies や前提 Issue がある場合は、ここで関連先を先に把握しておくと読みやすい。

依存関係

- docs/portal/issues/issue-116-sns-major-flow-integration-suite-baseline.md

読み方の注意

この解説書は原文の意思決定や完了状態を読みやすくするための補助資料である。最終的な正本は原文 Issue にあり、判断変更時は原文側を先に更新する。

4. 用語集

原文に残る英語や実務用語のうち、訳し切らずに補助説明を付けた方が読みやすい語をここにまとめる。

原語	日本語の扱い	補足
baseline	基準線	後続作業が参照する最小限の判断・実装・検証の出発点。

原語	日本語の扱い	補足
route metadata	ルートメタデータ	画面遷移や公開経路に付随する定義情報。
major flow	主要フロー	利用者や運用者が最初に通るべき中心的な操作の流れ。
workflow	ワークフロー	GitHub Actions などで定義された自動処理の流れ。
owner	責任者	意思決定または更新責任を持つ担当者。文脈により product owner などを含む。
review	レビュー	内容や実装が要件を満たすか確認する工程。
evidence	証跡	判断や完了状態の根拠になるログ、表、文書、出力結果。
mapping	対応付け	チェック項目とその根拠を結び付けて整理すること。
current status	現在の状態	Issue 文書時点での完了度合いや同期状況を示す節。
task contract	タスク契約	対象、目的、スコープ、検証計画、リスクを明文化した作業契約。

5. 原文

以下に Issue 原文をそのまま掲載する。詳細な根拠、証跡、チェックリストはこの原文を参照する。

概要

Issue 116 で integration suite baseline は auth-post-readback major flow と surface reachability に分離できたが、SNS surface mount、entry link integrity、posting CTA reachability をどの repeatable suite implementation unit として切るかは未固定のままである。このままだと shared route/layout/loading change 時の reachability evidence が揺れやすい。

目標

SNS surface reachability suite implementation split を整理し、surface mount と CTA reachability を一貫した suite implementation unit として固定する。

タスク契約

```
Task Contract

Metadata
- Task ID: ISSUE-122
- Title: SNS surface reachability suite implementation split を整理する
- Requester: repository owner
- Target App: portal-web and future SNS service layer
- Environment: planning
- Priority: high
- Predecessor: Issue 116 (SNS major flow integration suite baseline)

Objective
- Problem to solve: surface reachability grouping は fixed したが、SNS surface mount、entry link
integrity、posting CTA reachability をどの single suite implementation unit で実装するかが未固定である
- Expected value: shared route / layout / loading change 時に必要な reachability evidence を
repeatable suite implementation issue へ落とせる

Scope
- In scope: surface reachability suite scope、coverage mapping、evidence shape、fallback
direction、non-goals
- Out of scope: actual test code implementation、auth-post-readback suite implementation、CI
wiring、contract command implementation
- Editable paths: docs/portal/issues/issue-122-sns-surface-reachability-suite-implementation-
split.md, docs/portal/issues/issue-116-sns-major-flow-integration-suite-baseline.md
- Restricted paths: apps/, infra/, .github/workflows/

Acceptance Criteria
- [x] AC-1: surface reachability suite scope が読める
- [x] AC-2: surface mount、entry link integrity、CTA reachability coverage が読める
- [x] AC-3: evidence shape と fallback direction が整理されている
- [x] AC-4: actual test implementation を含まない split issue に留まっている
```

Implementation Unit

- one suite unit covers SNS surface mount reachability
- the same unit covers entry link integrity and posting CTA reachability

Implementation rule:

- route registration、layout shell、shared loading 変更時に visibility/reachability evidence を同一系統で残せる unit とする
- shared route/layout/loading change ではこの unit を省略しない
- auth-post-readback major flow は本 issue に含めない

Evidence Shape

- suite output for SNS surface mount reachability
- suite output for entry link integrity
- suite output for posting CTA reachability

Current Codebase Fit

- current browser verification already runs from apps/portal-web/scripts/verify-public-variants.mjs with Playwright declared in apps/portal-web/package.json
- current route and shell rendering are concentrated in apps/portal-web/src/main.ts, and the SNS browser path now uses dedicated `data-sns-surface`, `data-sns-entry-link`, `data-sns-posting-cta`, and `data-sns-posting-target` hooks on the `/status` route
- there is no dedicated UI integration suite directory yet, so first placement should match the existing script-based browser verification shape

Implementation Snapshot

- implemented suite driver now exists at `apps/portal-web/scripts/verify-sns-surface-reachability.mjs`
- local preview runner now exists at `apps/portal-web/scripts/run-sns-surface-reachability.mjs`
- npm entrypoint now exists in apps/portal-web/package.json as `test:sns-surface-reachability`
- the root route now exposes an SNS entry link to `/status#sns-request-response-surface`, and the `/status` route now exposes a dedicated SNS surface plus posting CTA target in apps/portal-web/src/main.ts
- the first implementation pass now validates the dedicated SNS surface locally through build plus vite preview, rather than waiting for deployed hosts to pick up new selectors

Candidate Target Files

- primary suite driver candidate: `apps/portal-web/scripts/verify-sns-surface-reachability.mjs`
- optional shared helper candidate if route/CTA selectors need reuse: `apps/portal-web/scripts/lib/sns-surface-reachability-helpers.mjs`
- app-side stable hook candidate for future selectors: apps/portal-web/src/main.ts
- package wiring candidate: apps/portal-web/package.json

Target-file rule:

- keep surface reachability orchestration in `apps/portal-web/scripts/` beside existing browser verification
- use apps/portal-web/src/main.ts only for stable route-path, entry-link, or CTA markers when SNS surfaces exist
- do not merge SNS surface reachability into route metadata CLI output, because mount/reachability is a browser-facing concern

Test Placement Candidates

- first-fit suite placement candidate: standalone Playwright-backed script under `apps/portal-web/scripts/`
- npm script candidate in apps/portal-web/package.json: `test:sns-surface-reachability`
- evidence output candidate: stdout summary block that records mount reachability, entry-link integrity, and CTA visibility separately

Placement rule:

- keep this suite separate from `verify-public-variants.mjs` so host/variant verification and SNS surface reachability remain independently reviewable
- route mount, entry link, and CTA reachability should stay in one suite output even if helper files are introduced
- do not force a new browser test directory before the first SNS surface suite lands; current script placement is already consistent with the repository

Preferred Suite Contract

- script file candidate: `apps/portal-web/scripts/verify-sns-surface-reachability.mjs`
- npm script candidate in apps/portal-web/package.json: `test:sns-surface-reachability`
- first command shape candidate: `node ./scripts/verify-sns-surface-reachability.mjs`

Contract rule:

- the first implementation pass should reuse the same script-based Playwright pattern already used by `test:public-variants`
- if selector helpers grow, extract helper code before changing the visible command surface

Expected Stdout Shape

preferred stdout shape should stay aligned with the current browser-verification markdown-table pattern.

```
SNS surface reachability verification

| Target | Surface Mount | Entry Link | CTA Reachability | Result |
| --- | --- | --- | --- | --- |
| sns-entry | passed | passed | passed | passed |
```

Output rule:

- stdout should stay short, deterministic, and browser-suite specific
- failures should identify whether the break is mount, entry-link, or CTA reachability rather than collapsing into one generic failure line
- success output should still name each covered surface so this suite remains visibly narrower than the full auth-post-readback flow

Exit And Failure Contract

- exit code `0` only when surface mount, entry-link integrity, and CTA reachability all pass
- exit code `1` when any one of those three surfaces fails
- partial evidence should not downgrade to warning-only success

Failure rule:

- a missing mount or unreachable CTA should fail closed even if the page shell still renders
- this suite should not absorb auth-post-readback coverage just to avoid failure; that remains Issue 121 scope

Recommended Implementation Sequence

1. add only the minimum stable route-path, entry-link, or CTA markers needed on the render side of apps/portal-web/src/main.ts
2. create the standalone script entry under `apps/portal-web/scripts/` so it stays parallel to apps/portal-web/scripts/verify-public-variants.mjs
3. lock the markdown-table style stdout contract before extracting any shared helper file
4. add the package script in apps/portal-web/package.json only after the script path and output contract are fixed

Sequence rule:

- first lock stable hooks and suite output, then lock helper extraction
- avoid merging surface reachability checks into the existing public-variants script just to get a script running faster

Cross-Issue Execution Order

overall preferred execution order across the active SNS implementation chain is:

1. Issue 119
2. Issue 120
3. Issue 122
4. Issue 121

Order meaning:

- Issue 122 is the first browser-side execution target in the current chain
- this issue should start only after the contract-side command pattern is settled by Issue 119 and Issue 120, so browser evidence does not become the first place where contract drift is diagnosed
- this issue should complete before Issue 121 so selector stability, surface mount, and CTA reachability are proven in a narrower suite first
- if minimal SNS hooks are still unstable on the render side, this issue should resolve that narrower instability before full auth-post-readback flow work begins

Fallback Direction

- surface reachability suite が未整備でも auth-post-readback suite へ吸収しない
- temporary narrower evidence を使う場合は落とした reachability coverage を明示する

Non-Goals

- actual test code implementation
- auth-post-readback suite implementation
- CI workflow integration
- contract command implementation

現在の状態

- CLOSED
- GitHub Issue: #122

- GitHub URL: https://github.com/PLAYER1-r7/MultiCloudProject/issues/122
- Sync Status: synced to GitHub after local implementation snapshot refresh; closed after local browser-suite validation
- implemented in portal-web as a dedicated SNS surface reachability path with stable browser selectors
- validated locally with `npm run test:sns-surface-reachability`, `npm run test:routes`, and `npm run typecheck`
- local browser-suite implementation, validation, and GitHub body sync are complete; this issue is retained as the closed implementation reference

依存関係

- docs/portal/issues/issue-116-sns-major-flow-integration-suite-baseline.md