

AIM

BR.100ACM COMMON
MANUFACTURING APPLICATIONS
SETUP

<Company Long Name>

<Subject>

Author: <Author>
Creation Date: June 4, 1999
Last Updated: August 15, 2025
Document Ref: <Document Reference Number>
Version: DRAFT 1A

Approvals:

<Approver 1>

<Approver 2>

ORACLE®

Copy Number _____

Document Control

Change Record

Date	Author	Version	Change Reference
4-Jun-99	<Author>	Draft 1a	No Previous Document

Reviewers

Name	Position

Distribution

Copy No.	Name	Location
1	Library Master	Project Library
2		Project Manager
3		
4		

Note To Holders:

If you receive an electronic copy of this document and print it out, please write your name on the equivalent of the cover page, for document control purposes.

If you receive a hard copy of this document, please write your name on the front cover, for document control purposes.

Contents

Document Control	ii
Application Set Up Control Sheet - Common Manufacturing	1
Manufacturing Profiles/CM: Define Profiles-System	6
Manufacturing Profiles/CM: Define Profiles-User	7
Rules: Picking, ATP, and Forecast/CM: Define ATP Rules.....	10
Rules: Picking, ATP, and Forecast/CM: Define Picking Rules	13
Rules: Picking, ATP, and Forecast/CM: Define Forecast Rules	14
Costing/CM: Define Cost Types	16
Costing/CM: Define Cost Groups.....	18
Costing/CM: Define Cost Activities	19
Class, Constraint, and Order Type/CM: Define Demand Classes	20
Class, Constraint, and Order Type/CM: Define Delete Constraints	21
Class, Constraint, and Order Type/CM: Define ECO Types	23
INV/PO Accounting Periods/CM: Open Inventory Accounting Period	24
INV/PO Accounting Periods/CM: Open Purchasing Accounting Period	25
Inventory Shipping Setup/INV: Define Subinventory Locations	26
Subinventory Locations, Receiving/CM: Define Receiving Options	31
Transaction/CM: Define Transaction Source Types.....	33
Transaction/CM: Define Transaction Types.....	35
Transaction/CM: Define Transaction Reasons	38
Resource/CM: Define Resources.....	39
Resource/CM: Define Resource Groups	43

Resource/CM: Define Simulation Sets	45
Department/CM: Define Department Classes	46
Department/CM: Define Departments	47
Department/CM: Define Resource Shifts	52
Department/CM: Define Department Resources	53
Material Overheads/CM: Define Material SubElement.....	54
Material Overheads/CM: Define Material Overhead	55
Material Overheads/CM: Define Material Overhead Defaults.....	59
Account Aliases/CM: Define Account Aliases Flexfield	61
Account Aliases/CM: Define Value Set.....	62
Account Aliases/CM: Define Flexfield Segments	64
Account Aliases/CM: Define Flexfield Segment Values.....	65
Account Aliases/CM: Define Security Rules	66
Account Aliases/CM: Assign Security Rules	67
Account Aliases/CM: Define Cross-Validation Rules.....	68
Sales Order Number Setup/CM: Define Value Set.....	69
Sales Order Number Setup/CM: Define Flexfield Segments	71
Sales Order Number Setup/CM: Define Flexfield Segment Values.....	72
Sales Order Number Setup/CM: Define Security Rules	73
Sales Order Number Setup/CM: Assign Security Rules.....	74
Sales Order Number Setup/CM: Define Cross-Validation Rules.....	75
Stock Locator Setup/CM: Define Value Set	76
Stock Locator Setup/CM: Define Flexfield Segments	78
Stock Locator Setup/CM: Define Flexfield Segment Values	79
Stock Locator Setup/CM: Define Security Rules	80
Stock Locator Setup/CM: Assign Security Rules	81
Stock Locator Setup/CM: Define Cross Validation Rules	82
Key Flexfield Setup/CM: Define Value Set.....	83
Key Flexfield Setup/CM: Define Flexfield Segments	85

Key Flexfield Setup/CM: Define Flexfield Segment Values	86
Key Flexfield Setup/CM: Define Security Rules	87
Key Flexfield Setup/CM: Assign Security Rules.....	88
Key Flexfield Setup/CM: Define Cross-Validation Rules.....	89
Countries and Territories Setup/CM: Define Countries.....	90
Countries and Territories Setup/CM: Define Territories.....	91
Customer Items and References/CM: Define Customer Items	92
Customer Items and References/CM: Define Customer Items Cross Reference.....	94
Open and Closed Issues for this Deliverable	95
Open Issues.....	95
Closed Issues	95

Application Set Up Control Sheet - Common Manufacturing

Environment Name:	Machine:	Type (definition, execution, or both):
--------------------------	-----------------	---

Workflow SubWorkflow Name	Set Up	Responsibility	Due Date	QA Responsibility	QA Due Date	Signature Approval
Common Manufacturing Setup						
Manufacturing Profiles	CM: Define Profiles-System					
Manufacturing Profiles	CM: Define Profiles-User					
Rules: Picking, ATP, and Forecast	CM: Define ATP Rules					
Rules: Picking, ATP, and Forecast	CM: Define Picking Rules					
Rules: Picking, ATP, and Forecast	CM: Define Forecast Rules					
Costing	CM: Define Cost Types					
Costing	CM: Define Cost Groups					
Costing	CM: Define Cost Activities					
Class, Constraint, and Order Type	CM: Define Demand Classes					
Class, Constraint, and Order Type	CM: Define Delete Constraints					
Class, Constraint, and Order Type	CM: Define ECO Types					

<Subject>

File Ref: BR100Acm_Common_Manufacturing_Application_Setup.doc (v. DRAFT 1A)

Application Set Up Control Sheet - Common Manufacturing 1 of 95

Company Confidential - For internal use only

Workflow SubWorkflow Name	Set Up	Responsibility	Due Date	QA Responsibility	QA Due Date	Signature Approval
INV/PO Accounting Periods	CM: Open Inventory Accounting Period					
INV/PO Accounting Periods	CM: Open Purchasing Accounting Period					
Subinventory Locations, Receiving	CM: Define Subinventory Locations					
Subinventory Locations, Receiving	CM: Define Receiving Options					
Transaction	CM: Define Transaction Source Types					
Transaction	CM: Define Transaction Types					
Transaction	CM: Define Transaction Reasons					
Resource	CM: Define Resources					
Resource	CM: Define Resource Groups					
Resource	CM: Define Simulation Sets					
Department	CM: Define Departments					
Department	CM: Define Department Classes					
Department	CM: Define Resource Shifts					
Department	CM: Define Department Resources					
Material Overheads	CM: Define Material SubElement					
Material Overheads	CM: Define Material Overhead					

<Subject>

Workflow SubWorkflow Name	Set Up	Responsibility	Due Date	QA Responsibility	QA Due Date	Signature Approval
Material Overheads	CM: Define Material Overhead Defaults					
Account Aliases	CM: Define Account Aliases Flexfield					
Account Aliases	CM: Define Key Flexfield Structure					
Account Aliases	CM: Define Valueset					
Account Aliases	CM: Define Flexfield Segments					
Account Aliases	CM: Define Flexfield Segment Values					
Account Aliases	CM: Define Security Rules					
Account Aliases	CM: Assign Security Rules					
Account Aliases	CM: Define Cross Validation Rules					
Sales Order Number Setup	CM: Define Sales Order Flexfield					
Sales Order Number Setup	CM: Define Key Flexfield Structure					
Sales Order Number Setup	CM: Define Valueset					
Sales Order Number Setup	CM: Define Flexfield Segments					
Sales Order Number Setup	CM: Define Flexfield Segment Values					
Sales Order Number Setup	CM: Define Security Rules					
Sales Order Number Setup	CM: Assign Security Rules					

Workflow SubWorkflow Name	Set Up	Responsibility	Due Date	QA Responsibility	QA Due Date	Signature Approval
Sales Order Number Setup	CM: Define Cross Validation Rules					
Stock Locator Setup	CM: Define Stock Locator Flexfield					
Stock Locator Setup	CM: Define Key Flexfield Structures					
Stock Locator Setup	CM: Define Valueset					
Stock Locator Setup	CM: Define Flexfield Segments					
Stock Locator Setup	CM: Define Flexfield Segment Values					
Stock Locator Setup	CM: Define Security Rules					
Stock Locator Setup	CM: Assign Security Rules					
Stock Locator Setup	CM: Define Cross Validation Rules					
Key Flexfield Setup	CM: Define Key Flexfield Structure					
Key Flexfield Setup	CM: Define Valueset					
Key Flexfield Setup	CM: Define Flexfield Segments					
Key Flexfield Setup	CM: Define Flexfield Segment Values					
Key Flexfield Setup	CM: Define Security Rules					
Key Flexfield Setup	CM: Assign Security Rules					
Key Flexfield Setup	CM: Define Cross Validation Rules					

Workflow SubWorkflow Name	Set Up	Responsibility	Due Date	QA Responsibility	QA Due Date	Signature Approval
Countries and Territories Setup	CM: Define Countries					
Countries and Territories Setup	CM: Define Territories					
Customer Items and References	CM: Define Customer Items					
Customer Items and References	CM: Define Customer Items Cross Reference					

Manufacturing Profiles/CM: Define Profiles-System



System Administration>Profile>System

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to set a value for each Profile option to specify how Oracle Inventory controls access to and processes data. The system administrator sets and updates profile values.

Profile	Site	Applications	Responsibility	User

Manufacturing Profiles/CM: Define Profiles-User



BOM>Setup>Profiles

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Personal Profile Values for users. A user profile is a collection of changeable options that affect the way your applications run. Oracle Applications™ establishes a value for each option in a user's profile when the user logs on or changes responsibility.

<Personal Profile Values>

Profile Name	User Value
BOM: Component Item Sequence Increment	
BOM: Configurator Server Validation	
BOM: Default Bill of Material Levels	

Profile Name	User Value
ENG: Change Order Autonumbering	
ENG: ECO Department	
ENG: Engineering Item Change Order Access	

Profile Name	User Value
BOM: Perform Lead Time Calculations	
BOM: Save Configurator Details Flag	
BOM or Engineering	

Profile Name	User Value
ENG: Model Item Change Order Access	
ENG: Planning Item Change Order Access	
ENG: Standard Item Change Order Access	

Profile Name	User Value
INV: Item Master Organization	
INV: Default Item Status	
INV: Default Primary Unit of Measure	
INV: Dynamic Precision Option	
INV: Inter_Organization Currency Conversion	
INV: Intercompany Currency Conversion	
INV: Item Master Flexfield	
INV: Minmax Reorder Approval	
INV PACKSLIP: Shipper Data Printed	
TP: INV Cycle Count Approvals form	
TP: INV Cycle Count Entries form	
TP: INV Enter Replenishment Count form	
TP: INV In-transit Receipt form	
TP: INV Inter-organization Transfer form	
TP: INV Miscellaneous Issue and Receipt form	
TP: INV Receive Customer Returns Form	

Profile Name	User Value
INV: RC Line Failure	
INV: RC Requisition Approval	
INV: Save Search Items	
INV: Transaction Date Validation	
INV: Updateable Customer Item	
INV: Updateable Item Name	
INV: Use Catalog Name in the Item Description	
INV: Cost Organization	
TP: INV Receive purchase orders form	
TP: INV Release from inspection form	
TP: INV Return to customer form	
TP: INV Return to vendor form	
TP: INV Transaction processing mode	
TP: INV Transfer between subinventories form	
TP: INV Update Average Cost form	

Profile Name	User Value
WIP: Default Job Start Date	
WIP: Define Discrete Job Form	
WIP: Discrete Job Prefix	
TP: WIP Move Transaction	
TP: WIP Operation Backflush Setup	
TP: WIP Move Transaction Quantity Default	
TP: WIP Move Transactions First Field	
TP: WIP Completion Transaction Form	
TP: WIP Completion Transactions First Field	
TP: WIP Material Transaction Form	

Profile Name	User Value
MRP: Cutoff Date Offset Months	
MRP: Debug Mode	
MRP: Default Sourcing Assignment Set	
MRP: Default Criteria Set	
MRP: Default DRP Plan Name	
MRP: Sourcing Rule Category Set	
MRP: Time Fence Warning	

Profile Name	User Value
WIP: Exclude Open ECOs	
WIP: Move Completion Default	
WIP: See Engineering Items	
TP: WIP Concurrent Message Level	
TP: WIP Resource Transaction First Field	
TP: WIP Shop Floor Material Processing	
TP: WIP Material Transactions First Field	
TP: WIP Completion Material Processing	
TP: Requirement Nettable Option	

Profile Name	User Value
MRP: New Planner Backward Compatibility	
MRP: Requisition Load Group Option	
MRP: Default Plan Name	
MRP: Default Schedule Name	
MRP: Trace Mode	
MRP: Use Ship Arrived Flag	

<Subject>

Rules: Picking, ATP, and Forecast/CM: Define ATP Rules



Inventory>Setup>Rules>Available to Promise

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define and update Available to Promise Rules.

Name		
Description		

<Consumption>

Forward		
Backward		

<Accumulation>

Accumulate Available		
Window		

<Past Due Days>

Demand		
Supply		

<Infinite Supply>

Option		
Days		

ATP by Demand Class		
---------------------	--	--

<Demand Sources>

Sales Orders		
Internal Orders		
Discrete WIP		
Repetitive WIP		
Non-Standard WIP		
User-Defined		

<Supply Sources>

Discrete MPS		
Repetitive MPS		
Discrete WIP		
Repetitive WIP		
Non-standard WIP		
User Defined		
Internal Reqs		
Supplier Reqs		
Purchase Orders		
On-Hand Available		
Inter-Org Transfers		

Rules: Picking, ATP, and Forecast/CM: Define Picking Rules



Inventory>Setup>Rules>Picking

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define and update Picking Rules. It defines the specific hierarchy with which Oracle Inventory picks units on an item for a sales order.

<Picking Rules>

Note: Determine based on use of Order Entry.

Name			
Description			
Revision Order			
Lot Order			
Subinventory Order			
Locator Order			

Rules: Picking, ATP, and Forecast/CM: Define Forecast Rules



Inventory>Setup>Rules>Forecast

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Forecast Rules to be used with inventory. You can define item Forecast Rules in inventory to establish the forecast method, bucket type, and sources of demand that are considered when compiling a statistical or focus forecast.

Rule	
Description	

<Bucket Type>

Bucket Type	
-------------	--

<Include>

Sales Order Shipments	
Issues to WIP	
Miscellaneous Issues	
Inter-Org Transfers	

<Forecast>

Forecast (Type)	
Trend Model	
Seasonality Models	
Maximum Past Periods	
Alpha Smoothing Factor	
Factor	
Factor	

<Seasonality Index>

Period	1	2	3	4	5	6	7	8	9	10	11	12	13
Index													

Costing/CM: Define Cost Types



Cost>Setup>Cost Types

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to enter and change Cost Type information.

<Cost Types>

Note: This is an Oracle Inventory required setup.

Cost Type (name)					
Description					
Default Cost Type					
Inactive On					
Multi-Org					
Allow Updates					
Available to Engineering					

<Rollup Options>

Component Yield					
Snapshot Bills					
Alternate (Snapshot Name)					

<Previous Level Rollup Options>

Element					
Sub-Element					
Activity					
Operation					

Costing/CM: Define Cost Groups



Cost>Setup>Cost Groups

<Company Short Name> Process: <Process Name>	Business Area: <Inventory Name>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to set up and maintain Cost Groups. This function is only available for organizations that are enabled for projects.

Cost Group	Description	Inactive On	Multi-Org

<Accounts>

Material	Material Overhead	Resource	Outside Processing	Overhead	Average Cost Variance	Encumbrance

button

WIP Accounting Classes

WIP Accounting Class	Inactive On

Costing/CM: Define Cost Activities

Cost>Setup>Activities

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to set up and maintain Activities.

<Activity Setup>

Activity					
Description					
Multi-Org					
Default Basis					
Inactive On					
Activity Measure					

button

Activity Costs

Cost Type					
Description					
Total Cost					
Total Occurrences					

Class, Constraint, and Order Type/CM: Define Demand Classes



Supply Chain Planning>Setup>Demand Class

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to enter and update Demand Classes.

Type	
Application	
Description	

<Access Level>

User	
Extensible	
System	

Code	Meaning	Description	Start Date	End Date

Class, Constraint, and Order Type/CM: Define Delete Constraints



Inventory>Setup>Items>Delete Constraints

<Company Short Name> Process: <Process Name>	Business Area: <Inventory Name>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define unique Delete Constraints required beyond the 48 seeded constraints provided by the base installation. For example, some of the seeded Delete Constraints prevent you from deleting bills or routing if an alternate exists, if another assembly uses the bill or routing as a common, or if there is a job or repetitive schedule for the assembly. You cannot delete a bill if any sales orders are open for the item or if any demand exists. You cannot delete a component affected by a pending ECO.

<Delete Constraints>

Constraint (Name)	
Description	
Delete Entity	
Enabled	
SQL Select Statement	

<Delete If>

Rows Found	
No Rows Found	Yes

<Failure Message>

Name	
------	--

Text	
------	--

Class, Constraint, and Order Type/CM: Define ECO Types

 Engineering>Setup>Change Types

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define and update Engineering Change Order (ECO) types. ECOs help classify engineering and mass change orders to items and bills of material and determine whether such orders apply to engineering in addition to manufacturing.

An ECO type can be associated with an Oracle Workflow process. If so, a priority can optionally be associated with the ECO type.

If you define an ECO using a type and priority combination (even if the priority is blank) that is associated with a workflow process, Workflow will control the ECO approval process. If the type and priority combination is not associated with a workflow process, the ECO approval status defaults to Approved.

<Change Types>

Type	Engineering Also	Description	Inactive On

 Processes

<Change Type Processes>

Use this region to add and update processes associated with the change type specified.

Priority	Description	Process

INV/PO Accounting Periods/CM: Open Inventory Accounting Period



Inventory>Accounting Close Cycle>Inventory Accounting Periods

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to open Accounting Periods. Inventory uses accounting periods to group material and work in process transactions for accounting purposes.

<Inventory Accounting Periods>

Use the [Change Status] button to change status.

Note: This is an Oracle Inventory required setup.

Status	Period	Number	Year	Period Dates: From	Period Dates: To	Close Date

INV/PO Accounting Periods/CM: Open Purchasing Accounting Period



Purchasing>Setup>Financials>Accounting>Control Purchasing Periods

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to control the Purchasing Periods defined in the Accounting Calendar window. You use purchasing periods to create journal entries in your general ledger system. Purchasing lets you create journal entries only for transactions you enter in an open purchasing period.

<Control Purchasing Periods>

Status	Number	Fiscal Year	Period	From Date	To Date

Inventory Shipping Setup/INV: Define Subinventory Locations

 **Inventory>Setup>Organizations>Subinventories**

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define and update Subinventories.

<Subinventories>

Note: This is an Oracle Inventory required setup.

Name				
Description				

button

Open



Main

Parameters:				
Quantity Tracked				
Asset Inventory				
Include in ATP				
Allow Reservation				
Nettable				

Locator Control				
Picking Order				
Inactive On				
Lead Times:				
Pre-Processing				
Processing				
Post-Processing				
Sourcing:				
Type				
Organization				
Subinventory				

Accounts

Material				
Outside Processing				
Material Overhead				
Overhead				
Resource				
Expense				

Encumbrance				
-------------	--	--	--	--

button

Item/Subinventory

<Item Subinventories>

Planning

Item	Min-Max Planning	Minimum Quantity	Maximum Quantity

Order Modifiers

Item	Fixed Lot Multiple	Order Quantity Minimum	Order Quantity Maximum

Sourcing

Item	Type	Organization	Subinventory

Lead Times

Item	Pre-Processing	Processing	Post-Processing

<Locators for this Item Subinventory>

Locator

Subinventory Locations, Receiving/CM: Define Receiving Options



Purchasing>Setup>Organizations>Receiving Options

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use the Receiving Options window to define options that govern receipts in your system. Most of the options that you set here can be overridden for specific suppliers, items, and purchase orders.

<Receipt Date>

Days Early	Days Late	Action

<Miscellaneous>

Allow Substitute Receipts	Allow Unordered Receipts	Allow Express Transactions	Allow Cascade Transactions	Allow Blind Receiving	Receipt Routing	Enforce Ship-To	ASN Control Action

<Over Receipt Control>

Tolerance	Action

<Receipt Number Options>

Entry	Type	Next Receipt Number

<Receiving Accrual Account>

Receiving Accrual Account

<Subject>

Receiving Accrual Account

Transaction/CM: Define Transaction Source Types

 Inventory>Setup>Transactions>Source Types

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define user Transaction Source Types and modify the names/description of system defined Transaction Source Types.

<Transaction Source Types>

 User Defined

Name	Description	Validation: Type	Validation: Context	Inactive On
		None		

System Defined

Name	Description

Transaction Types

The Transaction Types button takes the user to the Transaction Type window that is described in the next section.

Transaction/CM: Define Transaction Types

Inventory>Setup>Transactions>Types

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define and update Transaction Types.

<Transaction Type>

User Defined

Name	Description	Source Type	Action	Project	Inactive On



<Subject> Transaction/CM: Define Transaction Types 36 of 95
File Ref: BR100Acm_Common_Manufacturing_Application_Setup.doc (v. DRAFT 1A)
Company Confidential - For internal use only

Name	Description	Source Type	Action	Inactive On

Transaction/CM: Define Transaction Reasons



Inventory>Setup>Transactions>Reasons

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Transaction Reasons for use with inventory transactions.

<Transaction Reasons>

Name	Description	Inactive On

Resource/CM: Define Resources



BOM>Routings>Resources

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: This form is used to define and update Resources. A Resource is anything of value, except material and cash, required to manufacture and schedule products. Resources include people, tools, labor purchased from a vendor, and physical space.

<Resource>

Resource(Name)					
Description					
Type					
Charge Type					
Expenditure Type					
Inactive On					
UOM					
Basis					

<Outside Processing>

Enabled(Checkbox)					
Item					

<Costed>

Costed					
Activity					
Absorption Account					
Variance Account					
Standard Rate					

button

Overheads (Assembler Resource)

<Cost Types>

Use this region to enter and update overhead information associated with the resource for the particular cost type.

Cost Type	
Allow Updates	
Resource Overhead Associations:	
Overhead	Description

Cost Type Name	
Allow Updates	
Resource Overhead Associations:	
Overhead	Description

Cost Type Name	
Allow Updates	
Resource Overhead Associations:	
Overhead	Description

button

Rates (Assembler Resource)

Use this region to assign and update the costs for the resource.

Cost Type	Description	Resource Unit Cost

Resource/CM: Define Resource Groups



BOM>Setup>Resource Groups

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: This form is used to define and update Resource Groups. Resource Groups are resources grouped together according to criteria you define to facilitate bill of resource generation and capacity planning.

<CRP_Resource_Groups QuickCodes>

Type	
Application	
Description	

<Access Level>

User	
Extensible	
System	

Code	Meaning	Description	Start Date	End Date

Resource/CM: Define Simulation Sets



BOM>Setup>Simulation Sets

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: This form is used to define and update Simulation Sets. You assign Simulation Sets when you make capacity modifications to resources you assign to departments.

<Simulation Sets>

Name	Description	Use in Scheduling

Department/CM: Define Department Classes

 BOM>Setup>Department Classes

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: This form is used to define and update Department Classes. You can use Department Classes to group departments for shop floor scheduling and control and to identify manufacturing cells and flexible machine centers.

<Department Classes>

Use this region to define and update Department Classes.

Class (Name)	Description

 Departments

This region only displays the Departments associated with the Department Class. You cannot assign Departments to department classes here. You assign department classes to Departments when you define the department.

Class (Name)	Description	Inactive On

Department/CM: Define Departments



BOM>Routings>Departments

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: This form is used to define and update Department information.

A Department is an area within your organization that consists of one or more people, machines, or suppliers, where you want to collect costs, apply overhead, and compare load to capacity. You assign a department to each operation in a routing, and assign resources that are available for that department.

When you define a department, you specify any department overhead costs and the resources that are available. You can enter multiple resources for each department. For each resource, you can specify the shifts that the resource is available for. For each resource shift, you can also specify capacity modifications that change the available hours per day, units per day, or workdays.

Note: Before you can use this form, you must define base information for at least one resource and one calendar shift.

<Departments>

Use this region to define and update a department name.

Name	Description	Class	Location	Project Expenditure Org	Inactive on

button

Rates (Assembly Department)

<Overhead Rates>
Use this region to enter and update overhead information associated with the resource for the particular cost type.

Cost Type				
Overhead Rates:				
Overhead	Description	Activity	Basis	Rate or Amount

Cost Type				
Overhead Rates:				
Overhead	Description	Activity	Basis	Rate or Amount

Cost Type				
Overhead Rates:				
Overhead	Description	Activity	Basis	Rate or Amount

button

Resources (Assembly Department)

<Owned>

Use this region to enter and update Owned Resources for the displayed department.

Resource	Available 24 Hours	Share	Check CTP	UOM	Units	Group	Exception Set	ATP Rule

<Borrowed>

Use this region to enter and update owned resources for the displayed department.

Resource	Owning Department	UOM	Units	Check CTP	Group

--	--	--	--	--	--

button

Shifts (Assembly Department Resource)

<Shifts>
Use this region to define and update Shifts information for the resource.

Shift Number	Description

button

Capacity Changes (Assembly Department Resource’s Shift Number)

<Capacity Changes>
Use this region to add a work day, delete a work day, or enter Capacity modifications for your shift.

Simulation Set	Change	Capacity	Date: From	To	Time: From	To

Department/CM: Define Resource Shifts



BOM>Routings>Departments

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: This step is accomplished in the Define Department step by selecting the shifts button from the resources window. See that step for more details.

Department/CM: Define Department Resources



BOM>Routings>Departments

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: This step is accomplished in the Define Department step by selecting the resources button. See that step for more details.

Material Overheads/CM: Define Material SubElement

 **Inventory>Setup>Costs>Sub-Elements>Material**

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Sub-Element Material costs and defaults. Material Sub-Elements classify material costs, such as plastic or metal. A Material Sub-Element has a default activity and a default basis type assigned to it.

<Material Sub-Elements>

 **Defaults**

Material (Name)	Description	Default Activity	Default Basis	Inactive On

 **Expenditure Type**

Material (Name)	Description	Expenditure Type	Inactive On

Material Overheads/CM: Define Material Overhead



Inventory>Setup>Costs>Sub-Elements>Overheads

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Overhead Costs.

You can use Material Overhead and Overhead Cost Sub-Elements to add indirect costs to item costs on either a percentage basis or as a fixed amount in both standard and average costing organizations. Each Overhead Sub-Element has a default basis, a default activity, and an absorption account. The overhead absorption account offsets the corresponding overhead cost pool in the general ledger.

You can base the overhead charge on the number of resource units or percentage of resource value earned in the routing operation. Or, you can set up move-based overheads where the rate or amount is charged for each item moved in an operation. To do this, use the Item or Lot basis types.

You can base the Material Overhead charge on a percentage of the total value, which is earned when you receive purchase orders or perform WIP completion transactions. Or, you can use the Item or Lot basis types.

You can apply each of these Sub-Elements using different basis types for increased flexibility. Material Overhead is earned when an item is received into inventory or completed from work in process. Overhead, based upon resources, is earned as the assembly moves through operations in work in process.

Note:: If you use Oracle Bills of Materials, you must first define the BOM parameters to use the overhead cost element in the Overhead window.

<Overheads>

Overhead (Name)					
Cost Element					
Description					
Absorption Account					
Default Basis					
Default Activity					
Expenditure Type					
Inactive On					

button

Resources

<Resource Overhead Associations>

Use this region to enter overhead details based on Resources.

<Overhead Name>										
Cost Type										
Description										
<Resource Overhead Associations>										
Resource	Description									

--	--

button

Rates

<Overhead Rates>
Use this region to enter the Overhead Details by department.

<Overhead Name>				
Cost Type				
Description				
<Overhead Rates>				
Department	Description	Activity	Basis	Rate or Amount

Material Overheads/CM: Define Material Overhead Defaults



Inventory>Setup>Costs>Sub-Elements>Defaults

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Overhead Cost Defaults. These defaults speed data entry when defining items. When you define items, these material overheads are defaulted into the Frozen cost type under standard costing, and into the cost type you defined to hold average rates under average costing.

For buy items, enter material costs. For make items, roll up costs. You can specify an organization and category default for the same material overhead Sub-Element. When you have multiple defaults for the same Sub-Element, the category default takes precedent over the organization default. If you have two category level defaults, the default that matches the item's planning code takes precedence.

<Level>Organization

<Default Rate or Amount>

Material Overhead	Item Type	Activity	Basis	Cost: Rate or Amount	Activity: Occurrences	Activity: Number of Items

<Level> Category

Category Set	
Category	

<Default Rate or Amount>

Material Overhead	Item Type	Activity	Basis	Cost: Rate or Amount	Activity: Occurrences	Activity: Number of Items

Account Aliases/CM: Define Account Aliases Flexfield



Inventory>Setup>Account Aliases

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Account Aliases.

Aliases	Description	Account	Effective from	Effective To

Account Aliases/CM: Define Value Set



Inventory>Setup>Flexfields>Key>Values

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Value Sets for the account alias Flexfield.

<Value Set>

Use this region to define a Value Set

Value	Name	Description
Value Set		
Dependent Value Set		
Independent Value		



Effective

Value	Description	Enabled	Effective From	Effective To



Hierarchy/Qualifiers

Value	Description	Parent	Group	Level	Qualifiers

Account Aliases/CM: Define Flexfield Segments



Inventory>Setup>Flexfields>Key>Segments

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Segments for the account alias Flexfield.

<Key Flexfield>

Application	Flexfield Title

<Structures>

Title	Description	View Name

Freeze Flexfield Definition	Enabled	Segment Separator	Cross-Validate Segments	Freeze Rollup Groups	Allow Dynamic Inserts

Account Aliases/CM: Define Flexfield Segment Values

 **Inventory>Setup>Flexfields>Key>Segments**  Segments

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define all of the values for each Segment defined for the account alias Flexfield.

<Segment Summary>

Number	Name	Window Prompt Column	Value Set	Displayed	Enabled

Account Aliases/CM: Define Security Rules



System Administration>Security>Responsibility>Value Set>Define

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Security Rules for the account alias Flexfield.

<Key Flexfield>

Title	Structure	Independent Segment	Dependent Segment	Independent Value	Value Description

<Security Rules and Security Rules Elements>

Use this region to create and delete Security Rules and Security Rules Elements.

Security Rules: Name	Security Rules: Description	Security Rules: Message	Security Rules Elements: Type	Security Rules Elements: From	Security Rules Elements: To

Account Aliases/CM: Assign Security Rules



System Administration>Security>Responsibility>Value Set>Assign

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to assign Security Rules for the account alias Flexfield.

<Key Flexfield>

Title	Structure	Independent Segment	Dependent Segment	Independent Value	Value Description

<Assign Security Rules>

Use this region to assign Security Rules.

Application	Responsibility	Name	Description	Message

Account Aliases/CM: Define Cross-Validation Rules



Inventory>Setup>Flexfields>Key>Rules

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Cross-Validation Rules for the account alias Flexfield.

<Key Flexfield>

Application	Flexfield Title	Structure	Description

<Cross-Validation Rules>

Name	Description	Enabled	Error Message	Error Segment	From	To

<Cross-Validation Rules Elements>

Type	From	To

Sales Order Number Setup/CM: Define Value Set



Inventory>Setup>Flexfields>Key>Values

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Value Sets for the sales order number Flexfield.

<Value Set>

Use this region to define a Value Set.

Value	Name	Description
Value Set		
Dependent Value Set		
Independent Value		



Effective

Value	Description	Enabled	Effective From	Effective To



Hierarchy/Qualifiers

Value	Description	Parent	Group	Level	Qualifiers

Sales Order Number Setup/CM: Define Flexfield Segments



Inventory>Setup>Flexfields>Key>Segments

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Segments for the sales order number Flexfield.

<Key Flexfield>

Application	Flexfield Title

<Structures>

Title	Description	View Name

Freeze Flexfield Definition	Enabled	Segment Separator	Cross-Validate Segments	Freeze Rollup Groups	Allow Dynamic Inserts

Sales Order Number Setup/CM: Define Flexfield Segment Values

 **Inventory>Setup>Flexfields>Key>Segments**  Segments

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define all of the values for each segment defined for the sales order number Flexfield.

<Segment Summary>

Number	Name	Window Prompt Column	Value Set	Displayed	Enabled

Sales Order Number Setup/CM: Define Security Rules



System Administration>Security>Responsibility>Value Set>Define

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Security Rules for the sales order number Flexfield.

<Key Flexfield>

Title	Structure	Independent Segment	Dependent Segment	Independent Value	Value Description

<Security Rules and Security Rules Elements >

Use this region to create and delete Security Rules and Security Rules Elements.

Security Rules: Name	Security Rules: Description	Security Rules: Message	Security Rules Elements: Type	Security Rules Elements: From	Security Rules Elements: To

Sales Order Number Setup/CM: Assign Security Rules



System Administration>Security>Responsibility>Value Set>Assign

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to assign Security Rules for the sales order number Flexfield.

<Key Flexfield>

Title	Structure	Independent Segment	Dependent Segment	Independent Value	Value Description

<Assign Security Rules>

Use this region to Assign Security Rules.

Application	Responsibility	Name	Description	Message

Sales Order Number Setup/CM: Define Cross-Validation Rules



Inventory>Setup>Flexfields>Key>Rules

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Cross-Validation Rules for the sales order number Flexfield.

<Key Flexfield>

Application	Flexfield Title	Structure	Description

<Cross-Validation Rules>

Name	Description	Enabled	Error Message	Error Segment	From	To

<Cross-Validation Rules Elements>

Type	From	To

Stock Locator Setup/CM: Define Value Set



Inventory>Setup>Flexfields>Key>Values

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Value Sets for the stock locator Flexfield.

<Value Set>

Use this region to define a Value Set.

Value	Name	Description
Value Set		
Dependent Value Set		
Independent Value		



Effective

Value	Description	Enabled	Effective From	Effective To



Hierarchy/Qualifiers

Value	Description	Parent	Group	Level	Qualifiers

Stock Locator Setup/CM: Define Flexfield Segments



Inventory>Setup>Flexfields>Key>Segments

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Segments for the stock locator Flexfield.

<Key Flexfield>

Application	Flexfield Title

<Structures>

Title	Description	View Name

Freeze Flexfield Definition	Enabled	Segment Separator	Cross-Validate Segments	Freeze Rollup Groups	Allow Dynamic Inserts

Stock Locator Setup/CM: Define Flexfield Segment Values



Inventory>Setup>Flexfields>Key>Segments>

button

 Segments

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define all of the values for each segment defined for the stock locator Flexfield.

<Segment Summary>

Number	Name	Window Prompt Column	Value Set	Displayed	Enabled

Stock Locator Setup/CM: Define Security Rules



System Administration>Security>Responsibility>Value Set>Define

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Security Rules for the stock locator Flexfield.

<Key Flexfield>

Title	Structure	Independent Segment	Dependent Segment	Independent Value	Value Description
Stock Locator					

<Security Rules and Security Rules Elements>

Use this region to create and delete Security Rules and Security Rules Elements.

Security Rules:	Security Rules:	Security Rules:	Security Rules Elements:	Security Rules Elements:	Security Rules Elements:
Name	Description	Message	Type	From	To

Stock Locator Setup/CM: Assign Security Rules



System Administration>Security>Responsibility>Value Set>Assign

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to assign Security Rules for the stock locator Flexfield.

<Key Flexfield>

Title	Structure	Independent Segment	Dependent Segment	Independent Value	Value Description

<Assign Security Rules>

Use this region to Assign Security Rules.

Application	Responsibility	Name	Description	Message

Stock Locator Setup/CM: Define Cross Validation Rules



Inventory>Setup>Flexfields>Key>Rules

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Cross-Validation Rules for the stock locator Flexfield.

<Key Flexfield>

Application	Flexfield Title	Structure	Description

<Cross-Validation Rules>

Name	Description	Enabled	Error Message	Error Segment	From	To

<Cross-Validation Rules Elements>

Type	From	To

Key Flexfield Setup/CM: Define Value Set



Inventory>Setup>Flexfields>Key>Values

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Value Sets for the Key Flexfield.

<Value Set>

Use this region to define a Value Set.

Value	Name	Description
Value Set		
Dependent Value Set		
Independent Value		



Effective

Value	Description	Enabled	Effective From	Effective To



Hierarchy/Qualifiers

Value	Description	Parent	Group	Level	Qualifiers

Key Flexfield Setup/CM: Define Flexfield Segments



Inventory>Setup>Flexfields>Key>Segments

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Segments for the Key Flexfield.

<Key Flexfield>

Application	Flexfield Title

<Structures>

Title	Description	View Name

Freeze Flexfield Definition	Enabled	Segment Separator	Cross-Validate Segments	Freeze Rollup Groups	Allow Dynamic Inserts

Key Flexfield Setup/CM: Define Flexfield Segment Values



Inventory>Setup>Flexfields>Key>Segments>

button

 Segments

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define all of the values for each Segment defined for the Key Flexfield.

<Segment Summary>

Number	Name	Window Prompt Column	Value Set	Display	Enabled

Key Flexfield Setup/CM: Define Security Rules



System Administration>Security>Responsibility>Value Set>Define

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Security Rules for the Key Flexfield.

<Key Flexfield>

Title	Structure	Independent Segment	Dependent Segment	Independent Value	Value Description

<Security Rules and Security Rules Elements>

Use this region to create and delete Security Rules and Security Rules Elements.

Security Rules: Name	Security Rules: Description	Security Rules: Message	Security Rules Elements: Type	Security Rules Elements: From	Security Rules Elements: To

Key Flexfield Setup/CM: Assign Security Rules



System Administration>Security>Responsibility>Value Set>Assign

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to assign Security Rules for the Key Flexfield.

<Key Flexfield>

Title	Structure	Independent Segment	Dependent Segment	Independent Value	Value Description

<Assign Security Rules>

Use this region to Assign Security Rules.

Application	Responsibility	Name	Description	Message

Key Flexfield Setup/CM: Define Cross-Validation Rules



Inventory>Setup>Flexfields>Key>Rules

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Cross-Validation Rules for the Key Flexfield.

<Key Flexfield>

Application	Flexfield Title	Structure	Description

<Cross-Validation Rules>

Name	Description	Enabled	Error Message	Error Segment	From	To

<Cross-Validation Rules Elements>

Type	From	To

Countries and Territories Setup/CM: Define Countries



Payables>Setup>Countries

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to maintain the country and national territory information in Oracle Manufacturing.

<Countries And Territories>

Country/Territory	Short Code	Description	VAT Member State Code	Address Style

Countries and Territories Setup/CM: Define Territories



Receiveables>Setup>Transactions>Territories

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define your customer Territories.

<Territories>

Name	Description	Flexfield	Active	Effective Date Start	Effective Date End

Customer Items and References/CM: Define Customer Items



Inventory>Items>Customer Items>Customer Items

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Customer Item relationships.

<Customer Items Summary>

Customer Name	Customer Item	Level: Customer	Level: Address Category	Level: Address



Commodity

Code

Container

Master	Detail	Minimum Fill %

Model, Departure Planning

Customer	Model	Required	Before Build

Demand Tolerances, Active

Positive %	Negative %	Active

Customer Items and References/CM: Define Customer Items Cross Reference



Inventory>Items>Customer Items>Customer Item Cross References

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Customer Item Cross References.

<Customer Item Cross References>

Customer Item	Item	Rank	Active

Open and Closed Issues for this Deliverable

Open Issues

ID	Issue	Resolution	Responsibility	Target Date	Impact Date

Closed Issues

ID	Issue	Resolution	Responsibility	Target Date	Impact Date