

AIM

BR.100AOE ORDER ENTRY APPLICATION SETUP

<Company Long Name>

<Subject>

Author: <Author>
Creation Date: June 7, 1999
Last Updated: August 15, 2025
Document Ref: <Document Reference Number>
Version: DRAFT 1A

Approvals:

<Approver 1>

<Approver 2>

ORACLE®

Copy Number _____

Document Control

Change Record

Date	Author	Version	Change Reference
12-Feb-99	<Author>	Draft 1a	No Previous Document

Reviewers

Name	Position

Distribution

Copy No.	Name	Location
1	Library Master	Project Library
2		Project Manager
3		
4		

Note To Holders:

If you receive an electronic copy of this document and print it out, please write your name on the equivalent of the cover page, for document control purposes.

If you receive a hard copy of this document, please write your name on the front cover, for document control purposes.

Contents

Document Control	ii
Application Set Up Control Sheet - Oracle Order Entry	1
Initial Tasks Setup/OE: Define QuickCodes	5
Initial Tasks Setup/OE: Define Order Number Sources	11
Initial Tasks Setup/OE: Define Order Import Sources	12
Initial Tasks Setup/OE: Define Freight Charges	13
Initial Tasks Setup/OE: Define Profiles-System.....	14
Initial Tasks Setup/OE: Define Profiles-User	24
Rules, Shipping Information Setup/OE: Define Security Rules	25
Rules, Shipping Information Setup/OE: Define Standard Value Rule Set	28
Rules, Shipping Information Setup/OE: Choose Shipping Printers	31
Rules, Shipping Information Setup/OE: Define Document Sets	32
Rules, Shipping Information Setup/OE: Define Release Sequence Rules	34
Rules, Shipping Information Setup/OE: Define Pick Slip Grouping Rules	35
Rules, Shipping Information Setup/OE: Define Container Load Relationships	37
Rules, Shipping Information Setup/OE: Define Shipping Parameters	38
Items and Pricing Setup/OE: Define Items - Master Level.....	39
Items and Pricing Setup/OE: Define Items - Organizational Level.....	41
Items and Pricing Setup/OE: Enable Parameters	43
Items and Pricing Setup/OE: Define Pricing Components	44
Items and Pricing Setup/OE: Define Pricing Rules	45
Items and Pricing Setup/OE: Define Pricing Formula	47

Items and Pricing Setup/OE: Define Price Lists.....	48
Items and Pricing Setup/OE: Define Pricing Discounts	50
Taxes Setup/OE: Define Tax Locations	53
Taxes Setup/OE: Define Tax Groups.....	55
Taxes Setup/OE: Define Tax Exemptions	57
Taxes Setup/OE: Define Tax Exceptions.....	59
Taxes Setup/OE: Tax Codes and Rates	60
Taxes Setup/OE: Define Tax Authorities.....	62
Invoicing Setup/OE: Define Invoice Sources	63
Invoicing Setup/OE: Define Invoice Grouping Rules	68
Invoicing Setup/OE: Define Invoice Line Order.....	69
Invoicing Setup/OE: Accounting and Invoicing Rules.....	70
Order Cycles Setup/OE: Define Cycle Actions	71
Order Cycles Setup/OE: Define Cycle Results.....	72
Order Cycles Setup/OE: Assign Action Results	73
Order Cycles Setup/OE: Define Order Cycles	74
Order Setup/OE: Define Payment Terms	76
Order Setup/OE: Define Transaction Types for AR.....	78
Customer Setup/OE: Define Credit Checking	80
Order Cycles Setup/OE: Define Order Types	81
Rules, Shipping Information Setup/OE: Define Release Rules.....	84
Customer Setup/OE: Define Customer Profile Classes	86
Customer Setup/OE: Define Territories.....	89
Customer Setup/OE: Define Sales Credit Types.....	90
Customer Setup/OE: Define Salesperson/Sales Agent	91
Customer Setup/OE: Define Customers	93
Customer Setup/OE: Define Customer Agreements	105
Order Setup/OE: Define Demand Class QuickCodes.....	107
Order Setup/OE: Define AR QuickCodes.....	108

Order Setup/OE: Define Discounts	109
Order Setup/OE: Define Holds	110
Order Setup/OE: Define Hold Authorizations	111
Notes Setup/OE: Define Notes Category	112
Notes Setup/OE: Define Notes	114
Open and Closed Issues for this Deliverable	116
Open Issues.....	116
Closed Issues	116

Application Set Up Control Sheet - Oracle Order Entry

Environment Name:	Machine:	Type (definition, execution, or both):
--------------------------	-----------------	---

Workflow SubWorkflow Name	Setup Task	Responsibility	Due Date	QA Responsibility	QA Due Date	Signature Approval
Order Entry Setup						
Initial Tasks Setup	OE: Define QuickCodes					
Initial Tasks Setup	OE: Define Order Number Sources					
Initial Tasks Setup	OE: Define Order Import Sources					
Initial Tasks Setup	OE: Define Freight Charges					
Initial Tasks Setup	OE: Define Profiles - System					
Initial Tasks Setup	OE: Define Profiles - User					
Rules, Shipping Information Setup	OE: Define Security Rules					
Rules, Shipping Information Setup	OE: Define Standard Value Rule Set					
Rules, Shipping Information Setup	OE: Define Release Rules					
Rules, Shipping Information Setup	OE: Choose Shipping Partners					
Rules, Shipping Information Setup	OE: Define Document Sets					
Rules, Shipping Information Setup	OE: Define Pick Slip Grouping Rules					

<Subject>

File Ref: BR100Aoe_Order_Entry_Application_Setup.doc (v. DRAFT 1A)

Application Set Up Control Sheet - Oracle Order Entry 1 of 116

Company Confidential - For internal use only

Workflow SubWorkflow Name	Setup Task	Responsibility	Due Date	QA Responsibility	QA Due Date	Signature Approval
Rules, Shipping Information Setup	OE: Define Container Load Rules					
Rules, Shipping Information Setup	OE: Define Shipping Parameters					
Items and Pricing Setup	OE: Define Items - Master Level					
Items and Pricing Setup	OE: Define Items - Organizational Level					
Items and Pricing Setup	OE: Enable Parameters					
Items and Pricing Setup	OE: Define Pricing Components					
Items and Pricing Setup	OE: Define Pricing Rules					
Items and Pricing Setup	OE: Define Pricing Formulae					
Items and Pricing Setup	OE: Define Pricing Discounts					
Items and Pricing Setup	OE: Define Price Lists					
Taxes Setup	OE: Define Tax Locations					
Taxes Setup	OE: Define Tax Groups					
Taxes Setup	OE: Define Tax Exemptions					
Taxes Setup	OE: Define Tax Exceptions					
Taxes Setup	OE: Define Tax Codes and Rates					
Taxes Setup	OE: Define Tax Authorities					
Invoicing Setup	OE: Define Invoice Sources					
Invoicing Setup	OE: Define Invoice Grouping Rules					

Workflow SubWorkflow Name	Setup Task	Responsibility	Due Date	QA Responsibility	QA Due Date	Signature Approval
Invoicing Setup	OE: Define Invoice Line Order					
Invoicing Setup	OE: Define Accounting and Invoicing Rules					
Order Cycles Setup	OE: Define Cycle Actions					
Order Cycles Setup	OE: Define Cycle Results					
Order Cycles Setup	OE: Assign Action Results					
Order Cycles Setup	OE: Define Order Cycles					
Order Cycles Setup	OE: Define Order Types					
Customer Setup	OE: Define Customer Profile Classes					
Customer Setup	OE: Define Territories					
Customer Setup	OE: Define Credit Checking					
Customer Setup	OE: Define Sales Credit Types					
Customer Setup	OE: Define Salesperson/Sales Agent					
Customer Setup	OE: Define Customers					
Customer Setup	OE: Define Customer Agreements					
Order Setup	OE: Define Payment Terms					
Order Setup	OE: Define Transaction Types for AR					
Order Setup	OE: Define Demand Class QuickCodes					

Workflow SubWorkflow Name	Setup Task	Responsibility	Due Date	QA Responsibility	QA Due Date	Signature Approval
Order Setup	OE: Define AR QuickCodes					
Order Setup	OE: Define Discounts					
Order Setup	OE: Define Holds					
Order Setup	OE: Define Hold Authorizations					
Notes Setup	OE: Define Notes					
Notes Setup	OE: Define Addition Rules					
Notes Setup	OE: Define Notes Category					

Initial Tasks Setup/OE: Define QuickCodes



Order Entry>SetUp>Quickcodes>Order Entry

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to maintain existing and to define additional QuickCodes for Oracle Order Entry. QuickCodes provide custom values for many lists of values used throughout Order Entry/Shipping.

<QuickCode Type>

Query up the existing QuickCodes you want to modify in this region.

Type				
Description				
QuickCodes:				
Code	Meaning	Effective Dates: From	Effective Dates: To	Enabled

Type				
Description				
QuickCodes:				
Code	Meaning	Effective Dates: From	Effective Dates: To	Enabled

Type				
Description				
QuickCodes:				
Code	Meaning	Effective Dates: From	Effective Dates: To	Enabled

Type				
Description				
QuickCodes:				
Code	Meaning	Effective Dates: From	Effective Dates: To	Enabled

Type				
Description				
QuickCodes:				
Code	Meaning	Effective Dates: From	Effective Dates: To	Enabled

Type				
Description				
QuickCodes:				
Code	Meaning	Effective Dates: From	Effective Dates: To	Enabled

Type				
Description				
QuickCodes:				
Code	Meaning	Effective Dates: From	Effective Dates: To	Enabled

Type				
Description				
QuickCodes:				
Code	Meaning	Effective Dates: From	Effective Dates: To	Enabled

Type				
Description				
QuickCodes:				
Code	Meaning	Effective Dates: From	Effective Dates: To	Enabled

Type				
Description				
QuickCodes:				
Code	Meaning	Effective Dates: From	Effective Dates: To	Enabled

Initial Tasks Setup/OE: Define Order Number Sources



Order Entry>Setup>Orders>Sources

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Order Number Sources that automatically generate numbers for your sales orders and returns as you enter them.

<Order Number Sources>

Name	Description	Starting Number	Last Assigned Order Number	Effective From	Effective To

Initial Tasks Setup/OE: Define Order Import Sources



Order Entry>Setup>Orders>OrderImport

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define OrderImport Sources from which you import order information.

<OrderImport Sources>

Order Import Source	Description	Enabled	Use IDs

Initial Tasks Setup/OE: Define Freight Charges



Order Entry>Setup>Shipping>Freight>Charges

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define allowable Freight Charges and suggested amounts.

<Freight Charges>

Name	Type	Currency Code	Currency Amount	Effective From	Effective To

Initial Tasks Setup/OE: Define Profiles-System



System Administrator>Profile>System

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define system level Profile values for users. This table also includes some Profile options from other applications that are used by Oracle Order Entry/Shipping.

Profile Name	Description	Value
AR: Use Invoice Accounting For Credit Memos	This profile option determines whether to assign your credit memo to the same accounts that are assigned to the invoice you are crediting. This is a required profile option. The default value is No . The value for this option can be set by the system administrator at the site, application, responsibility, and user levels, but cannot be updated by the user.	No
BOM: Check for Duplicate Configuration	Indicates whether to search for an existing duplicate configuration rather than create a new item. This is an optional profile option. The default value is No . The value for this option can be set by the system administrator at the site level only, and can be viewed at the user level.	No
BOM: Component Item Sequence Increment	Indicates the value by which to increment the sequence of the component item on the bill. This is an optional profile option. The default value is 10 . The value for this option can be set by the system administrator at the site, application, responsibility, and user levels.	10
BOM: Default Bill of Material Levels	Indicates the number of explosion levels to use as a default for bill of material indented explosions. This is an option profile option. The default value is 1 . The value for this option can be set by the system administrator at the site, application, responsibility, and user levels.	1
Journals: Display Inverse Rate	Specify how you enter and display conversion rates in the Enter Journals window. The following values are available to you: Yes: You can enter and display conversion rates in the functional-to-foreign format, that is, the rate by which you multiply a functional amount to determine the foreign amount. No: You can enter and display conversion rates in the foreign-to-functional format, that is, the rate by which you multiply a foreign amount to determine the functional amount. This is an optional profile option. The default value for this profile option is No . The value for this option can be set by the system administrator at the site, application, responsibility, or user level.	No

<Subject>

Profile Name	Description	Value
OE: Customer Relationships	Indicates whether Order Entry/Shipping honors customer relationships. (This profile option is currently used only in Order Entry/Shipping, and is not valid for any other Oracle Applications™). Order Entry/Shipping honors customer relationships for agreements and commitments regardless of this profile option's setting. Yes: Order Entry/Shipping honors customer relationships; for agreements, commitments, and ship-to and bill-to locations and contacts, you can only choose customer locations and contacts from among customers with defined relationships (Default value). No: Order Entry/Shipping does not restrict your selection of ship-to and bill-to locations and contacts in the Sales Orders window to related customers. Any active customer location or contact can be selected. This is an optional profile option. The default value for this option is Yes. The value for this option can be set by the system administrator at the site level only.	Yes
OE: Debug	Indicates whether debugging messages are displayed. Yes: Display debug messages No: Do not display debug messages This is an optional profile option. The default value for this option is No. This profile option is visible and updateable at the application, responsibility, and user levels.	No
OE: Debug Level	The debug level determines how much detail will be written to a log file when a concurrent request is processed. This is an optional profile option. The default value for this option is 3. The value for this option can be set by the system administrator at the site, application, responsibility, and user levels.	3
OE: Debug Trace	Indicates whether a trace file is created during the execution of a concurrent program. This profile option is used by Support as a tool to identify a problem with the code. Yes: Display trace output of Order Entry/Shipping concurrent programs in log file. No: Do not display debug messages. This is an optional profile option. The default value for this option is No. The value for this option can be set by the system administrator at the site, application, responsibility or user level.	No
OE: Default Picking Document Set	Specifies the default document set that is printed when you pick release a batch using the Release Sales Orders For Picking window. You can define custom document sets in the Define Document Sets window. Pick Release Documents: Document set including all picking documents (Consolidated Pick Slip, Pick Slip, and Process Exception Report) defaults to the Document Set field in the Release Sales Orders For Picking window. <User-defined values>: You can define custom document sets in the Define Document Sets window. This is an optional profile option. The default value for this option is Pick Release Documents. The value for this option can be set by the system administrator at the application, responsibility, or user level. It can also be set individually by User.	Pick Release Documents
OE: Default RMA Status	Allows you to provide a default Entry Status for the Returns window. User-defined entry statuses do not appear as options in this profile option. Entered: When you create a new RMA, its status defaults to Entered. Partial: When you create a new RMA, its status defaults to Partial.	Entered

Profile Name	Description	Value
	This is an optional profile option. The default value for this option is Entered . The value for this option can be set by the system administrator at the application, responsibility, or user level.	
OE: Default Shipping Document Set	Specifies the default document set that is printed when you close a picking batch from the Confirm Shipments window. You can define custom document sets in the Define Document Sets window. All Shipping Documents: Document set including all shipping documents (Bills of Lading, Commercial Invoice, Mailing Labels, and Pack Slip) defaults to the Document Set field in the Confirm Shipment window. <User-defined values>: You can define custom document sets in the Define Document Sets window. This is an optional profile option. The default value for this option is All Shipping Documents. The value for this option can be set by the system administrator at the application, responsibility, or user level. It can also be set individually by User.	All Shipping Documents
OE: Discounting Privilege	Provides the option of controlling users' ability to apply discounts on an order or order line. Full: Ability to apply any valid discount against an order or order line, as long as the order type of the order does not enforce list prices. Non-Overridable Only: Ability to apply only non-overridable discounts against an order or order line. None: No ability to apply any discounts against an order or order line. Unlimited: Ability to apply any valid discount against any order or order line, regardless of whether the order type of the order enforces list prices. This is an optional profile option. The default value for this option is Entered. The value for this option can be set by the system administrator at the application, responsibility, or user level.	Full
OE: Force Valid Configurations	When you attempt to add an invalid or incomplete configuration to a booked order, Order Entry/Shipping automatically places the Configuration Validation hold on your model line. This option's setting determines your ability to continue processing the order. Once the configuration becomes valid, Order Entry/Shipping releases the hold. Yes: You must enter all required components in a configuration for a booked order while in the Line Options window. You cannot save and proceed until all requirements have been satisfied. No: The automatic hold prevents the model line from proceeding to the next cycle action. This is an optional profile option. Though this profile option does not have a default value, if you do not select one, behavior reflects the Yes option. The value for this option can be set by the system administrator at the site, application, responsibility, or user level.	
OE: GSA Discount Violation Action	Indicates how you want the user notified when you define a discount that results in a item price less than the price on a GSA discount for the same price list. Error: Prevent definition of discounts that result in GSA violations. Warning: Permit the discount to be defined, but issue a message noting that the discount results in a selling price less than a GSA discount. This is an optional profile option. The default value is Warning. The value for this option can be set by the system administrator at the site level only.	Warning

Profile Name	Description	Value
OE: Immediate Inventory Update	Determines whether Update Shipping Information and Inventory Interface are run automatically when a pick slip or picking batch is closed. Yes: Automatically runs the Update Shipping Information and Inventory Interface programs when the pick slip or picking batch is closed. No: Does not automatically run Update Shipping Information and Inventory Interface when a pick slip or picking batch is closed. This is an optional profile option. The default value is No. The value for this option can be set by the system administrator at the application, responsibility, or user levels.	No
OE: Included Item Freeze Method	Controls the date and time Order Entry/Shipping uses to determine the included items for a configuration's bill of material. Booking: Configuration freeze date and time are set at booking. Pick Release does not compare the order line schedule details to the bill of material and just uses the existing order line schedule details. Entry: Configuration freeze date and time are set at order entry. Pick Release does not compare the order line schedule details to the bill of material and just uses the existing order line schedule details. Pick Release: Configuration freeze date and time are set at pick release. If an order line is eligible, Pick Release reviews the bill of material and creates order line schedule details for all included items in the bill. If the order line was previously demanded or reserved, order line schedule details already exist for the included items. Pick Release compares the existing lines to the current bill. Pick Release adds or deletes order line schedule details to match the current structure of the bill. If an existing order line schedule detail is reserved but is no longer a valid included item in the bill, Pick Release unschedules and deletes it. <No value>: Equivalent to Booking. This is an required profile option. The default value is Booking. The value for this option can be set by the system administrator at the site level only.	Booking
OE: Inventory Stock Location	Indicates the structure of the Oracle Inventory Stock Locator Flexfield used by Oracle Order Entry/Shipping in the Release Sales Orders For Picking and Confirm Shipment windows. This structure should be the same as the structure defined in Oracle Inventory. This profile option must be set for the Confirm Shipment window and the Update Shipping Information program to function properly. This is a required profile option that can be set at the application level only.	
OE: Item Flexfield	Indicates the structure of the Item Flexfield (System Items) used by Order Entry/Shipping. This structure should be the same across all applications in the same database. Always Pop a Flexfield Window: Pop-up window appears for you to enter Flexfield segment values Concatenated Segment Entry: No pop-up window appears, enter flexfield segment values with separators No Window for a Single Segment Flexfield: No pop-up window appears for single segmented Flexfields, pop-up window does appear for multi-segmented Flexfields. This is a required profile option that can be set at the site level only.	
OE: Item Validation Organization	Indicates the Oracle Manufacturing organization against which items are validated. You must define all transactable items in this organization. <i>Note: Organization is synonymous with warehouse in Oracle Order Entry/Shipping.</i> This profile option indicates the organization that Oracle Order Entry/Shipping uses to validate	

Profile Name	Description	Value
	items. <i>Warning: Do not change this profile option when you have open orders in your database.</i> This is a required profile option that can be set at the site level only.	
OE: Item View Method	Allows you to specify how you want to view items in the Line Options windows. Concatenated Segment Values: Indicates that you want to enter and view items by System Item Key Flexfield segment values. The Line Options window displays the System Item Key Flexfield concatenated segment value for an item in the Item field. The Item field list of values displays items by concatenated segment values. Description: Indicates that you want to enter and view items by item description. The Line Options window displays item descriptions in the Item field. The Item field list of values displays items by description. Concatenated Segment Values without Indentation: Indicates that you want to enter and view items in the Line Options window by the System Item Key Flexfield segment values. Description without Indentation: Indicates that you want to enter and view items in the Line Options window by item description. This is an required profile option. The default value is Description. The value for this option can be set by the system administrator at the application, responsibility, and user level. It can also be set individually by User.	Description
OE: Reservations	Indicates whether reservations are used in your installation of Oracle Order Entry/Shipping. Online reservations are allowed in the Sales Orders and Schedule Orders windows. Pick release reserves quantities as the orders are picked. <i>Attention: You must set Reservations to Yes to use ATO functionality. Warning: Do not change this profile option when you have open orders in your database.</i> Yes: Activate reservations in Order Entry/Shipping No: Inactivate reservations in Order Entry/Shipping. This is a required profile option. The default value is Yes. The value for this option can be set by the system administrator at the site level only.	Yes
OE: Schedule Date Window	Defines the number of days past the schedule date (including the schedule date) that the Demand Interface attempts to demand inventory. For example, if the schedule date for an order line detail is 9-NOV-96 and this profile option is set to 10, Order Entry/Shipping attempts to demand inventory from 9-NOV-96 to 18-NOV-96. If inventory is not available on 9-NOV-96 but a new shipment containing the requested items is expected on 12-NOV-96, Order Entry/Shipping demands the inventory and sets the schedule date on the order line detail to 12-NOV-96. <i>Note: There is no limit on the number of days you can define for the schedule date window. However, this window must be greater than or equal to 1. A brief window is recommended.</i> When demanding inventory for ship sets, ATO configurations, or Ship Model Complete PTO orders, inventory must be available for all items and options. If you demand inventory for an order containing a ship set using the above example, the schedule dates for all lines and line details in the ship set will be set to 12-NOV-96. <i>Attention: When demanding part of a ship set or Ship Model Complete PTO on-line, this profile option is ignored. Attention: Pick Release ignores the value of this profile option.</i> This is a optional profile option. The default value is 2. The value for this option can be set by the system administrator at the site, application, responsibility, and user levels.	2
OE: Set of Books	Identifies the set of books in which Order Entry/Shipping operates. This profile option is used to validate the Cost of Goods Sold Account created by the Inventory Interface. The set of books for all inventory organizations receiving transactions from Order Entry/Shipping must be the same.	

Profile Name	Description	Value
	This is a required profile option. The value for this option can be set by the system administrator at the site level only.	
OE: Source Code	Identifies the source code that Order Entry/Shipping passes to Oracle Inventory during scheduling. The source code should be defined as the third segment of the Sales Order Flexfield to guarantee that each transaction is unique. This is a required profile option. The default value for this option is ORDER ENTRY . The value for this option can be set by the system administrator at the site level only.	ORDER ENTRY
OE: Trans. Manager Debug Level	Determines what type of information you want listed in the diagnostics file for the Order Entry Transaction Manager. You can choose from the following options: 1 : All fields received from the client are printed to the log. 2 : All fields sent to the client are printed to the log. 4 : All buffer fields used by PL/SQL statements are printed to the log file before executing the statements. 16 : The arguments to the user exits are logged. 32 : All messages issued are written to the log file. 64 : Logs miscellaneous actions. 4096: Time stamps are written to the log file. This is an optional profile option. The value for this option can be set by the system administrator at the site level only.	
OE: Transaction Manager	Specifies the Order Entry transaction manager to which you want to connect. This is a required profile option. The value for this option can be set by the system administrator at the site, application, responsibility, and user levels.	
OE: Tune for Large Number of Discounts	This profile option is only applicable if you use the Pricing Attributes descriptive flexfield and you have many discounts defined (for example, more than 1000). Oracle Order Entry/Shipping performs a complex query the first time in a session that a user navigates to the Pricing Attributes field in the lines block of the Sales Orders or Returns window. This query checks to see which Pricing Attributes descriptive Flexfield segments are enabled and are being used as parameters in any discounts you have defined. It may take an unacceptable amount of time for your users if you have many discounts defined, in which case you should set this profile option to Yes. In all other cases, you should leave this profile option as the default of No. No: The complex query to check for used pricing attributes is run the first time in a session that the Sales Orders or Returns window is used. Yes: The complex query to check for used pricing attributes is not performed, and Oracle Order Entry/Shipping considers all Pricing Attributes Descriptive Flexfield segments as being used as parameters in any discounts you have defined. If any Pricing Attributes are entered for an order or return line, Oracle Order Entry/Shipping checks to see if they make the line eligible for any discounts. This is a required profile option. The default value for this option is No . The value can be set by the system administrator at the application level only.	No

Profile Name	Description	Value																				
OE: Unit Price Precision Type	Controls whether entry and display of unit prices are in either a currency's standard precision or its extended precision. Totals are always displayed in the standard precision of the currency. Extended: Enter and display unit list and selling prices in a currency's extended precision. Standard: Enter and display unit list and selling prices in a currency's standard precision. <i>Attention: We recommend that you do not change this profile option from Extended to Standard if you ever want to access the orders and returns entered when the profile option was set to Extended. If you change the option to Standard and you try to update or query orders entered when it was set to Extended, you receive an error message regarding the price precision.</i> This is a required profile option. The default value for this option is Standard. The value for this option can be set by the system administrator at the site level only.	Standard																				
OE: Validate Option Line Item	This profile option is used in conjunction with the Customer Orders Enabled Flag (in the Order Entry alternative region on the Master Item window in Oracle Inventory) to define whether an option item can be ordered and fulfilled from a warehouse. The following table shows the possible combinations. <table><tr><td colspan="5"><u>OE: Validate Option Line Item</u> + <u>Customer Order Enabled Flag</u> = <u>Orderable as Option Item</u></td></tr><tr><td>Yes</td><td>+</td><td>No</td><td>=</td><td>No</td></tr><tr><td>Yes</td><td>+</td><td>Yes</td><td>=</td><td>Yes</td></tr><tr><td>No</td><td>+</td><td>Yes/No</td><td>=</td><td>Yes</td></tr></table> This is a required profile option. The default value for this option is Yes. The value can be set by the system administrator at the site level only.	<u>OE: Validate Option Line Item</u> + <u>Customer Order Enabled Flag</u> = <u>Orderable as Option Item</u>					Yes	+	No	=	No	Yes	+	Yes	=	Yes	No	+	Yes/No	=	Yes	Yes
<u>OE: Validate Option Line Item</u> + <u>Customer Order Enabled Flag</u> = <u>Orderable as Option Item</u>																						
Yes	+	No	=	No																		
Yes	+	Yes	=	Yes																		
No	+	Yes/No	=	Yes																		
OE: Validate Standard Line Item	This profile option is used in conjunction with the Customer Orders Enabled Flag (in the Order Entry alternative region on the Master Item window in Oracle Inventory) to define whether a standard item can be ordered and fulfilled from a warehouse. The following table shows the possible combinations. <table><tr><td colspan="5"><u>OE: Validate Option Line Item</u> + <u>Customer Order Enabled Flag</u> = <u>Orderable as Standard Item</u></td></tr><tr><td>Yes</td><td>+</td><td>No</td><td>=</td><td>No</td></tr><tr><td>Yes</td><td>+</td><td>Yes</td><td>=</td><td>Yes</td></tr><tr><td>No</td><td>+</td><td>Yes/No</td><td>=</td><td>Yes</td></tr></table> This is a required profile option. The default value for this option is Yes. The value can be set by the system administrator at the site level only.	<u>OE: Validate Option Line Item</u> + <u>Customer Order Enabled Flag</u> = <u>Orderable as Standard Item</u>					Yes	+	No	=	No	Yes	+	Yes	=	Yes	No	+	Yes/No	=	Yes	Yes
<u>OE: Validate Option Line Item</u> + <u>Customer Order Enabled Flag</u> = <u>Orderable as Standard Item</u>																						
Yes	+	No	=	No																		
Yes	+	Yes	=	Yes																		
No	+	Yes/No	=	Yes																		
OE: Verify GSA Violations	Indicates whether Order Entry should test for GSA violations. The evaluation is performed against all GSA discounts on the same price list as the order. Order lines with selling prices lower than the item's GSA selling price are in violation of GSA rules. Yes: Test for GSA violations and place violating orders on hold. No: Do not test for GSA violations. This is an optional profile option. The default value for this option is No. The value can be set by the system administrator at the site level only.	No																				
OE: Weight Unit of Measure Class	Allows you to choose the unit of measure class for the weight units used in the Confirm Shipments window. If you do not enter a value for this profile option, the list of values for the Unit field on the Confirm Shipments																					

Profile Name	Description	Value
	window displays all units of measure that you have defined for your applications. This is an optional profile option. The value can be set by the system administrator at the application level only. It can also be set individually by User.	
RLA: Order Import Source	This is an Oracle Automotive Profile Option. It determines the source of demand records that are imported into the sales order. <i>Attention: You must define an Order Import Source in Oracle Order Entry/Shipping and specify the source using this profile option for the Demand Processor to work.</i> This is an optional profile option. The default value for this option is Automotive.	Automotive
SHP: Release Online Exception Report	Specifies the name of the exception report created when you release orders on line. You can define a custom exception report or accept the default exception report. If you create a custom report, you must register the report and add the report to the document set feature in Order Entry/Shipping. You must set SHP: Release Single Orders Online to Yes for this profile option to work. This is an optional profile option. The value can be set by the system administrator at the site, application, responsibility, and user levels.	
SHP: Release Online Pick Slip Report	Specifies the name of the pick slip report created when you release orders on line. You can define a custom pick slip report or accept the default pick slip report. If you create a custom report, you must register the report and add the report to the document set feature in Order Entry/Shipping. You must set SHP: Release Single Orders Online to Yes for this profile option to work. This is an optional profile option. The value can be set by the system administrator at the site, application, responsibility, and user levels.	
SHP: Release Single Orders Online	Determines whether Pick Release Online can be used. This profile option must be set to Yes for Pick Release Online to work. Yes: Enables Pick Release Online No: Disables Pick Release Online. This is an optional profile option. The default value for this option is Yes. The value can be set by the system administrator at the site, application, responsibility, and user levels.	Yes
Tax: Allow Ad Hoc Tax Changes	Choose whether you want to update rates assigned to tax codes in the Enter Invoices form in Oracle Receivables if you defined other tax rates and set Ad-hoc to Yes in the Define Tax Codes and Rates form. This is a required profile option. The default value for this option is Yes. The value can be set by the system administrator at the site, application, responsibility, and user levels.	Yes
Tax: Allow Manual Tax Lines	This profile option determines whether users can enter manual tax lines in the Transactions windows in Receivables. You might want to restrict this data entry by setting the profile option to No. This is a required profile option. The default value for this option is Yes. The value for this option can be set by the system administrator at the site, application, responsibility, and user levels, but cannot be updated by the user.	Yes
Tax: Allow Override of Customer Exemptions	Use this profile option to prevent users from entering unapproved exemptions in Receivables. You can use this profile option to control whether you allow sales tax systems to automatically create unapproved sales tax exemptions during invoice entry. This modification only relates to invoice entry, as AutoInvoice previously allowed unapproved exemptions to be entered when this profile option was set.	Yes

Profile Name	Description	Value
	This is a required profile option. The default value for this option is Yes . The value for this option can be set by the system administrator at the site, application, responsibility, and user levels, but cannot be updated by the user.	
Tax: Allow Override of Tax Code	This profile option lets you choose whether to override a system-derived tax code during order or invoice entry. If you override a system derived tax code, Receivables will use the rate and amount assigned to the new tax code to determine the tax for the transaction. This is a required profile option. The default value for this option is Yes . The value for this option can be set by the system administrator at the site, application, responsibility, and user levels, but cannot be updated by the user.	Yes
Tax: Calculate Tax on Credit Memos	This profile option allows Receivables to automatically calculate tax on credit memos imported using AutoInvoice. By default, Receivables uses the payment applications and the line, tax, and freight amounts to calculate tax. If this profile option is Yes, tax for each credit memo is calculated without taking into account the outstanding balances. This flexibility is required for installations that support partial payments and is useful for implementations that integrate third party tax ledgers using the Tax Vendor Extension. This is an optional profile option. The default value for this option is No . The value for this option can be set by the system administrator at the site, application, and responsibility levels.	No
Tax: Inventory Item for Freight	Use this profile if you have set 'Tax: Invoice Freight as Revenue to Yes (so that freight can be taxed) and you need to control the rate of tax applied to freight. You can do this by defining an inventory item of User Type "Freight" and setting this option to your new inventory item. When Order Entry identifies this inventory item, it uses the Tax Codes (or Groups) assigned to it or Item Exceptions to control the applicable tax rates and accounting for the freight service. On the printed invoice, the description of the freight line will be derived from the inventory item that you defined, rather than the default description 'Freight.' This is a required profile option. The value for this option can be set by the system administrator at the site, application, responsibility, and user levels, but cannot be updated by the user.	
Tax: Invoice Freight as Revenue	If you are using Oracle Order Entry, this profile option determines how Order Entry imports freight amounts to Receivables when you run the Receivables Interface program. Use this profile if you require freight amounts to be taxed. If this option is Yes, Order Entry will create a line item of type "Line" on the invoice for the freight amount identified on the Ship Confirm window, so that it can be taxed. When Receivables prints the invoice, this amount will be printed as the last invoice line with the description of 'Freight.' This is an optional profile option. The default value for this option is No . The value for this option can be set by the system administrator at the site, application, responsibility, and user levels.	No
Tax: Use Tax Vendor	This profile option allows your system administrator to control which users can call an installed third-party application for tax calculations. This profile option is required in multiple organization installations in which one set of executables is shared across many different tax compliance requirements. The default value is Yes; this indicates that a user can call a third-party application to calculate tax. This is a required profile option. The default value for this option is No . The value for this option can be set by the system administrator at the site, application, and responsibility levels.	No
WSH: Invoice Numbering Method	Determines how the invoice number is created in Oracle Receivables. Delivery Name: The delivery name is used as the invoice number. Automatic: AutoInvoice automatically creates the invoice number.	Automatic

Profile Name	Description	Value
	This is a required profile option. The default value for this option is Automatic . The value can be set by the system administrator at the site and user levels. It can also be set individually by User.	

Initial Tasks Setup/OE: Define Profiles-User



Order Entry>SetUp>Profiles

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Personal Profile Values for users. The profile options listed are those for Order Entry/Shipping that can be updated at a User level. See the OE: Define Profiles-System for detail information on each of these options.

<Personal Profile Values>

Profile Name	Default value	User Value

Rules, Shipping Information Setup/OE: Define Security Rules



Order Entry>SetUp>Rules>Security

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to assign Security Rules to your order information. You can assign Security Rules to your order information. You can specify the steps in the order process where you no longer allow users to add, delete, modify, or cancel order or return lines. You can use the default rules, which provide the minimum limits to maintain data integrity, or define your own stricter rules to reflect your order and return maintenance policies.

<Security Rules>

Use this region to choose the block for which you want to define Security Rules.

Block Name

button

Block Rules

<Block Rules>

Define the Security Rules for the Block.

Operation	Update
-----------	--------

<Rules>

Num.	Modifier	Condition Name	Action	Result	Scope	System Rules

<Field Security for the Block>

Use this region to choose the Field for which you want to define security rules.

Field Name

button

Field Rules

<Rules>

Define the Security Rules for the Block.

Operation	Update
-----------	--------

Number	Modifier	Condition Name	Action	Result	Scope	System Rules

Rules, Shipping Information Setup/OE: Define Standard Value Rule Set



Order Entry>Setup>Rules>Values

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to create and modify Standard Value Rule Sets to improve the efficiency and accuracy with which you enter orders. You can define the rules to determine the source and prioritization for defaulting order information to reduce the amount of information you actually type in the Sales Orders window. For most fields, you can assign one or more standard value sources in a priority sequence, or if the default is always the same, you can define a constant value.

<Standard Value Rule Set>

Name	
Description	

<Block>

Block	
-------	--

<Fields>

<Defaulting Rules>

Sequence	Object	Attribute	Value	Allow Override	Override User-Specified Value

Rules, Shipping Information Setup/OE: Choose Shipping Printers



Order Entry>Setup>Shipping>Choose Printers

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define valid Printers for all picking and Shipping Documents at Site, Application, Responsibility, and User levels. You can assign shipping documents and selected reports to specific printers. For example, you can assign pick slips and pack slips to your warehouse tractor feed printer, your mailing labels to a tractor feed printer stocked with blank labels, and other documents to a laser printer in your order entry office.

<Choose Printer for Shipping Documents>

Document	Bill of Lading				
Choices:					
Level	Value	Printer	Comments	Enabled	

Rules, Shipping Information Setup/OE: Define Document Sets



Order Entry>Setup>Shipping>Document Sets

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to group Shipping Documents and other reports in the Confirm Shipment window or the Release Sales Orders For Picking window, depending on the option you select in the Usage field. When you select a document set in either the Release Sales Orders For Picking or Confirm Shipment windows, the documents print automatically when you save your actions.

<Shipping Document Sets> (Documents Set Name)

Document Set			
Description			
Usage			
Effective Dates: From			
Effective Dates: To			
Printing Method			
Documents:			
Sequence	Application	Report Name	Description

--	--	--	--

Rules, Shipping Information Setup/OE: Define Release Sequence Rules



Order Entry>Setup>Shipping>Release Sequence Rules

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Release Sequence Rules to specify the order in which eligible picking lines are released during Pick Release. The order in which picking lines are released using a Release Sequence Rule is based on five attributes: order number, outstanding invoice value, schedule date, departure date, and shipment priority. You can assign a Priority (1 through 5) to one attribute or all of the attributes for the release sequence rule, with 1 being the highest priority and 5 being the lowest priority.

<Release Sequence Rules>

Rule			
Description			
Effective Dates: From			
Effective Dates: To			
Release Priority	Priority	Ascending	Descending
Order			
Outstanding Invoice Value			
Schedule Date			
Departure Date			
Shipment Priority			

Rules, Shipping Information Setup/OE: Define Pick Slip Grouping Rules



Order Entry>Setup>Shipping>Pick Slip Grouping Rules

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Grouping Rules to determine how released picking lines are grouped onto Pick Slips. Grouping Rules allow you to specify the criteria by which released picking lines are grouped. Select from the following criteria: order number, carrier, subinventory, shipment priority, customer, departure, ship to, and delivery. If you select Order Number, for example, all picking lines with the same order number are grouped on the same pick slip. If you pick Carrier and Customer, all picking lines with the same freight carrier and customer are grouped on a pick slip.

<Pick Slip Grouping Rules>

Rule Name				
Description				
Effective Dates: From				
Effective Dates: To				
Group By: Order Number				
Group By: Carrier				
Subinventory				
Departure				
Customer				
Delivery				
Ship To				

Shipment Priority				
-------------------	--	--	--	--

Rules, Shipping Information Setup/OE: Define Container Load Relationships

Order Entry>Setup>Shipping>Container Load Details

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define the relationship between Container items and Load items to specify which and how many items can be contained within other items. Container items are items that can contain other items. Load items are items that can be loaded into a container. Since a container item can be loaded into another container, a container item can also be a load item. For example, axles can be packed into a box and the box can be loaded onto a vehicle. The box serves as both a container item for the axles and a load item for the vehicle.

<Container Load Relationships>

Container:		Load:		
Item	Type	Item	UOM	Maximum Quantity

Rules, Shipping Information Setup/OE: Define Shipping Parameters



Order Entry>Setup>Shipping>Shipping Parameters

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define the default Parameters used throughout a specific warehouse (organization).

<Shipping Parameters> (Warehouse)

Parameter	Value
General: Weight UOM Class	
General: Percent Fill Basis	
Pick Release: Pick Slip Grouping Rule	
Pick Release: Default Pick Release Document Set	
Departure Planning: Weight/Volume Calculation	
Confirm Delivery/Departure: Default Departure Document Set	
Confirm Delivery/Departure: Container Inventory Control	

Parameter	Value
General: Volume UOM Class	
Pick Release: Release Sequence Rule	
Pick Release: Print Pick Slip	
Departure Planning: Line Assignment Method	
Confirm Delivery/Departure: Default Delivery Document Set	
Confirm Delivery/Departure: Weight/Volume Calculation	
Confirm Delivery/Departure: Enforce Packing in Containers	

Items and Pricing Setup/OE: Define Items - Master Level



Order Entry>Items>Master Items

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define and update Items and the attributes associated with them (such as description, lead time, unit of measure, lot control, and so on). This setup step will only mention the Order Entry related item attributes.

Organization				
Item				
Description				

<Special Menu: Copy From>

Template				
Item				



<Order Entry> Note: Set the Display Attribute radio button to <Master>.

Customer Ordered				
Customer Orders Enabled				
Shippable				
Internal Ordered				

Internal Orders Enabled				
OE Transactable				
Pick Components				
Check ATP				
Assemble To Order				
ATP Rule				
ATP Components				
Ship Model Complete				
Picking Rule				
Collateral Item				
Default Shipping Organization				
Returnable				
RMA Inspection Required				

Items and Pricing Setup/OE: Define Items - Organizational Level



Order Entry>Items>Master Items

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define and update Items and the attributes associated with them (such as description, lead time, unit of measure, lot control, and so on) for a specific organization. This setup step will only mention the Order Entry related item attributes.

Organization				
Item				
Description				

<Special Menu: Copy From>

Template				
Item				



<Order Entry> Note: Set the Display Attribute radio button to <Org>.

Customer Ordered				
Customer Orders Enabled				
Shippable				
Internal Ordered				

Internal Orders Enabled				
OE Transactable				
Pick Components				
Check ATP				
Assemble To Order				
ATP Rule				
ATP Components				
Ship Model Complete				
Picking Rule				
Collateral Item				
Default Shipping Organization				
Returnable				
RMA Inspection Required				

Items and Pricing Setup/OE: Enable Parameters



Order Entry>Setup>Parameters

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to Enable Parameters for pricing components, discount lines, note additions, and holds.

<Enable Parameters>

Enabled	Source	Name	Description

Items and Pricing Setup/OE: Define Pricing Components

Order Entry>Pricing>Rules>Components

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to create Pricing Formula Components that used in pricing rules. You can create Pricing Formula Components that are used in Pricing Rules. A component can be composed of one to five pricing parameters. Pricing parameters include the item, individual segments of the Item Flexfield, or any defined pricing attributes.

<Pricing Components>

Pricing Component	Pricing Parameters Column 1	Column 2	Column 3	Column 4	Column 5

Items and Pricing Setup/OE: Define Pricing Rules



Order Entry>Pricing>Rules>Pricing Rules

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to enable parameters for pricing components, discount lines, note additions, and holds. You can define Pricing Rules that can create or update list prices for an item on a price list. You assign prices based on a number of product attributes.

<Rule>

Effective Dates (From):	
Effective Dates (To):	
Description	

<Formula Components>

Formula	
---------	--

Formula Operand	Pricing Component

button

Update Rule Prices

New and Modified Lines Only	
Update All Pricing Rules	
Update Individual Pricing Rule	
Pricing Rule	

button

Component Values

Amount				
--------	--	--	--	--

Items and Pricing Setup/OE: Define Pricing Formula

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>



Attention: This is done in the previous step.

Items and Pricing Setup/OE: Define Price Lists



Order Entry>Pricing>Lists>Price Lists

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define and maintain your Price Lists. You can define and maintain multiple Price Lists. Price Lists are used to derive selling prices automatically during online order entry. You can also attach payment terms, freight terms, and freight carriers to a Price List so that you can default them on orders to which that list is assigned.

<Price Lists>

Sort Lines by	
Price List	
Currency	
Rounding Factor	
Description	
Effective Dates (From):	
Effective Dates (To):	
Secondary List	
Payment Terms	
Freight Carrier	
Freight Terms	
Comments	

<Price List Items>

Item	UOM	Pricing Attributes	List Price	% of Item Price	Pricing Rule	Effective Dates: From	Effective Dates: To

Items and Pricing Setup/OE: Define Pricing Discounts



Order Entry>Setup>Pricing>Discounts

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Discounts and assign them to a price list. The combination of discount name and price list must be unique. Oracle Order Entry/Shipping allows you to set up a wide variety of discount types and methods to meet your pricing needs. You specify which price list uses the discount and whether the discount is automatic and overridable. All Discounts have effective start and end dates for the discount, customers, or specific discount lines, allowing you to define seasonal or promotional discounts ahead of time.

<Discounts>

Name	
Description	
Price List	
Currency	
Effective Dates: From	
Effective Dates: To	
GSA	
Discount On	
Prorate	
Apply Automatically	
Allow Override	
Discount: Percent	

Discount: Amount	
------------------	--

button

Customers

<Discount Customers>

Use this region to assign a customer or customer site to a discount.

Customer Class	Customer Name	Customer Number	Site Use	Effective: From	Effective: To

button

Discount Lines

<Discount Lines>

Use this region to assign discounts to a specific item, agreement, agreement type, order type, purchase order, or pricing attribute.

Discounts

Effective Dates

Discount By	Discount For	Use Price Breaks	%	Amount	Price	Fixed Price	Effective Dates: From	Effective Dates: To

Discount By	Discount For	Use Price Breaks	%	Amount	Price	Fixed Price	Effective Dates: From	Effective Dates: To

button

Price Breaks

<Price Breaks>

You can create Price Break discounts to reward your customers for purchasing larger quantities of a particular item. Oracle Order Entry/Shipping lets you define discounts that vary by item quantity or amount.

Method	UOM	Price Break Range From	Price Break Range To	%	Amount	Price	Fixed Price

Taxes Setup/OE: Define Tax Locations



Order Entry>Setup>Tax>Locations

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to enter and update your Locations and their associated tax rates. For each Location you can define multiple tax rates and postal code ranges, as long as the date and postal code range do not overlap. Receivables uses these locations and tax rates to create authorities and sales tax rates for tax calculations. Receivables also uses locations to validate your customers' addresses.

Find <city, county, and state>		
Given Entity <county, state>		
Segment Value <city, county, and state>	Description	Tax Account

Rate Assignments Zone

Use this zone to assign tax rates to your locations.

Tax Rate	Override	Effective From	Effective To	From Postal Code	To Postal Code

Taxes Setup/OE: Define Tax Groups



Order Entry>Setup>Tax>Groups

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to group multiple, conditional taxes under one name. Tax Groups allow countries with multiple taxes to automatically calculate each applicable tax within Receivables and Oracle Order Entry.

<Tax Groups>

Group Code	
Group Name	
Group Desc	
Effective From	
Effective To	



Rate



Condition

Tax Codes:									
Tax Code	Effective From	Effective To	Rate Name	Tax Rate	Sign	Inclusive Tax	Compoundin g Precedence	Classification	Ship To Location

--	--	--	--	--	--	--	--	--	--

Taxes Setup/OE: Define Tax Exemptions



Order Entry>Setup>Tax>Exemptions

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Tax Exemptions to fully or partially exempt a customer, item, or range of items from specific tax codes. You can create Exemptions against customers or items for either locations or specific tax codes.

Exemption By	<Choose Customer, Item or Range>
--------------	----------------------------------

<Customer>

Name	
Number	
Location	
Site	

<Item>

Item	
Description	

<Range>

Category Set <Range>	
Category <Range>	
User Item Type <Range>	

Item Low <Range>	
Item High <Range>	

Exemptions Zone

Use this zone to create the tax Exemption.

Tax Code	Exemption %	Number	Reason	Effective From	Effective To	Status

Taxes Setup/OE: Define Tax Exceptions



Order Entry>Setup>Tax>Exceptions

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to assign special tax rates to products that you ship to specific authorities. You can only define a tax rate Exception for items that are invoiceable and have a status of “Active”.

Exception By	<Choose Item or Range>
Item <Item>	
Description <Item>	
Category Set <Range>	
Category <Range>	
User Item Type <Range>	
Item Low <Range>	
Item High <Range>	

Exception Rates Zone

Use this zone to assign tax Exceptions to a particular authority for your items.

From	To	Location	Tax Rate	Reason

Taxes Setup/OE: Tax Codes and Rates



Order Entry>Setup>Tax>Codes

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to enter and maintain your Tax Codes and their associated tax rates. You can define as many tax codes of type VAT (Value Added Tax) or Sales Tax as you need. You can have only one Tax Code of type Location for any given date range. This code cannot have a rate associated with it.

You can enter a Tax Code at the customer Ship-To and Bill-To business purpose level, as well as at the customer and customer address level. You can also assign Tax Codes to inventory items. If your tax method is VAT, you can include a tax code in the Tax Defaulting Hierarchy in the System Options window.

Tax Code				
Effective From				
Effective To				



Rate

Tax Type				
Tax Rate				
Sign				

Control

Allow Exempt				
Adhoc				
Inclusive Tax				
Allow Inclusive Override				

Accounting

Tax (Account)				
---------------	--	--	--	--

Description

Tax Name				
Description				

VAT Transaction Type

VAT Transaction Type				
----------------------	--	--	--	--

Taxes Setup/OE: Define Tax Authorities



Order Entry>Setup>Tax>Authorities

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Tax Authorities. Tax Authorities represent a unique combination of locations and are created manually through the Tax Authorities window or automatically when you enter customer addresses. Receivables uses authorities to expedite sales tax calculations.

Authority	Enabled	From	To

Invoicing Setup/OE: Define Invoice Sources



Receivables>Setup>Transactions>Sources

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define your debit memo, credit memo, deposit, guarantee, and Invoice Batch Sources. Batch Sources control the standard transaction type assigned to a transaction and determine whether Receivables will automatically number your transactions and transaction batches. Active Transaction Batch Sources appear as list of values choices in the Transactions, Transactions Summary, and Credit Transactions windows.



Batch Source

Name				
Description				
Type				
Active				
Effective Date From:				
Effective Date To:				
Automatic Batch Numbering				
Last Number				
Automatic Invoice Numbering				
Last Number				
Standard Transaction Type				
Credit Memo Batch Source				



AutoInvoice Options

Invalid Tax Rate				
Invalid Line				
Create Clearing				
GL Date in a Closed Period				
Allow Sales Credit				
Grouping Rule				



Customer Information

Sold To Customer				
Bill To Customer				
Bill To Address				
Bill To Contact				
Ship To Customer				
Ship To Address				
Ship To Contact				
Payment Method Rule				
Customer Bank Account				



Accounting Information

Invoicing Rule				
Accounting Rule				
Accounting Flexfield				
Derive Date				
Payment Terms				
Revenue Account Allocation				



Other Information

Transaction Type				
Memo Reason				
Agreement				
Memo Line Rule				
Sales Territory				
Inventory Item				
Unit of Measure				
FOB Point				
Freight Carrier				
Related Document				



Sales Credits Validation

Salesperson				
Sales Credit Type				
Sales Credit				

Invoicing Setup/OE: Define Invoice Grouping Rules



Receivables>Setup>Transactions>AutoInvoice>Grouping Rules

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Grouping Rules that AutoInvoice will use to group revenue and credit transactions into invoices, debit memos, and credit memos. Grouping Rules specify attributes that must be identical for lines to appear on the same transaction.

Name	
Description	
Start Date	
End Date	
Line Ordering Rule	
Class	
Optional Grouping Characteristics	

Invoicing Setup/OE: Define Invoice Line Order



Receivables>Setup>Transactions>AutoInvoice>Line Ordering Rules

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define invoice Line Ordering Rules for transaction lines that you import into Receivables using AutoInvoice. AutoInvoice uses these rules to order transaction lines when grouping the transactions it creates into invoices, debit memos, and credit memos. You can assign a Line Ordering Rule to each grouping rule.

Name		
Description		
Start Date		
End Date		
Sequence	Transaction Attribute	Type

Invoicing Setup/OE: Accounting and Invoicing Rules



Receivables>Setup>Transactions>Accounting Rules

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Name		
Description		
Type		
Active		
Period		
Number Of Periods		
Period #	Percent	Date

Order Cycles Setup/OE: Define Cycle Actions



Order Entry>SetUp>Orders>Cycles>Actions

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Cycle Actions and action approvals.

<Cycle Actions>

Name	Description	Level	Approval Action

Order Cycles Setup/OE: Define Cycle Results



Order Entry>SetUp>Orders>Cycles>Results

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Cycle Action Results. Examples of possible results include Entered, Pass, Fail, Released, Partial, or Complete.

<Cycle Results>

Name	Description

Order Cycles Setup/OE: Assign Action Results



Order Entry>SetUp>Orders>Cycles>ActionResults

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to link Cycle Actions with their possible results.

<Cycle Actions

Cycle Action			
Description			
Results:			
Cycle Result	Description	Passing Result	

Order Cycles Setup/OE: Define Order Cycles



Order Entry>SetUp>Orders>Cycles>Cycles

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Order Cycles. Order Cycles describe the processing, or routing, through which orders progress in your company.

<Order Cycle>

Use this region to describe and activate an Order Cycle. We recommend that you enter a description that identifies the steps in the Order Cycle.

Order Cycle	
Description	
Effective Dates (From):	
Effective Dates (To):	

Cycle Actions:		
Action	Description	
Cycle Action Prerequisites:		
Action Set	Action	Result

--	--	--

Order Setup/OE: Define Payment Terms



Order Entry>Setup>Orders>Payment Terms

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define standard Payment Terms for your customers.

Name	
Base Amount	
Description	
CutOff Day	
Print Lead Days	
Credit Check	
Allow Discount On Partial Payments	
First Installment	
Discount Basis	
Start Date	
End Date	

Payment Schedules

Use this zone to define the Payment Schedules of the installments of your standard payment terms.

Sequence	Relative Amount	Due: Days	Due: Date	Due: Day of Month	Due: Months Ahead

Discounts

Use this zone to enter the Discounts that you want to assign to each payment schedule line of your payment terms.

Discount Percent	Discount Days	Discount Date	Discount Day of Month	Discount Months Ahead

Order Setup/OE: Define Transaction Types for AR



Receivables>Setup>Transactions>Transaction Types

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define your debit memo, credit memo, on-account credit, chargeback, deposit, guarantee, and invoice Transaction Types.

Name				
Description				
Class				
Open Receivable				
Post To GL				
Terms				
Printing Option				
Transaction Status				
Allow Freight				
Tax Calculation				
Creation Sign				
Natural Application Only				
Application Rule Set				
Allow Overapplication				

Receivable Account				
Freight Account				
Revenue Account				
Clearing Account				
Unbilled Account				
Unearned Account				
Tax Account				
Invoice Type				
Credit Memo Type				
Start Date				
End Date				

Customer Setup/OE: Define Credit Checking



Order Entry>Setup>Rules>Credit

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define your Credit Checking Rules according to your business needs.

<Credit Check Rules>

Rule	
Effective Dates From:	
Effective Dates To:	
Total Credit Exposure:	
Include Open Receivables Balances	
Open Receivables Days	
Include Uninvoiced Orders	
Scheduled Shipping Horizon Days	
Include Orders Currently On Hold	
Include Tax	
Include Payments at Risk	

Order Cycles Setup/OE: Define Order Types



Order Entry>Setup>Orders>Types

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define order types. Order Types are required for entering orders and returns because they specify processing rules and order entry defaults.

<Order Types>

Order Type	
Description	
Effective Dates: (From)	
Effective Dates: (To)	
Order Cycle	
Order Category	

Main

Document:	
Order Number Source	
Agreement Type	
Standard Value Rule Set	
Agreement Required	
Purchase Order Rqd	
Pricing:	
Price List	
Enforce List Price	
Credit Check Rule:	
Ordering	
Shipping	

Shipping

Warehouse:	
Freight Carrier	
Shipment Priority	
Freight Terms	
FOB	

Demand Class	
--------------	--

Finance

Rule:	
Invoicing Rule	
Accounting Rule	
Credit Method For:	
Invoices with Rules	
Split Term Invoices	
Receivables Transaction Type	
Cost of Goods Sold Account	
Currency	
Currency Conversion Type	

Rules, Shipping Information Setup/OE: Define Release Rules



Order Entry>Setup>Shipping>Release Rules

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Shipping Release Rules. The Release Rules window defines and saves picking criteria that can be used when running Pick Release. Once you have created a Release Rule, you can select the rule from the Based On Rule list on the Release Sales Orders For Picking window to automatically populate the fields on the window with the predefined picking criteria.

<Release Rules>

Rule				
Effective: From				
Effective: To				
Release Criteria				
Orders				
Autocreate Deliveries				
Prior Reservations Only				
Shipment Priority				
Subinventory				
Carrier				
Scheduled Ship Dates: From				
Scheduled Ship Dates: To				

Requested Dates: From				
Requested Dates: To				
Order Type				
Order Number				
Ship Set				
Item				
Customer				
Ship To				
Include Planned Lines				
Release Sequence Rule				
Allow Partial Release				
Pick Slip Grouping Rule				

Customer Setup/OE: Define Customer Profile Classes



Order Entry>Setup>Customers>Profile Classes

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define your standard Customer Profiles. These profiles contain generic options you can use to group your customers into broad categories. Use Customer Profiles to group customers with similar credit worthiness, business volume, and payment cycles. For each Profile Class you can define information such as credit limits, payment terms, statement cycles, invoicing, and discount information. You can also define amount limits for your finance charges, dunning, and statements for each currency in which you do business.

Name					
Description					
Active					



Profile Class

Collector					
Tolerance					
Credit Check					
Payment Terms					
Override Terms					
Allow Discount					
Discount Grace Days					

Receipt Grace Days					
Match Receipts By					
AutoCash Rule Set					
Remainder Rule Set					
AutoReceipts Include Disputed Items					
Charge Interest					
Compound Interest					
Days In Period					
Send Statements					
Send Credit Balance Statements					
Statement Cycle					
Tax Printing Option					
Grouping Rule					
Include Disputed Items					
Send Dunning Letters					
Dunning Letter Set					
Send Consolidated Billing Invoice					
Consolidated Billing Invoice Format					



Profile Class Amounts <Profile Class Name>

Currency					
----------	--	--	--	--	--

Finance Charges Interest Rate %					
Maximum Interest Amount Per Invoice					
Minimum Customer Balance For Finance Charges					
Minimum Invoice Balance For Finance Charges					
Minimum Receipt Amount					
Minimum Statement Amount					
Minimum Dunning Amount					
Minimum Dunning Invoice Amount					
Credit Limit					
Order Credit Limit					

Customer Setup/OE: Define Territories



Order Entry>Setup>Sales>Territories

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Territories Zone

Name	Description	Flexfield	Active	Effective Date Start	Effective Date End

Customer Setup/OE: Define Sales Credit Types



Order Entry>Setup>Sales>Credit Types

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Sales Credit types. Oracle Order Entry uses Sales Credit Types to determine if the sales credit for an order is a quota or a non-quota amount.

<Sales Credit Types>

Credit Type	Description	Quota	Enabled
			Yes
			Yes

Customer Setup/OE: Define Salesperson/Sales Agent



Order Entry>Setup>Sales>Salespersons

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define multiple Salespersons to which you can assign sales credit when entering orders and invoices. If AutoAccounting depends on salesperson, Receivables uses the general ledger accounts that you enter here in combination with your AutoAccounting rules to determine the default revenue, freight, and receivable accounts for your invoices.

Name			
Number			
Active			
Start Date			
End Date			
Sales Credit Type			
Revenue Account			
Freight Account			
Receivables Account			
Territory Flexfield	Start Date	End Date	

--	--	--

Customer Setup/OE: Define Customers



Order Entry>Customers>Standard

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define customer data.

<Customers>

Customer Name	
(Customer) Number	
Alternate Name	
Taxpayer ID	
Tax Registration Number	
Active	



Classification

Use	
Reference	
Profile Class	
Type	
Class	

Category	
Tax Code	
SIC Code	
Tax Rounding	
Tax Calculation	
GSA	
Ship Partial	
Salesperson	
Carrier	
FOB	
Order Type	
Price List	
Freight Term	
Warehouse	
Sales Channel	



Marketing

Number of Employees	
Year Established	
End Month	
Analysis Year	
Revenue: Current Year	
Revenue: Next Year	
Sales Partner	
Use as Reference	
Competitor	
Mission Statement	



Addresses

<Customer Addresses>

Country	
EDI Location	
Address	
Alternate Name	
City	
State	

Postal Code	
Province	
County	
Reference	
Language	
Active	
Category	

Telephones

Area Code	Telephone Number	Extension	Type	Primary	Active



Contacts: Telephones

Contact Name:						
Last	First	Title	Job	Mail Stop	Reference	Active
Contact Telephones:						
Area Code	Telephone Number	Extension	Type	Primary		Active



Contacts: Roles

Contacts Name:						
Last	First	Title	Job	Mail Stop	Reference	Active

Contact Roles:	
Description	Primary



Bank Accounts

Account Name	Account Number	Curr	Primary	Effective Dates: From	Effective Dates: To



Payment Methods

Payment Method Name	Primary	Effective Dates: From	Effective Dates: To



Profile: Transaction

Profile Class	
Credit:	
Collector	
Account Status	
Credit Rating	
Tolerance	
Collectable %	
Risk Code	
Credit Check	
Credit Hold	
Terms:	
Payment Terms	
Override Terms	
Allow Discount	
Discount Grace Days	
Receipt Grace Days	
Receipts:	
Clearing Days	
AutoCash Rule Set	
AutoReceipts Include	

Disputed Items	
----------------	--



Profile: Document Printing

Statements:	
Send Statement	
Send Credit Balance	
Cycle	
Dunning:	
Letter Set	
Consolidated Billing Invoice:	
Send	
Format	
Finance Charges:	
Charge Interest	
Compound Interest	
Days in Period	
Invoicing:	
Tax Printing	
Grouping Rule	



Profile: Amounts

Currency Rates and Limits:		
Currency		(Value)
	Finance Charges Interest Rate	
	Max Interest Per Invoice	
	Min Customer Balance for Finance Charges	
	Min Invoice Balance for Finance Charges	
	Min Receipt Amount	
	Min Statement Amount	
	Min Dunning Amount	
	Min Dunning Invoice Amount	
	Order Credit Limit	
	Credit Limit	



Relationships

Name	Number	Active	Reciprocal	Type	Comment

Name	Number	Active	Reciprocal	Type	Comment

Customer Setup/OE: Define Customer Agreements



Order Entry>Customers>Agreements

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define your Customer Agreements, and to assign pricing, accounting, invoicing, and payment terms to your Agreements.

<Agreement Information>

Agreement Information:	
Agreement Name	
Number	
Customer	
Agreement Type	
Contact	
Effective Dates (From):	
Effective Dates (To):	
Purchase Order	
Sales Person	
Signature Date	
Payment Information:	
Payment Terms	

Price List	
Invoice To	
Address	
Invoice Contact	
Rules:	
Accounting	
Invoicing	
Allow Override: Accounting Rule	
Allow Override: Invoicing Rule	

Order Setup/OE: Define Demand Class QuickCodes



Receivables>Setup>System>QuickCodes>Demand Classes

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to maintain existing and to define additional QuickCodes for your shared QuickCode types.

Type					
Application					
Description					
Access Level					
Code	Meaning	Description	Start Date	End Date	Enabled

Order Setup/OE: Define AR QuickCodes



Order Entry>Setup>QuickCodes>Receivables

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to maintain Oracle Receivables QuickCodes.

The following is one example of the Receivables Quick Codes which are queriable in the Receivables QuickCode window. You can cut and paste additional sections for those codes you wish to add values for.

Type						
User Maintainable						
Description						
Name	Meaning	Description	Start Date	End Date	Enabled	User Maintainable

Order Setup/OE: Define Discounts



Order Entry>Pricing>Discounts

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>



Attention: This is done in the setup step called Pricing Discounts.

Order Setup/OE: Define Holds



Order Entry>Setup>Orders>Holds

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define a Hold. You can then use the Apply Holds form to apply holds to orders.

<Holds>

Name	
Description	
Type	
Cycle Action	
Effective Dates From:	
Effective Dates To:	

Authorizations			
Responsibility	Authorized Action	Effective Dates From:	Effective Dates To:

Order Setup/OE: Define Hold Authorizations

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: This is a part of the Define Holds setup step, not a separate step.

Notes Setup/OE: Define Notes Category



Order Entry>Setup>Notes>Note Categories

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define order number sources that automatically generate numbers for your sales orders and returns as you enter them.

<Notes Categories>

Category	Default Data Type	Effective Dates: From	Effective Dates: To



Reports

<Notes Usages> (Note Category)

Report	Format

button

Assignments

<Category Assignments> (Note Category)

Type	Name	Enabled

Notes Setup/OE: Define Notes



Order Entry>Setup>Orders>Notes>Notes

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define standard Notes to attach to your order headers or lines.

<Documents>

Category	
Description (Comment Name)	
Source: Data Type	
Source: Storage	
Source: File	
Usage	
Security : Type	
Security : Owner	
Security : Share	
Effective Dates: From	
Effective Dates: To	
Magnification	

(Comment Text)	
----------------	--

button

Addition Rules

Condition	Object	Identifier

Open and Closed Issues for this Deliverable

Open Issues

ID	Issue	Resolution	Responsibility	Target Date	Impact Date

Closed Issues

ID	Issue	Resolution	Responsibility	Target Date	Impact Date