

AIM

PT.030 PERFORMANCE TEST TRANSACTION MODELS

<Company Long Name>

<Subject>

Author: <Author>
Creation Date: February 12, 1999
Last Updated: August 15, 2025
Document Ref: <Document Reference Number>
Version: DRAFT 1A

Approvals:

<Approver 1>

<Approver 2>

ORACLE®

Copy Number _____

Document Control

Change Record

Date	Author	Version	Change Reference
12-Feb-99	<Author>	Draft 1a	No Previous Document

Reviewers

Name	Position

Distribution

Copy No.	Name	Location
1	Library Master	Project Library
2		Project Manager
3		
4		

Note To Holders:

If you receive an electronic copy of this document and print it out, please write your name on the equivalent of the cover page, for document control purposes.

If you receive a hard copy of this document, please write your name on the front cover, for document control purposes.

Contents

Document Control	ii
Introduction	1
Purpose	1
Sources	1
Performance Test Scenario 1 - <Performance Test Scenario Name>	2
Transaction Model 1 - <Transaction Model Name>	2
Application Configuration	3
Application Functionality	3
Key Setup Parameters	3
Assumptions	3
Open and Closed Issues for this Deliverable	4
Open Issues	4
Closed Issues	4

Introduction

Purpose

The purpose of the **Performance Test Transaction Models** document is to describe the transaction models for use in implementing the performance test scenarios already identified for the <Project Name> performance test. The scenario decomposition previously performed goes a stage further by decomposing the component business functions into a group of transactions performed by test user roles. This decomposition takes place for each individual test scenario. This document defines the transaction models for the scenarios related to <Subject>.

The transaction models detail the individual transactions that compose a particular business function included in a scenario and map the transactions onto test user roles. Creation of the test user roles takes into consideration the detailed design and implementation of the test and may not have a singular mapping to real business user roles. The sum total of these test transactions (including inquiries and report executions) will comprise the total processing that will model each performance test scenario. Completion of the high-level specification of a test transaction model includes definition of the exact transaction rates for each transaction performed by a test user role.

The business analysts on the <Project Name> team have provided estimates for the number of separate system sessions that each business function role will require to perform their work in the new system. The estimates listed below will connect directly to the test user roles. There is a technical reason for including this information and simulating these multiple connections in the test. Even though the user will generally be able to perform work in only one session at a time, the other open sessions, such as a database server, may still consume system resources.

Sources

Preparation of the **Performance Test Transaction Models** document included input from the following sources:

- PT.010 Performance Testing Strategy
- PT.020 Performance Test Scenarios
- RD.030 Process and Mapping Summary

Performance Test Scenario 1 - <Performance Test Scenario Name>

This scenario models the system when ...

Identification of the following transaction models (mixes) occurred for this scenario with consideration given to the strategy and objectives for the performance test:

- Transaction Model 1 - <Transaction Model Name>
-
-
-

Each of these Transaction Models is described in more detail below.

Transaction Model 1 - <Transaction Model Name>

Test Transactions

The <Transaction Model Name> transaction model for this scenario equates to the sum total of the transactions listed in the table below:

Business Function	User Role	# of System Sessions per Role	Test User Role	Transaction.
Order Entry	Order Administrator	3	OA1	Enter new order for desktop computer
				Enter 2 sales credits for new order
	Order Administrator	3	OA2	Enter new order for 2 computer peripherals

Test Transaction Rates

The <Transaction Model Name> transaction model for this scenario will have transactions executing at the following rate:

Test Business Function	User Role	Test User Role	# of Test Users	# of Test User Sessions	Test Transaction Rate
Order Entry	Order Administrator	OA1	35	105	1 sales order every 30 min
	Order Administrator	OA2	35	105	1 sales order every 30 min

Application Configuration

Application Functionality

Key Setup Parameters

Application	Key Setup Parameter	Test Value	Comments
Oracle Inventory	Transaction Processing Mode	Concurrent	Requires the transaction manager to be running in the concurrent manager.

Assumptions

Open and Closed Issues for this Deliverable

Open Issues

ID	Issue	Resolution	Responsibility	Target Date	Impact Date

Closed Issues

ID	Issue	Resolution	Responsibility	Target Date	Impact Date