

AIM

PT.070 PERFORMANCE TEST
DATABASE LOAD PROGRAM
DESIGNS

<Company Long Name>

<Subject>

Author: <Author>
Creation Date: May 19, 1999
Last Updated: August 15, 2025
Document Ref: <Document Reference Number>
Version: DRAFT 1A

Approvals:

<Approver 1>

<Approver 2>

ORACLE®

Copy Number _____

Document Control

Change Record

Date	Author	Version	Change Reference
19-May-99	<Author>	Draft 1a	No Previous Document

Reviewers

Name	Position

Distribution

Copy No.	Name	Location
1	Library Master	Project Library
2		Project Manager
3		
4		

Note To Holders:

If you receive an electronic copy of this document and print it out, please write your name on the equivalent of the cover page, for document control purposes.

If you receive a hard copy of this document, please write your name on the front cover, for document control purposes.

Contents

Document Control	ii
Introduction	1
Purpose	1
Scope and Application	1
Application Setup Data Load Programs	2
<Setup Business Object>	2
Application Transaction Data Load Programs	3
<Transaction Business Object>	3
Open and Closed Issues for this Deliverable	4
Open Issues	4
Closed Issues	4

Introduction

Purpose

The purpose of the **Test Data Load Program Designs** document is to specify the designs for any special test data load programs. These programs are for the population of the performance test database, and data they populate is not available from other project activities in the <Project Name> project.

Scope and Application

Test design of the database load programs will accomplish automated loading of extra volumes of artificially manufactured data for the following business objects:

Setup Data

- Inventory Items
-
-

Transaction Data

- Sales Orders
-
-

Application Setup Data Load Programs

<Setup Business Object>

Approach

<Describe the general approach to use in loading this setup business object>

Target Tables

The following tables need population in Oracle Applications for the automated load of <Setup Business Object>:

-
-
-

The following criteria facilitated preparation of this list of tables ...

The main foreign key relationships are:

- <Table 1>: FK 1, FK2,...
- <Table 2>: FK1, FK2,...

Load Program Pseudo-Code

```
BEGIN  
END
```

Data selection

```
SELECT  <data>  
FROM    <tables>  
WHERE   <select criteria>  
AND     <join conditions>
```

Data Mapping

Table	Column	Source Value
<table name>	<column name>	<table>.<column>
	<column 2>	'Literal string'
	<column 3>	(Description of derived value)

Application Transaction Data Load Programs

<Transaction Business Object>

Approach

<Describe the general approach to use in loading this transaction business object>

Data Model

The following tables need population in Oracle Applications for the automated load of <Transaction Business Object>:

-
-
-

The following criteria facilitated this list of tables ...

The main foreign key relationships are:

- <Table 1>: FK 1, FK2,...
- <Table 2>: FK1, FK2,...

Load Program Pseudo-Code

```
BEGIN  
END
```

Data Selection

```
SELECT  <data>  
FROM    <tables>  
WHERE   <select criteria>  
AND     <join conditions>
```

Data Mapping

Table	Column	Source Value
<table name>	<column name>	<table>.<column>
	<column 2>	'Literal string'
	<column 3>	(Description of derived value)

Open and Closed Issues for this Deliverable

Open Issues

ID	Issue	Resolution	Responsibility	Target Date	Impact Date

Closed Issues

ID	Issue	Resolution	Responsibility	Target Date	Impact Date