

AIM

AP.160 USER LEARNING ENVIRONMENT

<Company Long Name>

<Subject>

Author: <Author>
Creation Date: March 29, 1999
Last Updated: August 15, 2025
Document Ref: <Document Reference Number>
Version: DRAFT 1A

Approvals:

<Approver 1>

<Approver 2>

ORACLE®

Copy Number _____

Document Control

Change Record

Date	Author	Version	Change Reference
29-Mar-99	<Author>	Draft 1a	No Previous Document

Reviewers

Name	Position

Distribution

Copy No.	Name	Location
1	Library Master	Project Library
2		Project Manager
3		
4		

Note To Holders:

If you receive an electronic copy of this document and print it out, please write your name on the equivalent of the cover page, for document control purposes.

If you receive a hard copy of this document, please write your name on the front cover, for document control purposes.

Contents

Document Control	ii
Preparation Checklists	1
Purpose	1
Assumptions.....	1
Overview.....	1
Resource Requirements	1
Facilities and Sites.....	2
Equipment Requirements.....	3
On-line Learning Application Facility Requirements.....	4
Technical Requirements for Instructor-Led Learning	5
Supplies.....	9
Materials	9
Miscellaneous	9
Systems Environment.....	10
Purpose	10
Environment Hosting.....	10
Sharing of Environments	10
Seeding of Configuration and Sample Data.....	11
Database Tier.....	11
Application Tier	17
Desktop Client Tier.....	22
Open and Closed Issues for this Deliverable	23
Open Issues.....	23
Closed Issues	23

Preparation Checklists

Purpose

The purpose of this document is to describe and establish the User Learning Environment. It contains the detailed information required to document and set up the physical and technical learning environment in which the user learning is delivered. The learning environment will:

- Provide an appropriate setting in which to conduct user learning.
- Facilitate the delivery and use of Oracle On-line Learning Application, as appropriate.
- Make sure all users are receiving learning in the best environment for their learning paths, roles and styles.

Assumptions

The following assumptions were confirmed:

- The Learning Plan (AP.140) is complete.
- The User Learningware (AP.150) is developed and complete.

Overview

This document includes the following component:

Component	Description
Preparation Checklists	Checklist for preparing the physical and technical learning environment including hardware, software, and documentation.

Resource Requirements

An effectively designed learning environment supports learning. In order to create a good learning environment it is important to pay attention to both the psychological and physical environments. This section provides an overview of the learning environment issues at <Company Long Name>. These include the following:

Issues	Description
Facility and sites	
Equipment Requirements	
Supplies	
Materials	
Miscellaneous	

Facilities and Sites

This section outlines the following facility and site specifications:

- Learning Facilities Location
- Facility Requirements
- Room Arrangements

Learning Facilities Location

The planned learning events will take place at the following locations:

Site	Address	Phone	Contact

Facility Requirements




The following chart captures the areas of concern around facility requirements. It is filled in to show recommendations for successful learning. However, it can be easily adapted to other learning events.

Requirement	Standard Recommendation	Custom Specifications (number/type)
Seating Capacity	Minimum 8 Maximum 24	
Desktop Sizes	Minimum 30" x 60" for each workstation, to accommodate enough room for both the workstation and courseware. 30" x 60" for the instructor.	
Chairs	High quality ergonomically designed chairs.	
Aisles	Minimum 40" between rows of desks.	
Flipchart	2 per classroom	
White Board	Minimum 64 square feet wall mounted whiteboard for dry erase markers.	
Projection Equipment	Minimum 1 overhead projector for transparencies and a projection system for the Instructor PC capable of 1024 x 768 resolution and easily readable from the most distant users workspace.	
Projection System	The projection system may be one of the following options: 1. Active matrix LCD projector or an active matrix LCD panel with an overhead projector of sufficient lumen rating. 2. Three lens CRT Projection System. 3. Tech-Commander, Electrohome/Robotel or similar system. 4. Or any other compatible projection system.	
Lighting	Standard 1: Ability to effectively block out light from classroom windows for ease of viewing instructor workstation projection system. Standard 2: Ability to effectively light white board & instructor desk, while darkening the rest of the classroom.	
Temperature	Ability to effectively heat and cool the classroom to office environment standards while all computer and Audio/Visual equipment in the classroom is operating.	

Requirement	Standard Recommendation	Custom Specifications (number/type)
View	All users should have an unobstructed view of the whiteboard & the projection screen. Monitors should rest directly on the desktop.	
Telephone	Phone available at the instructor workstation capable and near server for any technical troubleshooting that may occur during the event.	
Storage Room	Storage room for class materials and all Learning Materials that is sent to <Organization> site prior to class start date.	

Room Arrangements

The way the room is arranged can promote or restrict group interaction and thus affect the learning environment. Below is the requested room arrangement for the learning events at the sites listed above:

Table Arrangement	Benefits	Best Used for
Classroom style 	Allows for most participants in small room More security for testing Straight-on view for all participants	Lecture Demonstration Workshop
Pods 	Informal atmosphere Easy to interact in small groups	Small group Discussion Workshop Role play/skills practice Brainstorming
U-shape 	Easy for participants to see lecturer demonstrator, and other participants Easy movement for instructor Informal	Large group Role play/skills practice Discussions Brainstorming Lecture Demonstration

Equipment Requirements

The following lists requirements for equipment:

Learning Media	Equipment	Contact
Computer-based Learning		
Teleconferencing		
Interactive Distance Learning		

Learning Media	Equipment	Contact
Audio-Based Learning		
On-line Learning		
Electronic Performance Support		
Other technology-based media		

On-line Learning Application Facility Requirements

This section details the technical and facility requirements for implementing learning events delivered by Oracle On-line Learning Application (OLA).

Server Hardware Platform Requirements

The following requirements apply to the server hardware:

-
-
-

Server Software Requirements

The following requirements apply to the server software:

-
-
-

Thin-Client Hardware/Software Requirements:

The following apply to the client hardware/software:

-
-
-

Instructor and Classroom Requirements

The following people must be available throughout the duration of the course:

- technical contact
- learning event coordinator

The following technical set up is needed prior to the beginning of the class:

-
-

-

If teaching installation,

- the server must be located locally, preferably in the classroom
- instructors must have root password for server

Maximum classroom size:

- 14 learners for one instructor
- 24 learners for two instructors

Classroom access:

- one day before class begins
- after business hours


Technical Requirements for Instructor-Led Learning

The purpose of this section is to describe the technical architecture and deployment of the software, hardware and networks included in the scope of the learning. The following topics are discussed:

- Detailed classroom configuration
- Learner workstations
- Instructor workstations
- Network
- Database server
- Printer deployment
- Peripheral devices
- Support & testing

Detailed Classroom Configuration

The following illustrate the classroom configuration:



The above diagram shows the typical classroom configuration for offsite instructor lead learning events. The PCs and the Sun Solaris server make up the client server environment for the events.

The clients are installed with the Oracle Client side tools like Developer, Designer, etc. The databases that the students will use in the classes run on the Sun box. There may be a need to install multiple versions of software depending on the type and age of the classes being run. Older classes have been tested and certified against older versions and hence we recommend running the versions that the classes have been certified against.

There may be a need to put technical procedures in place to confirm that the class has been refreshed both on the client and the server side before the class begins. On the server side we either populate student accounts or do a cold backup refresh of the database as the case may be for different classes. On the client side, once the client NT image along with the software has been tested, we image the software up using GHOST or similar imaging software. We recommend reproducing the client image before the start of every class. This favors complete predictability of the class labs.

Other Oracle database servers could also be used. Oracle Education tests its curriculum against the Sun platform which allows Oracle Education to quickly get the entire server environment setup for customers in a quality manner. If the Sun

platform is used, the environment is also very scaleable: as new classes get released, they can very quickly “plug-in” into the existing Sun environment.

User Work Station

All workstations must be PC compatible Intel Pentium architecture. It is recommended all systems be of the same make and model to minimize driver compatibility problems.

Requirement	Standard Recommendations	Custom Specifications
User Workstations	2 users per PC	
Processor	Minimum: Pentium 133 Recommended: Pentium 166/200	
Memory	Minimum 48 MB Recommended: 64 MB	
Video	Minimum 1024 x 768 resolution, 256 color, 70Hz refresh	
Ethernet	16bits 10 Base T twisted pair	
Disk	Minimum 1.5GB available for software, database, and course files. Recommended: 2.0 GB available for software, database, and course files. Note: This sizing is for Oracle software and NT only.	
Monitor	Minimum 17" capable of displaying 1024 x 768 resolution at no less than 70hz refresh rate.	
CD-ROM	Minimum 4X CD-ROM SCSI or EIDE in all workstations	
Operating System	Windows NT 4.0 Workstation	

Instructor Workstation

The instructor workstation specifications are identical to the student workstation. The instructor workstation will be attached to the Audio/Visual projection system in order for the class to “follow” the instructor via the use of simultaneous display on both the monitor and projection system. (note: some Audio/Visual projection systems will accommodate the simultaneous display on both the student workstation and the projection system.) The instructor PC needs to have the Microsoft Office PowerPoint Viewer on it.

Network

The following table outlines the requirements for network configuration:

Requirement	Recommendation	Custom Specifications
LAN	It is recommended that the Sun server and the PCs be on the same subnet.	
Dial In Capabilities	A modem/ISDN line and modem connected to the Sun box is recommended for Oracle Remote Support.	

Database Server

The following outlines the requirements for the Sun Solaris 2.6 Server. The amount of disk space and memory are approximate value and is dependent on the number and type of classes.

- Enterprise 250 with 32x CD ROM
- 2 UltraSPARC-II 300MHz processors with 2MB cache
- 512-MB Memory
- 36.4 GB of disks in 2 7200 RPM UltraSCSI disk

Printer Deployment

There may be a need for Printers to be installed in the classrooms for the learning and especially for the CRP implementation.

Peripheral Devices

The types of peripheral devices are under consideration to be part of the technical architecture are given below. They allow Oracle to dial into the server and do maintenance or troubleshooting tasks.

- Modems
- ISDN

Support & Testing

The instructors who are coming in for the learning should be advised to come in early to test the environment once more to confirm that they have exactly what they need and have all the login information etc.

The typical split of support responsibilities between the customer and vendor occurs with ownership. If the customer owns the hardware, they support it. If the hardware belongs to the vendor, then the vendor takes care of the hardware. The software support responsibilities are split between the customer and the vendor. This split is defined differently for different customers. This depends on how much the customer wants to or can get involved in the approach. Oracle Education has the ability to help the customer to whatever degree required.

Another split of responsibility occurs with proximity to hardware. If there is a hardware problem onsite, the customer can react to it a lot quicker than the vendor and very often this is the best approach to smaller problems. The main aim of support is to reduce downtime due to technical problems and every effort must go into discussing the most robust, quickest options available.

Recommended Support Personnel

- UNIX System Administrator
- ORACLE Database Administrator
- Windows NT Administrator
- Support desk

Supplies

The following classroom supplies should be provided by ____:

- Markers
- Notebooks
- Pencils/pens
- Flip Charts
- Transparencies
- Handouts
- Props

Materials

The choice of self-guided learning as a method implies that learning materials will have to be provided. The following list records the materials which will be needed for <Company Long Name>.

- Manuals
- Quick-reference Cards
- Keyboard Templates
- Self-Paced Tutorials
- Computer-based Learning (CBT)
- Technology-based Learning
- Videotapes

Miscellaneous

The following table outlines the miscellaneous issues that need to be addressed for successful delivery of user learning at <Company Long Name>.

Issue	Requirement/To do
Security Clearances/Badges	
Special Transportation	
Parking	
Organization Background (for instructors)	

Systems Environment

Purpose

The purpose of the this section is to describe the application installations, application server and database server instances needed to support the user learning environment. It includes:

- Definition of the tiering architecture that will be used.
- Standards used for describing the physical architecture.
- Strategy for designing the physical database including major operational factors, use of striping and disk arrays (RAID), efficient utilization of disk space and facilitation of database administration tasks.
- Specification of Key Server Parameters.
- Mapping of the logical database objects to tablespaces and physical datafiles.
- Estimation of the I/O throughput requirements.



Suggestion: Specific character set and the availability globalizations or localizations may affect the architecture requiring more than one database or applications server installation.

Update this section to reflect the nature of the facilities management arrangement. For example, the corporate data center may be hosted or facility managed by an outside party.

Environment Hosting

The user learning environment is owned, managed and controlled by <Company Long Name>. This data center/hosting facility is located at: <Data Center Location>

Sharing of Environments

The following activities will share the same environment:

- ☐ Data Conversion Development and Testing
- ☐ Business Process Review/Development, Business Requirements Definition
- ☐ Business Requirements Mapping
- ☐ Project Team Learning
- ☐ User Learning
- ☐ Extension Development
- ☐ Business Systems Testing
- ☐ Performance Testing



Application and Technical Architecture Design/Development

Seeding of Configuration and Sample Data

The User Learning environment used to support delivery of user learning events and will be seeded periodically with what will be the production setups (configuration) of the applications. From time to time these setups will be updated to reflect what is planned for the final production environment.

When setups are re-synchronized with the production environment, an assessment will be undertaken to identify what impact this will have on the User Learning Environment. This approach allows for parallel delivery of learning events and the configuration of what will be the production setups. However, careful change management will be required to identify these occurrences.

Database Tier

The database tier holds all data and data-intensive programs, and processes all SQL requests for data. The database tier includes the Oracle Database Server, the administration server, and the concurrent processing server. The concurrent processing server executes traditional batch processing tasks such as transactional interfaces and reports.

By definition, platforms in this tier do not communicate directly with applications users, but rather with machines on the application tier that mediate these communications, or with other servers on the database tier.

Database Servers

The database server contains the transactional and schema data associated with the Oracle applications. The platform that supports this server contains two sets of objects. One set is the necessary files that support a running database server, and the other set is a series of database files that contain the actual database data.



Suggestion: One platform may support more than one database instance such as PRODUCTION and TEST. One set of database files (executables) may support more than one database instances. There may be some restrictions depending on the operating and Oracle Database Server releases that you are running.

The following Oracle Database Server instances will be established to support User Learning activities of the project:

Oracle Database Instance	Platform/ DNS	Platform O/S	Server Release	Function
LEARN	Compaq Proliant 640 (trn1)	Windows 3000 Server	Oracle 9.5i	User Learning Environment

Naming Standards

This section describes the naming standards that will be used for objects and files relevant to the database architecture:

- File System Mount Points
- Oracle File Categories
- Database Files
- Tablespaces

File System Mount Points

The standard for File System Mount Points is:

Standard: `'/u[01-99]/'`

Example: `'/u03/'`

File Categories

The standard for File Categories is:

Standard: `' '`

Example: `' '`

Database Files

The standard for Database File Names is:

Standard: `' '`

Example: `' '`

Tablespaces

The standard for Tablespace Names is:

Standard: `' '`

Example: `' '`

Mount Points

The standard for File System Mount Points is:

Standard: `' '`

Example: `' '`

Oracle Database Instance - <ORACLE_SID>

Key Init.ora Listing

The following table documents the values of other key database init.ora parameters:

Parameter Name	Parameter Value	Description
<code>_undo_optimizer_changes</code>	TRUE	

Additional Database Server Configuration Details

Below are additional configuration details for the Database Server:

Parameter	Value
-----------	-------

What is the platform DNS name	LEARN
What Type of Hardware Platform and OS is being used	Sun Solaris 9.5
Oracle Block Size	
Net8 Listener Port	1521
Net8 Report Procedure Call (RPC) Server Port	1522
Character Set used for database creation	WE8ISO8859P1
Location of Oracle Home Directory	/u01/app/oracle/product/905
Location of Oracle Base Directory	/u01/app/oracle
Is the Optimal Flexible Architecture Standard Being Used	Yes

Tablespace Partitioning

This section describes the basic partitioning of the tablespaces within the production database instances. The partitioning is designed to satisfy <Company Short Name>'s database architecture strategy.

Segment Type	Tablespace	Comments
System		
Temporary		
Rollback		
Tools		
Misc User		
Data		
Index		

Tablespace Storage Parameters

The following table shows the tablespaces for this Oracle Applications database instance:

Tablespace	Storage Parameters						Number of Datafiles	Filesystems				
	Size (Mb)	init	nxt	pct	min	max		/u1	/u2	/u3	/u4	/u5
SYSTEM												
RBS												
TEMP												
USERS												
Totals	0						0	0	0	0	0	0

Tablespace File Mapping

This section describes the mapping of the tablespace structures onto physical storage files.

Tablespace	Size (MB)	Filesystem	Directory	Datafile
RSEGS	105	sd7h	/ora2/ORACLE/proddb	prod_rseg1.dbf
AOLTAB	105	sd4g	/ora3/ORACLE/proddb	prod_aoltab1.dbf
ARTAB	210	sd4g	/ora3/ORACLE/proddb	prod_artab1.dbf
GLTAB	262	sd4g	/ora3/ORACLE/proddb	prod_gltab1.dbf
POIND	157	sd4g	/ora3/ORACLE/proddb	prod_poind1.dbf
SHAREIND	52	sd4g	/ora3/ORACLE/proddb	prod_sharedind1.dbf
AOLIND	52	sd5g	/ora4/ORACLE/proddb	prod_aolind1.dbf

Administrative Servers

The administration server is the machine from which you maintain the data in your Applications database. There are three types of operations you will carry out here, each using a different program:

Installing and Upgrading the Database

This process is only performed when installing a new release, or upgrading to a new minor or major release.

Applying Applications Database Updates

Most maintenance patches will consist of new files and scripts that update database objects.

Maintaining the Applications Data

Some features, such as MultiLingual Support and Multiple Reporting Currencies, require regular maintenance to ensure updates are propagated to the additional schemas used by these features



Suggestion: The administration server is the most infrequently used, compared to other servers in the Applications multi-tier environment, and has the smallest computing requirements. You therefore should not need to have more than one administration server for your installation.

The following Administrative Servers will be established to support the user learning activities of the project:

Oracle Database Instance	Platform/DNS	Platform O/S	Server Release	Function
--------------------------	--------------	--------------	----------------	----------

Oracle Database Instance	Platform/ DNS	Platform O/S	Server Release	Function
LEARN	Sun E-950 (prod1)	Solaris 5.2	Oracle 9.5i	User Learning Environment

Concurrent Processing Servers

Most interaction with applications data occur through Applications forms. There are also reporting programs, however, that periodically need to be run. These programs may contain a very large number of computations, so to ensure that they do not interfere with interactive operations, they can be configured to run on a separate machine called the concurrent processing server.

Processes that run on the concurrent processing server are called concurrent programs, and operate in the background while users continue to work on other tasks. These programs are typically executables written in C or reports written using Oracle Reports.

A request to run a concurrent program is submitted through applications forms, which insert the request into a database table. When the table is read by a monitoring process, the request is assigned to one of several concurrent managers (also referred to as workers) running on the concurrent processing server. The concurrent manager processes the request (which may involve calling another program, for example, or running Oracle Reports), and generates log and output files, which are stored on the concurrent processing server.



Additional Information: Overview of Concurrent Processing, Oracle Applications Systems Administrator's Guide



Suggestion: More than one server (one per platform) may be configured to provide parallel concurrent processing. Parallel concurrent processing allows you to run concurrent managers on multiple servers in your database tier. This distributes the processing load and provides fault tolerance in case one or more servers fail.

The following Concurrent Processing Servers will be established to support the user learning activities of the project:

Oracle Database Instance	Platform/ DNS	Platform O/S	Server Release	Function
LEARN	Sun E-950 (prod1)	Solaris 5.2	Oracle 9.5i	User Learning Environment

<Platform Name>

Platform Configuration

Describe in detail the configuration of this platform.

Disk Device Map

The worksheet below documents the disk device map on the hardware platform designated as <Platform Name>.

Device		Filesystem	Available Space	
C0S0S0		/u1	4,354	MB
C0S0S1		/u2	654	MB
				MB
				MB
				MB
				MB
				MB

I/O Subsystem Configuration

Describe the configuration of the I/O subsystem for this platform.

-
-
-

Application Tier

The application servers form the middle tier between the desktop clients and database servers. They provide load balancing, business logic, and other functionality.



Attention: In installations that use multiple application servers, only one needs to run the Oracle Web Application Server software.

Forms Servers

The forms server is a specific type of application server that hosts the Oracle Forms Server engine. The Oracle Forms Server is an Oracle Developer component that mediates between the desktop client and the Oracle Database Server, displaying client screens and causing changes in the database records based on user actions. Data is cached on the forms server and provided to the client as needed, such as when scrolling through multiple order lines. The forms server exchanges messages with the desktop client across a standard TCP/IP network connection.



Suggestion: Load Balancing Among Forms Servers provides automatic load balancing among multiple application servers. In a load-balancing configuration, a single coordinator called the Metrics Server is on one application server. Metrics Clients located on the other application servers periodically send load information to the Metrics Server so it can determine which has the lightest load. When a client issues a request to download the Forms client applet, the Metrics Server provides the name of the least-loaded host for the applet to connect to.

The following Oracle Web Application (Forms) Server instances will be established to support the user learning activities of the project:

Platform/ DNS	Platform O/S	Server Release	Metric	Forms Port	Forms Server Port	Function
Sun E-950 (was1)	Solaris 5.2	2.5	Server	8000	9000	Applications Server, Load Management Machine (Production)
Sun E-950 (was2)	Solaris 5.2	2.5	Client	8000	9000	Applications Server (Production)
Sun E-950 (was3)	Solaris 5.2	2.5	Client	8000	9000	Applications Server (Production)



Attention: Automatic failover capabilities are inherent in this load-balancing system. If an application server becomes unavailable for any reason, the Metrics Server ceases to route requests to the server until it comes back online. While the application server is offline, requests are routed to one of the other application servers.

Oracle Applications File System

The Oracle Applications File system contains all of the forms and executables that execute of the applications tier of the architecture.

Owner of the File System

The owner of the Oracle Applications File System is: <Userid> (Example: applmgr)

Additional Forms Server Configuration Details

Below are additional configuration details for the Forms Server:

New Cartridge Configuration Settings

Parameter	Value
Cartridge Name:	<Oracle SID>
Object Path:	\$ORACLE_HOME/lib/f65webc.so
Entry Point:	form_entry

Virtual Paths

Parameter	Value
/Oracle SID	\$ORACLE_HOME/lib
Name of DAD to be used:	<Oracle SID>
Protect PL/SQL Agent:	TRUE
Authorized Ports:	<Web Listener Port>

Cartridge Configuration Screen Values

Parameter	Value
baseHTML	\$OA_HTML/afsampled.htm
serverPort	<Forms Port>
userid	APPS/APPS@\${ORACLE_SID}
fndnam	APPS

Web Servers

The web server is another type of application server, which runs an HTTP listener. The HTTP listener (also called a web listener) is a component of an HTTP server, such as Microsoft Internet Information Server, or Netscape Enterprise Server. This listener accepts incoming HTTP requests (or URLs) from desktop clients, via the web browser or appletviewer. These requests are either immediately processed – for example, by returning an HTML document – or are passed on to the Oracle Web Application Server, which also resides on the same platform.

The following Web Servers will be established to support the user learning activities of the project:

Server Name	Platform / DNS	Platform O/S	Server Release	UDP Port	Admin Port	Function
LEARN	Sun E-950 (prod1)	Solaris 5.2	5.4	2649	8888	User Learning Environment

Additional Web Server Configuration Details

Below are additional configuration details for the Web Server:

Virtual Directories

File System	Directory Flag	Virtual Path
\$APPLTMP	NR	/OA_TEMP/
\$APPL_TOP/doc/doc/	NR	/OA_DOC/
\$APPL_TOP/html/html/	NR	/OA_HTML/
\$APPL_TOP/html/html/bin/	CN	/OA_HTML/bin/
\$ORACLE_HOME/forms65/java/	NR	/OA_JAVA/
\$ORACLE_HOME/forms65/java/oracle/apps/media/	NR	/OA_MEDIA/

Java Cartridge Path

Virtual Path	Application	Physical Path
/OA_JAVA_SERV	JAVA	\$ORACLE_HOME/forms65/java

DAD Settings

Parameter	Value
DAD Name:	<Oracle SID>

Parameter	Value
Database User:	APPS
Identified by:	APPS
Database User Password:	APPS
ORACLE HOME:	\$ORACLE_HOME
Net8 Service:	<Oracle SID>
NLS Language:	American

PL/SQL Cartridge Settings

Parameter	Value
Name of PL/SQL Agent:	<Oracle SID>
Name of DAD to be used:	<Oracle SID>
Protect PL/SQL Agent:	TRUE
Authorized Ports:	<Web Listener Port>

PL/SQL Virtual Path

Virtual Path	Application	Physical Path
/<Oracle SID>/plsql	PLSQL	\$ORACLE_HOME/ows/6.0/bin

<Platform Name>

Platform Configuration

Describe in detail the configuration of this platform.

Disk Device Map

The worksheet below documents the disk device map on the hardware platform designated as <Platform Name>.

Device	Filesystem	Available Space	
C0S0S0	/u1	4,354	MB
C0S0S1	/u2	654	MB
			MB
			MB
			MB
			MB
			MB
			MB
			MB

I/O Subsystem Configuration

Describe the configuration of the I/O subsystem for this platform.

-
-
-

Desktop Client Tier

The desktop client runs a Java applet using a Java-enabled web browser or appletviewer. The applet sends user requests to the forms server and handles such responses as screen updates, pop-up lists, graphical widgets, and cursor movement. It can display any Oracle Applications screen and supports field-level validation, multiple coordinated windows, and data entry aids like lists of values. A web browser or appletviewer manages the downloading and storage of the Forms client applet on each user's desktop. They also supply the Java Virtual Machine (JVM) that runs the Forms client applet.



Security: Security features ensure that the forms server only accepts connections from "certified" Forms clients bearing the Oracle Applications signature. For additional security, all communication between the Forms client applet and forms server is encrypted using the RSA RC4 40-bit standard form of encryption.

Web Browsers

Below are the web browsers that will be supported by the project during deployment:

- <list Browsers: Name, OS, Version>

Web Appliances

Web appliances are devices that are capable of supporting the presentation and execution of a Java applet. These may be single purpose devices or mobile devices. Below are the web appliances that will be supported by the project during deployment:

<list web appliances: Name, Manufacturer, Model Number>

Applet Viewers

Applet views are run time environments that run on an operating system and present and execute Java applets. Below are the applet viewers that will be supported by the project during deployment:

<list applet viewer: Name, OS, Version>

Open and Closed Issues for this Deliverable

Open Issues

ID	Issue	Resolution	Responsibility	Target Date	Impact Date

Closed Issues

ID	Issue	Resolution	Responsibility	Target Date	Impact Date