

AIM

BR.100ACA COMMON
APPLICATIONS APPLICATION
SETUP

<Company Long Name>

<Subject>

Author: <Author>
Creation Date: June 3, 1999
Last Updated: August 15, 2025
Document Ref: <Document Reference Number>
Version: DRAFT 1A

Approvals:

<Approver 1>

<Approver 2>

ORACLE®

Copy Number _____

Document Control

Change Record

Date	Author	Version	Change Reference
3-Jun-99	<Author>	Draft 1a	No Previous Document

Reviewers

Name	Position

Distribution

Copy No.	Name	Location
1	Library Master	Project Library
2		Project Manager
3		
4		

Note To Holders:

If you receive an electronic copy of this document and print it out, please write your name on the equivalent of the cover page, for document control purposes.

If you receive a hard copy of this document, please write your name on the front cover, for document control purposes.

Contents

Document Control	ii
Application Setup Control Sheet - Common Applications	1
Setup Accounting Key Flexfield/CA: Define Accounting Value Sets	15
Setup Accounting Key Flexfield/CA: Define Accounting Key Flexfield Segments ...	16
Setup Accounting Key Flexfield/CA: Define Accounting Rollup Groups	18
Setup Accounting Key Flexfield/CA: Define Accounting Segment Values	19
Setup Accounting Key Flexfield/CA: Define Security Rules	21
Setup Accounting Key Flexfield/CA: Assign Security Rules	22
Setup Accounting Key Flexfield/CA: Define Accounting Cross-Validation Rules....	23
Setup Accounting Key Flexfield/CA: Define Accounting Shorthand Aliases	24
Setup Human Resources Key Flexfields/Setup Job Flexfield/CA: Define Value Sets	25
Setup Human Resources Key Flexfields/Setup Job Flexfield/CA: Define Segment Values	26
Setup Human Resources Key Flexfields/Setup Job Flexfield/CA: Define Key Flexfield Segments	28
Setup Human Resources Key Flexfields/Setup Job Flexfield/CA: Define Security Rules	30
Setup Human Resources Key Flexfields/Setup Job Flexfield/CA: Assign Security Rules	31
Setup Human Resources Key Flexfields/Setup Job Flexfield/CA: Define Cross- Validation Rules	32
Setup Human Resources Key Flexfields/Setup Job Flexfield/CA: Define Shorthand Aliases	33
Setup Human Resources Key Flexfields/Setup Position Flexfield/CA: Define Value Sets	34

Setup Human Resources Key Flexfields/Setup Position Flexfield/CA: Define Segment Values	35
Setup Human Resources Key Flexfields/Setup Position Flexfield/CA: Define Key Flexfield Segments	37
Setup Human Resources Key Flexfields/Setup Position Flexfield/CA: Define Security Rules	39
Setup Human Resources Key Flexfields/Setup Position Flexfield/CA: Assign Security Rules	40
Setup Human Resources Key Flexfields/Setup Position Flexfield/CA: Define Cross- Validation Rules	41
Setup Human Resources Key Flexfields/Setup Position Flexfield/CA: Define Shorthand Aliases	42
Setup Human Resources Key Flexfields/Setup Cost Allocation Flexfield/CA: Define Value Sets	43
Setup Human Resources Key Flexfields/Setup Cost Allocation Flexfield/CA: Define Segment Values	44
Setup Human Resources Key Flexfields/Setup Cost Allocation Flexfield/CA: Define Key Flexfield Segments	46
Setup Human Resources Key Flexfields/Setup Cost Allocation Flexfield/CA: Define Security Rules	48
Setup Human Resources Key Flexfields/Setup Cost Allocation Flexfield/CA: Assign Security Rules	49
Setup Human Resources Key Flexfields/Setup Cost Allocation Flexfield/CA: Define Cross-Validation Rules	50
Setup Human Resources Key Flexfields/Setup Cost Allocation Flexfield/CA: Define Shorthand Aliases	51
Setup Human Resources Key Flexfields/Setup People Group Flexfield/CA: Define Value Sets	52
Setup Human Resources Key Flexfields/Setup People Group Flexfield/CA: Define Segment Values	53
Setup Human Resources Key Flexfields/Setup People Group Flexfield/CA: Define Key Flexfield Segments	55
Setup Human Resources Key Flexfields/Setup People Group Flexfield/CA: Define Security Rules	57
Setup Human Resources Key Flexfields/Setup People Group Flexfield/CA: Assign Security Rules	58
Setup Human Resources Key Flexfields/Setup People Group Flexfield/CA: Define Cross-Validation Rules	59

Setup Human Resources Key Flexfields/Setup People Group Flexfield/CA: Define Shorthand Aliases	60
Setup Human Resources Key Flexfields/Setup Grade Flexfield/CA: Define Value Sets	61
Setup Human Resources Key Flexfields/Setup Grade Flexfield/CA: Define Segment Values	62
Setup Human Resources Key Flexfields/Setup Grade Flexfield/CA: Define Key Flexfield Segments	64
Setup Human Resources Key Flexfields/Setup Grade Flexfield/CA: Define Security Rules	66
Setup Human Resources Key Flexfields/Setup Grade Flexfield/CA: Assign Security Rules	67
Setup Human Resources Key Flexfields/Setup Grade Flexfield/CA: Define Cross-Validation Rules	68
Setup Human Resources Key Flexfields/Setup Grade Flexfield/CA: Define Shorthand Aliases	69
Setup Inventory Key Flexfield/Setup Item Catalog Flexfield/CA: Define Value Sets	70
Setup Inventory Key Flexfield/Setup Item Catalog Flexfield/CA: Define Segment Values	71
Setup Inventory Key Flexfield/Setup Item Catalog Flexfield/CA: Define Key Flexfield Segments	73
Setup Inventory Key Flexfield/Setup Item Catalog Flexfield/CA: Define Security Rules	75
Setup Inventory Key Flexfield/Setup Item Catalog Flexfield/CA: Assign Security Rules	76
Setup Inventory Key Flexfield/Setup Item Catalog Flexfield/CA: Define Cross-Validation Rules	77
Setup Inventory Key Flexfield/Setup Item Catalog Flexfield/CA: Define Shorthand Aliases	78
Setup Inventory Key Flexfield/Setup Item Category Flexfield/CA: Define Value Sets	79
Setup Inventory Key Flexfield/Setup Item Category Flexfield/CA: Define Segment Values	80
Setup Inventory Key Flexfield/Setup Item Category Flexfield/CA: Define Key Flexfield Segments	82
Setup Inventory Key Flexfield/Setup Item Category Flexfield/CA: Define Security Rules	84

Setup Inventory Key Flexfield/Setup Item Category Flexfield/CA: Assign Security Rules	85
Setup Inventory Key Flexfield/Setup Item Category Flexfield/CA: Define Cross- Validation Rules	86
Setup Inventory Key Flexfield/Setup Item Category Flexfield/CA: Define Shorthand Aliases	87
Setup Inventory Key Flexfield/Setup Item Flexfield/CA: Define Value Sets.....	88
Setup Inventory Key Flexfield/Setup Item Flexfield/CA: Define Segment Values...	89
Setup Inventory Key Flexfield/Setup Item Flexfield/CA: Define Key Flexfield Segments	91
Setup Inventory Key Flexfield/Setup Item Flexfield/CA: Define Security Rules.....	93
Setup Inventory Key Flexfield/Setup Item Flexfield/CA: Assign Security Rules	94
Setup Inventory Key Flexfield/Setup Item Flexfield/CA: Define Cross-Validation Rules	95
Setup Inventory Key Flexfield/Setup Item Flexfield/CA: Define Shorthand Aliases	96
Setup Inventory Key Flexfield/Setup Item Flexfield/CA: Define Item Profile Options	97
Setup Accounts Receivable Key Flexfield/Setup Sales Tax Locations Flexfield/CA: Define Value Sets	98
Setup Accounts Receivable Key Flexfield/Setup Sales Tax Locations Flexfield/CA: Define Segment Values	99
Setup Accounts Receivable Key Flexfield/Setup Sales Tax Locations Flexfield/CA: Define Key Flexfield Segments	101
Setup Accounts Receivable Key Flexfield/Setup Sales Tax Locations Flexfield/CA: Define Security Rules	103
Setup Accounts Receivable Key Flexfield/Setup Sales Tax Locations Flexfield/CA: Assign Security Rules	104
Setup Accounts Receivable Key Flexfield/Setup Sales Tax Locations Flexfield/CA: Define Cross-Validation Rules	105
Setup Accounts Receivable Key Flexfield/Setup Sales Tax Locations Flexfield/CA: Define Shorthand Aliases	106
Setup Accounts Receivable Key Flexfield/Setup Territory Flexfield/CA: Define Value Sets	107
Setup Accounts Receivable Key Flexfield/Setup Territory Flexfield/CA: Define Segment Values	108

Setup Accounts Receivable Key Flexfield/Setup Territory Flexfield/CA: Define Key Flexfield Segments	110
Setup Accounts Receivable Key Flexfield/Setup Territory Flexfield/CA: Define Security Rules	112
Setup Accounts Receivable Key Flexfield/Setup Territory Flexfield/CA: Assign Security Rules	113
Setup Accounts Receivable Key Flexfield/Setup Territory Flexfield/CA: Define Cross-Validation Rules.....	114
Setup Accounts Receivable Key Flexfield/Setup Territory Flexfield/CA: Define Shorthand Aliases	115
Setup Currencies/CA: Define Currencies	116
Setup Currencies/CA: Define Conversion Rates Types.....	117
Setup Calendars/CA: Define Period Types	118
Setup Calendars/CA: Define Accounting Calendar.....	119
Setup Calendars/CA: Define Transaction Calendar	120
Setup Calendars/CA: Define Workday Calendar.....	121
Setup Calendars/CA: Define Exception Templates.....	124
Setup Sets of Books/CA: Define Sets of Books	125
Setup Sets of Books/CA: Define Required Responsibilities	128
Setup Sets of Books/CA: Assign Responsibility to a Set of Books.....	132
CA: Define Account Code Combinations.....	133
CA: Define Summary Accounts	134
CA: Open and Close Periods.....	135
Setup Currency Rates/CA: Define Daily Rates	136
Setup Currency Rates/CA: Define Period Rates	137
Setup Currency Rates/CA: Define Historical Rates	138
CA: Define Business Groups	139
CA: Define Required Responsibilities.....	140
CA: Assign Business Groups Profiles Options	144
CA: Start Organizations	145
CA: Define Locations.....	146

CA: Define Organization QuickCodes	147
CA: Define Legal Entities Organization	148
Multiple Organization Setup/CA: Define Operating Unit Organization.....	150
Multiple Organization Setup/Freight and Inventory Organizations.....	151
Multiple Organization Setup/CA: Set Profile Option Levels.....	152
Multiple Organization Setup/CA: Define Required Responsibilities	154
Multiple Organization Setup/CA: Assign Profile Options - Multi-Org	157
Multiple Organization Setup/CA: Conversion for Multi-Org and Non Multi-Org.	158
Multiple Organization Setup/CA: Define Inventory Organization Security	159
Multiple Organization Setup/CA: Define Security Rules.....	160
Multiple Organization Setup/CA: Assign Security Rules	161
Multiple Organization Setup/CA: Run the Multi-Org Validation Report	162
Non-Multiple Organization Setup/CA: Define Operating Unit Organization for Non Multi-Org	163
Non-Multiple Organization Setup/Freight and Inventory Organizations.....	164
Non-Multiple Organization Setup/CA: Assign Profile Options - Non-Multi-Org..	165
Non-Multiple Organization Setup/CA: Conversion for Multi-Org and Non Multi- Org	166
Non-Multiple Organization Setup/CA: Define Inventory Organization Security ...	167
PA Org Classification Setup/CA: Define Project Accounting Organizations.....	168
Manufacturing Org Class Setup/CA: Define Manufacturing Organizations	169
HR Org Classification Setup/CA: Define Human Resource Organizations	170
HRMS Organization Classification/CA: Define Misc Org Classifications	171
HRMS Organization Classification/CA: Define GRE/Legal Entity.....	172
HRMS Organization Classification/CA: Define HR Business Group	173
HRMS Organization Classification/CA: Define AAP Organizations	174
HRMS Organization Classification/CA: Define HR Org Classification	175
HRMS Organization Classification/CA: Define Reporting Establishment	176
HRMS Organization Classification/CA: UK Define HR Business Group	177

HRMS Organization Classification/CA: UK Define HR Org Classification	178
HRMS Organization Classification/CA: WW Define HR Business Group	179
HRMS Organization Classification/CA: WW Define HR Org Classification	180
CA: Start Freight and Inventory Organizations	181
CA: Define Inventory Organizations	182
CA: Define Inventory Organizations Accounting Information	183
CA: Define Inventory Organization Parameters	184
CA: Define Inventory Organizations Receiving Options	185
CA: Define Units of Measure Classes	187
CA: Define Units of Measure	188
CA: Define Units of Measure Conversions	189
CA: Define Item Attribute Controls	191
CA: Define Container Type QuickCodes.....	197
CA: Define Status	198
CA: Define Item Type QuickCodes	199
CA: Define Customer Item Commodity Codes	200
CA: Define Item Template	201
CA: Define Cross-Reference Types	214
CA: Define Categories	215
CA: Define Category Sets	216
CA: Define Default Category Sets	217
CA: Define Item Catalog Groups.....	218
CA: Define Freight Carriers.....	220
CA: Define Employee QuickCodes	221
CA: Define Jobs	222
CA: Define Positions.....	223
CA: Define Position Hierarchies	226
CA: Define Employees (Human Resources not Installed)	227

Open and Closed Issues for this Deliverable	228
Open Issues.....	228
Closed Issues	228

Application Setup Control Sheet - Common Applications

Environment Name:	Machine:	Type (definition, execution, or both):
--------------------------	-----------------	---

Workflow SubWorkflow Name	Setup Task	Responsibility	Due Date	QA Responsibility	QA Due Date	Signature Approval
Key Flexfields Setup						
Setup Accounting Key Flexfield	CA: Define Accounting Value Sets					
Setup Accounting Key Flexfield	CA: Define Accounting Key Flexfield Segments					
Setup Accounting Key Flexfield	CA: Define Accounting Rollup Groups					
Setup Accounting Key Flexfield	CA: Define Accounting Segment Values					
Setup Accounting Key Flexfield	CA: Define Security Rules					
Setup Accounting Key Flexfield	CA: Assign Security Rules					
Setup Accounting Key Flexfield	CA: Define Accounting Cross-Validation Rules					
Setup Accounting Key Flexfield	CA: Define Accounting Shorthand Aliases					
Setup Human Resources Key Flexfields/Setup Job Flexfield	CA: Define Value Sets					

Workflow SubWorkflow Name	Setup Task	Responsibility	Due Date	QA Responsibility	QA Due Date	Signature Approval
Setup Human Resources Key Flexfields/Setup Job Flexfield	CA: Define Segment Values					
Setup Human Resources Key Flexfields/Setup Job Flexfield	CA: Define Key Flexfield Segments					
Setup Human Resources Key Flexfields/Setup Job Flexfield	CA: Define Security Rules					
Setup Human Resources Key Flexfields/Setup Job Flexfield	CA: Assign Security Rules					
Setup Human Resources Key Flexfields/Setup Job Flexfield	CA: Define Cross-Validation Rules					
Setup Human Resources Key Flexfields/Setup Job Flexfield	CA: Define Shorthand Aliases					
Setup Human Resources Key Flexfields/Setup Position Flexfield	CA: Define Value Sets					
Setup Human Resources Key Flexfields/Setup Position Flexfield	CA: Define Segment Values					
Setup Human Resources Key Flexfields/Setup Position Flexfield	CA: Define Key Flexfield Segments					
Setup Human Resources Key Flexfields/Setup Position Flexfield	CA: Define Security Rules					
Setup Human Resources Key Flexfields/Setup Position Flexfield	CA: Assign Security Rules					
Setup Human Resources Key Flexfields/Setup Position Flexfield	CA: Define Cross-Validation Rules					

<Subject>

Workflow SubWorkflow Name	Setup Task	Responsibility	Due Date	QA Responsibility	QA Due Date	Signature Approval
Setup Human Resources Key Flexfields/Setup Position Flexfield	CA: Define Shorthand Aliases					
Setup Human Resources Key Flexfields/Setup Cost Allocation Flexfield	CA: Define Value Sets					
Setup Human Resources Key Flexfields/Setup Cost Allocation Flexfield	CA: Define Segment Values					
Setup Human Resources Key Flexfields/Setup Cost Allocation Flexfield	CA: Define Key Flexfield Segments					
Setup Human Resources Key Flexfields/Setup Cost Allocation Flexfield	CA: Define Security Rules					
Setup Human Resources Key Flexfields/Setup Cost Allocation Flexfield	CA: Assign Security Rules					
Setup Human Resources Key Flexfields/Setup Cost Allocation Flexfield	CA: Define Cross-Validation Rules					
Setup Human Resources Key Flexfields/Setup Cost Allocation Flexfield	CA: Define Shorthand Aliases					
Setup Human Resources Key Flexfields/Setup People Group Flexfield	CA: Define Value Sets					
Setup Human Resources Key Flexfields/Setup People Group Flexfield	CA: Define Segment Values					
Setup Human Resources Key Flexfields/Setup People Group	CA: Define Key Flexfield					

Workflow SubWorkflow Name	Setup Task	Responsibility	Due Date	QA Responsibility	QA Due Date	Signature Approval
Flexfield	Segments					
Setup Human Resources Key Flexfields/Setup People Group Flexfield	CA: Define Security Rules					
Setup Human Resources Key Flexfields/Setup People Group Flexfield	CA: Assign Security Rules					
Setup Human Resources Key Flexfields/Setup People Group Flexfield	CA: Define Cross-Validation Rules					
Setup Human Resources Key Flexfields/Setup People Group Flexfield	CA: Define Shorthand Aliases					
Setup Human Resources Key Flexfields/Setup Grade Flexfield	CA: Define Value Sets					
Setup Human Resources Key Flexfields/Setup Grade Flexfield	CA: Define Segment Values					
Setup Human Resources Key Flexfields/Setup Grade Flexfield	CA: Define Key Flexfield Segments					
Setup Human Resources Key Flexfields/Setup Grade Flexfield	CA: Define Security Rules					
Setup Human Resources Key Flexfields/Setup Grade Flexfield	CA: Assign Security Rules					
Setup Human Resources Key Flexfields/Setup Grade Flexfield	CA: Define Cross-Validation Rules					

Workflow SubWorkflow Name	Setup Task	Responsibility	Due Date	QA Responsibility	QA Due Date	Signature Approval
Setup Human Resources Key Flexfields/Setup Grade Flexfield	CA: Define Shorthand Aliases					
Setup Inventory Key Flexfield/Setup Item Catalog Flexfield	CA: Define Value Sets					
Setup Inventory Key Flexfield/Setup Item Catalog Flexfield	CA: Define Segment Values					
Setup Inventory Key Flexfield/Setup Item Catalog Flexfield	CA: Define Key Flexfield Segments					
Setup Inventory Key Flexfield/Setup Item Catalog Flexfield	CA: Define Security Rules					
Setup Inventory Key Flexfield/Setup Item Catalog Flexfield	CA: Assign Security Rules					
Setup Inventory Key Flexfield/Setup Item Catalog Flexfield	CA: Define Cross-Validation Rules					
Setup Inventory Key Flexfield/Setup Item Catalog Flexfield	CA: Define Shorthand Aliases					
Setup Inventory Key Flexfield/Setup Item Category Flexfield	CA: Define Value Sets					
Setup Inventory Key Flexfield/Setup Item Category Flexfield	CA: Define Segment Values					
Setup Inventory Key Flexfield/Setup Item Category Flexfield	CA: Define Key Flexfield					

Workflow SubWorkflow Name	Setup Task	Responsibility	Due Date	QA Responsibility	QA Due Date	Signature Approval
Flexfield	Segments					
Setup Inventory Key Flexfield/Setup Item Category Flexfield	CA: Define Security Rules					
Setup Inventory Key Flexfield/Setup Item Category Flexfield	CA: Assign Security Rules					
Setup Inventory Key Flexfield/Setup Item Category Flexfield	CA: Define Cross-Validation Rules					
Setup Inventory Key Flexfield/Setup Item Category Flexfield	CA: Define Shorthand Aliases					
Setup Inventory Key Flexfield/Setup Item Flexfield	CA: Define Value Sets					
Setup Inventory Key Flexfield/Setup Item Flexfield	CA: Define Segment Values					
Setup Inventory Key Flexfield/Setup Item Flexfield	CA: Define Key Flexfield Segments					
Setup Inventory Key Flexfield/Setup Item Flexfield	CA: Define Security Rules					
Setup Inventory Key Flexfield/Setup Item Flexfield	CA: Assign Security Rules					
Setup Inventory Key Flexfield/Setup Item Flexfield	CA: Define Cross-Validation Rules					
Setup Inventory Key Flexfield/Setup Item Flexfield	CA: Define Shorthand Aliases					
Setup Inventory Key Flexfield/Setup Item Flexfield	CA: Define Item Profile Options					

<Subject>

Workflow SubWorkflow Name	Setup Task	Responsibility	Due Date	QA Responsibility	QA Due Date	Signature Approval
Setup Accounts Receivable Key Flexfield/Setup Sales Tax Locations Flexfield	CA: Define Value Sets					
Setup Accounts Receivable Key Flexfield/Setup Sales Tax Locations Flexfield	CA: Define Segment Values					
Setup Accounts Receivable Key Flexfield/Setup Sales Tax Locations Flexfield	CA: Define Key Flexfield Segments					
Setup Accounts Receivable Key Flexfield/Setup Sales Tax Locations Flexfield	CA: Define Security Rules					
Setup Accounts Receivable Key Flexfield/Setup Sales Tax Locations Flexfield	CA: Assign Security Rules					
Setup Accounts Receivable Key Flexfield/Setup Sales Tax Locations Flexfield	CA: Define Cross-Validation Rules					
Setup Accounts Receivable Key Flexfield/Setup Sales Tax Locations Flexfield	CA: Define Shorthand Aliases					
Setup Accounts Receivable Key Flexfield/Setup Territory Flexfield	CA: Define Value Sets					
Setup Accounts Receivable Key Flexfield/Setup Territory Flexfield	CA: Define Segment Values					
Setup Accounts Receivable Key Flexfield/Setup Territory Flexfield	CA: Define Key Flexfield Segments					
Setup Accounts Receivable Key Flexfield/Setup Territory	CA: Define Security Rules					

<Subject>

Workflow SubWorkflow Name	Setup Task	Responsibility	Due Date	QA Responsibility	QA Due Date	Signature Approval
Flexfield						
Setup Accounts Receivable Key Flexfield/Setup Territory Flexfield	CA: Assign Security Rules					
Setup Accounts Receivable Key Flexfield/Setup Territory Flexfield	CA: Define Cross-Validation Rules					
Setup Accounts Receivable Key Flexfield/Setup Territory Flexfield	CA: Define Shorthand Aliases					
Set of Books, Calendars, and Currencies						
Setup Currencies	CA: Define Currencies					
Setup Currencies	CA: Define Conversion Rates Types					
Setup Calendars	CA: Define Period Types					
Setup Calendars	CA: Define Accounting Calendar					
Setup Calendars	CA: Define Transaction Calendar					
Setup Calendars	CA: Define Workday Calendar					
Setup Calendars	CA: Define Exception Templates					
Setup Sets of Books	CA: Define Sets of Books					
Setup Sets of Books	CA: Define Required Responsibilities					
Setup Sets of Books	CA: Assign Responsibility to a Set of Books					

<Subject>

Application Setup Control Sheet - Common Applications 8 of 228

Workflow SubWorkflow Name	Setup Task	Responsibility	Due Date	QA Responsibility	QA Due Date	Signature Approval
Setup Multiple Reporting Currencies						
Setup Average Daily Balances						
Sets of Books Specification						
	CA: Define Account Code Combinations					
	CA: Define Summary Accounts					
	CA: Open and Close Periods					
Setup Currency Rates	CA: Define Daily Rates					
Setup Currency Rates	CA: Define Period Rates					
Setup Currency Rates	CA: Define Historical Rates					
Business Group Setup						
	CA: Define Business Groups					
	CA: Define Required Responsibilities					
	CA: Assign Business Groups Profiles Options					
Organization Setup						
	CA: Define Locations					
	CA: Define Organization QuickCodes					
	CA: Define Legal Entities Organization					

Workflow SubWorkflow Name	Setup Task	Responsibility	Due Date	QA Responsibility	QA Due Date	Signature Approval
Multiple Organization Setup	CA: Define Operating Unit Organization					
Multiple Organization Setup	CA: Define Freight and Inventory Organizations					
Multiple Organization Setup	CA: Set Profile Option Levels					
Multiple Organization Setup	CA: Define Required Responsibilities					
Multiple Organization Setup	CA: Assign Profile Options - Multi-Org					
Multiple Organization Setup	CA: Conversion for Multi-Org and Non Multi-Org					
Multiple Organization Setup	CA: Define Inventory Organization Security					
Multiple Organization Setup	CA: Define Security Rules					
Multiple Organization Setup	CA: Assign Security Rules					
Multiple Organization Setup	CA: Run the Multi-Org Validation Report					
Non-Multiple Organization Setup	CA: Define Operating Unit Organization for Non-Multi-Org					
Non-Multiple Organization Setup	CA: Define Freight and Inventory Organizations - Non-Multi-Org					
Non-Multiple Organization Setup	CA: Assign Profile Options - Non-Multi-Org					
Non-Multiple Organization Setup	CA: Conversion for Multi-Org and Non Multi-Org					
Non-Multiple Organization	CA: Define Inventory					

<Subject>

File Ref: BR100Aca_Common_Applications_Application_Setup.doc (v. DRAFT 1A)

Application Setup Control Sheet - Common Applications 10 of 228

Company Confidential - For internal use only

Workflow SubWorkflow Name	Setup Task	Responsibility	Due Date	QA Responsibility	QA Due Date	Signature Approval
Setup	Organization Security					
PA Org Classification Setup	CA: Define Project Accounting Organizations					
Manufacturing Org Class Setup	CA: Define Manufacturing Organizations					
HR Org Classification Setup	Define Human Resource Organizations					
HRMS Organization Classification	CA: Define Misc Org Classifications					
HRMS Organization Classification	CA: Define GRE/Legal Entity					
HRMS Organization Classification	CA: Define HR Business Group					
HRMS Organization Classification	CA: Define AAP Organizations					
HRMS Organization Classification	CA: Define HR Org Classification					
HRMS Organization Classification	CA: Define Reporting Establishment					
HRMS Organization Classification	CA: UK Define HR Business Group					
HRMS Organization Classification	CA: UK Define HR Org Classification					
HRMS Organization Classification	CA: WW Define HR Business Group					
HRMS Organization Classification	CA: WW Define HR Org Classification					

Workflow SubWorkflow Name	Setup Task	Responsibility	Due Date	QA Responsibility	QA Due Date	Signature Approval
Freight and Inventory Organizations						
	CA: Define Inventory Organizations					
	CA: Define Inventory Organizations Accounting Information					
	CA: Define Inventory Organization Parameters					
	CA: Define Inventory Organizations Receiving Options					
Units of Measure Setup						
	CA: Define Units of Measure Classes					
	CA: Define Units of Measure					
	CA: Define Units of Measure Conversions					
Items Setup						
	CA: Define Item Attribute Controls					
	CA: Define Container Type QuickCodes					
	CA: Define Status					
	CA: Define Item Type QuickCodes					
	CA: Define Customer Item					

Workflow SubWorkflow Name	Setup Task	Responsibility	Due Date	QA Responsibility	QA Due Date	Signature Approval
	Commodity Codes					
	CA: Define Item Template					
	CA: Define Cross-Reference Types					
	CA: Define Categories					
	CA: Define Category Sets					
	CA: Define Default Category Sets					
	CA: Define Item Catalog Groups					
	CA: Define Freight Carriers					
Non HRMS Employee Setup						
	CA: Define Employee QuickCodes					
	CA: Define Jobs					
	CA: Define Positions					
	CA: Define Position Hierarchies					
	CA: Define Employees (Human Resources not Installed)					
Descriptive Flexfields Setup						
	CA: Define Value Sets					
	CA: Define Descriptive Flexfield Segments					

<Subject>

Workflow SubWorkflow Name	Setup Task	Responsibility	Due Date	QA Responsibility	QA Due Date	Signature Approval
	CA: Define Segment Values					
	CA: Define Security Rules					
	CA: Assign Security Rules					

Setup Accounting Key Flexfield/CA: Define Accounting Value Sets



System Administration>Application>Flexfield>Value Sets

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to set up a Value Set for each segment of your Accounting Flexfield.

<Value Set>

Value Set Name	Description	Security Available	Enable Long List

<Format Validation>

Format Type	Maximum Size	Numbers Only (0-9)	Uppercase Only (A-Z)	Right-Justify and Zero-Fill Numbers (0001)	Minimum Value	Maximum Value

<Value Validation>

Validation Type

Setup Accounting Key Flexfield/CA: Define Accounting Key Flexfield Segments



System Administration>Flexfield>Key>Segments

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to Assign balancing Segment, natural account, and cost center qualifiers to the correct segments of your accounting Flexfield structure.

<Key Flexfield>

Application	Flexfield Title

<Structures>

Title	Description	View Name

Freeze Flexfield Definition	Enabled	Segment Separator	Cross-Validate Segments	Freeze Rollup Groups	Allow Dynamic Inserts

 **Segments**

<Segments Summary>

Number	Name	Window Prompt	Column	Value Set	Displayed	Enabled	Qualifier Name	Qualifier Enabled

 **Flexfield Qualifiers**



Attention: The Qualifiers field has been added to the previous table

Setup Accounting Key Flexfield/CA: Define Accounting Rollup Groups



System Administration>Application>Flexfield>Key>Groups

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Accounting Rollup Groups. Rollup Groups are used to create summary Accounts for reporting purpose.

<Value Set>

Name		Description
Values Set		
Dependent Value Set		
Independent Value		

<Rollup Groups>

Name	Description

Setup Accounting Key Flexfield/CA: Define Accounting Segment Values



System Administration>Application>Flexfield>Key>Values

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define the valid financial values for each of your Accounting Segments. You can also define your account parent - child relationships.

<Key Flexfield>

Title	Structure	Independent Segment	Dependent Segment	Independent Value	Value Description



Effective

Value	Description	Enabled	Effective From	Effective To



Hierarchy/Qualifiers

Value	Description	Parent	Group	Level	Qualifiers

Setup Accounting Key Flexfield/CA: Define Security Rules



System Administration>Security>Responsibility>Value Set>Define

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to setup data entry security on your Flexfield segments and report parameters.

<Key Flexfield>

Title	Structure	Independent Segment	Dependent Segment	Independent Value	Value Description

<Security Rules and Security Rules Elements>

Security Rules:	Security Rules:	Security Rules:	Security Rules Elements:	Security Rules Elements:	Security Rules Elements:
Name	Description	Message	Type	From	To

Setup Accounting Key Flexfield/CA: Assign Security Rules



System Administration>Security>Responsibility>Value Set>Assign

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to Assign Security Rules to an application responsibility.

<Key Flexfield>

Title	Structure	Independent Segment	Dependent Segment	Independent Value	Value Description

<Assign Security Rules>

Application	Responsibility	Name	Description	Message

Setup Accounting Key Flexfield/CA: Define Accounting Cross-Validation Rules



System Administration>Flexfield>Key>Cross-Validation

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Cross-Validation Rules.

Application	Flexfield Title	Structure	Description

<Cross-Validation Rules>

Name	Description	Enabled	Error Message	Error Segment	From	To

<Cross-Validation Rule Elements>

Type	From	To

Setup Accounting Key Flexfield/CA: Define Accounting Shorthand Aliases



System Administration>Flexfield>Key>Aliases

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define accounting shorthand aliases to ease entry of accounting Flexfield combinations.

Application	Flexfield Title	Structure	Description

<Shorthand>

Enabled	Maximum Alias Size	Prompt

<Shorthand Aliases>

Alias	Template	Alias Description	Enabled	From	To

Setup Human Resources Key Flexfields/Setup Job Flexfield/CA: Define Value Sets



System Administration>Application>Flexfield>Value Sets

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to set up a Value Set for each segment of your Job Flexfield.

<Value Set>

Value Set Name	Description	Security Available	Enable Long List

<Format Validation>

Format Type	Maximum Size	Numbers Only (0-9)	Uppercase Only (A-Z)	Right-Justify and Zero-fill numbers (0001)	Minimum Value	Maximum Value

<Value Validation>

Validation type

Setup Human Resources Key Flexfields/Setup Job Flexfield/CA: Define Segment Values



System Administration>Flexfield>Key>Values

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define valid Values for the key job Flexfield segment or reporting parameter.

Title	Independent Segment	Independent Value	Structure	Dependent Segment	Value Description

<Values (Job)>



Effective

Value	Description	Enabled	Effective From	Effective To



Hierarchy/Qualifiers

Value	Description	Parent	Group	Level	Qualifiers

Setup Human Resources Key Flexfields/Setup Job Flexfield/CA: Define Key Flexfield Segments



System Administration>Flexfield>Key>Segments

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define the structure of your job Flexfield.

<Key Flexfield>

Application	Flexfield Title

<Structures>

Title	Description	View Name

Freeze Flexfield Definition	Enabled	Segment Separator	Cross-Validate Segments	Freeze Rollup Groups	Allow Dynamic Inserts

button

Segments

<Segments Summary>

Number	Name	Window Prompt	Column	Value Set	Displayed	Enabled

Setup Human Resources Key Flexfields/Setup Job Flexfield/CA: Define Security Rules



System Administration>Security>Responsibility>Value Set>Define

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to setup data entry security on your Flexfield segments and report parameters.

<Key Flexfield>

Title	Structure	Independent Segment	Dependent Segment	Independent Value	Value Description

<Security Rules and Security Rules Elements>

Security Rules:	Security Rules:	Security Rules:	Security Rules Elements:	Security Rules Elements:	Security Rules Elements:
Name	Description	Message	Type	From	To

Setup Human Resources Key Flexfields/Setup Job Flexfield/CA: Assign Security Rules



System Administration>Security>Responsibility>Value Set>Assign

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to assign security rules to an application Responsibility.

<Key Flexfield>

Title	Structure	Independent Segment	Dependent Segment	Independent Value	Value Description

<Assign Security Rules>

Application	Responsibility	Name	Description	Message

Setup Human Resources Key Flexfields/Setup Job Flexfield/CA: Define Cross-Validation Rules



System Administration>Flexfield>Key>Cross-Validation

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Cross-Validation Rules.

Application	Flexfield Title	Structure	Description

<Cross-Validation Rules>

Name	Description	Enabled	Error Message	Error Segment	From	To

<Cross-Validation Rule Elements>

Type	From	To

Setup Human Resources Key Flexfields/Setup Job Flexfield/CA: Define Shorthand Aliases



System Administration>Flexfield>Key>Aliases

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define accounting Shorthand Aliases to ease entry of job flexfield combinations.

Application	Flexfield Title	Structure	Description

<Shorthand>

Enabled	Maximum Alias Size	Prompt

<Shorthand Aliases>

Alias	Template	Alias Description	Enabled	From	To

Setup Human Resources Key Flexfields/Setup Position Flexfield/CA: Define Value Sets



System Administration>Application>Flexfield>Value Sets

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to set up a Value Set for each segment of your Position Flexfield.

<Value Set>

Value Set Name	Description	Security	Enable
		Available	Long List

<Format Validation>

Format Type	Maximum Size	Numbers Only (0-9)	Uppercase Only (A-Z)	Right-Justify and Zero-fill numbers (0001)	Minimum Value	Maximum Value

<Value Validation>

Validation Type

Setup Human Resources Key Flexfields/Setup Position Flexfield/CA: Define Segment Values



System Administration>Application>Flexfield>Key>Values

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define valid values for the key Position Flexfield segment or reporting parameter.

<Key Flexfield>

Title	Independent Segment	Independent Value	Structure	Dependent Segment	Value Description

<Values>



Effective

Value	Description	Enabled	Effective From	Effective To



Hierarchy/Qualifiers

Value	Description	Parent	Group	Level	Qualifiers

Setup Human Resources Key Flexfields/Setup Position Flexfield/CA: Define Key Flexfield Segments



System Administration>Flexfield>Key>Segments

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define the structure of your Position Flexfield.

<Key Flexfield>

Application	Flexfield Title

<Structures>

Title	Description	View Name

Freeze Flexfield Definition	Enabled	Segment Separator	Cross-Validate Segments	Freeze Rollup Groups	Allow Dynamic Inserts

button

Segments

<Segments Summary>

Number	Name	Window Prompt	Column	Value Set	Displayed	Enabled

Setup Human Resources Key Flexfields/Setup Position Flexfield/CA: Define Security Rules



System Administration>Security>Responsibility>Value Set>Define

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to setup data entry security on your Flexfield segments and report parameters.

<Key Flexfield>

Title	Structure	Independent Segment	Dependent Segment	Independent Value	Value Description

<Security Rules and Security Rules Elements>

Security Rules:	Security Rules:	Security Rules:	Security Rules Elements:	Security Rules Elements:	Security Rules Elements:
Name	Description	Message	Type	From	To

Setup Human Resources Key Flexfields/Setup Position Flexfield/CA: Assign Security Rules



System Administration>Security>Responsibility>Value Set>Assign

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to assign security rules to an application Responsibility.

<Key Flexfield>

Title	Structure	Independent Segment	Dependent Segment	Independent Value	Value Description

<Assign Security Rules>

Application	Responsibility	Name	Description	Message

Setup Human Resources Key Flexfields/Setup Position Flexfield/CA: Define Cross-Validation Rules



System Administration>Flexfield>Key>Cross-Validation

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Cross-Validation Rules.

Application	Flexfield Title	Structure	Description

<Cross-Validation Rules>

Name	Description	Enabled	Error Message	Error Segment	From	To

<Cross-Validation Rule Elements>

Type	From	To

Setup Human Resources Key Flexfields/Setup Position Flexfield/CA: Define Shorthand Aliases



System Administration>Flexfield>Key>Aliases

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define shorthand aliases to ease entry of Position Flexfield combinations.

Application	Flexfield Title	Structure	Description

<Shorthand>

Enabled	Maximum Alias Size	Prompt

<Shorthand Aliases>

Alias	Template	Alias Description	Enabled	From	To

Setup Human Resources Key Flexfields/Setup Cost Allocation Flexfield/CA: Define Value Sets



System Administration>Application>Flexfield>Value Sets

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to set up a Value Set for each segment of your Cost Allocation Flexfield.

<Value Set>

Value Set Name	Description	Security Available	Enable Long List

<Format Validation>

Format Type	Maximum Size	Numbers Only (0-9)	Uppercase Only (A-Z)	Right-Justify and Zero-fill numbers (0001)	Minimum Value	Maximum Value

<Value Validation>

Validation type

Setup Human Resources Key Flexfields/Setup Cost Allocation Flexfield/CA: Define Segment Values



System Administration>Flexfield>Key>Values

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define valid values for the key Cost Allocation Flexfield segment or reporting parameter.

<Key Flexfield>

Title	Independent Segment	Independent Value	Structure	Dependent Segment	Value Description

<Values>



Effective

Value	Description	Enabled	Effective From	Effective To



Hierarchy/Qualifiers

Value	Description	Parent	Group	Level	Qualifiers

Setup Human Resources Key Flexfields/Setup Cost Allocation Flexfield/CA: Define Key Flexfield Segments



System Administration>Flexfield>Key>Segments

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define the structure of your Cost Allocation Flexfield.

<Key Flexfield>

Application	Flexfield Title

<Structures>

Title	Description	View Name

Freeze Flexfield Definition	Enabled	Segment Separator	Cross-Validate Segments	Freeze Rollup Groups	Allow Dynamic Inserts

button

Segments

<Segments Summary>

Number	Name	Window Prompt	Column	Value Set	Displayed	Enabled

Setup Human Resources Key Flexfields/Setup Cost Allocation Flexfield/CA: Define Security Rules



System Administration>Security>Responsibility>Value Set>Define

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to setup data entry security on your Flexfield segments and report parameters.

<Key Flexfield>

Title	Structure	Independent Segment	Dependent Segment	Independent Value	Value Description

<Security Rules and Security Rules Elements>

Security Rules:	Security Rules:	Security Rules:	Security Rules Elements:	Security Rules Elements:	Security Rules Elements:
Name	Description	Message	Type	From	To

Setup Human Resources Key Flexfields/Setup Cost Allocation Flexfield/CA: Assign Security Rules



System Administration>Security>Responsibility>Value Set>Assign

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to assign security rules to an application Responsibility.

<Key Flexfield>

Title	Structure	Independent Segment	Dependent Segment	Independent Value	Value Description

<Assign Security Rules>

Application	Responsibility	Name	Description	Message

Setup Human Resources Key Flexfields/Setup Cost Allocation Flexfield/CA: Define Cross-Validation Rules



System Administration>Flexfield>Key>Cross-Validation

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Cross-Validation Rules.

Application	Flexfield Title	Structure	Description

<Cross-Validation Rules>

Name	Description	Enabled	Error Message	Error Segment	From	To

<Cross-Validation Rule Elements>

Type	From	To

Setup Human Resources Key Flexfields/Setup Cost Allocation Flexfield/CA: Define Shorthand Aliases



System Administration>Flexfield>Key>Aliases

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define accounting shorthand aliases to ease entry of job Flexfield combinations.

Application	Flexfield Title	Structure	Description

<Shorthand>

Enabled	Max Alias Size	Prompt

<Shorthand Aliases>

Alias	Template	Alias Description	Enabled	From	To

Setup Human Resources Key Flexfields/Setup People Group Flexfield/CA: Define Value Sets



System Administration>Application>Flexfield>Value Sets

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to set up a value set for each segment of your People Group Flexfield.

<Value Set>

Value Set Name	Description	Security Available	Enable Long List

<Format Validation>

Format Type	Maximum Size	Numbers Only (0-9)	Uppercase Only (A-Z)	Right-Justify and Zero-fill numbers (0001)	Minimum Value	Maximum Value

<Value Validation>

Validation Type

Setup Human Resources Key Flexfields/Setup People Group Flexfield/CA: Define Segment Values



System Administration>Flexfield>Key>Values

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define valid values for the key job Flexfield segment or reporting parameter.

<Key Flexfield>

Title	Independent Segment	Independent Value	Structure	Dependent Segment	Value Description

<Values>



Effective

Value	Description	Enabled	Effective From	Effective To



Hierarchy/Qualifiers

Value	Description	Parent	Group	Level	Qualifiers

Setup Human Resources Key Flexfields/Setup People Group Flexfield/CA: Define Key Flexfield Segments



System Administration>Flexfield>Key>Segments

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define the structure of your job Flexfield.

<Key Flexfield>

Application	Flexfield Title

<Structures>

Title	Description	View Name

Freeze Flexfield Definition	Enabled	Segment Separator	Cross-Validate Segments	Freeze Rollup Groups	Allow Dynamic Inserts

button

Segments

<Segments Summary>

Number	Name	Window Prompt	Column	Value Set	Displayed	Enabled

Setup Human Resources Key Flexfields/Setup People Group Flexfield/CA: Define Security Rules



System Administration>Security>Responsibility>Value Set>Define

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to set up data entry security on your Flexfield segments and report parameters.

<Key Flexfield>

Title	Structure	Independent Segment	Dependent Segment	Independent Value	Value Description

<Security Rules and Security Rules Elements>

Security Rules:	Security Rules:	Security Rules:	Security Rules Elements:	Security Rules Elements:	Security Rules Elements:
Name	Description	Message	Type	From	To

Setup Human Resources Key Flexfields/Setup People Group Flexfield/CA: Assign Security Rules



System Administration>Security>Responsibility>Value Set>Assign

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to assign security rules to an application Responsibility.

<Key Flexfield>

Title	Structure	Independent Segment	Dependent Segment	Independent Value	Value Description

<Assign Security Rules>

Application	Responsibility	Name	Description	Message

Setup Human Resources Key Flexfields/Setup People Group Flexfield/CA: Define Cross-Validation Rules



System Administration>Flexfield>Key>Cross-Validation

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Cross-Validation Rules.

Application	Flexfield Title	Structure	Description

<Cross-Validation Rules>

Name	Description	Enabled	Error Message	Error Segment	From	To

<Cross-Validation Rule Elements>

Type	From	To

Setup Human Resources Key Flexfields/Setup People Group Flexfield/CA: Define Shorthand Aliases



System Administration>Flexfield>Key>Aliases

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define accounting Shorthand Aliases to ease entry of people Group combinations.

Application	Flexfield Title	Structure	Description

<Shorthand>

Enabled	Maximum Alias Size	Prompt

<Shorthand Aliases>

Alias	Template	Alias Description	Enabled	From	To

Setup Human Resources Key Flexfields/Setup Grade Flexfield/CA: Define Value Sets



System Administration>Application>Flexfield>Value Sets

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to set up a value set for each segment of your Grade Flexfield.

<Value Set>

Value Set Name	Description	Security	Enable
		Available	Long List

<Format Validation>

Format Type	Maximum Size	Numbers Only (0-9)	Uppercase Only (A-Z)	Right-Justify and Zero-fill numbers (0001)	Minimum Value	Maximum Value

<Value Validation>

Validation Type

Setup Human Resources Key Flexfields/Setup Grade Flexfield/CA: Define Segment Values



System Administration>Flexfield>Key>Values

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define valid values for the Key Grade Flexfield segment or reporting parameter.

<Key Flexfield>

Title	Independent Segment	Independent Value	Structure	Dependent Segment	Value Description

<Values>



Effective

Value	Description	Enabled	Effective From	Effective To



Hierarchy/Qualifiers

Value	Description	Parent	Group	Level	Qualifiers

Setup Human Resources Key Flexfields/Setup Grade Flexfield/CA: Define Key Flexfield Segments



System Administration>Flexfield>Key>Segments

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define the structure of your Grade Flexfield.

<Key Flexfield>

Application	Flexfield Title

<Structures>

Title	Description	View Name

Freeze Flexfield Definition	Enabled	Segment Separator	Cross-Validate Segments	Freeze Rollup Groups	Allow Dynamic Inserts

button

Segments

<Segments Summary>

Number	Name	Window Prompt	Column	Value Set	Displayed	Enabled

Setup Human Resources Key Flexfields/Setup Grade Flexfield/CA: Define Security Rules



System Administration>Security>Responsibility>Value Set>Define

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to set up data entry security on your Flexfield segments and report parameters.

<Key Flexfield>

Title	Structure	Independent Segment	Dependent Segment	Independent Value	Value Description

<Security Rules and Security Rules Elements>

Security Rules:	Security Rules:	Security Rules:	Security Rules Elements:	Security Rules Elements:	Security Rules Elements:
Name	Description	Message	Type	From	To

Setup Human Resources Key Flexfields/Setup Grade Flexfield/CA: Assign Security Rules



System Administration>Security>Responsibility>Value Set>Assign

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to assign security rules to an application Responsibility.

<Key Flexfield>

Title	Structure	Independent Segment	Dependent Segment	Independent Value	Value Description

<Assign Security Rules>

Application	Responsibility	Name	Description	Message

Setup Human Resources Key Flexfields/Setup Grade Flexfield/CA: Define Cross-Validation Rules



System Administration>Flexfield>Key>Cross-Validation

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Cross-Validation Rules.

Application	Flexfield Title	Structure	Description

<Cross-Validation Rules>

Name	Description	Enabled	Error Message	Error Segment	From	To

<Cross-Validation Rule Elements>

Type	From	To

Setup Human Resources Key Flexfields/Setup Grade Flexfield/CA: Define Shorthand Aliases



System Administration>Flexfield>Key>Aliases

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define accounting Shorthand Aliases to ease entry of Grade Flexfield combinations.

Application	Flexfield Title	Structure	Description

<Shorthand>

Enabled	Maximum Alias Size	Prompt

<Shorthand Aliases>

Alias	Template	Alias Description	Enabled	From	To

Setup Inventory Key Flexfield/Setup Item Catalog Flexfield/CA: Define Value Sets



System Administration>Application>Flexfield>Value Sets

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to set up a Value Set for each segment of your Item Catalog Flexfield.

<Value Set>

Value Set Name	Description	Security	Enable
		Available	Long List

<Format Validation>

Format Type	Maximum Size	Numbers Only (0-9)	Uppercase Only (A-Z)	Right-Justify and Zero-Fill Numbers (0001)	Minimum Value	Maximum Value

<Value Validation>

Validation Type

Setup Inventory Key Flexfield/Setup Item Catalog Flexfield/CA: Define Segment Values



System Administration>Flexfield>Key>Values

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define valid values for the Item Catalog Flexfield segment or reporting parameter.

<Key Flexfield>

Title	Independent Segment	Independent Value	Structure	Dependent Segment	Value Description

<Values>



Effective

Value	Description	Enabled	Effective From	Effective To



Hierarchy/Qualifiers

Value	Description	Parent	Group	Level	Qualifiers

Setup Inventory Key Flexfield/Setup Item Catalog Flexfield/CA: Define Key Flexfield Segments



System Administration>Flexfield>Key>Segments

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define the structure of your Item Catalog Flexfield.

<Key Flexfield>

Application	Flexfield Title

<Structures>

Title	Description	View Name

Freeze Flexfield Definition	Enabled	Segment Separator	Cross-Validate Segments	Freeze Rollup Groups	Allow Dynamic Inserts

button

Segments

<Segments Summary>

Number	Name	Window Prompt	Column	Value Set	Displayed	Enabled

Setup Inventory Key Flexfield/Setup Item Catalog Flexfield/CA: Define Security Rules



System Administration>Security>Responsibility>Value Set>Define

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to setup data entry security on your Flexfield segments and report parameters.

<Key Flexfield>

Title	Structure	Independent Segment	Dependent Segment	Independent Value	Value Description

<Security Rules and Security Rules Elements>

Security Rules:	Security Rules:	Security Rules:	Security Rules Elements:	Security Rules Elements:	Security Rules Elements:
Name	Description	Message	Type	From	To

Setup Inventory Key Flexfield/Setup Item Catalog Flexfield/CA: Assign Security Rules



System Administration>Security>Responsibility>Value Set>Assign

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to assign security rules to an application Responsibility.

<Key Flexfield>

Title	Structure	Independent Segment	Dependent Segment	Independent Value	Value Description

<Assign Security Rules>

Application	Responsibility	Name	Description	Message

Setup Inventory Key Flexfield/Setup Item Catalog Flexfield/CA: Define Cross-Validation Rules



System Administration>Flexfield>Key>Cross-Validation

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Cross-Validation Rules.

Application	Flexfield Title	Structure	Description

<Cross-Validation Rules>

Name	Description	Enabled	Error Message	Error Segment	From	To

<Cross-Validation Rule Elements>

Type	From	To

Setup Inventory Key Flexfield/Setup Item Catalog Flexfield/CA: Define Shorthand Aliases



System Administration>Flexfield>Key>Aliases

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define accounting Shorthand Aliases to ease entry of Item Catalog Flexfield combinations.

Application	Flexfield Title	Structure	Description

<Shorthand>

Enabled	Maximum Alias Size	Prompt

<Shorthand Aliases>

Alias	Template	Alias Description	Enabled	From	To

Setup Inventory Key Flexfield/Setup Item Category Flexfield/CA: Define Value Sets



System Administration>Application>Flexfield>Value Sets

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to set up a value set for each segment of your Item Category Flexfield.

<Value Set>

Value Set Name	Description	Security	Enable
		Available	Long List

<Format Validation>

Format Type	Maximum Size	Numbers Only (0-9)	Uppercase Only (A-Z)	Right-Justify and Zero-Fill Numbers (0001)	Minimum Value	Maximum Value

<Value Validation>

Validation Type

Setup Inventory Key Flexfield/Setup Item Category Flexfield/CA: Define Segment Values



System Administration>Flexfield>Key>Values

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define valid values for the Item Category Flexfield segment or reporting parameter.

<Key Flexfield>

Title	Independent Segment	Independent Value	Structure	Dependent Segment	Value Description

<Values>

Effective

Value	Description	Enabled	Effective From	Effective To



Hierarchy/Qualifiers

Value	Description	Parent	Group	Level	Qualifiers

Setup Inventory Key Flexfield/Setup Item Category Flexfield/CA: Define Key Flexfield Segments



System Administration>Flexfield>Key>Segments

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define the structure of your Item Category Flexfield.

<Key Flexfield>

Application	Flexfield Title

<Structures>

Title	Description	View Name

Freeze Flexfield Definition	Enabled	Segment Separator	Cross-Validate Segments	Freeze Rollup Groups	Allow Dynamic Inserts

button

Segments

<Segments Summary>

Number	Name	Window Prompt	Column	Value Set	Displayed	Enabled

Setup Inventory Key Flexfield/Setup Item Category Flexfield/CA: Define Security Rules



System Administration>Security>Responsibility>Value Set>Define

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to set up data entry security on your Flexfield segments and report parameters.

<Key Flexfield>

Title	Structure	Independent Segment	Dependent Segment	Independent Value	Value Description

<Security Rules and Security Rules Elements>

Security Rules:	Security Rules:	Security Rules:	Security Rules Elements:	Security Rules Elements:	Security Rules Elements:
Name	Description	Message	Type	From	To

Setup Inventory Key Flexfield/Setup Item Category Flexfield/CA: Assign Security Rules



System Administration>Security>Responsibility>Value Set>Assign

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to assign security rules to an application Responsibility.

<Key Flexfield>

Title	Structure	Independent Segment	Dependent Segment	Independent Value	Value Description

<Assign Security Rules>

Application	Responsibility	Name	Description	Message

Setup Inventory Key Flexfield/Setup Item Category Flexfield/CA: Define Cross-Validation Rules



System Administration>Flexfield>Key>Cross-Validation

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Cross-Validation Rules.

Application	Flexfield Title	Structure	Description

<Cross-Validation Rules>

Name	Description	Enabled	Error Message	Error Segment	From	To

<Cross-Validation Rule Elements>

Type	From	To

Setup Inventory Key Flexfield/Setup Item Category Flexfield/CA: Define Shorthand Aliases



System Administration>Flexfield>Key>Aliases

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define accounting Shorthand Aliases to ease entry of Item Category Flexfield combinations.

Application	Flexfield Title	Structure	Description

<Shorthand>

Enabled	Maximum Alias Size	Prompt

<Shorthand Aliases>

Alias	Template	Alias Description	Enabled	From	To

Setup Inventory Key Flexfield/Setup Item Flexfield/CA: Define Value Sets



System Administration>Application>Flexfield>Value Sets

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to set up a value set for each segment of your Item Flexfield.

<Value Set>

Value Set Name	Description	Security	Enable
		Available	Long List

<Format Validation>

Format Type	Maximum Size	Numbers Only (0-9)	Uppercase Only (A-Z)	Right-Justify and Zero-Fill Numbers (0001)	Minimum Value	Maximum Value

<Value Validation>

Validation Type

Setup Inventory Key Flexfield/Setup Item Flexfield/CA: Define Segment Values



System Administration>Flexfield>Key>Values

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define valid values for the Key Item Flexfield Segment or reporting parameter.

<Key Flexfield>

Title	Independent Segment	Independent Value	Structure	Dependent Segment	Value Description

<Values>



Effective

Value	Description	Enabled	Effective From	Effective To



Hierarchy/Qualifiers

Value	Description	Parent	Group	Level	Qualifiers

Setup Inventory Key Flexfield/Setup Item Flexfield/CA: Define Key Flexfield Segments



System Administration>Flexfield>Key>Segments

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define the structure of your Item Flexfield.

<Key Flexfield>

Application	Flexfield Title

<Structures>

Title	Description	View Name

Freeze Flexfield Definition	Enabled	Segment Separator	Cross-Validate Segments	Freeze Rollup Groups	Allow Dynamic Inserts

button

Segments

<Segments Summary>

Number	Name	Window Prompt	Column	Value Set	Displayed	Enabled

Setup Inventory Key Flexfield/Setup Item Flexfield/CA: Define Security Rules



System Administration>Security>Responsibility>Value Set>Define

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to set up data entry security on your Flexfield segments and report parameters.

<Key Flexfield>

Title	Structure	Independent Segment	Dependent Segment	Independent Value	Value Description

<Security Rules and Security Rules Elements>

Security Rules:	Security Rules:	Security Rules:	Security Rules Elements:	Security Rules Elements:	Security Rules Elements:
Name	Description	Message	Type	From	To

Setup Inventory Key Flexfield/Setup Item Flexfield/CA: Assign Security Rules



System Administration>Security>Responsibility>Value Set>Assign

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to assign security rules to an application Responsibility.

<Key Flexfield>

Title	Structure	Independent Segment	Dependent Segment	Independent Value	Value Description

<Assign Security Rules>

Application	Responsibility	Name	Description	Message

Setup Inventory Key Flexfield/Setup Item Flexfield/CA: Define Cross-Validation Rules



System Administration>Flexfield>Key>Cross-Validation

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Cross-Validation Rules.

Application	Flexfield Title	Structure	Description

<Cross-Validation Rules>

Name	Description	Enabled	Error Message	Error Segment	From	To

<Cross-Validation Rule Elements>

Type	From	To

Setup Inventory Key Flexfield/Setup Item Flexfield/CA: Define Shorthand Aliases



System Administration>Flexfield>Key>Aliases

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define accounting Shorthand Aliases to ease entry of Item Flexfield combinations.

Application	Flexfield Title	Structure	Description

<Shorthand>

Enabled	Maximum Alias Size	Prompt

<Shorthand Aliases>

Alias	Template	Alias Description	Enabled	From	To

Setup Inventory Key Flexfield/Setup Item Flexfield/CA: Define Item Profile Options

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Once you have defined your System Item Flexfield structure, you need to specify your Item Flexfield profile options.

Set the OE: Item Flexfield profile at the site level to specify the System Item Flexfield structure you want to use. Set this to 'System Items,' which is the System Item Flexfield structure you have just defined. Next, set your AR: Item Flexfield Mode profile option to choose your preferred method of entry for this flexfield within Receivables. This default value is concatenated segment entry.



Attention: The value you specify for this profile option at the User level in this window takes precedence over the value that is set for this profile option by the system administrator at the site, application, responsibility, or user level.

Profile	Site	Application	Responsibility	User

Setup Accounts Receivable Key Flexfield/Setup Sales Tax Locations Flexfield/CA: Define Value Sets



System Administration>Application>Flexfield>Value Sets

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to set up a value set for each segment of your Sales Tax Flexfield.

<Value Set>

Value Set Name	Description	Security	Enable
		Available	Long List

<Format Validation>

Format Type	Maximum Size	Numbers Only (0-9)	Uppercase Only (A-Z)	Right-Justify and Zero-Fill Numbers (0001)	Minimum Value	Maximum Value

<Value Validation>

Validation Type

Setup Accounts Receivable Key Flexfield/Setup Sales Tax Locations Flexfield/CA: Define Segment Values



System Administration>Flexfield>Key>Values

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define valid values for the key Sales Tax Flexfield segment or reporting parameter.

<Key Flexfield>

Title	Independent Segment	Independent Value	Structure	Dependent Segment	Value Description

<Values>



Effective

Value	Description	Enabled	Effective From	Effective To



Hierarchy/Qualifiers

Value	Description	Parent	Group	Level	Qualifiers

Setup Accounts Receivable Key Flexfield/Setup Sales Tax Locations Flexfield/CA: Define Key Flexfield Segments



System Administration>Flexfield>Key>Segments

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define the structure of your job Flexfield.

<Key Flexfield>

Application	Flexfield Title

<Structures>

Title	Description	View Name

Freeze Flexfield Definition	Enabled	Segment Separator	Cross-Validate Segments	Freeze Rollup Groups	Allow Dynamic Inserts

button

Segments

<Segments Summary>

Number	Name	Window Prompt	Column	Value Set	Displayed	Enabled

Setup Accounts Receivable Key Flexfield/Setup Sales Tax Locations Flexfield/CA: Define Security Rules



System Administration>Security>Responsibility>Value Set>Define

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to set up data entry security on your Flexfield segments and report parameters.

<Key Flexfield>

Title	Structure	Independent Segment	Dependent Segment	Independent Value	Value Description

<Security Rules and Security Rules Elements>

Security Rules: Name	Security Rules: Description	Security Rules: Message	Security Rules Elements: Type	Security Rules Elements: From	Security Rules Elements: To

Setup Accounts Receivable Key Flexfield/Setup Sales Tax Locations Flexfield/CA: Assign Security Rules



System Administration>Security>Responsibility>Value Set>Assign

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to assign security rules to an application Responsibility.

<Key Flexfield>

Title	Structure	Independent Segment	Dependent Segment	Independent Value	Value Description

<Assign Security Rules>

Application	Responsibility	Name	Description	Message

Setup Accounts Receivable Key Flexfield/Setup Sales Tax Locations Flexfield/CA: Define Cross-Validation Rules



System Administration>Flexfield>Key>Cross-Validation

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Cross-Validation Rules.

Application	Flexfield Title	Structure	Description

<Cross-Validation Rules>

Name	Description	Enabled	Error Message	Error Segment	From	To

<Cross-Validation Rule Elements>

Type	From	To

Setup Accounts Receivable Key Flexfield/Setup Sales Tax Locations Flexfield/CA: Define Shorthand Aliases



System Administration>Flexfield>Key>Aliases

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define accounting Shorthand Aliases to ease entry of Sales Tax locations Flexfield combinations.

Application	Flexfield Title	Structure	Description

<Shorthand>

Enabled	Maximum Alias Size	Prompt

<Shorthand Aliases>

Alias	Template	Alias Description	Enabled	From	To

Setup Accounts Receivable Key Flexfield/Setup Territory Flexfield/CA: Define Value Sets



System Administration>Application>Flexfield>Value Sets

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to set up a value set for each segment of your Territory Flexfield.

<Value Set>

Value Set Name	Description	Security	Enable
		Available	Long List

<Format Validation>

Format Type	Maximum Size	Numbers Only (0-9)	Uppercase Only (A-Z)	Right-Justify and Zero-Fill Numbers (0001)	Minimum Value	Maximum Value

<Value Validation>

Validation Type

Setup Accounts Receivable Key Flexfield/Setup Territory Flexfield/CA: Define Segment Values



System Administration>Flexfield>Key>Values

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define valid values for the key Territory Flexfield segment or reporting parameter.

<Key Flexfield>

Title	Independent Segment	Independent Value	Structure	Dependent Segment	Value Description

<Values>



Effective

Value	Description	Enabled	Effective From	Effective To



Hierarchy/Qualifiers

Value	Description	Parent	Group	Level	Qualifiers

Setup Accounts Receivable Key Flexfield/Setup Territory Flexfield/CA: Define Key Flexfield Segments



System Administration>Flexfield>Key>Segments

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define the structure of your Territory Flexfield.

<Key Flexfield>

Application	Flexfield Title

<Structures>

Title	Description	View Name

Freeze Flexfield Definition	Enabled	Segment Separator	Cross-Validate Segments	Freeze Rollup Groups	Allow Dynamic Inserts

button

Segments

<Segments Summary>

Number	Name	Window Prompt	Column	Value Set	Displayed	Enabled

Setup Accounts Receivable Key Flexfield/Setup Territory Flexfield/CA: Define Security Rules



System Administration>Security>Responsibility>Value Set>Define

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to set up data entry security on your Flexfield segments and report parameters.

<Key Flexfield>

Title	Structure	Independent Segment	Dependent Segment	Independent Value	Value Description

<Security Rules and Security Rules Elements>

Security Rules: Name	Security Rules: Description	Security Rules: Message	Security Rules Elements: Type	Security Rules Elements: From	Security Rules Elements: To

Setup Accounts Receivable Key Flexfield/Setup Territory Flexfield/CA: Assign Security Rules



System Administration>Security>Responsibility>Value Set>Assign

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to assign security rules to an application Responsibility.

<Key Flexfield>

Title	Structure	Independent Segment	Dependent Segment	Independent Value	Value Description

<Assign Security Rules>

Application	Responsibility	Name	Description	Message

Setup Accounts Receivable Key Flexfield/Setup Territory Flexfield/CA: Define Cross-Validation Rules



System Administration>Flexfield>Key>Cross-Validation

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Cross-Validation Rules.

Application	Flexfield Title	Structure	Description

<Cross-Validation Rules>

Name	Description	Enabled	Error Message	Error Segment	From	To

<Cross-Validation Rule Elements>

Type	From	To

Setup Accounts Receivable Key Flexfield/Setup Territory Flexfield/CA: Define Shorthand Aliases



System Administration>Flexfield>Key>Aliases

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define accounting Shorthand Aliases to ease entry of Territory Flexfield combinations.

Application	Flexfield Title	Structure	Description

<Shorthand>

Enabled	Maximum Alias Size	Prompt

<Shorthand Aliases>

Alias	Template	Alias Description	Enabled	From	To

Setup Currencies/CA: Define Currencies



Receivables>Set Up>Financials>Currencies>Currencies

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define non-ISO (International Standards Organization) currencies, and to enable/disable currencies. Oracle Applications™ has predefined all currencies specified in ISO standard #4217. To use a currency other than U.S. Dollars (USD), you must enable the currency. U.S. Dollars (USD) is the only currency that is enabled initially.



Attention: You cannot change a currency code after you enable the currency, even if you later disable that currency.

Code	Name	Description	Issuing Territory	Symbol	Precision	Extended Precision	Minimum Accountable Unit	Currency Derivation options Type	Currency Derivation options Factor	Currency Derivation options Effective	Effective Dates From	Effective Dates To	Enabled
					2	5							Yes

Setup Currencies/CA: Define Conversion Rates Types



Receivables>Set Up>Financials>Currencies>Rates>Conversion Type

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner:

Description: Use this form to define conversion types.

<Conversion Rate Types>

Name	Description

Setup Calendars/CA: Define Period Types



Receivables>Set Up>Financials>Calendar>Period Types

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Calendar Period Types.

<Period Type>

Name	Periods Per Year	Year Type	Description

Setup Calendars/CA: Define Accounting Calendar



General Ledger>Setup>Financials>Calendar>Accounting

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Accounting Calendars.

<Accounting Calendar>

Name	
Description	

<Periods>

Prefix	Type	Year	Quarter	Number	From	To	Name	Adjusting

Setup Calendars/CA: Define Transaction Calendar



General Ledger>Setup>Financials>Calendar>Transaction

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Transaction Calendars.

<Transaction Calendar>

Name	
Description	

Date	Day of Week	Business Day
		Yes

Setup Calendars/CA: Define Workday Calendar



Manufacturing>Bill of Materials>Setup>Calendars

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define the Workday Calendar.

Name		
Description		
Quarterly Type		

From		
Description		

button

Workday Pattern

<Workday Patterns>

Sequence	Days: On	Days: Off	Description

button

Shifts

Shift Number	Description

button

Times

<Times>

Start	Stop

Start		Stop	

Setup Calendars/CA: Define Exception Templates



Manufacturing>Bill of Materials>Setup>Exception Templates

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define workday Exception Templates.

<Exception Templates>

Template	
Description	
Inactive On	

<Dates>

Date	Days: On

Setup Sets of Books/CA: Define Sets of Books



General Ledger>Setup>Financials>Books>Define

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Sets of Books.

<Set of Books>

Name	
Short Name	
Description	
Chart of Account	
Functional Currency	

<Calendar>

Accounting Calendar	
Period Type	
Future Periods	

<Accounts>

Retained Earnings	
Suspense	
Intercompany	
Translation Adjusted	
Reserve for Encumbrance	
Net Income	



Standard Options

Allow Suspense Posting	
Balance Intercompany Journals	
Enable Average Balances	
Enable Journal Approval	
Enable Journal Entry Tax	

**Average Balance Options**

Consolidation Set of Books	
Transaction Calendar	
Translation Rate Type	

<Translate Optional Amount Types>

EOD	
QATD	
YATD	

**Budgetary Control Options**

Enable Budgetary Control	
Require Budget Journals	

**Reporting Currency Options**

Primary Set of Books	
Reporting Set of Books	
Not Applicable	

Setup Sets of Books/CA: Define Required Responsibilities



System Administrator>Security>Responsibility>Define

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Responsibilities.

<Responsibilities>

Responsibility Name	
Application	
Responsibility Key	
Description	
Effective Dates From:	
Effective Dates: To	

<Available From>

Oracle Applications	
Oracle Self Service Web Applications	

<Data Group>

Name	
Application	
Menu	
Web Host Name	
Web Agent Name	

<Request Group>

Name	
Application	



Function and Menu Exclusions

Type	Name	Description



Excluded Items

Name	Application

Name		Application	



Securing Attributes

Name	Application

Setup Sets of Books/CA: Assign Responsibility to a Set of Books



System Administrator>Profile>System

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Before you can use a newly defined set of books, you must associate the Set of Books to all applicable responsibilities. Associate the profile options 'GL Set of Books Name', 'MRC: Reporting Set Of Books', and 'OE: Set of Books Name' to each appropriate responsibility.

Responsibility	
Profile	<Responsibility Name>
GL Set of Books ID	
MRC: Reporting Set Of Books	
OE: Set of Books	

CA: Define Account Code Combinations



General Ledger>Setup>Accounts>Combinations

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define general ledger accounts Combinations, currency rates, and to establish summary accounts.

Enabled	Account	Type	Effective Dates: From	Effective Dates: To	Allow Posting	Allow Budgeting	Account Description

CA: Define Summary Accounts



General Ledger>Setup>Accounts>Summary

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Summary Accounts.

<Summary Accounts>

Name	Template	Description	Earliest	Status

CA: Open and Close Periods



General Ledger>Setup>Open/Close

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to Open and Close Periods.

<Accounting Period>

Latest Open	
-------------	--

<Encumbrance Year>

Latest Open	
-------------	--

Status	Period	Number	Fiscal Year	From Date	To Date

Setup Currency Rates/CA: Define Daily Rates



General Ledger>Setup>Currencies>Rates>Daily

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Daily Rates.

<Daily Rates>

Currency: From	Currency: To	Conversion: Date	Conversion: Type

Setup Currency Rates/CA: Define Period Rates



General Ledger>Setup>Currencies>Rates>Period

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Period-End and Period-Average Rates.

<Period Rates>

Currency: From	Currency: To	Balance Type	Period	Period Exchange Rates: Average	Period Exchange Rates: End	Period Exchange Rates: Revaluation

Setup Currency Rates/CA: Define Historical Rates



General Ledger>Setup>Currencies>Rates>Historical

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Historical Res.

<Historical Rates>

Functional Currency	
Target Currency	

Period	Account	Rate	Amount	Rate Type	Account Description

CA: Define Business Groups



All Sub Ledgers>Setup>System Organizations>Organizations

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define your Business Groups.

<Organization>

Name	Type

<Dates>

From	To

Location	Internal or External	Location Address	Internal Address

<Organization Classifications>

Name	Enabled

CA: Define Required Responsibilities



System Administrator>Security>Responsibility>Define

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Required Responsibilities.

<Responsibilities>

Responsibility Name	
Application	
Responsibility Key	
Description	
Effective Dates: From	
Effective Dates: To	

<Available From>

Oracle Applications	
Oracle Self Service Web Applications	

<Data Group>

Name	
Application	
Menu	
Web Host Name	
Web Agent Name	

<Request Group>

Name	
Application	



Function and Menu Exclusions

Type	Name	Description



Excluded Items

Name	Application

Name		Application	



Securing Attributes

Name	Application

CA: Assign Business Groups Profiles Options



System Administrator>Profile>System

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define your Business Groups Profiles Options.
The following profile options need to be set for each responsibility created during the implementation:

- HR: Business Group (Read only from HR:Security Profile)
- HR: Security Profile (Set it to the applicable Business Group)
- HR: User Type (For all responsibilities that need access to organization and employee information)

<System Profiles>

Profile	Site	Application	Responsibility	User

CA: Start Organizations



All Sub Ledgers>Setup>System Organizations>Organizations

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define an Organization.

<Organization>

Name	Type

<Dates>

From	To

Location	Internal or External	Location Address	Internal Address

<Organization Classifications>

Name	Enabled

CA: Define Locations



All Sub Ledgers>Setup>System Organizations>Organizations

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Locations.

Name	
Inventory Organization	
Description	
Address Style	
Address	
Contact	
Ship-To-Location	
Bill-To-Location	
Office Site	
Internal Site	
Receiving Site	
Tax Name	
EDI Location	
Inactive Date	

CA: Define Organization QuickCodes

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Organization QuickCodes.

<QuickCodes>

Type	
Application	
Description	
Access Level: User	
Access Level: Extensible	
Access Level: System	

Code	Meaning	Description	Start Date	End Date	Enabled

CA: Define Legal Entities Organization



All Sub Ledgers>Setup>System Organizations>Organizations

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to query up any previously defined organizations which also need to be classified as Legal Entities, as well as add additional Legal Entities.

Select GRE/Legal Entity in the Organization Classification portion of the Define Organization window and enable it. Under "Legal Entity Accounting" associate a Set of Books to a Legal Entity under the "Others" button. Also, it is mandatory to set up "Employer Identification Group" for GRE/ LE Classification. Additionally, a Legal Entity must have a location specified.

Name	
Inventory Organization	
Description	
Address Style	
Address	
Contact	
Ship-To-Location	
Bill-To-Location	
Office Site	
Internal Site	
Receiving Site	
Tax Name	

EDI Location	
Inactive Date	

button

Others

<Legal Entities Accounting>

Set of Books	VAT Registration Number

Multiple Organization Setup/CA: Define Operating Unit Organization



All Sub Ledgers>Setup>System Organizations>Organizations

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Query up any previously defined organizations which also need to be classified as Operating Units, as well as add additional Operating Units. Select the Operating Unit in Classification portion of the Define Organization window and enable it. Additionally, click on the "Others" button and select the Set of Books and Legal Entity associated to this Operating Unit.

Multiple Organization Setup/Freight and Inventory Organizations



All Sub Ledgers>Setup>System Organizations>Organizations

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Query up any previously defined organizations which also need to be classified as Inventory Organizations, as well as add additional Inventory Organizations. Select Inventory Organization under the Classification portion of the Define Organization window and enable it.

Multiple Organization Setup/CA: Set Profile Option Levels



System Administrator>Profile>System

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: When using Multi-Org in Oracle Applications, you can optionally change the level characteristics of the following profile options:
OE: Item Validation Organization
OE: Set of Books
Sequential Numbering

Name	Application	User Profile Name	Description	Start Date	End Date

<User Access>

User Access	

<Program Access>

Program Access	

< System Administrator Access>

System Administrator Access	Visible	Updatable

Multiple Organization Setup/CA: Define Required Responsibilities



System Administrator>Security>Responsibility>Define

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define your required responsibilities. A responsibility should be setup minimally for each unique combination of Business Group, Set of Books, Item Validation Organization, and Operating Unit. Define a responsibility for each Set of Books, Business Group, and Operating Unit which is intended to be defined, if this was not addressed within the System Administration process.

<Responsibilities>

Responsibility Name	
Application	
Responsibility Key	
Description	
Effective Dates From:	
Effective Dates To:	

<Available From>

Oracle Applications	
Oracle Self Service Web Applications	

<Data Group>

Name	
Application	
Menu	
Web Host Name	
Web Agent Name	

<Request Group>

Name	
Application	



Function and Menu Exclusions

Type	Name	Description



Excluded Items

Name	Application

NameApplication	

Securing Attributes

NameApplication	

Multiple Organization Setup/CA: Assign Profile Options - Multi-Org



System Administrator>Profile>System

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to Assign your System Profile Options. The following profile options need to be set for each responsibility created during the implementation:
MO: Operating Unit
OE: Item Validation Organization
Sequential Numbering

<Profile Options>

Profile	Site	Application	Responsibility	User

Multiple Organization Setup/CA: Conversion for Multi-Org and Non Multi-Org

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Ask your database administrator to run the AutoInstall utility “adadmin”. This utility must be run for a standard 11 installation as well as a Multi Org 11 installation.
Choose the convert to Multiple Organization architecture to enable the Multi-Org Support feature as well as add operating unit context to all existing data.
This process will also replicate seed data to all operating units that have been defined.



Attention: There are no forms for this step.

Multiple Organization Setup/CA: Define Inventory Organization Security



System Administrator>Security>Responsibility>Define

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define your Inventory Organization Security. With Inventory Organization Security, you can restrict inventory organization access to specific responsibilities. You may want to restrict you manufacturing users to certain organization according to your organization hierarchy. You can specify which organizations a responsibility can access by mapping responsibilities to organizations. Once this mapping is set up, a user logging into an Oracle Manufacturing product is restricted to the organizations mapped to the responsibility chosen. The Change Organization window is restricted as well.

Attention: Until you assign an organization to a responsibility in this window, all responsibilities have access to all organizations. Once you have restricted any responsibility to an organization, you must then explicitly define the organizations which all responsibilities can access.
Attention: This feature does not restrict access once the user is in the product. Users with access to functions that cross multiple organizations (such as ATP, inter-organization Transfers, Item Search, Multi-Organization Quantity Report, and so on) can still specify any valid organization when running these functions.

<Organization Access>

Organization	Application	Name	Comments

Multiple Organization Setup/CA: Define Security Rules



System Administrator>Security>Responsibility>Value Set>Define

<Customer Short Name> Process:	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner:

Description: Use this form to define your Security Rules. Create security rules that secure data entry of balancing segment values for each legal entity. Each security rule is composed of one or more security rule elements that specify a range of values to include or exclude.

<Value Set>

Name	Dependent Value Set	Independent Value

<Security Rules and Security Rules Elements>

Security Rules:	Security Rules:	Security Rules:	Security Rules Elements:	Security Rules Elements:	Security Rules Elements:
Name	Description	Message	Type	From	To

Multiple Organization Setup/CA: Assign Security Rules



System Administrator>Security>Responsibility>Value Set>Assign

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to assign your Security Rules.

<Value Set>

Name	Dependent Value Set	Independent Value

<Security Rules>

Application	Responsibility	Name

Multiple Organization Setup/CA: Run the Multi-Org Validation Report



System Administrator>Requests>Run

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: In this step, the Multi-Org Validation Report is executed through the normal report running process.

Non-Multiple Organization Setup/CA: Define Operating Unit Organization for Non Multi-Org



All Sub Ledgers>Setup>System Organizations>Organizations

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Query up any previously defined organizations which also need to be classified as Operating Units, as well as add additional Operating Units. Select the Operating Unit in Classification portion of the Define Organization window and enable it. Additionally, click on the "Others" button and select the Set of Books, and Legal Entity associated to this Operating Unit.

Non-Multiple Organization Setup/Freight and Inventory Organizations



All Sub Ledgers>Setup>System Organizations>Organizations

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Query up any previously defined organizations which also need to be classified as Inventory Organizations, as well as add additional Inventory Organizations. Select Inventory Organization under the Classification portion of the Define Organization window and enable it.

Non-Multiple Organization Setup/CA: Assign Profile Options - Non-Multi-Org



System Administrator>Profile>System

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to assign your Profile Options. The following profile options need to be set at the site level for proper defaulting:

MO: Operating Unit

OE: Item Validation Organization

Set the MO:Operating Unit and OE:Item Validation Organization profile options to the "dummy operating unit" within the site column. The operating unit context is defaulted for every responsibility by these profile options.

<Profile Options>

Profile	Site	Application	Responsibility	User

Non-Multiple Organization Setup/CA: Conversion for Multi-Org and Non Multi-Org

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Ask your database administrator to run the AutoInstall utility “adadmin”. This utility must be run for a standard 11 installation as well as a Multi Org 11 installation.
Choose the convert to Multiple Organization architecture to enable the Multi-Org Support feature as well as add operating unit context to all existing data.
This process will also replicate seed data to all operating units that have been defined.



Attention: There are no forms for this step.

Non-Multiple Organization Setup/CA: Define Inventory Organization Security



System Administrator>Security>Responsibility>Define

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define your Inventory Organization Security. With inventory organization security, you can restrict inventory organization access to specific responsibilities. You may want to restrict you manufacturing users to certain organization according to your organization hierarchy. You can specify which organizations a responsibility can access by mapping responsibilities to organizations. Once this mapping is set up, a user logging into an Oracle Manufacturing product is restricted to the organizations mapped to the responsibility chosen. The Change Organization window is restricted as well.

Attention: Until you assign an organization to a responsibility in this window, all responsibilities have access to all organizations. Once you have restricted any responsibility to an organization, you must then explicitly define the organizations which all responsibilities can access.

Attention: This feature does not restrict access once the user is in the product. Users with access to functions that cross multiple organizations (such as ATP, inter-organization Transfers, Item Search, Multi-Organization Quantity Report, and so on) can still specify any valid organization when running these functions.

<Organization Access>

Organization	Application	Name	Comments

PA Org Classification Setup/CA: Define Project Accounting Organizations



All Sub Ledgers>Setup>System Organizations>Organizations

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define your Project Accounting Organizations.

<Organization>

Name	Type

<Dates>

From	To

Location	Internal or External	Location Address	Internal Address

<Organization Classifications>

Name	Enabled

Manufacturing Org Class Setup/CA: Define Manufacturing Organizations



All Sub Ledgers>Setup>System Organizations>Organizations

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define your Manufacturing Organizations.

<Organization>

Name	Type

<Dates>

From	To

Location	Internal or External	Location Address	Internal Address

<Organization Classifications>

Name	Enabled

HR Org Classification Setup/CA: Define Human Resource Organizations



All Sub Ledgers>Setup>System Organizations>Organizations

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define your Human Resource Organizations.

<Organization>

Name	Type

<Dates>

From	To

Location	Internal or External	Location Address	Internal Address

<Organization Classifications>

Name	Enabled

HRMS Organization Classification/CA: Define Misc Org Classifications



All Sub Ledgers>Setup>System Organizations>Organizations

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define your Miscellaneous Organization Classifications.

<Organization>

Name	Type

<Dates>

From	To

Location	Internal or External	Location Address	Internal Address

<Organization Classifications>

Name	Enabled

HRMS Organization Classification/CA: Define GRE/Legal Entity



All Sub Ledgers>Setup>System Organizations>Organizations

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define your GRE/Legal Entity.

Note: This step is for US HRMS only.

<Organization>

Name	Type

<Dates>

From	To

Location	Internal or External	Location Address	Internal Address

<Organization Classifications>

Name	Enabled

HRMS Organization Classification/CA: Define HR Business Group



All Sub Ledgers>Setup>System Organizations>Organizations

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define your HR Business Group.

<Organization>

Name	Type

<Dates>

From	To

Location	Internal or External	Location Address	Internal Address

<Organization Classifications>

Name	Enabled

HRMS Organization Classification/CA: Define AAP Organizations



All Sub Ledgers>Setup>System Organizations>Organizations

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define your AAP Organizations.

<Organization>

Name	Type

<Dates>

From	To

Location	Internal or External	Location Address	Internal Address

<Organization Classifications>

Name	Enabled

HRMS Organization Classification/CA: Define HR Org Classification



All Sub Ledgers>Setup>System Organizations>Organizations

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define your HR Organization Classification.

<Organization>

Name	Type

<Dates>

From	To

Location	Internal or External	Location Address	Internal Address

<Organization Classifications>

Name	Enabled

HRMS Organization Classification/CA: Define Reporting Establishment



All Sub Ledgers>Setup>System Organizations>Organizations

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define your Reporting Establishments.

<Organization>

Name	Type

<Dates>

From	To

Location	Internal or External	Location Address	Internal Address

<Organization Classifications>

Name	Enabled

HRMS Organization Classification/CA: UK Define HR Business Group



All Sub Ledgers>Setup>System Organizations>Organizations

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define your UK HR Business Groups.

<Organization>

Name	Type

<Dates>

From	To

Location	Internal or External	Location Address	Internal Address

<Organization Classifications>

Name	Enabled

HRMS Organization Classification/CA: UK Define HR Org Classification



All Sub Ledgers>Setup>System Organizations>Organizations

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define your UK HR Organization Classifications.

<Organization>

Name	Type

<Dates>

From	To

Location	Internal or External	Location Address	Internal Address

<Organization Classifications>

Name	Enabled

HRMS Organization Classification/CA: WW Define HR Business Group



All Sub Ledgers>Setup>System Organizations>Organizations

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define your World Wide HR Business Groups.

<Organization>

Name	Type

<Dates>

From	To

Location	Internal or External	Location Address	Internal Address

<Organization Classifications>

Name	Enabled

HRMS Organization Classification/CA: WW Define HR Org Classification



All Sub Ledgers>Setup>System Organizations>Organizations

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define your World Wide HR Organization Classifications.

<Organization>

Name	Type

<Dates>

From	To

Location	Internal or External	Location Address	Internal Address

<Organization Classifications>

Name	Enabled

CA: Start Freight and Inventory Organizations



All Sub Ledgers>Setup>System Organizations>Organizations

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define your Freight and Inventory Organizations. Query up any previously defined organizations which also need to be classified as Inventory Organizations, as well as add additional Inventory Organizations.

<Organization>

Name	Type

<Dates>

From	To

Location	Internal or External	Location Address	Internal Address

<Organization Classifications>

Name	Enabled

CA: Define Inventory Organizations



All Sub Ledgers>Setup>System Organizations>Organizations

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define your Inventory Organizations.

<Organization>

Name	Type

<Dates>

From	To

Location	Internal or External	Location Address	Internal Address

<Organization Classifications>

Name	Enabled

CA: Define Inventory Organizations Accounting Information



All Sub Ledgers>Setup>System Organizations>Organizations

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to setup up your Inventory Organization's Accounting Information. Query up your Inventory Organization, ensure that the Inventory Organization Classification is enabled, and click on the "Other" button to select Accounting Information.

<Organization>

Name	Type

<Dates>

From	To

Location	Internal or External	Location Address	Internal Address

<Organization Classifications>

Name	Enabled

CA: Define Inventory Organization Parameters



All Sub Ledgers>Setup>System Organizations>Organizations

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define your Inventory Organization Parameters.

<Organization>

Name	Type

<Dates>

From	To

Location	Internal or External	Location Address	Internal Address

<Organization Classifications>

Name	Enabled

CA: Define Inventory Organizations Receiving Options



Purchasing>Set Up>Organizations>Receiving Options

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define the Receiving Options for each Organization.

<Receipt Date>

Days Early	Days Late	Action

<Over Receipt Control>

Tolerance	Action

<Miscellaneous>

Allow Substitute Receipts	
Allow Unordered Receipts	
Allow Express Transactions	
Allow Cascade Transactions	
Allow Blind Receiving	
Receipt Routing	
Enforce Ship-To	
ASN Control Action	

<Receipt Number Options>

Entry	
Type	
Next Receipt Number	

Receiving Accrual Account	
---------------------------	--

CA: Define Units of Measure Classes



Purchasing>Setup>Units of Measure>Classes

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define your Units of Measure Classes. Unit of measure classes represent groups of units of measure with similar characteristics. Creating unit of measure classes is the first step in unit of measure management. Each unit of measure you define must belong to a unit of measure class.

<UOM Classes>

Name	Description	Base Unit	UOM	Inactive On

CA: Define Units of Measure



Purchasing>Setup>Units Of Measure>Units of Measure

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define your Units of Measure.

<Units of Measure>

Name	UOM	Description	Base Unit	Class	Inactive On

CA: Define Units of Measure Conversions



Purchasing>Setup>Units of Measure>Conversions

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define your Units of Measure Conversions. Unit of Measure Conversions are numerical factors that enable you to perform transactions in units other than the primary unit of the item being transacted.



Conversion Type: Standard

Unit	Class	Conversion	Base Unit	Inactive On



Conversion Type: Intra Class

Item	Unit	Class	Conversion	Base Unit	Inactive On



Conversion Type: Inter Class

Item	Destination Base Unit	Destination Class	Conversion	Source Base Unit	Source Class

CA: Define Item Attribute Controls



Inventory>Setup>Items>Attribute Controls

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define your Item Attribute Controls. Choose between centralized and decentralized control of item attributes. For each item attribute, you can determine whether the value of the attribute should be the same for an item in every organization in which you define the item.

<Item Attribute Controls>

[illegible]

<Subject> CA: Define Item Attribute Controls 192 of 228
File Ref: BR100Aca_Common_Applications_Application_Setup.doc (v. DRAFT 1A)
Company Confidential - For internal use only

<Subject> CA: Define Item Attribute Controls 193 of 228
File Ref: BR100Aca_Common_Applications_Application_Setup.doc (v. DRAFT 1A)
Company Confidential - For internal use only

File Ref: BR100Aca_Common_Applications_Application_Setup.doc (v. DRAFT 1A)
Company Confidential - For internal use only

<Subject> CA: Define Item Attribute Controls 195 of 228
File Ref: BR100Aca_Common_Applications_Application_Setup.doc (v. DRAFT 1A)
Company Confidential - For internal use only

Group Name	Attribute Name	Controlled At

Status Attributes: Group Name	Attribute Name	Controlled At	Status Setting

CA: Define Container Type QuickCodes

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define your Container Type QuickCodes.

<QuickCodes>

Type	
Application	
Description	
Access Level: User	
Access Level: Extensible	
Access Level: System	

Code	Meaning	Description	Start Date	End Date	Enabled

CA: Define Status



Inventory>Setup>Items>Status Codes

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define your statuses. You can use statuses to provide default values for certain item attributes to control the functionality of an item. When you update the values for a status, all items to which it is assigned are also updated.

Status	Description	Inactive Date

Attribute	Value	Usage

CA: Define Item Type QuickCodes



Inventory>Setup>Items>Item Types

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define your Item Type QuickCodes.

<QuickCodes>

Type	
Application	
Description	
Access Level: User	
Access Level: Extensible	
Access Level: System	

Code	Meaning	Description	Start Date	End Date	Enabled

CA: Define Customer Item Commodity Codes



Inventory>Setup>Items>Customer Item Commodity Codes

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define your Customer Item Commodity Codes.

<Customer Item Commodity Codes>

Commodity Code	Description	Inactive On

CA: Define Item Template



Inventory>Setup>Items>Templates

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define your item templates to be used in defining new items.

Note: Item Templates are pre-defined with the system. Customized templates can be developed for:


- Finished Good Item
Outside Processing Item
Fabricated Item
Reference Item
- Purchased Item
Kit Item
Phantom Item
Expense/Supply Item
- Assembly Item
Planning Item
Freight Item

<Item Templates>

Template	
Description	
Organization	

Main


Attribute Name	Controlled At	Value	Enabled
User Item Type			
Item Status			
Primary Unit of Measure			
Conversions			
Item Description			
Descriptive Flexfield			



Inventory


Attribute Name	Controlled At	Value	Enabled
Inventory Item			
Stockable			
Transactable			
Revision Control			
Lot Control			
Starting Lot Number			
Starting Lot Prefix			
Serial Number Generation			
Starting Serial Number			
Starting Serial Prefix			
Lot Expiration			
Shelf Life Days			
Restrict Subinventories			
Locator Control			
Restrict Locators			
Reservable			

Cycle Count Enabled			
Negative Measurement Error			
Positive Measurement Error			




Bills of Material

Attribute Name	Controlled At	Value	Enabled
BOM Item Type			
BOM Allowed			
Base Model			



Costing

Attribute Name	Controlled At	Value	Enabled
Costing Enabled			
Inventory Asset Value			
Cost of Goods Sold Account			
Include in Rollup			
Standard Lot Size			



Purchasing

Attribute Name	Controlled At	Value	Enabled
Purchased			
Purchasable			
Default Buyer			
Use Approved Supplier			
Taxable			
Receipt Close Tolerance			
Allow Description Update			
Inspection Required			
Receipt Required			
Market Price			
UN Number			
Hazard Class			
RFQ Required			
List Price			
Price Tolerance %			
Asset Category			

Outside Processing Item			
Outside Processing Unit Type			
Rounding Factor			
Unit of Issue			
Invoice Close Tolerance			
Encumbrance Account			
Expense Account			



Receiving

Attribute Name	Controlled At	Value	Enabled
Over-Receipt Qty Action			
Receipt Routing			
Over-Receipt Qty Tolerance			
Enforce Ship-To			
Allow Substitute Receipts			
Allow Unordered Receipts			
Allow Express Transactions			
Days Early Receipt Allowed			
Days Late Receipt Allowed			

<Subject>

CA: Define Item Template 206 of 228

Receipt Date Action			
---------------------	--	--	--



Physical Attributes

Attribute Name	Controlled At	Value	Enabled
Weight Unit of Measure			
Unit Weight			
Volume Unit of Measure			
Unit Volume			
Container			
Vehicle			
Maximum Load Weight			
Minimum Fill Percentage			
Internal Volume			
Container Type			



General Planning

Attribute Name	Controlled At	Value	Enabled
Inventory Planning Method			
Planner			
Make or Buy			
Min-Max Minimum Quantity			
Min-Max Maximum Quantity			
Safety Stock Bucket Days			
Carrying Cost Percent			
Order Cost			
Safety Stock Percent			
Safety Stock			
Fixed Order Quantity			
Fixed Days Supply			
Minimum Order Quantity			
Maximum Order Quantity			
Fixed Lot Size Multiplier			
Source Type			

Source Organization			
Source Subinventory			



MPS/MRP Planning

Attribute Name	Controlled At	Value	Enabled
MRP Planning Method			
Planning Exception Set			
End Assembly Pegging			
Round Order Quantities			
Reduce MPS			
Shrinkage Rate			
Acceptable Early Days			
Calculate ATP			
Overrun Percentage			
Repetitive Planning			
Acceptable Rate -			
Acceptable Rate +			
Planning Time Fence			
Planning Time Fence Days			

Demand Time Fence			
Demand Time Fence Days			
Forecast Control			
Release Time Fence			
Release Time Fence Days			



Lead Times

Attribute Name	Controlled At	Value	Enabled
Preprocessing Lead Time			
Processing Lead Time			
Postprocessing Lead Time			
Fixed Lead Time			
Variable Lead Time			
Cum Manufacturing Lead Time			
Cumulative Total Lead Time			
Lead Time Lot Size			



Work in Process

Attribute Name	Controlled At	Value	Enabled
Build in WIP			
WIP Supply Type			
WIP Supply Subinventory			
WIP Supply Locator			



Order Entry

Attribute Name	Controlled At	Value	Enabled
Customer Ordered	Org Level		
Customer Orders Enabled	Master Level		
Internal Ordered	Org Level		
Internal Orders Enabled	Master Level		
Shippable	Org Level		
OE Transactable	Org Level		
Default Shipping Organization	Org Level		
Picking Rule	Org Level		
Pick Components	Org Level		

Assemble to Order	Org Level		
Check ATP	Master Level		
ATP Components	Master Level		
ATP Rule	Master Level		
Ship Model Complete	Org Level		
Returnable	Org Level		
RMA Inspection Required	Org Level		
Collateral Item	Org Level		



Invoicing

Attribute Name	Controlled At	Value	Enabled
Invoiceable Item			
Invoice Enabled			
Accounting Rule			
Invoicing Rule			
Tax Code			
Sales Account			
Payment Terms			

Service

Attribute Name	Controlled At	Value	Enabled
Support Service			
Service Duration Period			
Service Duration			
Billing Type			
Warranty			
Coverage			
Serviceable Product			
Service Starting Delay			

CA: Define Cross-Reference Types



Inventory>Setup>Items>Templates

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Cross Reference Types.

<Cross Reference Types>

Type	Description	Inactive On

CA: Define Categories



Inventory>Setup>Items>Category Codes

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define categories that will be used to group items.

Structure Name	Category	Description	Inactive On

CA: Define Category Sets



Inventory>Setup>Items>Categories>Category Sets

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define your Category Sets.

<Category Set>

Name	
Description	
Flex Structure	
Controlled At	
Default Category	

Enforce List of Valid Categories	
----------------------------------	--

Valid Categories

CA: Define Default Category Sets



Inventory>Setup>Items>Categories>Category Sets

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define your Default Category Sets. When you install Oracle Inventory, you must assign a default category set to each of the following functional areas: Inventory, Purchasing, Order Entry, Costing, Engineering, and Planning. Inventory makes the default category set mandatory for all items defined for use by a functional area.

If your item is enabled for a particular functional area you cannot delete the item's corresponding default category set assignment. Inventory assigns default category sets so that each functional area has at least one category set that contains all items in that functional area.

You can enable an item for each functional area by using that functional area's item defining attribute. An item defining attribute identifies the nature of an item. For example, what designates an item as an "engineering item" is the attribute Engineering Item. If a functional area's item defining attribute is controlled at the Organization level, then that functional area may only have an Organization level default category set.

You set the item defining attribute when you define the item.

<Default Category Set>

Functional Area	Category Set	Description

CA: Define Item Catalog Groups



Inventory>Setup>Items>Catalog Groups

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define catalog groups for items.

<Catalog Groups>

Name	Description	Inactive On



Details



Descriptive Elements

Sequence	Name	Description	Required	Description Default



Aliases

Name	Description



Categories

Category Set	Category

CA: Define Freight Carriers

 Inventory>Setup>Freight Carriers

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define your Freight Carriers. A freight carrier is a commercial company used for internal transfers between organizations, as well as shipments to and from customers and suppliers. You must associate a general ledger account with each carrier to collect costs associated with using this carrier. You assign a carrier to each inter-organization transaction.

<Freight Carriers>

Carrier Name	Description	Distribution Account	Inactive After

CA: Define Employee QuickCodes

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define your Employee QuickCodes.

<QuickCodes>

Type	
Application	
Description	
Access Level: User	
Access Level: Extensible	
Access Level: System	

Code	Meaning	Description	Start Date	End Date	Enabled

CA: Define Jobs



Purchasing>Set Up>Personnel>Jobs

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define Jobs. A job is a generic role within a Business Group, which is independent of any single organization. For example, the jobs “Manager” and “Consultant” can occur in many organizations.

Date From	Date To	Name	Further Information

CA: Define Positions



Purchasing>Set Up>Personnel>Positions

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define your Positions. A position is a specific occurrence of one job, fixed within one organization. For example, the position “Finance Manager” would be an instance of the job of “Manager” in the “Finance” organization. The position belongs to the organization. There may be one, many, or no holders of a position at any time.

<Dates>

From	
To	

Name	
Organization	
Location	
Job	
Status	



Standard Conditions

Working Hours	
Frequency	
Normal Time Start	
Normal Time End	



Probation Period

Length	
Units	



Absence

Replacement Required	
Relief	



Planned Successor

Position Name	
---------------	--

button

Reporting To

Hierarchy	Name

CA: Define Position Hierarchies



Purchasing>Set Up>Personnel>Position Hierarchy

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define your hierarchies. If you use positions to define roles, you can define position hierarchies to show the detailed line management reporting in each organization or throughout the enterprise.

<Position Hierarchy>

Name	Hierarchy

<Version>

Number	Date From	Date To

<Position>

Name	Holder	Employee Number	Exists in Hierarchy	Number of Subordinates

<Subordinates>

Name	Holder's Name	Holder's Number	Number of Subordinates

CA: Define Employees (Human Resources not Installed)



Purchasing>Set Up>Personnel>Employees

<Customer Short Name> Process: <Process Name>	Business Area: <Business Area>	Date: <Date>
Control Number: <Control Number>	Priority(H, M, L): <Priority (H, M, L)>	Process Owner: <Process Owner>

Description: Use this form to define your employees. Skip this step if you are using Automatic Employee Numbering. You will receive a notification within Common Financials or Common Manufacturing to set up Automatic Numbering and Employees.



Attention: This form will not display if Human Resources is installed.

Open and Closed Issues for this Deliverable

Open Issues

ID	Issue	Resolution	Responsibility	Target Date	Impact Date

Closed Issues

ID	Issue	Resolution	Responsibility	Target Date	Impact Date