

AIM

# BR.100ACS SERVICE APPLICATIONS SETUP

<Company Long Name>

<Subject>

Author: <Author>  
Creation Date: May 23, 1999  
Last Updated: August 15, 2025  
Document Ref: <Document Reference Number>  
Version: DRAFT 1A

## Approvals:

<Approver 1>

<Approver 2>

ORACLE®

Copy Number \_\_\_\_\_

## Document Control

### Change Record

| Date      | Author   | Version  | Change Reference     |
|-----------|----------|----------|----------------------|
| 23-May-99 | <Author> | Draft 1a | No Previous Document |
|           |          |          |                      |
|           |          |          |                      |
|           |          |          |                      |

### Reviewers

| Name | Position |
|------|----------|
|      |          |
|      |          |
|      |          |
|      |          |

### Distribution

| Copy No. | Name           | Location        |
|----------|----------------|-----------------|
| 1        | Library Master | Project Library |
| 2        |                | Project Manager |
| 3        |                |                 |
| 4        |                |                 |

#### Note To Holders:

If you receive an electronic copy of this document and print it out, please write your name on the equivalent of the cover page, for document control purposes.

If you receive a hard copy of this document, please write your name on the front cover, for document control purposes.

---

## Contents

|                                                               |    |
|---------------------------------------------------------------|----|
| Document Control .....                                        | ii |
| Application Set Up Control Sheet - Service.....               | 1  |
| Profiles - System, User/CS: Define Profiles - System .....    | 4  |
| Profiles - System, User/CS: Define Profiles - User .....      | 5  |
| Profiles - System, User/CS: Define Service Parameters .....   | 6  |
| Customer Product/CS: Define Customer Product Statuses .....   | 7  |
| Customer Product/CS: Define Customer Product Types .....      | 8  |
| Customer Product/CS: Define System Types.....                 | 9  |
| Customer Product/CS: Define Order Transaction Types .....     | 10 |
| Customer Product/CS: Define Split CP Reasons .....            | 11 |
| Customer Product/CS: Define Transaction Groups .....          | 12 |
| Services/CS: Define Service Coverages.....                    | 13 |
| Services/CS: Define Items - Master Level .....                | 14 |
| Services/CS: Define Items - Org Level .....                   | 29 |
| Services/CS: Define Service Availability .....                | 41 |
| Services/CS: Define Renewal Reasons .....                     | 42 |
| Services/CS: Define Termination Reasons .....                 | 43 |
| Code, Concurrent Mgr/CS: Define Support Levels.....           | 44 |
| Code, Concurrent Mgr/CS: Define Service Groups .....          | 45 |
| Code, Concurrent Mgr/CS: Define Dispatch Rules .....          | 46 |
| Code, Concurrent Mgr/CS: Define Repair Diagnostic Codes ..... | 48 |
| Code, Concurrent Mgr/CS: Define Repair/Reject Reasons .....   | 49 |

|                                                               |    |
|---------------------------------------------------------------|----|
| Code, Concurrent Mgr/CS: Define Concurrent Processes .....    | 50 |
| Service Request/CS: Define Request Action Types .....         | 52 |
| Service Request/CS: Define Request Action Statuses .....      | 53 |
| Service Request/CS: Define Request Action Severity .....      | 54 |
| Service Request/CS: Define Urgencies .....                    | 55 |
| Service Request/CS: Define Problem Codes.....                 | 56 |
| Service Request/CS: Define Resolution Codes.....              | 57 |
| Service Request/CS: Define Systems .....                      | 58 |
| Service Request/CS: Define Message Action Requests .....      | 60 |
| Service Request/CS: Define Call Types.....                    | 61 |
| Service Request/CS: Define Call Follow-Up Types.....          | 62 |
| Remaining Services/CS: Define Customer Products.....          | 63 |
| Remaining Services/CS: Define Order Services.....             | 66 |
| Remaining Services/CS: Define Renewal Services .....          | 67 |
| Remaining Services/CS: Define Terminate Services .....        | 69 |
| Remaining Services/CS: Define Customer Product Services ..... | 71 |
| Remaining Services/CS: Define Customer Co-Terminate Date..... | 72 |
| Open and Closed Issues for this Deliverable .....             | 73 |
| Open Issues.....                                              | 73 |
| Closed Issues .....                                           | 73 |

## Application Set Up Control Sheet - Service

|                          |                 |                                               |
|--------------------------|-----------------|-----------------------------------------------|
| <b>Environment Name:</b> | <b>Machine:</b> | <b>Type (definition, execution, or both):</b> |
|--------------------------|-----------------|-----------------------------------------------|

| Workflow<br>SubWorkflow Name | Set Up Task                          | Responsibility | Due Date | QA Responsibility | QA Due Date | Signature Approval |
|------------------------------|--------------------------------------|----------------|----------|-------------------|-------------|--------------------|
| Setup Service                |                                      |                |          |                   |             |                    |
| Profiles - System, User      | CS: Define Profiles - System         |                |          |                   |             |                    |
| Profiles - System, User      | CS: Define Profiles - User           |                |          |                   |             |                    |
| Profiles - System, User      | CS: Define Service Parameters        |                |          |                   |             |                    |
| Customer Product             | CS: Define Customer Product Statuses |                |          |                   |             |                    |
| Customer Product             | CS: Define Customer Product Types    |                |          |                   |             |                    |
| Customer Product             | CS: Define System Types              |                |          |                   |             |                    |
| Customer Product             | CS: Define Order Transaction Types   |                |          |                   |             |                    |
| Customer Product             | CS: Define Split CP Reasons          |                |          |                   |             |                    |
| Customer Product             | CS: Define Transaction Groups        |                |          |                   |             |                    |
| Services                     | CS: Define Service Coverages         |                |          |                   |             |                    |
| Services                     | CS: Define Items - Master Level      |                |          |                   |             |                    |
| Services                     | CS: Define Items - Org Level         |                |          |                   |             |                    |
| Services                     | CS: Define Service Availability      |                |          |                   |             |                    |

&lt;Subject&gt;

File Ref: BR100Acs\_Service\_Application\_Setup.doc (v. DRAFT 1A )

Application Set Up Control Sheet - Service 1 of 73

Company Confidential - For internal use only

| Workflow<br>SubWorkflow Name | Set Up Task                        | Responsibility | Due Date | QA Responsibility | QA Due Date | Signature Approval |
|------------------------------|------------------------------------|----------------|----------|-------------------|-------------|--------------------|
| Services                     | CS: Define Renewal Reasons         |                |          |                   |             |                    |
| Services                     | CS: Define Termination Reasons     |                |          |                   |             |                    |
| Codes, Concurrent Mgr        | CS: Define Support Levels          |                |          |                   |             |                    |
| Codes, Concurrent Mgr        | CS: Define Service Groups          |                |          |                   |             |                    |
| Codes, Concurrent Mgr        | CS: Define Dispatch Rules          |                |          |                   |             |                    |
| Codes, Concurrent Mgr        | CS: Define Repair Diagnostic Codes |                |          |                   |             |                    |
| Codes, Concurrent Mgr        | CS: Define Repair/Reject Reasons   |                |          |                   |             |                    |
| Codes, Concurrent Mgr        | CS: Activate Concurrent Processes  |                |          |                   |             |                    |
| Service Request              | CS: Define Request Action Types    |                |          |                   |             |                    |
| Service Request              | CS: Define Request Action Statuses |                |          |                   |             |                    |
| Service Request              | CS: Define Request Action Severity |                |          |                   |             |                    |
| Service Request              | CS: Define Urgencies               |                |          |                   |             |                    |
| Service Request              | CS: Define Problem Codes           |                |          |                   |             |                    |
| Service Request              | CS: Define Resolution Codes        |                |          |                   |             |                    |
| Service Request              | CS: Define Systems                 |                |          |                   |             |                    |
| Service Request              | CS: Define Message Action Requests |                |          |                   |             |                    |

| Workflow<br>SubWorkflow Name | Set Up Task                           | Responsibility | Due Date | QA Responsibility | QA Due Date | Signature Approval |
|------------------------------|---------------------------------------|----------------|----------|-------------------|-------------|--------------------|
| Service Request              | CS: Define Call Types                 |                |          |                   |             |                    |
| Service Request              | CS: Define Call Follow-up Types       |                |          |                   |             |                    |
| Remaining Services           | CS: Define Customer Products          |                |          |                   |             |                    |
| Remaining Services           | CS: Define Order Services             |                |          |                   |             |                    |
| Remaining Services           | CS: Define Renewal Services           |                |          |                   |             |                    |
| Remaining Services           | CS: Define Terminate Services         |                |          |                   |             |                    |
| Remaining Services           | CS: Define Customer Product Services  |                |          |                   |             |                    |
| Remaining Services           | CS: Define Service Requests           |                |          |                   |             |                    |
| Remaining Services           | CS: Define Customer Co-Terminate Date |                |          |                   |             |                    |

## Profiles - System, User/CS: Define Profiles - System



### System Administration>Profile>System

|                                                 |                                            |                                   |
|-------------------------------------------------|--------------------------------------------|-----------------------------------|
| <Company Short Name> Process:<br><Process Name> | Business Area:<br><Business Area>          | Date:<br><Date>                   |
| Control Number:<br><Control Number>             | Priority(H, M, L):<br><Priority (H, M, L)> | Process Owner:<br><Process Owner> |

**Description:** Use this form to define System Profile options.

| Profile                                     | Site | Application | User | Responsibility |
|---------------------------------------------|------|-------------|------|----------------|
| Service: Allow Service Date Change          |      |             |      |                |
| Service: Auto-Generate System Name          |      |             |      |                |
| Service: Day Unit-of-Measure                |      |             |      |                |
| Service: Default Action Type                |      |             |      |                |
| Service: Default Action Owner               |      |             |      |                |
| Service: Default Action Severity            |      |             |      |                |
| Service: Default Make Public Flag           |      |             |      |                |
| Service: Default Order Type for Replacement |      |             |      |                |
| Service: Default Order Type for Repairs     |      |             |      |                |
| Service: Price List for Repairs             |      |             |      |                |
| Service: Enable Context Search              |      |             |      |                |
| Service: Item Flexfield (product)           |      |             |      |                |
| Service: Item Flexfield (service)           |      |             |      |                |
| Service: Month Unit-of-Measure              |      |             |      |                |
| Service: RMA Line Status for Repair Lines   |      |             |      |                |
| Service: Repair Default Expense Item        |      |             |      |                |
| Service: Repair Default Item                |      |             |      |                |
| Service: Repair Default Material Item       |      |             |      |                |
| Service: Workflow Administrator.            |      |             |      |                |

<Subject>

File Ref: BR100Acs\_Service\_Application\_Setup.doc (v. DRAFT 1A )

Profiles - System, User/CS: Define Profiles - System 4 of 73

Company Confidential - For internal use only

Profiles - System, User/CS: Define Profiles - User



System Administration>Profile>User

|                                                 |                                            |                                   |
|-------------------------------------------------|--------------------------------------------|-----------------------------------|
| <Company Short Name> Process:<br><Process Name> | Business Area:<br><Business Area>          | Date:<br><Date>                   |
| Control Number:<br><Control Number>             | Priority(H, M, L):<br><Priority (H, M, L)> | Process Owner:<br><Process Owner> |

Description: Use this form to define User Profile options.

| Profile                                   | Site | Application | User | Responsibility |
|-------------------------------------------|------|-------------|------|----------------|
| Service: Default Service Request Owner    |      |             |      |                |
| Service: Default Service Request Severity |      |             |      |                |
| Service: Default Service Request Type     |      |             |      |                |
| Service: Default Service Request Urgency  |      |             |      |                |
| Service: Publish Flag Update Allowed      |      |             |      |                |

## Profiles - System, User/CS: Define Service Parameters



### Sales and Service>Service>Setup>Service Parameters

|                                                 |                                            |                                   |
|-------------------------------------------------|--------------------------------------------|-----------------------------------|
| <Company Short Name> Process:<br><Process Name> | Business Area:<br><Business Area>          | Date:<br><Date>                   |
| Control Number:<br><Control Number>             | Priority(H, M, L):<br><Priority (H, M, L)> | Process Owner:<br><Process Owner> |

**Description:** The organization will always default to the value of the Oracle Order Entry profile option OE: Item Validation Organization. This organization is used throughout Oracle Order Entry and Oracle Service to determine the items that you sell and service. Set the System Changes Decision Point Window Usage option. This determines whether to copy system changes to the customer products associated with the system. For example, when you change the installation location of a system, you may want the change to automatically cascade to all customer products under that system. Select the following options:

**Display** - When you make a change to a system, a pop-up window will ask you if you want to cascade the change to the customer products.

**Never Display, Never Change** - When you make a change to a system, the changes will not cascade to the customer products and no confirmation pop-up window will appear.

**Never Display, Always Change** - When you make a change to a system, the changes will always be cascaded to the customer products and no confirmation pop-up window will appear.

| Organization | Description |
|--------------|-------------|
|              |             |

### <System Decision Window Usage>

| Display Window | No Display - Always Apply System Changes | No Display - Newer Apply System Changes |
|----------------|------------------------------------------|-----------------------------------------|
|                |                                          |                                         |

| Use Depot Repair | Uses Access Control | Auto Create Template Entity |
|------------------|---------------------|-----------------------------|
|                  |                     |                             |

Customer Product/CS: Define Customer Product Statuses



Sales and Service>Service>Setup>Installed Base>Customer Product Statuses

|                                                 |                                            |                                   |
|-------------------------------------------------|--------------------------------------------|-----------------------------------|
| <Company Short Name> Process:<br><Process Name> | Business Area:<br><Business Area>          | Date:<br><Date>                   |
| Control Number:<br><Control Number>             | Priority(H, M, L):<br><Priority (H, M, L)> | Process Owner:<br><Process Owner> |

**Description:** Customer Product Status codes represent the current state and transactibility of a product in the installed base. Each status code controls the level of service program ordering or renewal.

| Status | Canceled | Terminated | Status<br>Change<br>Allowed | Service<br>Allowed | Request<br>Allowed | Pre-<br>Defined | Description | Effective<br>Dates<br>From | Effective<br>Dates To |
|--------|----------|------------|-----------------------------|--------------------|--------------------|-----------------|-------------|----------------------------|-----------------------|
|        |          |            |                             |                    |                    |                 |             |                            |                       |
|        |          |            |                             |                    |                    |                 |             |                            |                       |
|        |          |            |                             |                    |                    |                 |             |                            |                       |
|        |          |            |                             |                    |                    |                 |             |                            |                       |
|        |          |            |                             |                    |                    |                 |             |                            |                       |
|        |          |            |                             |                    |                    |                 |             |                            |                       |
|        |          |            |                             |                    |                    |                 |             |                            |                       |
|        |          |            |                             |                    |                    |                 |             |                            |                       |

Customer Product/CS: Define Customer Product Types



Sales and Service>Service>Setup>Installed Base>Customer Product Types

|                                                 |                                            |                                   |
|-------------------------------------------------|--------------------------------------------|-----------------------------------|
| <Company Short Name> Process:<br><Process Name> | Business Area:<br><Business Area>          | Date:<br><Date>                   |
| Control Number:<br><Control Number>             | Priority(H, M, L):<br><Priority (H, M, L)> | Process Owner:<br><Process Owner> |

**Description:** Use Customer Product Types to define the customer product type QuickCodes. These QuickCodes explain the type of the customer product or the type of product. An example of a customer product type Code is “Disk”, with a meaning of “primary disk drive”. The description could be “The main drive in server 1”.

| Type | Description | User Updateable |
|------|-------------|-----------------|
|      |             |                 |

| Code | Meaning | Description | Enabled | Effective Date From | Effective Date To |
|------|---------|-------------|---------|---------------------|-------------------|
|      |         |             |         |                     |                   |
|      |         |             |         |                     |                   |
|      |         |             |         |                     |                   |
|      |         |             |         |                     |                   |
|      |         |             |         |                     |                   |
|      |         |             |         |                     |                   |
|      |         |             |         |                     |                   |

Customer Product/CS: Define System Types



Sales and Service>Service>Setup>Installed Base>System Types

|                                                 |                                            |                                   |
|-------------------------------------------------|--------------------------------------------|-----------------------------------|
| <Company Short Name> Process:<br><Process Name> | Business Area:<br><Business Area>          | Date:<br><Date>                   |
| Control Number:<br><Control Number>             | Priority(H, M, L):<br><Priority (H, M, L)> | Process Owner:<br><Process Owner> |

**Description:** Use System Types to define the system type QuickCodes. These QuickCodes categorize the system, which is a user-defined logical grouping of customer products. An example of a system type code is “HDW”, with a meaning of “hardware”. The description could be “Hardware consisting of drives, power supplies, and monitors”.

| Type | Description | User Updateable |
|------|-------------|-----------------|
|      |             |                 |

| Code | Meaning | Description | Enabled | Effective Date From | Effective Date To |
|------|---------|-------------|---------|---------------------|-------------------|
|      |         |             |         |                     |                   |
|      |         |             |         |                     |                   |
|      |         |             |         |                     |                   |
|      |         |             |         |                     |                   |
|      |         |             |         |                     |                   |
|      |         |             |         |                     |                   |
|      |         |             |         |                     |                   |
|      |         |             |         |                     |                   |

Customer Product/CS: Define Order Transaction Types



Sales and Service>Service>Setup>Installed Base>Order Transaction Types

|                                                 |                                            |                                   |
|-------------------------------------------------|--------------------------------------------|-----------------------------------|
| <Company Short Name> Process:<br><Process Name> | Business Area:<br><Business Area>          | Date:<br><Date>                   |
| Control Number:<br><Control Number>             | Priority(H, M, L):<br><Priority (H, M, L)> | Process Owner:<br><Process Owner> |

**Description:** Order Transaction Types are used in the Installations window of the Enter Orders form in Oracle Order Entry. For example, if a serviceable product being ordered is not in the installed base as a customer product, you would select New as the Transaction Type. The Autocreate Installed Base program will create a new customer product in the Installed Base .

| Transaction Type | Seeded Flag | Installed Base | Billing Type | Transfer Service | Installed CP Status | Installed CP Return Required | New CP Status | New CP Return Required |
|------------------|-------------|----------------|--------------|------------------|---------------------|------------------------------|---------------|------------------------|
|                  |             |                |              |                  |                     |                              |               |                        |
|                  |             |                |              |                  |                     |                              |               |                        |
|                  |             |                |              |                  |                     |                              |               |                        |
|                  |             |                |              |                  |                     |                              |               |                        |
|                  |             |                |              |                  |                     |                              |               |                        |
|                  |             |                |              |                  |                     |                              |               |                        |
|                  |             |                |              |                  |                     |                              |               |                        |
|                  |             |                |              |                  |                     |                              |               |                        |

Customer Product/CS: Define Split CP Reasons



Sales and Service>Service>Setup>Installed Base>Split Product Reasons

|                                                 |                                            |                                   |
|-------------------------------------------------|--------------------------------------------|-----------------------------------|
| <Company Short Name> Process:<br><Process Name> | Business Area:<br><Business Area>          | Date:<br><Date>                   |
| Control Number:<br><Control Number>             | Priority(H, M, L):<br><Priority (H, M, L)> | Process Owner:<br><Process Owner> |

**Description:** You can split any active customer product with a quantity greater than one, or split the entire product quantity into units of one. Splitting a customer product isolates a particular quantity for additional processing such as transfer between customers or locations, additional service programs or cancellation. After splitting customer products, you can transfer the split quantity, terminate service programs, add or renew service programs to the split quantity.

| Type | Description | User Updateable |
|------|-------------|-----------------|
|      |             |                 |

| Code | Meaning | Description | Enabled | Effective Date From | Effective Date To |
|------|---------|-------------|---------|---------------------|-------------------|
|      |         |             |         |                     |                   |
|      |         |             |         |                     |                   |
|      |         |             |         |                     |                   |
|      |         |             |         |                     |                   |
|      |         |             |         |                     |                   |
|      |         |             |         |                     |                   |
|      |         |             |         |                     |                   |
|      |         |             |         |                     |                   |

Customer Product/CS: Define Transaction Groups



Sales and Service>Service>Setup>Installed Base>Transaction Groups

|                                                 |                                            |                                   |
|-------------------------------------------------|--------------------------------------------|-----------------------------------|
| <Company Short Name> Process:<br><Process Name> | Business Area:<br><Business Area>          | Date:<br><Date>                   |
| Control Number:<br><Control Number>             | Priority(H, M, L):<br><Priority (H, M, L)> | Process Owner:<br><Process Owner> |

**Description:** You can use Transaction Groups to group transaction types together so that you can restrict transaction type availability. For example, for your field engineers, define a transaction group called Field Service that allows them only the transaction types relevant to them, such as Labor, Material, Expense, Upgrade, or Replacement. Whenever field engineers use the Charges window to record charges, they are restricted to the transaction types associated with the transaction group that is linked to the service request.

| Name | Description | Order Type | Depot<br>Repair | Service<br>Reques<br>t | Field<br>Service | Effective<br>Dates From | Effective Dates<br>To |
|------|-------------|------------|-----------------|------------------------|------------------|-------------------------|-----------------------|
|      |             |            |                 |                        |                  |                         |                       |

<Transactions>

| Transaction Type | Effective Dates From | Effective Dates To |
|------------------|----------------------|--------------------|
|                  |                      |                    |
|                  |                      |                    |
|                  |                      |                    |
|                  |                      |                    |
|                  |                      |                    |
|                  |                      |                    |
|                  |                      |                    |
|                  |                      |                    |

## Services/CS: Define Service Coverages



### Sales and Service>Service>Setup>Service Programs>Service Coverages

|                                                 |                                            |                                   |
|-------------------------------------------------|--------------------------------------------|-----------------------------------|
| <Company Short Name> Process:<br><Process Name> | Business Area:<br><Business Area>          | Date:<br><Date>                   |
| Control Number:<br><Control Number>             | Priority(H, M, L):<br><Priority (H, M, L)> | Process Owner:<br><Process Owner> |

**Description:** Service Coverage reflects the service request reporting time stated in days or hours, and the repair expenses supported by the support service program. By setting effective start and end dates, you can phase in or phase out a particular coverage. You can specifically define covered monetary amounts for each service.

| Name | Description | Effective Dates From | Effective Dates To |
|------|-------------|----------------------|--------------------|
|      |             |                      |                    |

### <Details>

|          | Up to Amount | % Covered |
|----------|--------------|-----------|
| Labor    |              |           |
| Material |              |           |
| Expense  |              |           |

### <Schedules>

|           | Start | End |
|-----------|-------|-----|
| Monday    |       |     |
| Tuesday   |       |     |
| Wednesday |       |     |
| Thursday  |       |     |
| Friday    |       |     |
| Saturday  |       |     |
| Sunday    |       |     |

Services/CS: Define Items - Master Level



Distribution>Inventory>Items>Master Items

|                                                 |                                            |                                   |
|-------------------------------------------------|--------------------------------------------|-----------------------------------|
| <Company Short Name> Process:<br><Process Name> | Business Area:<br><Business Area>          | Date:<br><Date>                   |
| Control Number:<br><Control Number>             | Priority(H, M, L):<br><Priority (H, M, L)> | Process Owner:<br><Process Owner> |

**Description:** With the Master Item window you can define and update items and the attributes associated with them (such as description, lead time, unit of measure, lot control, and so on).

|              |  |
|--------------|--|
| Organization |  |
| Item         |  |
| Description  |  |



Main

|                         |  |
|-------------------------|--|
| Primary Unit of Measure |  |
| User Item Type          |  |
| Item Status             |  |

<Conversions>

| Conversions   |  |
|---------------|--|
| Standard      |  |
| Item Specific |  |
| Both          |  |



Inventory

| Inventory Item | Stockable | Transactable | Revision Control | Reservable |
|----------------|-----------|--------------|------------------|------------|
|                |           |              |                  |            |

<Lot Expiration (Shelf Life)>

| Control | Shelf Life Days |
|---------|-----------------|
|         |                 |

<Cycle Count Enabled>

| Negative Measurement Error | Positive Measurement Error |
|----------------------------|----------------------------|
|                            |                            |

<Lot>

| Control | Starting Prefix | Starting Number |
|---------|-----------------|-----------------|
|         |                 |                 |

<Serial>

| Generation | Starting Prefix | Starting Number |
|------------|-----------------|-----------------|
|            |                 |                 |

| Locator Control | Restrict Subinventories | Restrict Locators |
|-----------------|-------------------------|-------------------|
|                 |                         |                   |



**Bills of Material**

|               |  |
|---------------|--|
| BOM Allowed   |  |
| BOM Item Type |  |
| Base Model    |  |



**Costing**

|                            |  |
|----------------------------|--|
| Costing Enabled            |  |
| Inventory Asset Value      |  |
| Include in Rollup          |  |
| Cost of Goods Sold Account |  |
| Standard Lot Size          |  |



Purchasing

| Purchased | Purchasable | Use Approved Supplier | Allow Description Update | RFQ Required | Taxable | Tax Code |
|-----------|-------------|-----------------------|--------------------------|--------------|---------|----------|
|           |             |                       |                          |              |         |          |

<Outside Processing Item>

|           |
|-----------|
| Unit Type |
|           |

<Invoice Matching>

|                  |                     |
|------------------|---------------------|
| Receipt Required | Inspection Required |
|                  |                     |

|                         |  |
|-------------------------|--|
| Default Buyer           |  |
| Unit of Issue           |  |
| Receipt Close Tolerance |  |
| Invoice Close Tolerance |  |
| UN Number               |  |
| Hazard Class            |  |
| List Price              |  |
| Market Price            |  |
| Price Tolerance %       |  |
| Rounding Factor         |  |
| Encumbrance Account     |  |
| Expense Account         |  |
| Asset Category          |  |



<Receipt Date Controls>

| Action | Days Early | Days Late |
|--------|------------|-----------|
|        |            |           |

<Valid transactions>

| Allow Substitute Receipts | Allow unordered Receipts | Allow Express Transaction |
|---------------------------|--------------------------|---------------------------|
|                           |                          |                           |

<Overreceipt Quantity Control>

| Action | Tolerance % |
|--------|-------------|
|        |             |

| Receipt Routing | Enforce Ship-To |
|-----------------|-----------------|
|                 |                 |



Physical Attributes

<Weight>

|                 |  |
|-----------------|--|
| Unit of Measure |  |
| Unit Weight     |  |

<Volume>

|                 |  |
|-----------------|--|
| Unit of Measure |  |
| Unit Volume     |  |

<Container>

|                         |  |
|-------------------------|--|
| Container               |  |
| Vehicle                 |  |
| Container Type          |  |
| Internal Volume         |  |
| Maximum Load Weight     |  |
| Minimum Fill Percentage |  |



## General Planning

|                           |  |
|---------------------------|--|
| Inventory Planning Method |  |
| Planner                   |  |
| Make or Buy               |  |

### <Min-Max Quantity>

|         |  |
|---------|--|
| Minimum |  |
| Maximum |  |

### <Order Quantity>

|         |  |
|---------|--|
| Minimum |  |
| Maximum |  |

### <Cost>

|            |  |
|------------|--|
| Order      |  |
| Carrying % |  |

### <Source>

|              |  |
|--------------|--|
| Type         |  |
| Organization |  |
| Subinventory |  |

&lt;Subject&gt;

<Safety Stock>

|             |  |
|-------------|--|
| Method      |  |
| Bucket Days |  |
| Percent     |  |

|                           |  |
|---------------------------|--|
| Fixed Order Quantity      |  |
| Fixed Days Supply         |  |
| Fixed Lot Size Multiplier |  |



MPS/MRP Planning

|                        |  |
|------------------------|--|
| Planning Method        |  |
| Forecast Control       |  |
| Pegging                |  |
| Exception Set          |  |
| Shrinkage Rate         |  |
| Acceptable Early Days  |  |
| Round Order Quantities |  |

<Repetitive Planning>

|                    |  |
|--------------------|--|
| Overrun Percentage |  |
| Acceptable Rate -  |  |
| Acceptable Rate +  |  |

<MPS Planning>

|               |  |
|---------------|--|
| Calculate ATP |  |
| Reduce MPS    |  |

|                          |  |
|--------------------------|--|
| Planning Time Fence      |  |
| Planning Time Fence Days |  |
| Demand Time Fence        |  |
| Demand Time Fence Days   |  |
| Release Time Fence       |  |
| Release Time Fence Days  |  |



Lead Times

|                          |  |
|--------------------------|--|
| Preprocessing            |  |
| Processing               |  |
| Postprocessing           |  |
| Fixed                    |  |
| Variable                 |  |
| Cumulative Manufacturing |  |
| Cumulative Total         |  |
| Lead Time Lot Size       |  |



**Work in Process**

|              |  |
|--------------|--|
| Build in WIP |  |
| Type         |  |
| Subinventory |  |
| Locator      |  |

**Order Entry**

|                               |  |
|-------------------------------|--|
| Customer Ordered              |  |
| Customer Orders Enabled       |  |
| Shippable                     |  |
| Internal Ordered              |  |
| Internal Orders Enabled       |  |
| OE Transactable               |  |
| Pick Components               |  |
| Check ATP                     |  |
| Assemble to Order             |  |
| ATP Rule                      |  |
| ATP Components                |  |
| Ship Model Complete           |  |
| Picking Rule                  |  |
| Collateral Item               |  |
| Default Shipping Organization |  |
| Returnable                    |  |
| RMA Inspection Required       |  |



Invoicing

|                  |  |
|------------------|--|
| Invoiceable Item |  |
| Invoice Enabled  |  |
| Accounting Rule  |  |
| Invoicing Rule   |  |
| Tax Code         |  |
| Sales Account    |  |
| Payment Terms    |  |



Service

|                         |  |
|-------------------------|--|
| Warranty                |  |
| Coverage                |  |
| Service Duration Value  |  |
| Service Duration Period |  |
| Billing Type            |  |
| Service Starting Delay  |  |

Services/CS: Define Items - Org Level



Distribution>Inventory>Items>Organization Items

|                                                 |                                            |                                   |
|-------------------------------------------------|--------------------------------------------|-----------------------------------|
| <Company Short Name> Process:<br><Process Name> | Business Area:<br><Business Area>          | Date:<br><Date>                   |
| Control Number:<br><Control Number>             | Priority(H, M, L):<br><Priority (H, M, L)> | Process Owner:<br><Process Owner> |

**Description:** Use the Organization Items window to update Organization Level item attributes for your current organization. To update Master level attributes use the Master Items window.

To update Organization Level attributes:

- 1. Navigate to the Organization Items Summary folder window.
- 2. Choose Find from the Query menu to display the Find Items window.
- 3. Enter search criteria and choose Find to locate the item or items you want to update. Multiple items display in the Organization Items Summary window, a single item displays in the Organization Item window.
- 4. If you search returned multiple items, select an item and choose Open. The Organization Item window appears.
- 5. Select an alternative region to display an item attribute group where you can update values for organization level attributes in that group.



Main

|                         |  |
|-------------------------|--|
| Primary Unit of Measure |  |
| User Item Type          |  |
| Item Status             |  |

<Conversions>

| Conversions   |  |
|---------------|--|
| Standard      |  |
| Item Specific |  |
| Both          |  |



Inventory

| Inventory Item | Stockable | Transactable | Revision Control | Reservable |
|----------------|-----------|--------------|------------------|------------|
|                |           |              |                  |            |

<Lot Expiration (Shelf Life)>

| Control | Shelf Life Days |
|---------|-----------------|
|         |                 |

<Cycle Count Enabled>

| Negative Measurement Error | Positive Measurement Error |
|----------------------------|----------------------------|
|                            |                            |

<Lot>

| Control | Starting Prefix | Starting Number |
|---------|-----------------|-----------------|
|         |                 |                 |

<Serial>

| Generation | Starting Prefix | Starting Number |
|------------|-----------------|-----------------|
|            |                 |                 |

| Locator Control | Restrict Subinventories | Restrict Locators |
|-----------------|-------------------------|-------------------|
|                 |                         |                   |

| Locator Control | Restrict Subinventories | Restrict Locators |
|-----------------|-------------------------|-------------------|
|                 |                         |                   |



**Bills of Material**

|               |  |
|---------------|--|
| BOM Allowed   |  |
| BOM Item Type |  |
| Base Model    |  |



**Costing**

|                            |  |
|----------------------------|--|
| Costing Enabled            |  |
| Inventory Asset Value      |  |
| Include in Rollup          |  |
| Cost of Goods Sold Account |  |
| Standard Lot Size          |  |



**Purchasing**

| Purchased | Purchasable | Use Approved Supplier | Allow Description Update | RFQ Required | Taxable | Tax Code |
|-----------|-------------|-----------------------|--------------------------|--------------|---------|----------|
|           |             |                       |                          |              |         |          |

**<Outside Processing Item>**

|           |
|-----------|
| Unit Type |
|           |

<Invoice Matching>

|                  |                     |
|------------------|---------------------|
| Receipt Required | Inspection Required |
|                  |                     |

|                         |  |
|-------------------------|--|
| Default Buyer           |  |
| Unit of Issue           |  |
| Receipt Close Tolerance |  |
| Invoice Close Tolerance |  |
| UN Number               |  |
| Hazard Class            |  |
| List Price              |  |
| Market Price            |  |
| Price Tolerance %       |  |
| Rounding Factor         |  |
| Encumbrance Account     |  |
| Expense Account         |  |
| Asset Category          |  |



Receiving

<Receipt Date Controls>

| Action | Days Early | Days Late |
|--------|------------|-----------|
|        |            |           |

<Valid transactions>

| Allow Substitute Receipts | Allow unordered Receipts | Allow Express Transaction |
|---------------------------|--------------------------|---------------------------|
|                           |                          |                           |

<Overreceipt Quantity Control>

| Action | Tolerance % |
|--------|-------------|
|        |             |

| Receipt Routing | Enforce Ship-To |
|-----------------|-----------------|
|                 |                 |



Physical Attributes

<Weight>

|                 |  |
|-----------------|--|
| Unit of Measure |  |
| Unit Weight     |  |

<Volume>

|                 |  |
|-----------------|--|
| Unit of Measure |  |
|-----------------|--|

|             |  |
|-------------|--|
| Unit Volume |  |
|-------------|--|

<Container>

|                         |  |
|-------------------------|--|
| Container               |  |
| Vehicle                 |  |
| Container Type          |  |
| Internal Volume         |  |
| Maximum Load Weight     |  |
| Minimum Fill Percentage |  |



General Planning

|                           |  |
|---------------------------|--|
| Inventory Planning Method |  |
| Planner                   |  |
| Make or Buy               |  |

<Min-Max Quantity>

|         |  |
|---------|--|
| Minimum |  |
| Maximum |  |

<Order Quantity>

|         |  |
|---------|--|
| Minimum |  |
|---------|--|

|         |  |
|---------|--|
| Maximum |  |
|---------|--|

<Cost>

|            |  |
|------------|--|
| Order      |  |
| Carrying % |  |

<Source>

|              |  |
|--------------|--|
| Type         |  |
| Organization |  |
| Subinventory |  |

<Safety Stock>

|             |  |
|-------------|--|
| Method      |  |
| Bucket Days |  |
| Percent     |  |

|                           |  |
|---------------------------|--|
| Fixed Order Quantity      |  |
| Fixed Days Supply         |  |
| Fixed Lot Size Multiplier |  |



MPS/MRP Planning

|                  |  |
|------------------|--|
| Planning Method  |  |
| Forecast Control |  |

|                        |  |
|------------------------|--|
| Pegging                |  |
| Exception Set          |  |
| Shrinkage Rate         |  |
| Acceptable Early Days  |  |
| Round Order Quantities |  |

## &lt;Repetitive Planning&gt;

|                    |  |
|--------------------|--|
| Overrun Percentage |  |
| Acceptable Rate -  |  |
| Acceptable Rate +  |  |

## &lt;MPS Planning&gt;

|               |  |
|---------------|--|
| Calculate ATP |  |
| Reduce MPS    |  |

|                          |  |
|--------------------------|--|
| Planning Time Fence      |  |
| Planning Time Fence Days |  |
| Demand Time Fence        |  |
| Demand Time Fence Days   |  |
| Release Time Fence       |  |
| Release Time Fence Days  |  |



**Lead Times**

|                          |  |
|--------------------------|--|
| Preprocessing            |  |
| Processing               |  |
| Postprocessing           |  |
| Fixed                    |  |
| Variable                 |  |
| Cumulative Manufacturing |  |
| Cumulative Total         |  |
| Lead Time Lot Size       |  |



**Work in Process**

|              |  |
|--------------|--|
| Build in WIP |  |
| Type         |  |
| Subinventory |  |
| Locator      |  |



Order Entry

|                               |  |
|-------------------------------|--|
| Customer Ordered              |  |
| Customer Orders Enabled       |  |
| Shippable                     |  |
| Internal Ordered              |  |
| Internal Orders Enabled       |  |
| OE Transactable               |  |
| Pick Components               |  |
| Check ATP                     |  |
| Assemble to Order             |  |
| ATP Rule                      |  |
| ATP Components                |  |
| Ship Model Complete           |  |
| Picking Rule                  |  |
| Collateral Item               |  |
| Default Shipping Organization |  |
| Returnable                    |  |
| RMA Inspection Required       |  |



Invoicing

|                  |  |
|------------------|--|
| Invoiceable Item |  |
| Invoice Enabled  |  |
| Accounting Rule  |  |
| Invoicing Rule   |  |
| Tax Code         |  |
| Sales Account    |  |
| Payment Terms    |  |



Service

|                         |  |
|-------------------------|--|
| Warranty                |  |
| Coverage                |  |
| Service Duration Value  |  |
| Service Duration Period |  |
| Billing Type            |  |
| Service Starting Delay  |  |

Services/CS: Define Service Availability



Sales and Service>Service>Setup>Service Programs>Service Availability

|                                                 |                                            |                                   |
|-------------------------------------------------|--------------------------------------------|-----------------------------------|
| <Company Short Name> Process:<br><Process Name> | Business Area:<br><Business Area>          | Date:<br><Date>                   |
| Control Number:<br><Control Number>             | Priority(H, M, L):<br><Priority (H, M, L)> | Process Owner:<br><Process Owner> |

**Description:** Service Availability allows or restricts access to specific service programs for specific customers and products. You can further delimit service availability by entering starting and ending availability dates or beginning and ending revisions for the product. You can specify a product revision, or range of revisions. Service Availability applies only to service programs, not base warranties included with serviceable products. For example, a computer manufacturer realizes that all computers sold to company A have a faulty motherboard identified with revision G. All motherboards are automatically covered for 3 months after shipment, but in the case of revision G, an extended time of service coverage is being made available. By using service availability, the extended service program is available only to company A with revision G motherboards.

<Service>

| Service | Description |
|---------|-------------|
|         |             |

<Availability>

| Product | Customer | Revision From | Revision To | Start Date | End Date | Service Available |
|---------|----------|---------------|-------------|------------|----------|-------------------|
|         |          |               |             |            |          |                   |
|         |          |               |             |            |          |                   |
|         |          |               |             |            |          |                   |
|         |          |               |             |            |          |                   |
|         |          |               |             |            |          |                   |
|         |          |               |             |            |          |                   |
|         |          |               |             |            |          |                   |
|         |          |               |             |            |          |                   |
|         |          |               |             |            |          |                   |

Services/CS: Define Renewal Reasons



Sales and Service>Service>Setup>Service Programs>Renewal Reasons

|                                                 |                                            |                                   |
|-------------------------------------------------|--------------------------------------------|-----------------------------------|
| <Company Short Name> Process:<br><Process Name> | Business Area:<br><Business Area>          | Date:<br><Date>                   |
| Control Number:<br><Control Number>             | Priority(H, M, L):<br><Priority (H, M, L)> | Process Owner:<br><Process Owner> |

**Description:** Use Renewal Reasons to define the renewal QuickCodes. These QuickCodes explain the reason for renewals of service programs. When a service program is renewed, renew is the default renewal reason code unless specified otherwise. An example of a renewal reason Code is "expired". The meaning is "service has expired". A description is "the period of service coverage has expired".

| Type | Description | User Updateable |
|------|-------------|-----------------|
|      |             |                 |

| Code | Meaning | Description | Enabled | Effective Dates From | Effective Dates To |
|------|---------|-------------|---------|----------------------|--------------------|
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |

Services/CS: Define Termination Reasons



Sales and Service>Service>Setup>Service Programs>Termination Reasons

|                                                 |                                            |                                   |
|-------------------------------------------------|--------------------------------------------|-----------------------------------|
| <Company Short Name> Process:<br><Process Name> | Business Area:<br><Business Area>          | Date:<br><Date>                   |
| Control Number:<br><Control Number>             | Priority(H, M, L):<br><Priority (H, M, L)> | Process Owner:<br><Process Owner> |

**Description:** Use Termination Reasons to define the termination QuickCodes. These QuickCodes explain the reason for service program termination. When a service program is terminated, terminate is the default termination reason code unless specified otherwise. An example of a termination reasons code is "Moved". A meaning is "customer moved". A description is "customer moved without forwarding information".

| Type | Description | User Updateable |
|------|-------------|-----------------|
|      |             |                 |

| Code | Meaning | Description | Enabled | Effective Dates From | Effective Dates To |
|------|---------|-------------|---------|----------------------|--------------------|
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |

Code, Concurrent Mgr/CS: Define Support Levels



Sales and Service>Service>Setup>Dispatch>Support Levels

|                                                 |                                            |                                   |
|-------------------------------------------------|--------------------------------------------|-----------------------------------|
| <Company Short Name> Process:<br><Process Name> | Business Area:<br><Business Area>          | Date:<br><Date>                   |
| Control Number:<br><Control Number>             | Priority(H, M, L):<br><Priority (H, M, L)> | Process Owner:<br><Process Owner> |

Description: Support Levels distinguish personnel in the same service group.

| Support Level | Description | Start Date | End Date |
|---------------|-------------|------------|----------|
|               |             |            |          |
|               |             |            |          |
|               |             |            |          |
|               |             |            |          |
|               |             |            |          |
|               |             |            |          |
|               |             |            |          |
|               |             |            |          |
|               |             |            |          |

Code, Concurrent Mgr/CS: Define Service Groups



Sales and Service>Service>Setup>Dispatch>Service Groups

|                                                 |                                            |                                   |
|-------------------------------------------------|--------------------------------------------|-----------------------------------|
| <Company Short Name> Process:<br><Process Name> | Business Area:<br><Business Area>          | Date:<br><Date>                   |
| Control Number:<br><Control Number>             | Priority(H, M, L):<br><Priority (H, M, L)> | Process Owner:<br><Process Owner> |

**Description:** Service Groups provide a means for classifying your field service personnel into categories that are easy to use. For example, you can categorize field-engineers by the types of products they fix, the customers to which they are dedicated, or the geographical regions they serve. You can also use service groups to categorize support personnel. For example, you can group them by the types of problems they solve or the shifts they work.

| Service Group | Description | Start Date | End Date |
|---------------|-------------|------------|----------|
|               |             |            |          |
|               |             |            |          |
|               |             |            |          |
|               |             |            |          |
|               |             |            |          |
|               |             |            |          |
|               |             |            |          |
|               |             |            |          |



Code, Concurrent Mgr/CS: Define Dispatch Rules



Sales and Service>Service>Setup>Dispatch>Dispatch Rules

|                                                 |                                            |                                   |
|-------------------------------------------------|--------------------------------------------|-----------------------------------|
| <Company Short Name> Process:<br><Process Name> | Business Area:<br><Business Area>          | Date:<br><Date>                   |
| Control Number:<br><Control Number>             | Priority(H, M, L):<br><Priority (H, M, L)> | Process Owner:<br><Process Owner> |

**Description:** After you define support levels and associate them with service groups, you can define Dispatch Rules. Enter values for parameters, then assign a role to the set of parameters to create a dispatch rule for a particular level/group combination. The values you select here limit your choices in the Engineer Selection and Dispatch window.

| Service Group | Support Level | Role |
|---------------|---------------|------|
|               |               |      |



Installed Base

| Customer | Product | Service | System | System Type | Product Type |
|----------|---------|---------|--------|-------------|--------------|
|          |         |         |        |             |              |



Service Request

| Type | Severity | Problem |
|------|----------|---------|
|      |          |         |



Location

| Location | Country | City | State | Postal Code | County | Province |
|----------|---------|------|-------|-------------|--------|----------|
|          |         |      |       |             |        |          |

Code, Concurrent Mgr/CS: Define Repair Diagnostic Codes



Sales and Service>Service>Setup>Depot Repair>Repair Diagnostic Codes

|                                                 |                                            |                                   |
|-------------------------------------------------|--------------------------------------------|-----------------------------------|
| <Company Short Name> Process:<br><Process Name> | Business Area:<br><Business Area>          | Date:<br><Date>                   |
| Control Number:<br><Control Number>             | Priority(H, M, L):<br><Priority (H, M, L)> | Process Owner:<br><Process Owner> |

**Description:** Use Repair Diagnostic Codes to define unique diagnosis codes when you want to delineate each repair job. Using a diagnosis code, you can track quality statistics pertaining to each type of repair. If company A sells CD drives for personal computers, and within 3 weeks of installation, each unit is returned for a broken hinge on the drive door, a diagnosis code of CD door hinge can be created. You can use diagnosis codes to group together items for a repair job. Using the example above, if when the hinge on the door breaks, it also ruins the drive door itself, you can create a diagnosis code of CD door assembly. A description would detail which components to replace.

| Code | Description | Start Date | End Date |
|------|-------------|------------|----------|
|      |             |            |          |
|      |             |            |          |
|      |             |            |          |
|      |             |            |          |
|      |             |            |          |
|      |             |            |          |
|      |             |            |          |
|      |             |            |          |

Code, Concurrent Mgr/CS: Define Repair/Reject Reasons



Sales and Service>Service>Setup>Depot Repair>Repair Reject Reasons

|                                                 |                                            |                                   |
|-------------------------------------------------|--------------------------------------------|-----------------------------------|
| <Company Short Name> Process:<br><Process Name> | Business Area:<br><Business Area>          | Date:<br><Date>                   |
| Control Number:<br><Control Number>             | Priority(H, M, L):<br><Priority (H, M, L)> | Process Owner:<br><Process Owner> |

**Description:** Use Reject Repair Reasons to define the reject repair QuickCodes. These QuickCodes explain the reasons for customer product repair rejection. During the depot repair process, you may required a customer approval step before beginning a repair. If so, and the customer decides not to approve a repair, you must enter a Reject Repair Reason.

| Type | Description | User Updateable |
|------|-------------|-----------------|
|      |             |                 |

| Code | Meaning | Description | Enabled | Effective Dates From | Effective Dates To |
|------|---------|-------------|---------|----------------------|--------------------|
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |

## Code, Concurrent Mgr/CS: Define Concurrent Processes



### System Administration>Concurrent>Manager>Define

|                                                 |                                            |                                   |
|-------------------------------------------------|--------------------------------------------|-----------------------------------|
| <Company Short Name> Process:<br><Process Name> | Business Area:<br><Business Area>          | Date:<br><Date>                   |
| Control Number:<br><Control Number>             | Priority(H, M, L):<br><Priority (H, M, L)> | Process Owner:<br><Process Owner> |

**Description:** A concurrent manager is itself a concurrent program that starts other concurrent programs running. When an application user submits a request to run a program, the request is entered into a database table that lists all of the requests. Concurrent managers read requests from the table and start programs running. The Concurrent Manager is needed within the Oracle Services module for the following:

- AutoCreate Installed Base
- Terminate Service
- Depot Repair Control
- Service Interface
- Update Shipping Interface

You can initiate these processes manually or set them to run at predefined times using the Submit Requests window.

| Manager | Short Name | Application | Description | Type | Data Group | Cache Size | Enabled |
|---------|------------|-------------|-------------|------|------------|------------|---------|
|         |            |             |             |      |            |            |         |

### <Parallel Concurrent Processing Details>

| Details   | Node | System Queue | Platform |
|-----------|------|--------------|----------|
| Primary   |      |              |          |
| Secondary |      |              |          |

<Program Library>

| Name | Applications |
|------|--------------|
|      |              |

Specialization Rules

| Manager | Application |
|---------|-------------|
|         |             |

<Specialization Rules>

| Include/Exclude | Type | Application | Name | Description |
|-----------------|------|-------------|------|-------------|
|                 |      |             |      |             |
|                 |      |             |      |             |
|                 |      |             |      |             |
|                 |      |             |      |             |
|                 |      |             |      |             |
|                 |      |             |      |             |
|                 |      |             |      |             |

Work Shifts

| Manager | Application |
|---------|-------------|
|         |             |

<Work Shifts>

| Work Shifts | Description | Processes | Sleep Seconds |
|-------------|-------------|-----------|---------------|
|             |             |           |               |
|             |             |           |               |
|             |             |           |               |

Service Request/CS: Define Request Action Types



Sales and Service>Service>Setup>Service Request>Request/Action Types

|                                                 |                                            |                                   |
|-------------------------------------------------|--------------------------------------------|-----------------------------------|
| <Company Short Name> Process:<br><Process Name> | Business Area:<br><Business Area>          | Date:<br><Date>                   |
| Control Number:<br><Control Number>             | Priority(H, M, L):<br><Priority (H, M, L)> | Process Owner:<br><Process Owner> |

**Description:** You can define Service Request and Action Types to categorize your service requests and action.

| Action/ Service Request |  |
|-------------------------|--|
| Type                    |  |
| Parent Type             |  |
| Transaction Group       |  |
| Start Date              |  |
| End Date                |  |
| Description             |  |
| Workflow                |  |
| Web Entry Allowed       |  |
| Web Workflow            |  |
| Web Image Filename      |  |

Service Request/CS: Define Request Action Statuses



Sales and Service>Service>Setup>Service Request>Request/Action Statuses

|                                                 |                                            |                                   |
|-------------------------------------------------|--------------------------------------------|-----------------------------------|
| <Company Short Name> Process:<br><Process Name> | Business Area:<br><Business Area>          | Date:<br><Date>                   |
| Control Number:<br><Control Number>             | Priority(H, M, L):<br><Priority (H, M, L)> | Process Owner:<br><Process Owner> |

**Description:** You can define Service Request Statuses to indicate the current state of reported service requests and the actions assigned to them. The service request status is a cause (the reported service request) and the effect is the resulting actions assigned to the reported service request. Any service request can have multiple actions. For example, a customer calls to report a broken switch on his personal computer. You could set the service request status to "Open" and then create an action with the status "Assigned" to indicate that the service request has been assigned to a field engineer.

| Action/ Service Request | Status | Closed | Start Date | End Date | Pre-Defined |
|-------------------------|--------|--------|------------|----------|-------------|
|                         |        |        |            |          |             |
|                         |        |        |            |          |             |
|                         |        |        |            |          |             |
|                         |        |        |            |          |             |
|                         |        |        |            |          |             |
|                         |        |        |            |          |             |
|                         |        |        |            |          |             |
|                         |        |        |            |          |             |

Service Request/CS: Define Request Action Severity



Sales and Service>Service>Setup>Service Request>Request/Action Severity

|                                                 |                                            |                                   |
|-------------------------------------------------|--------------------------------------------|-----------------------------------|
| <Company Short Name> Process:<br><Process Name> | Business Area:<br><Business Area>          | Date:<br><Date>                   |
| Control Number:<br><Control Number>             | Priority(H, M, L):<br><Priority (H, M, L)> | Process Owner:<br><Process Owner> |

**Description:** You can define a Service Request's Severity and thereby set the priority. Low, Medium, and High are examples of severities. The service request severity can be applied to either a service request or an action. A service request severity reflects the support person's perception of the reported service request and the resulting action.

| Action/ Service Request | Severity | Importance Level | Description | Start Date | End Date |
|-------------------------|----------|------------------|-------------|------------|----------|
|                         |          |                  |             |            |          |
|                         |          |                  |             |            |          |
|                         |          |                  |             |            |          |
|                         |          |                  |             |            |          |
|                         |          |                  |             |            |          |
|                         |          |                  |             |            |          |
|                         |          |                  |             |            |          |
|                         |          |                  |             |            |          |

Service Request/CS: Define Urgencies



Sales and Service>Service>Setup>Service Request>Urgencies

|                                                 |                                            |                                   |
|-------------------------------------------------|--------------------------------------------|-----------------------------------|
| <Company Short Name> Process:<br><Process Name> | Business Area:<br><Business Area>          | Date:<br><Date>                   |
| Control Number:<br><Control Number>             | Priority(H, M, L):<br><Priority (H, M, L)> | Process Owner:<br><Process Owner> |

**Description:** You can define a Service Request's Urgency and thereby set the priority. Low, Medium, and High are examples of urgencies. A service request urgency reflects the customer's perception of the reported service request.

| Urgency | Importance Level | Description | Start Date | End Date |
|---------|------------------|-------------|------------|----------|
|         |                  |             |            |          |
|         |                  |             |            |          |
|         |                  |             |            |          |
|         |                  |             |            |          |
|         |                  |             |            |          |
|         |                  |             |            |          |
|         |                  |             |            |          |
|         |                  |             |            |          |

## Service Request/CS: Define Problem Codes



### Sales and Service>Service>Setup>Service Request>Problems Codes

|                                                 |                                            |                                   |
|-------------------------------------------------|--------------------------------------------|-----------------------------------|
| <Company Short Name> Process:<br><Process Name> | Business Area:<br><Business Area>          | Date:<br><Date>                   |
| Control Number:<br><Control Number>             | Priority(H, M, L):<br><Priority (H, M, L)> | Process Owner:<br><Process Owner> |

**Description:** A Problem Code gives meaning to the service request described by the caller. Problem codes isolate the detailed reason for the call. For example, a caller reports a problem with a stereo receiver. Every time they turn it on, it blows the circuit breaker. A problem code of ES, or electrical short is assigned.

| Type | Description | User Updateable |
|------|-------------|-----------------|
|      |             |                 |

| Code | Meaning | Description | Enabled | Effective Dates From | Effective Dates To |
|------|---------|-------------|---------|----------------------|--------------------|
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |

## Service Request/CS: Define Resolution Codes



### Sales and Service>Service>Setup>Service Request>Resolutions Codes

|                                                 |                                            |                                   |
|-------------------------------------------------|--------------------------------------------|-----------------------------------|
| <Company Short Name> Process:<br><Process Name> | Business Area:<br><Business Area>          | Date:<br><Date>                   |
| Control Number:<br><Control Number>             | Priority(H, M, L):<br><Priority (H, M, L)> | Process Owner:<br><Process Owner> |

**Description:** A Resolution Code gives meaning to the resolution of the service request described by the caller. Resolution codes isolate the detailed solution for the call. For example, a caller reports a problem with a stereo receiver. Every time they turn it on, it blows the circuit breaker. A problem code of ES, or electrical short is assigned. After careful analysis, a resolution code of RCB with a meaning of replace circuit board is assigned.

| Type | Description | User Updateable |
|------|-------------|-----------------|
|      |             |                 |

| Code | Meaning | Description | Enabled | Effective Dates From | Effective Dates To |
|------|---------|-------------|---------|----------------------|--------------------|
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |

## Service Request/CS: Define Systems



### Sales and Service>Service>Setup>Service Request>Systems

|                                                 |                                            |                                   |
|-------------------------------------------------|--------------------------------------------|-----------------------------------|
| <Company Short Name> Process:<br><Process Name> | Business Area:<br><Business Area>          | Date:<br><Date>                   |
| Control Number:<br><Control Number>             | Priority(H, M, L):<br><Priority (H, M, L)> | Process Owner:<br><Process Owner> |

**Description:** You can arrange customer products into groups called Systems for service management or distribution of responsibility. An example of a system is a grouping of customer products such as printers, work stations, and servers supported by a service program that maintains computer hardware.

| System | Description | Customer | Number | Parent System | System Number | Effective From | Effective To | Type | Coterminate Day-Month |
|--------|-------------|----------|--------|---------------|---------------|----------------|--------------|------|-----------------------|
|        |             |          |        |               |               |                |              |      |                       |

#### <Install>

| Installed at | Customer | Address |
|--------------|----------|---------|
|              |          |         |

#### <Bill To>

| Bill To | Customer | Address | Contact |
|---------|----------|---------|---------|
|         |          |         |         |

#### <Ship To>

| Ship To | Customer | Address | Contact |
|---------|----------|---------|---------|
|         |          |         |         |

#### <Other Contact>

| Technical | Administration | Configuration System Type |
|-----------|----------------|---------------------------|
|           |                |                           |

<Subject>

| Technical | Administration | Configuration System Type |
|-----------|----------------|---------------------------|
|           |                |                           |

Service Request/CS: Define Message Action Requests



Sales and Service>Service>Setup>Service Request>Message Action Requests

|                                                 |                                            |                                   |
|-------------------------------------------------|--------------------------------------------|-----------------------------------|
| <Company Short Name> Process:<br><Process Name> | Business Area:<br><Business Area>          | Date:<br><Date>                   |
| Control Number:<br><Control Number>             | Priority(H, M, L):<br><Priority (H, M, L)> | Process Owner:<br><Process Owner> |

Description: You can use Message Action Requests to specify an action you want a message recipient to take.

| Type | Description | User Updateable |
|------|-------------|-----------------|
|      |             |                 |

| Code | Meaning | Description | Enabled | Effective Dates From | Effective Dates To |
|------|---------|-------------|---------|----------------------|--------------------|
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |

Service Request/CS: Define Call Types



Sales and Service>Service>Setup>Service Request>Call Types

|                                                 |                                            |                                   |
|-------------------------------------------------|--------------------------------------------|-----------------------------------|
| <Company Short Name> Process:<br><Process Name> | Business Area:<br><Business Area>          | Date:<br><Date>                   |
| Control Number:<br><Control Number>             | Priority(H, M, L):<br><Priority (H, M, L)> | Process Owner:<br><Process Owner> |

**Description:** You can use Call Types to track incoming and outgoing calls. For example, you can specify that a call was logged due to the creation of a Service Request.

| Type | Description | User Updateable |
|------|-------------|-----------------|
|      |             |                 |

| Code | Meaning | Description | Enabled | Effective Dates From | Effective Dates To |
|------|---------|-------------|---------|----------------------|--------------------|
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |

Service Request/CS: Define Call Follow-Up Types



Sales and Service>Service>Setup>Service Request>Call Followup Types

|                                                 |                                            |                                   |
|-------------------------------------------------|--------------------------------------------|-----------------------------------|
| <Company Short Name> Process:<br><Process Name> | Business Area:<br><Business Area>          | Date:<br><Date>                   |
| Control Number:<br><Control Number>             | Priority(H, M, L):<br><Priority (H, M, L)> | Process Owner:<br><Process Owner> |

**Description:** You can use Call Follow-up Types to enumerate ways of following up on calls. For example, when you log a call, you can specify that you will send the customer a fax to follow up on their request.

| Type | Description | User Updateable |
|------|-------------|-----------------|
|      |             |                 |

| Code | Meaning | Description | Enabled | Effective Dates From | Effective Dates To |
|------|---------|-------------|---------|----------------------|--------------------|
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |
|      |         |             |         |                      |                    |

Remaining Services/CS: Define Customer Products



Sales and Service>Service>Installed Base>Customer Products

|                                                 |                                            |                                   |
|-------------------------------------------------|--------------------------------------------|-----------------------------------|
| <Company Short Name> Process:<br><Process Name> | Business Area:<br><Business Area>          | Date:<br><Date>                   |
| Control Number:<br><Control Number>             | Priority(H, M, L):<br><Priority (H, M, L)> | Process Owner:<br><Process Owner> |

**Description:** You can add or change the Customer Product attributes to meet the changing requirements of your customers. For example, you can change the status to reflect cancellations, no service, renewed service, transferred products, or termination. Optionally, you can modify Status, System, Effective Dates, Product Agreement, Revision, Type, or Service Agreement. By entering a system name in this region, you can link customer products to the system.

| Customer | Order Number | Product | Order Line Number | Description | Order date |
|----------|--------------|---------|-------------------|-------------|------------|
|          |              |         |                   |             |            |



Product Attributes

|                    |  |
|--------------------|--|
| Reference          |  |
| Original Reference |  |
| Serial Number      |  |
| Revision           |  |
| Lot Number         |  |
| Type               |  |
| Status             |  |

|                   |  |
|-------------------|--|
| System            |  |
| Effective from    |  |
| Effective To      |  |
| Product Agreement |  |
| Service Agreement |  |
| Most Recent       |  |
| Shipped           |  |
| Covered           |  |
| Included item     |  |



Install/Billing

<Install>

|              |  |
|--------------|--|
| Installed At |  |
| Customer     |  |
| Address      |  |
| Install Date |  |

<Billing>

|          |  |
|----------|--|
| Bill To  |  |
| Customer |  |

|         |  |
|---------|--|
| Address |  |
| Contact |  |
| Email   |  |



### Shipping

|           |  |
|-----------|--|
| Ship To   |  |
| Ship date |  |
| Customer  |  |
| Address   |  |
| Contact   |  |
| Email     |  |



### More

<Service Contacts>

| Technical | Email | Phone | Administrative | Email | Phone |
|-----------|-------|-------|----------------|-------|-------|
|           |       |       |                |       |       |

| Purchase Order Number | Return By Date | Total Amount | Actual Return Date | Copy License Reference |
|-----------------------|----------------|--------------|--------------------|------------------------|
|                       |                |              |                    |                        |

## Remaining Services/CS: Define Order Services



### Sales and Service>Service>Service Programs>Order Service

|                                                 |                                            |                                   |
|-------------------------------------------------|--------------------------------------------|-----------------------------------|
| <Company Short Name> Process:<br><Process Name> | Business Area:<br><Business Area>          | Date:<br><Date>                   |
| Control Number:<br><Control Number>             | Priority(H, M, L):<br><Priority (H, M, L)> | Process Owner:<br><Process Owner> |

**Description:** You can create service-only sales orders for Service Programs to apply to customer products in the installed base. For example, if your customer wishes to purchase a service program for extended service coverage after the product's warranty has expired, you can select the particular customer product from the installed base and automatically create a sales order for the new service program. After Oracle Service creates the sales order, you can book and process the sales order in Oracle Order Entry.

#### <Customer>

| Name | Number | Bill To | Ship To |
|------|--------|---------|---------|
|      |        |         |         |

#### <Service Detail>

| Service | Description | Start date | End Date | Duration | Period | Co Terminate | Agreement |
|---------|-------------|------------|----------|----------|--------|--------------|-----------|
|         |             |            |          |          |        |              |           |

#### <New Order>

| Order Type | Price List | PO Number |
|------------|------------|-----------|
|            |            |           |

#### <Add to Order>

| Order Number | Order Type | Order date | PO Number |
|--------------|------------|------------|-----------|
|              |            |            |           |

&lt;Subject&gt;

## Remaining Services/CS: Define Renewal Services



### Sales and Service>Service>Service Programs>Renewal Service

|                                                 |                                            |                                   |
|-------------------------------------------------|--------------------------------------------|-----------------------------------|
| <Company Short Name> Process:<br><Process Name> | Business Area:<br><Business Area>          | Date:<br><Date>                   |
| Control Number:<br><Control Number>             | Priority(H, M, L):<br><Priority (H, M, L)> | Process Owner:<br><Process Owner> |

**Description:** You can renew a product's service program. Renewal Service infers you are extending a service program currently in place. The starting date of renewed service is the current service's end date plus one day, thereby continuing the renewed service without an interruption. If a service program is renewed after expiration of the former service, the renewal service program is assigned a start date of the former service's end date plus one day, continuing the service uninterrupted.

#### <Customer>

| Name | Number | Ship To | Bill To |
|------|--------|---------|---------|
|      |        |         |         |

#### <Service Details>

| Agreement | CoTerminate |
|-----------|-------------|
|           |             |

#### <New Order>

| Order Type | Price List | PO Number |
|------------|------------|-----------|
|            |            |           |

#### <Add to Order>

| Order Number | Order Type | Order date | PO Number |
|--------------|------------|------------|-----------|
|              |            |            |           |

#### <Renewal>

&lt;Subject&gt;

File Ref: BR100Acs\_Service\_Application\_Setup.doc (v. DRAFT 1A )

Remaining Services/CS: Define Renewal Services 67 of 73

| Renew Until | Renew Duration | Period | Reason |
|-------------|----------------|--------|--------|
|             |                |        |        |

## Remaining Services/CS: Define Terminate Services



### Sales and Service>Service>Service Programs>Terminate Service

|                                                 |                                            |                                   |
|-------------------------------------------------|--------------------------------------------|-----------------------------------|
| <Company Short Name> Process:<br><Process Name> | Business Area:<br><Business Area>          | Date:<br><Date>                   |
| Control Number:<br><Control Number>             | Priority(H, M, L):<br><Priority (H, M, L)> | Process Owner:<br><Process Owner> |


**Description:** You can terminate customer product service at any point during the life of the service program. If you are terminating service only on a portion of the customer product, you can use split customer products to isolate the quantity specified for service termination. After terminating service, the transaction is recorded for audit history, making it available for future review. If a product with a service assigned is canceled, it is necessary to navigate to the Terminate Service window to cancel the associated service program. Canceling a customer product does not automatically terminate the associated service program.

#### <Termination Information>

|                |
|----------------|
| Terminate Date |
|                |

#### <Services>

| Effective Date | Credit Amount | Credit % | Current Start | Current End | Service | Reason |
|----------------|---------------|----------|---------------|-------------|---------|--------|
|                |               |          |               |             |         |        |
|                |               |          |               |             |         |        |
|                |               |          |               |             |         |        |
|                |               |          |               |             |         |        |



#### Transactions

#### <Service Transactions>

| Credit Amount | Credit % | Terminate From | Terminate To | Service Duration From | Service Duration to | Transaction Type | Amount |
|---------------|----------|----------------|--------------|-----------------------|---------------------|------------------|--------|
|               |          |                |              |                       |                     |                  |        |
|               |          |                |              |                       |                     |                  |        |

<Subject>

| Credit Amount | Credit % | Terminate From | Terminate To | Service Duration<br>From | Service Duration to | Transaction Type | Amount |
|---------------|----------|----------------|--------------|--------------------------|---------------------|------------------|--------|
|               |          |                |              |                          |                     |                  |        |
|               |          |                |              |                          |                     |                  |        |
|               |          |                |              |                          |                     |                  |        |

Remaining Services/CS: Define Customer Product Services



Sales and Service>Service>Service Programs>Customer Product Services

|                                                 |                                            |                                   |
|-------------------------------------------------|--------------------------------------------|-----------------------------------|
| <Company Short Name> Process:<br><Process Name> | Business Area:<br><Business Area>          | Date:<br><Date>                   |
| Control Number:<br><Control Number>             | Priority(H, M, L):<br><Priority (H, M, L)> | Process Owner:<br><Process Owner> |

Description: Use this form to view all ordered, renewed, and terminated service programs and warranties for a customer product.

| Customer | Product | Service | Warranty | Service Start | Service End | Dates Changed | Original Start | Original End | Coverage | Total Amount | System |
|----------|---------|---------|----------|---------------|-------------|---------------|----------------|--------------|----------|--------------|--------|
|          |         |         |          |               |             |               |                |              |          |              |        |
|          |         |         |          |               |             |               |                |              |          |              |        |
|          |         |         |          |               |             |               |                |              |          |              |        |
|          |         |         |          |               |             |               |                |              |          |              |        |
|          |         |         |          |               |             |               |                |              |          |              |        |
|          |         |         |          |               |             |               |                |              |          |              |        |
|          |         |         |          |               |             |               |                |              |          |              |        |
|          |         |         |          |               |             |               |                |              |          |              |        |

button Transactions

| Transaction Type | Resulting Status | Duration | Period | Effective From | Effective To | Coverage |
|------------------|------------------|----------|--------|----------------|--------------|----------|
|                  |                  |          |        |                |              |          |
|                  |                  |          |        |                |              |          |
|                  |                  |          |        |                |              |          |
|                  |                  |          |        |                |              |          |
|                  |                  |          |        |                |              |          |
|                  |                  |          |        |                |              |          |
|                  |                  |          |        |                |              |          |

Remaining Services/CS: Define Customer Co-Terminate Date



Sales and Service>Service>Service Programs>Customer Terminate Service

|                                                 |                                            |                                   |
|-------------------------------------------------|--------------------------------------------|-----------------------------------|
| <Company Short Name> Process:<br><Process Name> | Business Area:<br><Business Area>          | Date:<br><Date>                   |
| Control Number:<br><Control Number>             | Priority(H, M, L):<br><Priority (H, M, L)> | Process Owner:<br><Process Owner> |

**Description:** Oracle Service enables you to specify a single end date for all the service programs for a specific customer or system, so that service programs for the customer or system will have the same end date.

The Co-Termination date is hierarchical, first checking for a system Co-Termination date, then if none is found, it defaults to the customer Co-Termination date. If neither a system nor customer Co-Termination date has been set, the service program end date is the default. Suppose you set a Co-Termination date at the system level of October 31, and a customer Co-Termination date set at December 1. Service programs first check for the system Co-Termination date and set the end date to October 31. If no date had been set at the system level, when the system was defined, the customer level Co-Termination date is used. Another customer has five systems, each with a different Co-Termination date. For each system, the individual Co-Termination date becomes the Co-Termination date for that system only. In turn, if the system had not been assigned a Co-Termination date, the customer Co-Termination date would be used.

| Customer Name | Customer Number | Cotermiante Date - Day | Cotermiante Date - Month |
|---------------|-----------------|------------------------|--------------------------|
|               |                 |                        |                          |

## Open and Closed Issues for this Deliverable

### Open Issues

| ID | Issue | Resolution | Responsibility | Target Date | Impact Date |
|----|-------|------------|----------------|-------------|-------------|
|    |       |            |                |             |             |
|    |       |            |                |             |             |
|    |       |            |                |             |             |
|    |       |            |                |             |             |

### Closed Issues

| ID | Issue | Resolution | Responsibility | Target Date | Impact Date |
|----|-------|------------|----------------|-------------|-------------|
|    |       |            |                |             |             |
|    |       |            |                |             |             |
|    |       |            |                |             |             |
|    |       |            |                |             |             |