1. Specify the following queries on the COMPANY relational database schema shown in the following figure, using the relational operators discussed in this chapter. **Also show the number of tuples in the query result as it would apply to the database state**. (7 points each, total 70)

Figure 5.6

One possible database state for the COMPANY relational database schema.

EMPLOYEE

| Fname | Minit | Lname | Ssn | Bdate | Address | | Salary | Super_ssn | Dno | |
|----------|-------|---------|-----------|------------|---------------------------------------|---|--------|-----------|-----|--|
| John | В | Smith | 123456789 | 1965-01-09 | 731 Fondren, Houston, TX | | 30000 | 333445555 | 5 | |
| Franklin | Т | Wong | 333445555 | 1955-12-08 | 638 Voss, Houston, TX | | 40000 | 888665555 | 5 | |
| Alicia | J | Zelaya | 999887777 | 1968-01-19 | 3321 Castle, Spring, TX | | 25000 | 987654321 | 4 | |
| Jennifer | S | Wallace | 987654321 | 1941-06-20 | 291 Berry, Bellaire, TX | | 43000 | 888665555 | 4 | |
| Ramesh | K | Narayan | 666884444 | 1962-09-15 | 975 Fire Oak, Humble, TX | М | 38000 | 333445555 | 5 | |
| Joyce | Α | English | 453453453 | 1972-07-31 | 5631 Rice, Houston, TX | F | 25000 | 333445555 | 5 | |
| Ahmad | V | Jabbar | 987987987 | 1969-03-29 | 980 Dallas, Houston, TX M 250 | | 25000 | 987654321 | 4 | |
| James | E | Borg | 888665555 | 1937-11-10 | 0 450 Stone, Houston, TX M 55000 NULL | | NULL | 1 | | |

DEPARTMENT

| Dname | Dnumber | Mgr_ssn | Mgr_start_date | |
|----------------|---------|-----------|----------------|--|
| Research | 5 | 333445555 | 1988-05-22 | |
| Administration | 4 | 987654321 | 1995-01-01 | |
| Headquarters | 1 | 888665555 | 1981-06-19 | |

DEPT_LOCATIONS

| Dnumber | Diocation | |
|---------|-----------|--|
| 1 | Houston | |
| 4 | Stafford | |
| 5 | Bellaire | |
| 5 | Sugarland | |
| 5 | Houston | |

WORKS_ON

| Essn | Pno | Hours |
|-----------|-----|-------|
| 123456789 | 1 | 32.5 |
| 123456789 | 2 | 7.5 |
| 666884444 | 3 | 40.0 |
| 453453453 | 1 | 20.0 |
| 453453453 | 2 | 20.0 |
| 333445555 | 2 | 10.0 |
| 333445555 | 3 | 10.0 |
| 333445555 | 10 | 10.0 |
| 333445555 | 20 | 10.0 |
| 999887777 | 30 | 30.0 |
| 999887777 | 10 | 10.0 |
| 987987987 | 10 | 35.0 |
| 987987987 | 30 | 5.0 |
| 987654321 | 30 | 20.0 |
| 987654321 | 20 | 15.0 |
| 888665555 | 20 | NULL |

PROJECT

| Pname | Pnumber | Plocation | Dnum |
|-----------------|---------|-----------|------|
| ProductX | 1 | Bellaire | 5 |
| ProductY | 2 | Sugarland | 5 |
| ProductZ | 3 | Houston | 5 |
| Computerization | 10 | Stafford | 4 |
| Reorganization | 20 | Houston | 1 |
| Newbenefits | 30 | Stafford | 4 |

DEPENDENT

| Essn | Dependent_name | Sex | Bdate | Relationship |
|-----------|----------------|-----|------------|--------------|
| 333445555 | Alice | F | 1986-04-05 | Daughter |
| 333445555 | Theodore | М | 1983-10-25 | Son |
| 333445555 | Joy | F | 1958-05-03 | Spouse |
| 987654321 | Abner | М | 1942-02-28 | Spouse |
| 123456789 | Michael | М | 1988-01-04 | Son |
| 123456789 | Alice | F | 1988-12-30 | Daughter |
| 123456789 | Elizabeth | F | 1967-05-05 | Spouse |
| | | | | |

- a. Retrieve the names of all employees in department 5 who work more than 10 hours per week on the ProductX project.
- b. List the names of all employees who have a dependent with the same first name as themselves.
- c. Find the names of all employees who are directly supervised by "Franklin Wong".
- d. For each project, list the project name and the total hours per week (by all employees) spent on that project.
- e. Retrieve the names of all employees who work on every project.
- f. Retrieve the names of all employees who do not work on any project.
- g. For each department, retrieve the department name and the average salary of all employees working in that department.
- h. Retrieve the average salary of all female employees.
- i. Find the names and addresses of all employees who work on at least one project located in Houston but whose department has no location in Houston.
- j. List the last names of all department managers who have no dependents.

2. Consider the LIBRARY relational database schema shown in the following figure, which is used to keep track of books, borrowers, and book loans. Referential integrity constraints are shown as directed arcs in the figure. Write down relational expressions for the following queries. (5 points each, total 35)




Figure 6.14
A relational database schema for a
LIBRARY database.

- a. How many copies of the book titled *The Lost Tribe* are owned by the library branch whose name is 'Sharpstoen'?
- b. How many copies of the book titled *The Lost Tribe* are owned by each library branch?
- c. Retrieve the names of all borrowers who do not have any books checked out.
- d. For each book that is loaned out from the Sharpstown branch and whose Due_date is today, retrieve the book title, the borrower's name, and the borrower's address.
- e. For each library branch, retrieve the branch name and the total number of books loaned out from that branch.
- f. Retrieve the names, address, and number of books checked out for all borrowers who have more than five books checked out.

| g. | For each book authored (or coauthored) by Stephen King, retrieve the title and the number of copies owned by the library branch whose name is Central. |
|----|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |