

A close-up illustration of a pregnant woman's belly. The belly is wrapped in a white cloth that has a large, prominent bow made of blue and pink ribbons. The background is a soft, light pink color with several white, bubble-like shapes floating around the belly.

Gynecological Monthly Report February 2021

R1 Pholasith Laoruengrong


OPD

- | | | |
|-------------------------------------|-----|-----|
| • คลินิกนรีเวชกรรม | 990 | ราย |
| • คลินิกตรวจหาเซลล์มะเร็งปากมดลูก | 255 | ราย |
| • คลินิกตรวจรักษาและผ่าตัดผ่านกล้อง | 107 | ราย |


OPD

- คลินิกมะเร็งนรีเวช 62 ราย
- คลินิกปรึกษาการมีบุตร 26 ราย
- คลินิกวัยทอง 3 ราย
- คลินิกรักษาปากมดลูกด้วยกล้อง 7 ราย

คลินิกนรีเวชกรรม




OPD



IPD

	14 th Floor	20 th Floor	Total
Total admission	27	14	41
Minor operation	6	0	6
Open surgery	4	2	6
Laparoscopic surgery	7	10	17
Non surgical treatment	10	2	12

IPD



DISEASES

IUB

- BARTHOLIN ABSCESS / CYST 1

DISEASES

CERVIX

- | | |
|--------------|---|
| • CA CERVIX | 2 |
| • CIN | 1 |
| • CERVICITIS | 1 |

DISEASES

UTERUS / ENDOMETRIUM

• ADENOMYOSIS	4
• MYOMA UTERI	10
• ENDOMETRIAL POLYP	1
• SEPTATED UTERUS	1
• CA ENDOMETRIUM	4
• UTERINE PROLAPSE	-

DISEASES

TUBES AND ADNEXA

- ECTOPIC PREGNANCY 1
- SECONDARY INFERTILE 0

DISEASES

OVARIES

• CA OVARIES	1
• ENDOMETRIOTIC CYST	5
• DERMOID CYST	3
• FIBROMA	1
• TOA	2
• OVARIAN CYST	1

DISEASES

OTHER

- | | |
|---------------------------|---|
| • INFECTED SURGICAL WOUND | 2 |
| • RETAINED PLACENTA | 1 |

MAJOR OPERATION

Diagnosis

Recurrent bilateral endometriotic cyst with pelvic adhesion

Operation

Exploratory laparotomy with bilateral cystectomy

Pathology result

- **Right ovarian cyst wall: consistent with endometriotic cyst**
- **Left ovarian cyst wall: endometriotic cyst of left ovary**

MAJOR OPERATION

Diagnosis

Clear cell carcinoma of left ovary IA

Operation

Total abdominal hysterectomy with bilateral salpingo-oophorectomy with lysis adhesion with omentectomy with pelvic lymph node sampling

Pathology result

- **Left ovary: clear cell carcinoma, 6x5x5 cm, intact capsule, no tumor present in ovary surface, no lymph-vascular invasion present, no perineural invasion present**
- **Left fallopian tube: unremarkable**
- **Right ovary: corpus albicans**
- **Right fallopian tube: endosalpingiosis**
- **Endometrium: atrophic endometrium**
- **Myometrium: intramural and subserous leiomyoma size 0.2-0.5 cm**
- **Serosa: unremarkable**
- **Cervix: chronic endocervicitis, Nabothian cysts, intramural myoma 0.5 cm.**
- **Omentum: unremarkable**
- **Right pelvic lymph node: no metastasis in 2 lymph nodes**
- **Left pelvic lymph node: no metastasis in 3 lymph nodes**
- **Peitoneal washing: negative for malignancy**

MAJOR OPERATION

Diagnosis

Benign left ovarian fibroma

Operation

Exploratory laparotomy with total abdominal hysterectomy with bilateral salpingo-oophorectomy with bilateral pelvic node dissection with bilateral para-aortic node sampling with ascites collection with omentectomy with appendectomy

Pathology result

- **Left ovary: benign ovarian fibroma, tumor size 20x17x15 cm, intact capsule**
- Left fallopian tube: unremarkable
- Endometrium: weakly proliferative endometrium, endometrial polyp 1.5x0.5x0.3 cm
- Myometrium: subserous myoma 1-1.5 cm, adenomyosis
- Serosa: unremarkable
- Cervix: endocervical polyp 1.5x0.5x0.2 cm, Nabothian cysts
- Both parametrium: unremarkable
- Right ovary: corpus albicans
- Omentum: unremarkable
- Appendix: impact fecalith
- Both pelvic lymph node: reactive lymphoid hyperplasia of all lymph nodes
- Paraaortic lymph node: no lymph node received

MAJOR OPERATION

Diagnosis

Ruptured right tubal pregnancy

Operation

Exploratory laparotomy with right salpingectomy with lysis adhesion

Pathology result

- Fallopian tube: tubal pregnancy, partubal cyst

MAJOR OPERATION

Diagnosis

Bilateral tubo-ovarian abscesses with pyosalpinx with multiple myoma uteri with endometriosis with severe pelvic adhesion

Operation

Exploratory laparotomy with total abdominal hysterectomy with left salpingo-oophorectomy with lysis adhesion

Pathology result

- **Left ovary: endometriotic cyst 8x6x5 cm, surface fibrosis**
- **Left fallopian tube: endometriosis, pyosalpinx**
- **Endometrium: weakly proliferative endometrium**
- **Myometrium: adenomyosis, submucous and intramural myoma 0.5-3.5 cm**
- **Serosa: fibrosis**
- **Cervix: Nabothian cysts**
- **Part of right fallopian tube: endometriosis, hemosalpinx**

MINOR OPERATION

Operation	Times
Marsupialization	1
Incision and drainage	-
Fraction and curettage	1
Loop electrosurgical excision procedure	-
Curettage	5
Excision	-
Debridement	-
MVA	-
Resuture	-
Evacuation	-

LAPAROSCOPIC SURGERY

Operation	Times
Total laparoscopic hysterectomy with Bilateral salpingo-oophorectomy Bilateral salpingectomy	3
Laparoscopically assisted vagina hysterectomy with Bilateral salpingectomy Bilateral salpingo-oophorectomy	4

LAPAROSCOPIC SURGERY


Operation	Times
Laparoscopic salpingo-oophorectomy	3
Vaginal hysterectomy with AP repair	0
NOTES	1

LAPAROSCOPIC SURGERY

Operation	Times
Laparoscopic tubal re-anastomosis	0
Laparoscopic myomectomy	1
Laparoscopic diagnosis	0
Laparoscopic cystectomy	3

LAPAROSCOPIC SURGERY

Operation	Times
Hysteroscopic Resection Curettage Polypectomy	3
Vaginal myomectomy	3

The image features a white background with several realistic water droplets of varying sizes in the corners. In the top-left corner, there is a large droplet and a few smaller ones. In the top-right corner, there is a medium-sized droplet and a small one. In the bottom-right corner, there is a large, irregular droplet and several smaller ones. In the bottom-left corner, there are a few small droplets. A large, empty rectangular box with a thin blue border is centered on the page.

THANK YOU