




OBSTETRICS MONTHLY REPORT DECEMBER 2020

R1 Pholasith Laoruengrong

OPD

Clinic	Time
Antenatal care	1,059
High Risk Clinic	537
Maternal Fetal Medicine	36
Prenatal Diagnosis	122
Postpartum Clinic	122
HIV Clinic	50



OPD

Ultrasonography	Time
Total Obstetric Ultrasonography	528
Level 1	302
Level 2+3	236
3-4D	71
Gynecologic Ultrasonography	351

Prenatal Diagnosis

Prenatal Diagnosis	Time
Amniocentesis	25
Cordocentesis	2
Down Syndrome Screening	17
Advice PND	29
Reject PND or Loss Follow up	5
Abnormal Chromosome Study	-

Diagnosis Abortion at Ward 14

IPD	Number
Total Abortion	23
Complete Abortion	-
Incomplete Abortion	15
Septic Abortion	-
EED/DFIU	5
Blighted Ovum	3
Inevitable Abortion	-
Threatened Abortion	-
Missed Abortion	-

OB complication At Ward 14

IPD	Number
Hypertension	2
Chronic Hypertension	-
Gestational Hypertension	-
Superimposed Preeclampsia	1
Mild Preeclampsia	1
Severe Preeclampsia	-
Diabetes Mellitus	12
Overt DM	3
GDM	9

OB complication At Ward 14

IPD	Number
Threatened Preterm Labor	3
Preterm Labor	3
Placenta Previa	1
BBA	-
Infected Cesarean Wound	-
PPH	-
Hyperemesis gravidarum	-
Ectopic pregnancy	8
Fetal anomaly	2
Blunt abdominal injury in pregnancy	1

LABOR ROOM


	Number	Percent
Admit	271	
Total Delivery	261	
Vaginal Delivery	171	65.5%
Normal Delivery	169	
Vacuum Extraction	2	
VBAC	-	
Breech Assisted	-	
Cesarean Section	90	34.4%
Elective	23	
Emergency	67	

Indication for Cesarean Section

Primary C/S	Number
CPD	31 (34.4%)
Breech Presentation	10 (11.1%)
Twin Pregnancy	2
Non Reassuring FHR	5(5.6%)
Failed Medication Induction	3
Fetal distress	2(2.2%)
Transverse lie/ Compound presentation	1
Prolapsed cord	-

ROUTE OF DELIVERY

—◆— NL —■— C/S



Complication of Pregnancy at LR	Number
No ANC	4
Hypertensive Disorder	6 (2.3%)
Superimposed preeclampsia	-
Mild Preeclampsia	-
Severe Preeclampsia	6
HELLP Syndrome/Eclampsia	-
Gestational Diabetes	19 (7.3%)
Preterm Delivery	21 (8.0%)
GA < 34 Wk	10
GA ≥ 34 Wk	11
Oligohydramnios	11 (4.2%)
PROM	9 (3.4%)

Post partum complication

Immediate Postpartum Complication at LR	Number
Postpartum Hemorrhage	7 (2.7%)
Hematoma at perineum	-
Retained Placenta with Manual Removal of Placenta	-
Laceration of Cervix	3
Hysterectomy	-

Post partum complication

Immediate Postpartum Complications at PP	Number
Postpartum Hemorrhage	1
Hematoma at Perineum	-
Infected Episiotomy Wound	-
Infected Cesarean Wound	-

Contraception

Contraception	Number
IUD	-
Implantation	110
Ward 13	40
Ward 14	2
Ward 20	2
OPD	66
Remove Implantation	49

Tubal Sterilization

Ward	Number
Total	30
Ward 13	7/23
Ward 14	0/0
Ward 20	0/0

Newborn at LR

New Born	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Total	256	233	226	284	265	280	287	311	280	311	341	329	263
Live Birth	256	233	225	284	264	279	287	309	277	309	317	328	263
Still Birth	0	0	1	0	1	1	0	2	3	2	2	1	0
Birth Asphyxia	5	6	13	10	10	7	10	8	7	8	14	6	8
	1.95%	2.5%	5.7%	3.5%	3.7%	2.5%	3.4%	2.6%	2.5%				
Term	0	3	6	1	6	4	3	3	2	5	8	4	4
Preterm	5	3	7	9	4	3	7	5	5	3	6	2	4
Birth Injury	1	2	0	1	1	1	0	0	1	1	1	0	0
Congenital anomaly	1	1	0	1	1	0	1	0	2	0	0	4	6

Dead fetus in utero at OB-14

Total 2 Cases



Newborn at LR

Birth Weight	Male(n)	Female(n)
BW > 4,000 gm.	0	2
BW 1,500 – 2,500 gm.	11	9
BW < 1,500 gm.	0	2
Maximum BW (gm.)	3,980	4,510
Minimum BW (gm.)	1,530	765

THANK YOU

