GoalNexa User Manual

Goals, metrics and check-ins - for individuals and teams

October 2026

Contents

About this manual

1. Getting started

- 1.1 Create an account
- 1.2 Sign in
- 1.3 Forgot your password
- 1.4 The onboarding wizard

2. Finding your way

- 2.1 The sidebar
- 2.2 The user menu
- 2.3 Personal goals and organizations

3. The dashboard

- 3.1 The goal tree
- 3.2 Reading a goal's chart
- 3.3 How progress and health are calculated

4. Goals and metrics

- 4.1 Create a goal
- 4.2 Add a metric
- 4.3 Sub-goals and sub-metrics
- 4.4 Edit, archive or delete
- 4.5 Quotas: a target per day, week or month
- 4.6 Lists, search and filters

5. Checking in

- 5.1 Check in from the dashboard
- 5.2 When a check-in is due
- 5.3 Edit or delete a check-in
- 5.4 Many check-ins at once: the check-in table

6. Reminders and the goals digest

7. Working with a team

- 7.1 Create an organization
- 7.2 Invite members
- 7.3 Accept an invitation
- 7.4 Roles and who sees what
- 7.5 Make a goal private
- 7.6 Comments and the activity feed

8. Cycles: plan and score by quarter

8.1 Create a cycle and add goals
8.2 Close a cycle

9. Teams and the team board

9.1 Create teams
9.2 Create a goal template
9.3 The team board

10. Sharing a dashboard

11. AI assistants (MCP)

11.1 Connect an app
11.2 Personal access tokens
11.3 Install the skills
11.4 What to say

12. Automatic check-ins

13. Your account

13.1 My account
13.2 Email preferences

14. Administration (system console)

14.1 Status
14.2 Settings
14.3 Users
14.4 Roles and access control
14.5 Other pages

Appendix A. Field reference

Goal
Metric
Check-in
Cycle

Appendix B. Glossary

Appendix C. Troubleshooting

About this manual

GoalNexa tracks goals by numbers. A **goal** (“Launch v2 of the mobile app”) is measured by one or more **metrics** (“Beta testers: 0 → 500 users”), and you record progress with **check-ins** (“we’re at 380”). GoalNexa turns the check-ins into progress, a prediction for the target date and a health badge, alone or with your team.

The manual follows what you do, in order:


Chapter	You learn to
1. Getting started	Sign up, sign in, use the onboarding wizard
2. Finding your way	The sidebar, the user menu, organizations
3. The dashboard	Read progress, predictions and health
4. Goals and metrics	Create goals, metrics, sub-goals
5. Checking in	Record progress, one at a time or many at once
6. Reminders and digest	Get nudged when a check-in is due
7. Working with a team	Organizations, invitations, sharing, comments
8. Cycles	Plan by quarter, close and score
9. Teams and the team board	One goal system across many teams
10. Sharing a dashboard	A read-only link for anyone
11. AI assistants	Plan and check in by chat
12. Automatic check-ins	Feed a metric from another system
13. Your account	Password, data export, email preferences
14. Administration	The system console (administrators)
Appendix	Field reference, glossary, troubleshooting

Screen-by-screen functions are listed in *GoalNexa functions by screen* (`docs/user-guide/03-functions-by-screen.md`). Numbers in red circles on the screenshots match the numbered steps next to them.

1. Getting started

1.1 Create an account

1. Open your GoalNexa address (for example `https://goals.example.com`).
2. Click **Sign up** under the sign-in box.
3. Enter your **Name**, **Email** and a **Password** (at least 8 characters).
4. Click **Sign Up**.




The sign-up form

- If your administrator requires confirmed email addresses, GoalNexa shows “We sent a link to <your email>”. Open the email and click the link (it works for 7 days). **Send it again** sends a new one.
- If sign-up is closed or by invitation only, use the link from your invitation (see 7.3) or ask your administrator.

> **First install?** On a brand-new GoalNexa there are no accounts. The site opens **Welcome - let’s set things up** instead: the account you create there becomes the administrator.

1.2 Sign in

1. Enter your **Email** and **Password**.
2. Click **Sign In**.




Sign in

If your company uses single sign-on, click **Continue with <provider>** instead. After several wrong passwords in a row the account is locked for a few minutes; a password reset or an administrator unlocks it.

1.3 Forgot your password


1. On the sign-in page click **Forgot password?**
2. Enter your **Email** and click **Email me a link**.
3. Open the email, click the link (valid 2 hours), enter the **New password** twice and click **Save password and sign in**.



Request a reset link

1.4 The onboarding wizard

The first time you open GoalNexa with no goals, the dashboard shows a short wizard.




Pick where to start

Step 1 - choose how to start.

- **Use an AI agent** (recommended): connect Claude, ChatGPT, Cursor and others, then manage goals by chatting. See chapter 11.
- **Use the website**: set up everything on this page.
- **Skip for now**: go straight to an empty dashboard. You are not asked again in this browser.


Website path

1. **Name your organization** - your team, company or household. Goals belong to it and you can invite others later. Click **Next**.




Name the organization

2. **What are you aiming for?** - type a **Goal** and, optionally, a **Target date** (it lets the dashboard predict whether you'll make it). **+ Add goal** for more. Click **Next**.




Add goals

3. **How will you measure each goal?** - for each goal add a metric: name, unit, **start** and **target** (the target must differ from the start; it may be lower, for something that should go down). Click **Next**.



Add metrics

4. **Ready to go** - check the summary and click **Create and open dashboard**.




Review and create

Nothing is saved before the last step. If something fails, fix it and click again - what was already created is kept, not duplicated.


AI-agent path

1. **Connect your AI assistant** - pick the app you use and follow its steps (details in chapter 11). The wizard shows **Connected** once the app reaches GoalNexa.
2. **Teach it GoalNexa** - copy the “Install the goalnexa skills from …” prompt into your assistant (not needed for a Claude connector).
3. **Tell it what you’re working toward** - copy a starter prompt (plan, check in, review) and click **Done - open dashboard**.



Connect an assistant from the wizard

2. Finding your way



The dashboard with the sidebar on the left and the user menu top right


2.1 The sidebar

Entry	What it opens
Dashboard	Charts of your goals (chapter 3)
Check-in table	All metrics and their history as a spreadsheet (5.4)
Team board	One goal template across teams (chapter 9)
Goal tracking	Lists of Goals, Cycles, Goal templates, Metrics, Check-ins; **Reminders**
Organizations	My organizations, Teams, Invitations
MCP access	Connect an AI assistant (chapter 11)

Click a group name to fold it; the icon at the top left of the header hides the whole sidebar. Pages you have no permission for are not shown.

2.2 The user menu

Click your initials at the top right.



User menu


- **Switch organization** - choose the organization (or *Personal (no organization)*) the dashboard and check-in table show.
- **Manage organizations** - your organizations' pages.
- **My account** - password, data export, delete account (chapter 13).
- **Email preferences** - which emails you get.
- **System console** - administrators only (chapter 14).
- **Log out**.

2.3 Personal goals and organizations

- A **personal** goal (no organization) is visible only to you.
- An **organization** goal is shared with the organization's members (unless you make it private, see 7.4).
- You can belong to several organizations and switch between them at any time.

3. The dashboard

The dashboard is the main screen: pick goals on the left, read their charts on the right.




Dashboard overview

1. **Organization** - whose goals to show.
2. **Show check-ins by** - *As logged*, or one value per Day / Week / Month / Quarter / Year (amounts also appear as bars).
3. **Goal** - click the title to open its details in a side panel.
4. **Eye** - show or hide the goal in the charts (up to 8 at a time).
5. **Prediction** - where the goal is heading by its target date.
6. **Health** - *On track*, *At risk*, *Off track* or *Achieved*.
7. **Share** - a read-only link (chapter 10).

When the organization has cycles or teams, **Cycle** and **Team** filters appear too. The dashboard opens on the cycle running today.

3.1 The goal tree




The goal tree

Each goal shows its color, title, current % and a progress bar. Under it are its **metrics** (current / target and unit), then its **sub-goals**.

- **Eye on a goal** shows/hides it in the charts. **Show all**, **Show first 8** and **Hide all** act on every goal. Hiding a goal hides its sub-goals.
- **Eye on a metric** leaves that metric out of the goal's progress (the row stays, dimmed).

- **Arrow** next to a title folds the row.
- **Drag** a row up or down to reorder it among its siblings.
- **+** opens a menu: on a goal **Add metric / Add sub-goal**, on a metric **Check in / Add sub-metric**.
- A **clock** after a metric's name means its scheduled check-in is overdue; click it to check in.
- Archived goals are not listed.

3.2 Reading a goal's chart



A goal's progress chart

- Each line is one metric's progress in % (from its start to its target). The color matches the metric's key in the tree.
- **Now** is today; **Target <date>** is the goal's target date.
- The **dashed line** ending in a hollow dot is the **prediction**: each metric's trend carried forward to the target date.
- The header shows the goal's %, "→ N% by <date>" (the predicted progress) and the health badge.
- Hover a point to see the metric's % and its actual reading ("353 / 500 users"), who checked in and from where.
- A metric whose target equals its start is **tracked only**: it gets its own small value chart under "Tracked, no target" and doesn't count in the %.
- A metric with a target per period (a quota) adds a **Per period** bar chart (see 4.5).

3.3 How progress and health are calculated

- **Metric progress** = (current - start) / (target - start). A target below the start works for things that should go down.


- **Goal progress** = the average of its top-level metrics. Sub-metrics break a metric down and do not count.
- **Health**, from the prediction at the target date:

Badge	Meaning
Achieved	The goal is at 100%
On track	Predicted to reach 100% by the target date
At risk	Predicted 80-99%
Off track	Predicted below 80%, or the target date has passed
(none)	No target date or no check-ins yet
Tracking	No metric has a target - just readings

4. Goals and metrics


4.1 Create a goal

1. On the dashboard click **New goal** in the Goals header.



New goal

2. Fill in the form. Only **Title** is required.



The new goal form


- **Title** - the outcome, e.g. “Run a 10 km race under 50 minutes”.
- **Description** - why it matters.
- **Status** - Not started / In progress / Completed / Archived (archived goals leave the dashboard).
- **Target date** - enables the prediction and health.
- **Visibility** - Public (whole organization) or Private (you and the people you add); *Team* for a team’s goal.
- **Team**, **Cycle** - optional; preset from the dashboard filters.

3. Click **Create**. The goal appears in the tree.

You can also create goals from **Goal tracking > Goals > + New goal**.


4.2 Add a metric

1. Click **+** on the goal’s row and choose **Add metric**.



The goal's + menu

2. Fill in the metric:




New metric

- **Name** - the one number you track ("Downloads").
- **Unit** - km, users, $, % …
- **Base value** - where you start.
- **Target value** - where you want to be. Lower than the base for something that should go down. Equal to the base = tracked only.
- **Current value** - leave blank; check-ins update it.

- **Each check-in is** - *The new value (a reading)* for things like a user count or a weight; *An amount to add to the total* for things like “ran 5 km”.

3. Optional settings further down:



More metric settings

- **Check in every** - Daily / Weekly / Monthly: you get a reminder when a check-in is due (chapter 6).
- **Target is for**, **Count days**, **Progress by**, **One reading per**, **Check-ins are for** - quotas per period (4.5).


4. Click **Create**.

4.3 Sub-goals and sub-metrics

- **Sub-goal**: on a goal’s **+** choose **Add sub-goal**. It is a goal of its own, nested under its parent in the tree, with its own metrics.
- **Sub-metric**: on a metric’s **+** choose **Add sub-metric** to break a number into parts (e.g. Revenue → Revenue EU, Revenue US). Sub-metrics don’t count toward the goal’s progress - the parent does.

4.4 Edit, archive or delete

1. Click the goal's or metric's name in the tree. A side panel opens.




A goal's side panel

2. Click **Edit**, change the fields and click **Save** - or **Delete**.

3. To finish a goal without deleting it, set **Status** to *Completed* or *Archived*.

4. Close the panel (×); the charts refresh.

The same pages are under **Goal tracking > Goals / Metrics**, with **Details** and tabs for related items (a goal's **Metrics** and **Sub goals**, a metric's **Check ins**).



A metric's page

4.5 Quotas: a target per day, week or month


For habits and recurring targets ("10 demos per week", "8,000 steps a day") use a metric whose check-ins are **amounts to add**, then set:

Field	Choose
Target is for	Each day / week / month / quarter / year (the target becomes the amount per period)
Count days	Every day, or Weekdays only (for daily/weekly targets)
Progress by	*The total against every period's target*, or *How often the target is hit* (hit rate)
One reading per	Only the last check-in of each period counts (send "the total so far today")
Check-ins are for	A check-in counts for a whole day/week/month - its time is set to the period's start

The tree then shows "done / quota /wk", the chart adds **Per period** bars, and the metric's page shows the **hit rate** and **streak**.


4.6 Lists, search and filters

Every list page (Goals, Metrics, Check-ins, Cycles…) works the same:



Goals list

- **+ New …** creates an item.
- **Search…** finds by name.
- **Filter** → **+ Add filter…** → pick a field, an operator (contains, is, >, before, is empty…) and a value → **Apply**. Filters show as chips; × removes one, **Clear** removes all.
- The **columns** button shows, hides and reorders columns.
- Click a row to open it; the eye, pencil and bin icons view, edit and delete.




Filter dialog

5. Checking in


5.1 Check in from the dashboard

1. On the metric's row click **+** and choose **Check in**.



Metric menu

2. Enter the **Value**:
    - a *reading* metric: the new number ("380" beta testers now);
    - a *sum* metric: the amount done ("12" km today) - the form shows the new total.
3. Optional: **When** (leave blank for now - set it to backdate), and a **Note**.
4. Click **Save check-in**. The charts, %, prediction and health update.




Check-in form

> A backdated check-in is fine: the current value is always the latest reading *by date*, not the last one typed.

5.2 When a check-in is due

A metric with **Check in every** shows a clock after its name once a check-in is overdue. Click the clock to open the check-in form.




Due clock on “Subscribers”

5.3 Edit or delete a check-in

Open the metric (click its name) → **Check ins** tab → pencil to edit, bin to delete. Progress is recalculated.


5.4 Many check-ins at once: the check-in table

Check-in table shows every goal and metric as rows and their history as columns - handy for a weekly update.



Check-in table

1. Pick the **Organization** and, optionally, tick **Goals** to narrow the rows.
2. **Snap to** sets one column per Hour / Day / Week / Month (for weeks, pick the first weekday).
3. In the right-hand column choose the period or date, then type a value in each metric's box (Enter moves on and saves).
4. Click **Save N**.




Entering several values

Hover a value to read its notes. The **Target** column shows “start -> target”. Drag a row’s name to reorder; **+** has the same menus as on the dashboard.

6. Reminders and the goals digest

1. Give metrics a schedule: **Check in every** = Daily, Weekly or Monthly (4.2).
2. Open **Goal tracking > Reminders**.



Reminders

3. Turn on **Send me reminders**.
4. Choose where they go:
    - **Email them to my account address** (if your GoalNexa sends email), and/or
    - **Send to**: one address per line in Apprise format - see **URL examples** on the right (Telegram `tgram://`, Slack, Discord, ntfy, email `mailtos://`…).
5. **Goals digest**: *Weekly* (pick the day) or *Daily*, and the hour (in your browser's time zone) - a summary of what moved, what's at risk and what's due. *Off* turns it off.
6. Click **Save**, then **Send a test** to check delivery.


How reminders behave:

- One message per goal owner, listing everything that's overdue, once per due date - no repeated nagging.
- **Due now** (right) lists overdue metrics. Metrics without a schedule are never due.
- For a quota metric you may also get a nudge near the end of a period if you're short.

7. Working with a team

7.1 Create an organization


1. **Organizations > My organizations → + New organization**.
2. Enter the **Name** and, optionally, a **Time zone** (where the organization's day starts - daily/weekly targets count in it).
3. Click **Create**.



My organizations


7.2 Invite members

1. Open the organization → **Invite member**.




Organization page

2. Enter their **Email** and **Role**: *Member* (works on the goals) or *Admin* (also manages members and invitations). Click **Create invitation**.



Invite a member

3. GoalNexa does **not** email the invitation. Click **Copy link** and send it yourself (chat, email). The link expires after two weeks.




The invitation link

Pending invitations lists open invitations: **Copy link** again or **Revoke**.

7.3 Accept an invitation

1. Open the link you received.
2. No account yet? You land on **Sign up** with your email filled in. Otherwise sign in with **the same email** the invitation was for.
3. On “Join <organization>” click **Accept invitation** (or **Decline**).

Invitations to your email also appear under **Organizations > Invitations** with **Accept** / **Decline**.



Invitations


7.4 Roles and who sees what

Role	Can
Owner	Everything, including changing roles and owners
Admin	Manage members, invitations, teams and goal templates
Member	See the organization’s public goals; create goals, check in

- Change a role with the select in the **Members** table; **Remove** someone, or **Leave** yourself.
- An organization always keeps an owner.
- Leaving an organization ends your access to its goals - even ones you created.

7.5 Make a goal private

1. Open the goal (click its name) → **Sharing**.
2. Set **Visibility**: *Public* (everyone in the organization), *Private* (only the owner and the members listed), or *Team only* (a team’s goal).
3. For a private goal, pick someone in **Add a member of <org>…** and click **Add**. **Remove** takes them off; a member can **Leave**.



Sharing and activity on a goal

Only the goal's owner can change visibility and members. Metrics and check-ins follow their goal.

7.6 Comments and the activity feed

Under **Activity** on a goal:


- Type in **Write a comment…** and click **Comment**. You can delete your own comments.
- The feed lists who created or changed the goal, added metrics, checked in (marked *AI agent* when an assistant did it), and when the health changed.

8. Cycles: plan and score by quarter

A **cycle** is a period - usually a quarter - that goals belong to.

8.1 Create a cycle and add goals


1. **Goal tracking > Cycles** → **+ New cycle**.
2. Enter **Name** (“Q1 2027”), **Organization** (empty = personal), **Starts on**, **Ends on**, **Status** (*Planning* or *Active*).
3. Click **Create**.
4. Put goals in it: set **Cycle** when creating or editing a goal. On the dashboard, pick the cycle in the **Cycle** filter first - **New goal** then presets it.



Cycles


8.2 Close a cycle

At the end of the period, open the cycle. The **Close this cycle** panel lists its goals.



Closing a cycle

1. For each goal set a **Score** from 0 to 1 (prefilled from its progress; 0.7 counts as achieved for an ambitious goal).
2. Choose **Then**: *Done* (completed), *Roll over* (a copy continues in the next cycle - readings continue, amounts start over) or *Drop* (archived).
3. Optional **Reflection** per goal and a **Retro** for the cycle.
4. If any goal rolls over, pick **Roll over into** - or click **Create “<next quarter>”**.
5. Click **Close cycle and score N goals**. This cannot be undone.



The close form

After closing, the cycle shows a **Scorecard**: average score and how many goals were *Achieved* (>= 0.7), *Partial* (>= 0.3), *Missed* or *Dropped*. A closed cycle is read-only.


9. Teams and the team board

For organizations where several teams run **the same goals** (each sales region, each store, each squad): define the goals once as a **goal template**, give each team its own copy with its own targets, and let GoalNexa add up the totals.


> Creating teams and templates needs the **Owner** or **Admin** role in the organization.

9.1 Create teams

1. **Organizations > Teams** → **+ New team**.
2. Enter the **Name**, the **Organization** and, for a sub-team, its **Parent** (e.g. *North* under *Sales*). Click **Create**.
3. Open the team → **Team members** → **Add someone from the organization**, choose **Lead** (sets the team's targets) or **Member** (checks in) → **Add**.



Teams




A team and its members

9.2 Create a goal template

1. Open **Team board** and click **+ New** next to *Goal template* (or **Create the first one**).


2. **Template** - a **Name** (“Sales targets”) and description → **Next**.



Template wizard: name

3. **Goals** - the **Main goal** (“Grow revenue”) and any sub-goals -> **Next**.

4. **Metrics** - for each goal, its metrics:




Template wizard: metrics

- **Metric**, **Unit**.
- **Each check-in is** - the new value, or an amount to add.
- **Totals** - how teams add up: *Add up*, *Average*, *Lowest team* or *No total*.
- **Target is for**, **Counts**, **Progress is**, **Which check-ins count**, **Check-ins are for** - for quotas (4.5).
- **Start** and **Default target** - leave the target empty to let each team set its own.

5. **Teams** - pick the **Cycle** and tick the teams that run it.


6. **Review** → **Create the template**.

The template has its own page under **Goal tracking > Goal templates**. A change there reaches every team's copy.



Template page

9.3 The team board



Team board in Check in mode


Pick **Organization**, **Goal template**, **Cycle** and **Teams** at the top. Rows are the teams in their tree; columns are the template's metrics.

- **Whole organization** and each department show **totals**, calculated from the teams (read-only), with the planned target and the gap.
- Each team's cell shows current / target, %, and the pace needed ("≈ 2.16/week to go"). Cell colors go from red (behind) to green.
- **Last update** shows when each team last checked in.

- A team that doesn't run the template shows **Add**.

Set targets

1. Click **Targets** (top right).
2. Type each team's **Start** and **Target**; on a total row, a **Planned** top-down target.
3. Tick "Not set up" teams to add the template to them (**Add to N teams**).
4. Click **Save targets**.




Targets mode

Check in for every team

1. Click **Check in**. Set **Checked in at** if it isn't now.
2. Type each team's number in its cell (Enter moves down); ✎ adds a note.
3. Click **Save N check-ins** (**Discard** drops the changes).

Show by (Week, Month…) shows each period's numbers instead of the running totals - good for "how did each region do this week".



Show by week


Full screen shows the board alone, for a team meeting; **Exit full screen** (or Esc) returns.

Owners and admins can click a goal or metric header to edit it, or ✕ to remove it from the template (a team copy with check-ins is kept as that team's own).

10. Sharing a dashboard


Give stakeholders a live, read-only view without an account.

1. On the dashboard, show the goals you want to share (eyes) and untick metrics you want to leave out.
2. Click **Share** (Filters header).
3. Give the link a **Name** and click **Create link**.




Share dashboard

4. Click **Copy** and send the link.



The link is ready

Anyone with the link sees the goals and charts, live:



A shared dashboard


- Notes and who checked in are not shown.
- The link only ever shows what *you* can still see.
- **Your links** in the same dialog lists every link: **Copy** again or **Revoke** to end it.

11. AI assistants (MCP)

Connect Claude, ChatGPT, Gemini, Cursor, VS Code, Claude Code and others to GoalNexa. The assistant can do exactly what you can - nothing more.


11.1 Connect an app

1. Open **MCP access** in the sidebar.



MCP access

2. Under **Which app do you use?** click your app. Its steps appear, with the **Server URL** (and **Copy**) and screenshots of the app.



Steps for Claude

3. Apps marked **Sign in, no token** (Claude, ChatGPT, Gemini): add GoalNexa as a custom connector with the URL; the app opens GoalNexa, you sign in and click **Allow**.


4. Apps marked **Token** (Cursor, VS Code, Claude Code, Codex…): click **Create a token** in the steps - the snippet is filled in. Copy it now: a token is shown only once.

5. Wait for **Connected**; try one of the suggested prompts.

Assistants that sign in appear under **Connected apps** (**Disconnect** to remove one).

11.2 Personal access tokens

1. **New token** → a **Name** ("Claude Code on my laptop") and **Expires after** (30 days, 90 days, 1 year, never) → **Create token**.
2. Copy the token immediately.
3. **Revoke** stops a token at once.



New token

11.3 Install the skills

For assistants that support skills (Claude Code, Codex…), copy the prompt under **Agent skills** - “Install the goalnexa skills from <your address>/api/v1/mcp/skills” - into the assistant. It learns to plan goals, check in and run reviews. Run the same prompt again to update.

11.4 What to say


You say	The assistant
“Plan a half marathon in November.”	Drafts a goal with metrics, asks, then creates it
“Ran 12 km today.”	Finds the metric, checks in 12, replies with progress and a dashboard link
“We’re at 420 beta users.”	Checks in the new reading
“How are my goals doing?”	Reviews progress, pace and risks
“Remind me weekly on Telegram.”	Sets up reminders

Check-ins made by an assistant are marked *AI agent* in the activity feed and chart tooltips.

12. Automatic check-ins

Send numbers from a script, a cron job, Home Assistant, n8n, Zapier or a webhook, without signing in.

1. Open the metric (click its name, or **Goal tracking > Metrics**).
2. In **Automatic check-ins** click **Create token**.



Automatic check-ins

3. Copy the token and the example right away - they're shown only once.
4. Have the other system send a POST with the value:

```
curl -X POST https://<your address>/api/v1/metrics/<id>/ingest \
  -H "Authorization: Bearer gnm_..." \
  -H "Content-Type: application/json" \
  -d '{"value": 42}'
```

   Optional fields: `note`, `checked_in_at` (ISO 8601). A sender that can't set headers may add `?token=...` to the URL.


5. **Rotate token** replaces it; **Revoke** turns it off.

The token can only add check-ins to this one metric. They appear with the source *Ingest URL*.

13. Your account

13.1 My account

User menu → **My account**.



My account


- **Download my data** - a JSON file with your goals, metrics, check-ins, cycles, comments, organizations, sign-ins and AI access.
- **Change password** - current password, new one twice → **Change password**. Every other session is signed out.
- **Delete my account** - your password, tick “I understand this can’t be undone.” → **Delete my account**. Your goals, personal cycles and comments are deleted; organizations where you’re the only member are deleted; in others the longest-standing admin becomes owner.

13.2 Email preferences

User menu → **Email preferences**. Switch each category on or off - changes save immediately:

- **Reminders & digest**

- **Tips & getting started**
- **Progress & milestones**




Email preferences

Account emails (address confirmation, password reset, security notices) are always sent. Every other email has an unsubscribe link at the bottom.

14. Administration (system console)

Administrators open **System console** from the user menu. It has its own sidebar and a **Back to GoalNexa** link.


14.1 Status



Status

Background jobs (the scheduler that sends reminders and digests must say *Running*), email and notification deliveries in the last 24 hours, and usage numbers (users, organizations, goals, check-ins by source).

14.2 Settings




Settings

Each setting has **Save** and **Reset to default**. A setting marked **Set by <ENV>** comes from the server's environment and is locked. Main groups:

- **Accounts** - who can sign up (anyone / invitation only / closed), allowed email domains, email verification, password length, common password check, lockout after failed sign-ins, password login on/off (with single sign-on).
- **Limits** - members and goals per organization.
- **Announcement** - a banner for every user.
- **Data retention** - how long logs are kept.
- **Test email** - send yourself a test message.


Server items (database, email server, secret keys) are shown read-only.

14.3 Users



Users

- **Invite user** - creates the account and gives you a set-password link to send.
- Open a user to **Disable account** / **Enable account**, **Unlock**, **Create password link**, **View as** (a read-only view of what they see, for 15 minutes), **Export data**, see **Where they're signed in** and **Sign out everywhere**, or delete the account.



A user's page

The last administrator cannot be disabled, deleted or lose that role.

14.4 Roles and access control

Access control > Users / Roles - roles (*Admin*, *Member* …), app-wide or per organization, and what each may do. Members can't open the console.

14.5 Other pages

Page	Use it to
Insights	Active users, activation, adoption over N days; **Export CSV**
All organizations	Every organization: members, transfer owner, per-org limits, delete
Audit log	Sign-ins (and failures), user, role, settings and org changes, view-as
Email log / **Notification log**	What was sent, and failures
Lifecycle email	Onboarding and tip emails: stats, preview, send a test
Suppressed addresses	Addresses that bounced or complained (no more mail)

Appendix A. Field reference

Goal

Field	Meaning
Title	What you want to achieve, as an outcome
Description	Why it matters
Organization	Empty = personal (only you)
Status	Not started / In progress / Completed / Archived (hidden from the dashboard)
Target date	Progress is projected to this date
Visibility	Public (organization) / Private (owner + members) / Team (its team and the teams under it, plus org owners/admins)
Team	The team the goal is for
Cycle	The period it's set for
Parent	Makes it a sub-goal
Progress, Projected progress, Health	Calculated

Metric

Field	Meaning
Name, Description, Unit	What you measure
Base value	Start; progress is measured from it
Target value	Where you want to be; lower than base = should go down; equal = tracked only
Current value	Updated by check-ins
Each check-in is	The new value (reading) / An amount to add (sum)
Check in every	No schedule / Daily / Weekly / Monthly - reminders
Target is for	The whole goal / Each day, week, month, quarter, year (quota)
Count days	Every day / Weekdays only
Progress by	Total against every period's target / How often the target is hit
One reading per	Every check-in counts / The last one each period

Field	Meaning
Check-ins are for	Any time / A day, week, month, quarter, year
Parent	Makes it a sub-metric (not counted in the goal's progress)

Check-in

Field	Meaning
Value	The new reading, or for a sum metric the amount to add
Note	Optional
Checked in at	When the reading was taken; blank = now
Source	Web / AI agent / Ingest URL / Team total

Cycle

Field	Meaning
Name, Organization	"Q4 2026"; empty organization = personal
Starts on, Ends on	The period
Status	Planning / Active / Closed
Retro	What went well and what to change

Appendix B. Glossary

Term	Meaning
Goal	An outcome you want, measured by metrics
Metric	One number from a start to a target
Check-in	A recorded value of a metric at a time
Reading / Sum	A check-in that replaces the value / adds to it
Tracked only	A metric with target = start: values, no %
Prediction	Each metric's trend carried to the target date
Health	On track / At risk / Off track / Achieved
Cycle	A period such as a quarter, closed with scores
Organization	A group whose members share goals
Team	A group inside an organization, can be nested
Goal template	One set of goals and metrics run by several teams
Total	A team-board row calculated from its teams
Quota	A target per day / week / month…
MCP	The protocol AI assistants use to connect to GoalNexa

Appendix C. Troubleshooting

Problem	What to do
“Sign-ups are by invitation only”	Use the invitation link; ask an organization owner for one
Account locked	Wait a few minutes, use **Forgot password?**, or ask an administrator to **Unlock**
No confirmation email	**Send it again**; check spam; ask your administrator whether email is set up
An invitation says it was sent to another email	Sign out and sign in (or sign up) with the invited email
A goal disappeared from the dashboard	It may be archived, in another cycle or team filter, or hidden (eye). **Show all**
Can’t show more goals	Up to 8 at a time - hide one first
No health badge	Give the goal a target date and at least two check-ins
No reminders arrive	Metric needs **Check in every**; **Reminders** must be on with a destination; **Send a test**; the administrator’s Status page must show the scheduler *Running*
The assistant doesn’t see GoalNexa	Check **Connected apps** / tokens on **MCP access**; a Claude/ChatGPT connector needs a public HTTPS address
A team-board total won’t take a check-in	Totals are calculated; check in on a team’s row