

My neat title here

Tables

| bib_ref | source | n | date_min | date_max | min_doc | max_doc | min_a350 | max_a350 |
|---|------------|------|------------|------------|---------|----------|----------|----------|
| agro | Continuous | 168 | 2009-05-14 | 2014-08-29 | 175.00 | 1958.33 | 2.30 | 43.76 |
| Aiken et al. (2005) | Discrete | 894 | 1995-03-01 | 1998-06-01 | 233.33 | 44600.00 | 5.12 | 1844.45 |
| Anderson et al. (2007) | Continuous | 38 | 2002-06-01 | 2003-06-01 | 335.00 | 7333.33 | 1.51 | 30.91 |
| Asmala et al. (2014) | Continuous | 140 | 2010-08-03 | 2011-10-19 | 222.00 | 2304.00 | 2.12 | 81.33 |
| Bouillon et al. (2014) | Discrete | 30 | 2011-03-20 | 2012-11-24 | 63.33 | 591.67 | 5.30 | 35.00 |
| Braun et al. (2015) | Discrete | 134 | 2009-07-09 | 2010-09-28 | 140.00 | 905.83 | 0.07 | 31.24 |
| Breton et al. (2009) | Discrete | 48 | | | 108.33 | 2166.67 | 2.31 | 109.91 |
| Brezonik et al. (2015) | Discrete | 35 | 2013-07-31 | 2013-09-18 | 221.67 | 2475.00 | 1.11 | 102.96 |
| Del Castillo et al. (1999) | Discrete | 17 | 1995-09-01 | 1996-10-01 | 72.90 | 276.10 | 0.09 | 3.86 |
| Conan et al. (2007) | Continuous | 248 | 2002-08-04 | 2002-08-26 | 125.40 | 236.05 | 0.63 | 1.34 |
| Del Castillo et al. (2000) | Discrete | 13 | | | 89.10 | 305.00 | 0.22 | 1.55 |
| Engel et al. (2015) | Discrete | 247 | 2012-10-02 | 2012-10-19 | 78.60 | 184.60 | 0.03 | 0.74 |
| finish_rivers | Discrete | 2823 | 1991-03-20 | 2013-01-23 | 94.00 | 3995.00 | 1.31 | 52.83 |
| Forsström et al. (2015) | Discrete | 19 | | | 125.00 | 1350.00 | 0.37 | 39.03 |
| Galgani et al. (2016) | Discrete | 42 | 2012-12-08 | 2012-12-23 | 60.83 | 124.17 | 0.02 | 0.81 |
| Gonçalves-Araujo et al. (2015) | Discrete | 38 | 2013-09-01 | 2013-09-06 | 117.00 | 732.00 | 1.12 | 15.12 |
| Gonnelli et al. (2016) | Discrete | 13 | | | 60.40 | 68.90 | 0.09 | 0.23 |
| Griffin et al. (2011) | Discrete | 18 | 2008-07-14 | 2009-07-25 | 178.33 | 793.33 | 3.38 | 14.75 |
| Guéguen et al. (2011) | Discrete | 8 | 2007-07-27 | 2007-07-27 | 190.00 | 1224.00 | 1.61 | 19.57 |
| Helms et al. (2008) | Discrete | 33 | 2004-05-01 | 2005-05-01 | 162.00 | 1279.00 | 0.23 | 41.49 |
| Hernes et al. (2008) | Discrete | 29 | 2006-01-10 | 2006-12-05 | 172.50 | 593.33 | 2.58 | 26.25 |
| kattegat | Continuous | 497 | 2006-08-21 | 2007-09-19 | 66.00 | 498.00 | 0.32 | 3.37 |
| Kellerman et al. (2015) | Discrete | 113 | 2010-09-26 | 2010-11-25 | 200.00 | 3325.00 | 0.34 | 46.85 |
| Lambert et al. (2015) | Discrete | 573 | 2010-05-02 | 2014-11-17 | 108.33 | 5650.00 | 1.00 | 249.40 |
| Loken et al. (2016) | Discrete | 208 | 2012-04-23 | 2013-09-18 | 164.25 | 3130.58 | 0.78 | 108.26 |
| Iter2004 | Continuous | 102 | | | 343.33 | 2678.33 | 4.97 | 101.62 |
| Iter2008 | Discrete | 45 | 2008-05-29 | 2008-08-10 | 655.83 | 10233.33 | 16.36 | 419.61 |
| Iter5653 | Discrete | 29 | 1998-05-13 | 1999-08-15 | 221.67 | 1024.17 | 0.58 | 22.34 |
| Iter5689 | Discrete | 134 | 2001-04-30 | 2013-11-08 | 19.17 | 2573.75 | 0.02 | 82.70 |
| Markager et al. (2011) | Continuous | 551 | 2001-08-28 | 2002-09-24 | 65.98 | 1678.25 | 0.75 | 44.26 |
| Massicotte et al. (2011) | Continuous | 59 | 2006-08-09 | 2006-08-15 | 152.03 | 620.58 | 1.17 | 21.00 |
| Moran (2007) | Discrete | 55 | 2004-07-08 | 2006-05-23 | 75.00 | 3166.67 | 0.05 | 103.43 |
| Nelson et al. (2002, 2007) and Nelson et al. (2010) | Continuous | 2333 | | | 35.00 | 91.90 | 0.01 | 0.52 |
| Norman et al. (2011) | Continuous | 58 | 2006-09-08 | 2006-10-13 | 131.97 | 947.22 | 0.23 | 3.74 |
| Oestreich et al. (2016) | Discrete | 29 | | | 60.67 | 581.80 | 0.71 | 12.84 |
| Osburn et al. (2007) | Continuous | 187 | 2000-06-21 | 2007-05-10 | 40.50 | 425.20 | 0.06 | 8.13 |
| Osburn et al. (2009) | Discrete | 27 | | | 70.00 | 576.00 | 0.28 | 9.72 |
| Osburn et al. (2016) | Discrete | 130 | | | 59.00 | 1433.00 | 0.10 | 33.32 |
| <i>The Polaris project</i> | Discrete | 116 | 2011-06-06 | 2012-07-21 | 152.50 | 2005.83 | 1.60 | 82.50 |
| Retamal et al. (2007) | Discrete | 22 | 2002-07-22 | 2004-06-17 | 73.33 | 475.00 | 0.11 | 10.60 |
| Sickman et al. (2010) | Discrete | 72 | 2003-04-21 | 2004-03-23 | 117.09 | 7035.60 | 1.05 | 223.59 |
| Stedmon et al. (2007) | Continuous | 15 | | | 271.96 | 664.88 | 3.01 | 22.44 |
| Stedmon et al. (2011) | Continuous | 78 | 2004-03-19 | 2005-10-10 | 216.67 | 1258.33 | 1.91 | 39.33 |
| Stedmon et al. (2015) | Continuous | 189 | 2012-09-03 | 2012-09-11 | 47.70 | 91.08 | 0.08 | 0.50 |
| Tehrani et al. (2013) | Discrete | 39 | 2007-07-01 | 2009-09-01 | 117.17 | 487.50 | 0.42 | 6.93 |
| Wagner et al. (2015) | Discrete | 60 | 2010-07-01 | 2011-06-01 | 275.00 | 1700.00 | 1.54 | 56.82 |
| Werdell et al. (2003) | Discrete | 899 | 2009-08-17 | 2011-07-20 | 40.63 | 970.70 | 0.04 | 17.74 |
| Zhang et al. (2005) | Discrete | 16 | | | 729.17 | 1682.50 | 2.64 | 8.55 |
| | Discrete | 20 | | | 1116.67 | 6683.33 | 1.81 | 79.30 |

Table 1: Summary of data used in this study. *Discrete* means that the absorption data was reported at discrete wave-lengths whereas *Continuous* means that complete absorption spectra were available.

| Wavelength (nm) | Intercept | Slope | R^2 | n |
|-----------------|-----------|-------|--------|------|
| 253 | -1.33 | 0.28 | 0.9883 | 30 |
| 254 | -1.31 | 0.28 | 0.9884 | 5027 |
| 280 | -1.02 | 0.38 | 0.9921 | 104 |
| 300 | -0.56 | 0.49 | 0.9957 | 239 |
| 320 | -0.27 | 0.64 | 0.9981 | 134 |
| 325 | -0.20 | 0.69 | 0.9987 | 336 |
| 330 | -0.15 | 0.74 | 0.9992 | 27 |
| 340 | -0.08 | 0.86 | 0.9997 | 29 |
| 355 | 0.02 | 1.08 | 0.9999 | 1183 |
| 365 | 0.11 | 1.27 | 0.9991 | 45 |
| 375 | 0.14 | 1.50 | 0.9979 | 239 |
| 380 | 0.17 | 1.63 | 0.9969 | 899 |
| 400 | 0.28 | 2.24 | 0.9905 | 308 |
| 412 | 0.36 | 2.68 | 0.9846 | 1013 |
| 420 | 0.44 | 3.01 | 0.9791 | 59 |
| 440 | 0.63 | 3.94 | 0.9620 | 219 |
| 443 | 0.64 | 4.09 | 0.9580 | 946 |

Table 2: Coefficients of the linear regressions between absorption coefficients at 350 nm and other wavelengths. Each regression includes a total of 2321 observations. All regression have p-value < 0.00001. n represents the number of observations that were reported at this wavelength.

References

- Aiken, G. et al. (2005). *Everglades Water chemistry - DOC and other parameters*.
- Anderson, N. J. et al. (2007). "The effect of evapoconcentration on dissolved organic carbon concentration and quality in lakes of SW Greenland." English. In: *Freshwater Biology* 52.2, pp. 280–289.
- Asmala, E. et al. (2014). "Processing of humic-rich riverine dissolved organic matter by estuarine bacteria: effects of predegradation and inorganic nutrients." In: *Aquatic Sciences* 76.3, pp. 451–463.
- Bouillon, S. et al. (2014). "Contrasting biogeochemical characteristics of the Oubangui River and tributaries (Congo River basin)." In: *Scientific Reports* 4, p. 5402.
- Braun, K et al. (2015). *Water Research Australia project 1008 (WRA 1008) DOC-UV, SA Water*.
- Breton, J. et al. (2009). "Limnological properties of permafrost thaw ponds in northeastern Canada." In: *Canadian Journal of Fisheries and Aquatic Sciences* 66.10, pp. 1635–1648.
- Brezonik, P. L. et al. (2015). "Factors affecting the measurement of CDOM by remote sensing of optically complex inland waters." In: *Remote Sensing of Environment* 157. March 2016, pp. 199–215.
- Conan, P. et al. (2007). "Partitioning of organic production in marine plankton communities: The effects of inorganic nutrient ratios and community composition on new dissolved organic matter." In: *Limnology and Oceanography* 52.2, pp. 753–765.
- Del Castillo, C. E. et al. (1999). "Analysis of the optical properties of the Orinoco River plume by absorption and fluorescence spectroscopy." In: *Marine Chemistry* 66, pp. 35–51.
- Del Castillo, C. E. et al. (2000). "On the dispersal of riverine colored dissolved organic matter over the West Florida Shelf." In: *Limnology and Oceanography* 45.6, pp. 1425–1432.
- Engel, A. et al. (2015). "Mesocosm experiment Cape Verde 2012: chromophoric and fluorescent dissolved organic matter, polysaccharidic and proteinaceous gel particles production." In: xxx.
- Forsström, L. et al. (2015). "Dissolved organic matter concentration, optical parameters and attenuation of solar radiation in high-latitude lakes across three vegetation zones." In: *Écoscience* 6860. March 2016.
- Galgani, L. et al. (2016). "Changes in optical characteristics of surface microlayers hint to photochemically and microbially mediated DOM turnover in the upwelling region off the coast of Peru." In: *Biogeosciences* 13.8, pp. 2453–2473.
- Gonçalves-Araujo, R. et al. (2015). "From Fresh to Marine Waters: Characterization and Fate of Dissolved Organic Matter in the Lena River Delta Region, Siberia." In: *Frontiers in Marine Science* 2. December, p. 108.
- Gonnelli, M et al. (2016). "Dissolved organic matter dynamics in surface waters affected by oil spill pollution: results from the Serious Game exercise." In: *Deep Sea Research Part II: Topical Studies in Oceanography*.
- Griffin, C. G. et al. (2011). "Spatial and interannual variability of dissolved organic matter in the Kolyma River, East Siberia, observed using satellite imagery." In: *Journal of Geophysical Research* 116.G3, G03018.
- Guéguen, C. et al. (2011). "Characterisation of colored dissolved organic matter in Hudson Bay and Hudson Strait using parallel factor analysis." In: *Journal of Marine Systems* 88.3, pp. 423–433.
- Helms, J. R. et al. (2008). "Absorption spectral slopes and slope ratios as indicators of molecular weight, source, and photobleaching of chromophoric dissolved organic matter." In: *Limnology and Oceanography* 53.3, pp. 955–969.
- Hernes, P. J. et al. (2008). "The role of hydrologic regimes on dissolved organic carbon composition in an agricultural watershed." In: *Geochimica et Cosmochimica Acta* 72.21, pp. 5266–5277.
- Kellerman, A. M. et al. (2015). "Absence of a priming effect on dissolved organic carbon degradation in lake water." In: Kuzakov2015, pp. 159–168.
- Lambert, T. et al. (2015). "Landscape Control on the Spatial and Temporal Variability of Chromophoric Dissolved Organic Matter and Dissolved Organic Carbon in Large African Rivers." In: *Ecosystems* 18.7, pp. 1224–1239.
- Loken, L. et al. (2016). *Saint Louis River Estuary Water Chemistry, Wisconsin, Minnesota, USA 2012 - 2013. U.S. LTER Network*.
- Markager, S. et al. (2011). "Seasonal dynamics and conservative mixing of dissolved organic matter in the temperate eutrophic estuary Horsens Fjord." English. In: *Estuarine, Coastal and Shelf Science* 92.3, pp. 376–388.
- Massicotte, P. et al. (2011). "Spatial connectivity in a large river system: resolving the sources and fate of dissolved organic matter." In: *Ecological Applications* 21.7, pp. 2600–2617.
- Moran, E. (2007). *Water quality in the Tanana River basin, Alaska, water years 2004–2006: U.S. Geological Survey Open-File Report 2007–1390*. Tech. rep., p. 6.
- Nelson, N. B. et al. (2002). "Chromophoric DOM in the Open Ocean." In: *Biogeochemistry of Marine Dissolved Organic Matter*. Ed. by D. A. H. A. Carlson. San Diego: Elsevier, pp. 547–578.
- Nelson, N. B. et al. (2007). "Hydrography of chromophoric dissolved organic matter in the North Atlantic." In: *Deep Sea Research Part I: Oceanographic Research Papers* 54.5, pp. 710–731.
- Nelson, N. B. et al. (2010). "Tracing global biogeochemical cycles and meridional overturning circulation using chromophoric dissolved organic matter." In: *Geophysical Research Letters* 37.3, n/a–n/a.

- Norman, L. et al. (2011). "The characteristics of dissolved organic matter (DOM) and chromophoric dissolved organic matter (CDOM) in Antarctic sea ice." In: *Deep Sea Research Part II: Topical Studies in Oceanography* 58.9-10, pp. 1075–1091.
- Oestreich, W. K. et al. (2016). "Colored dissolved organic matter in shallow estuaries: relationships between carbon sources and light attenuation." English. In: *Biogeosciences* 13.2, pp. 583–595.
- Osburn, C. et al. (2007). *Geospatial Synthesis of Chromophoric (color-absorbing) Dissolved Organic Matter (CDOM) Distribution in the Gulf of Mexico*.
- Osburn, C. L. et al. (2009). "Photoreactivity of chromophoric dissolved organic matter transported by the Mackenzie River to the Beaufort Sea." In: *Marine Chemistry* 115.1-2, pp. 10–20.
- Osburn, C. L. et al. (2016). "Optical Proxies for Terrestrial Dissolved Organic Matter in Estuaries and Coastal Waters." In: *Frontiers in Marine Science* 2. January.
- Retamal, L. et al. (2007). "Comparison of the optical properties of dissolved organic matter in two river-influenced coastal regions of the Canadian Arctic." In: *Estuarine, Coastal and Shelf Science* 72.1-2, pp. 261–272.
- Sickman, J. O. et al. (2010). "Identifying sources of dissolved organic carbon in agriculturally dominated rivers using radiocarbon age dating: Sacramento–San Joaquin River Basin, California." In: *Biogeochemistry* 99.1-3, pp. 79–96.
- Stedmon, C. et al. (2011). "The supply and characteristics of colored dissolved organic matter (CDOM) in the Arctic Ocean: Pan Arctic trends and differences." In: *Marine Chemistry* 124.1-4, pp. 108–118.
- Stedmon, C. A. et al. (2007). "Characteristics of Dissolved Organic Matter in Baltic Coastal Sea Ice: Allochthonous or Autochthonous Origins?" English. In: *Environmental Science & Technology* 41.21, pp. 7273–7279.
- Stedmon, C. A. et al. (2015). "An approach to estimate the freshwater contribution from glacial melt and precipitation in East Greenland shelf waters using colored dissolved organic matter (CDOM)." In: *Journal of Geophysical Research: Oceans* 120.2, pp. 1107–1117.
- Tehrani, N. et al. (2013). "Chromophoric Dissolved Organic Matter and Dissolved Organic Carbon from Sea-Viewing Wide Field-of-View Sensor (SeaWiFS), Moderate Resolution Imaging Spectroradiometer (MODIS) and MERIS Sensors: Case Study for the Northern Gulf of Mexico." In: *Remote Sensing* 5.3, pp. 1439–1464.
- The Polaris project.*
- Wagner, S. et al. (2015). "Associations Between the Molecular and Optical Properties of Dissolved Organic Matter in the Florida Everglades, a Model Coastal Wetland System." In: *Frontiers in Chemistry* 3. November, pp. 1–14.
- Werdell, P. J. et al. (2003). "Unique data repository facilitates ocean color satellite validation." In: *Eos, Transactions American Geophysical Union* 84.38, p. 377.
- Zhang, Y. L. et al. (2005). "A Preliminary Study of Chromophoric Dissolved Organic Matter (CDOM) in Lake Taihu, a Shallow Subtropical Lake in China." In: *Acta hydrochimica et hydrobiologica* 33.4, pp. 315–323.