

My neat title here

Tables

bib_ref	source	n	date_min	date_max	min_doc	max_doc	min_a350	max_a350
agro	Continuous	168	2009-05-14	2014-08-29	175.00	1958.33	2.30	43.76
Aiken et al. (2005)	Discrete	894			233.33	44600.00	5.09	1789.88
Anderson and Stedmon (2007)	Continuous	38	2002-06-01	2003-06-01	335.00	7333.33	1.51	30.91
Asmala et al. (2014)	Continuous	140	2010-08-03	2011-10-19	222.00	2304.00	2.12	81.33
Bouillon et al. (2014)	Discrete	30	2011-03-20	2012-11-24	63.33	591.67	5.30	35.00
Breton, Vallières, and Laurion (2009)	Discrete	48			108.33	2166.67	2.33	108.05
Del Castillo et al. (1999)	Discrete	20	1995-09-01	1996-10-01	72.90	276.10	0.04	3.86
Conan et al. (2007)	Continuous	248	2002-08-04	2002-08-26	125.40	236.05	0.63	1.34
Del Castillo et al. (2000)	Discrete	13			89.10	305.00	0.19	1.53
Engel et al. (2015)	Discrete	247	2012-10-02	2012-10-19	78.60	184.60	0.02	0.73
finish_rivers	Discrete	2823	1991-03-20	2013-01-23	94.00	3995.00	1.39	51.39
Forsström et al. (2015)	Discrete	19			125.00	1350.00	0.43	38.42
Gonçalves-Araujo et al. (2015)	Discrete	38	2013-09-01	2013-09-06	117.00	732.00	1.12	15.12
Gonnelli et al. (2016)	Discrete	13			60.40	68.90	0.08	0.22
Griffin et al. (2011)	Discrete	18	2008-07-14	2009-07-25	178.33	793.33	3.38	15.02
Guéguen et al. (2011)	Discrete	8	2007-07-27	2007-07-27	190.00	1224.00	1.60	19.62
Helms et al. (2008)	Discrete	33	2004-05-01	2005-05-01	162.00	1279.00	0.31	40.66
Hernes et al. (2008)	Discrete	29	2006-01-10	2006-12-05	172.50	593.33	2.58	26.25
kattegat	Continuous	497	2006-08-21	2007-09-19	66.00	498.00	0.32	3.37
Kellerman et al. (2015)	Discrete	113	2010-09-26	2010-11-25	200.00	3325.00	0.45	45.58
Lambert et al. (2015)	Discrete	573	2010-05-02	2014-11-17	108.33	5650.00	1.00	249.40
Loken2016	Discrete	208	2012-04-23	2013-09-18	164.25	3130.58	0.88	105.17
lter5653	Discrete	30	1998-05-13	1999-08-15	175.83	1024.17	0.10	21.85
lter5689	Discrete	134	2001-04-30	2013-11-08	19.17	2573.75	0.02	82.70
Markager, Stedmon, and Søndergaard (2011)	Continuous	551	2001-08-28	2002-09-24	65.98	1678.25	0.75	44.26
Massicotte and Frenette (2011)	Continuous	59	2006-08-09	2006-08-15	152.03	620.58	1.17	21.00
Nelson and Siegel (2002)	Continuous	2333			35.00	91.90	0.01	0.52
Norman et al. (2011)	Continuous	58	2006-09-08	2006-10-13	131.97	947.22	0.23	3.74
Oestreich et al. (2016)	Discrete	29			60.67	581.80	0.75	12.74
Osburn et al. (2007)	Continuous	187	2000-06-21	2007-05-10	40.50	425.20	0.06	8.13
Osburn, Retamal, and Vincent (2009)	Discrete	27			70.00	576.00	0.32	9.67
Osburn and Stedmon (2011)	Discrete	20			1116.67	6683.33	1.81	79.30
Osburn et al. (2016)	Discrete	130			59.00	1433.00	0.10	33.32
<i>The Polar project</i>	Discrete	116	2011-06-06	2012-07-21	152.50	2005.83	1.60	82.50
Retamal et al. (2007)	Discrete	22	2002-07-22	2004-06-17	73.33	475.00	0.18	10.48
Sickman et al. (2010)	Discrete	72	2003-04-21	2004-03-23	117.09	7035.60	1.14	217.08
Stedmon et al. (2007)	Continuous	15			271.96	664.88	3.01	22.44
Stedmon et al. (2011)	Continuous	78	2004-03-19	2005-10-10	216.67	1258.33	1.91	39.33
Stedmon, Granskog, and Dodd (2015)	Continuous	189	2012-09-03	2012-09-11	47.70	91.08	0.08	0.50
tanana	Discrete	59	2004-07-08	2006-05-23	75.00	3166.67	0.06	100.48
Wagner et al. (2015)	Discrete	60	2010-07-01	2011-06-01	275.00	1700.00	1.61	55.26
Werdell et al. (2003)	Discrete	899	2009-08-17	2011-07-20	40.63	970.70	0.03	17.78
Zhang et al. (2005)	Discrete	16			729.17	1682.50	2.63	8.57

Table 1: Summary of data used in this study. *Discrete* means that the absorption data was reported at discrete wavelengths whereas *Continuous* means that complete absorption spectra were available.

Wavelength (nm)	Intercept	Slope	R^2
253.00	-1.16	0.27	0.98
254.00	-1.15	0.28	0.98
280.00	-0.88	0.37	0.99
300.00	-0.46	0.48	0.99
320.00	-0.20	0.63	1.00
325.00	-0.15	0.68	1.00
330.00	-0.11	0.73	1.00
340.00	-0.04	0.85	1.00
355.00	0.01	1.08	1.00
375.00	0.11	1.51	1.00
380.00	0.13	1.65	1.00
400.00	0.21	2.30	0.99
412.00	0.26	2.77	0.98
420.00	0.31	3.13	0.97
440.00	0.45	4.16	0.95
443.00	0.46	4.33	0.94

Table 2: Coefficients of the linear regressions between absorption coefficients at 350 nm and other wavelengths. Each regression includes a total of 2190 observations. All regression have p-value < 0.00001.

References

- Aiken, G., M. Reddy, P. F. Schuster, G. Charmaine, C. Scott, and J. Tregellas (2005). *Everglades Water chemistry - DOC and other parameters*.
- Anderson, N. J. and C. A. Stedmon (2007). "The effect of evapoconcentration on dissolved organic carbon concentration and quality in lakes of SW Greenland." English. In: *Freshwater Biology* 52.2, pp. 280–289.
- Asmala, E., R. Autio, H. Kaartokallio, C. A. Stedmon, and D. N. Thomas (2014). "Processing of humic-rich riverine dissolved organic matter by estuarine bacteria: effects of predegradation and inorganic nutrients." In: *Aquatic Sciences* 76.3, pp. 451–463.
- Bouillon, S., A. Yambélé, D. P. Gillikin, C. Teodoru, F. Darchambeau, T. Lambert, and A. V. Borges (2014). "Contrasting biogeochemical characteristics of the Oubangui River and tributaries (Congo River basin)." In: *Scientific Reports* 4, p. 5402.
- Breton, J., C. Vallières, and I. Laurion (2009). "Limnological properties of permafrost thaw ponds in northeastern Canada." In: *Canadian Journal of Fisheries and Aquatic Sciences* 66.10, pp. 1635–1648.
- Conan, P., M. Søndergaard, T. Kragh, F. Thingstad, M. Pujo-Pay, P. J. I. B. Williams, S. Markager, G. Cauwet, N. H. Borch, and D. Evans (2007). "Partitioning of organic production in marine plankton communities: The effects of inorganic nutrient ratios and community composition on new dissolved organic matter." In: *Limnology and Oceanography* 52.2, pp. 753–765.
- Del Castillo, C. E., P. G. Coble, J. M. Morell, J. M. López, and J. E. Corredor (1999). "Analysis of the optical properties of the Orinoco River plume by absorption and fluorescence spectroscopy." In: *Marine Chemistry* 66, pp. 35–51.
- Del Castillo, C. E., F. Gilbes, P. G. Coble, and F. E. Müller-Karger (2000). "On the dispersal of riverine colored dissolved organic matter over the West Florida Shelf." In: *Limnology and Oceanography* 45.6, pp. 1425–1432.
- Engel, A., C. Borchard, A. Loginova, J. Meyer, H. Hauss, and R. Kiko (2015). "Mesocosm experiment Cape Verde 2012: chromophoric and fluorescent dissolved organic matter, polysaccharidic and proteinaceous gel particles production." In: xxx.
- Forsström, L., M. Rautio, M. Cusson, S. Sorvari, R.-I. Albert, M. Kumagai, and A. Korhola (2015). "Dissolved organic matter concentration, optical parameters and attenuation of solar radiation in high-latitude lakes across three vegetation zones." In: *Écoscience* 6860.March 2016.
- Gonçalves-Araujo, R., C. A. Stedmon, B. Heim, I. Dubinenkov, A. Kraberg, D. Moiseev, and A. Bracher (2015). "From Fresh to Marine Waters: Characterization and Fate of Dissolved Organic Matter in the Lena River Delta Region, Siberia." In: *Frontiers in Marine Science* 2.December, p. 108.
- Gonnelli, M., Y. Galletti, E. Marchetti, L. Mercadante, S. Retelletti Brogi, A. Ribotti, R. Sorgente, S. Vestri, and C. Santinelli (2016). "Dissolved organic matter dynamics in surface waters affected by oil spill pollution: results from the Serious Game exercise." In: *Deep Sea Research Part II: Topical Studies in Oceanography*.
- Griffin, C. G., K. E. Frey, J. Rogan, and R. M. Holmes (2011). "Spatial and interannual variability of dissolved organic matter in the Kolyma River, East Siberia, observed using satellite imagery." In: *Journal of Geophysical Research* 116.G3, G03018.
- Guéguen, C., M. Granskog, G. McCullough, and D. Barber (2011). "Characterisation of colored dissolved organic matter in Hudson Bay and Hudson Strait using parallel factor analysis." In: *Journal of Marine Systems* 88.3, pp. 423–433.
- Helms, J. R., A. Stubbins, J. D. Ritchie, E. C. Minor, D. J. Kieber, and K. Mopper (2008). "Absorption spectral slopes and slope ratios as indicators of molecular weight, source, and photobleaching of chromophoric dissolved organic matter." In: *Limnology and Oceanography* 53.3, pp. 955–969.
- Hernes, P. J., R. G. Spencer, R. Y. Dyda, B. A. Pellerin, P. A. Bachand, and B. A. Bergamaschi (2008). "The role of hydrologic regimes on dissolved organic carbon composition in an agricultural watershed." In: *Geochimica et Cosmochimica Acta* 72.21, pp. 5266–5277.
- Kellerman, A. M., H. Peter, F. Carmona, and L. J. Tranvik (2015). "Absence of a priming effect on dissolved organic carbon degradation in lake water." In: Kuzyakov2015, pp. 159–168.
- Lambert, T., F. Darchambeau, S. Bouillon, B. Alhou, J.-D. Mbega, C. R. Teodoru, F. C. Nyonu, P. Massicotte, and A. V. Borges (2015). "Landscape Control on the Spatial and Temporal Variability of Chromophoric Dissolved Organic Matter and Dissolved Organic Carbon in Large African Rivers." In: *Ecosystems* 18.7, pp. 1224–1239.
- Markager, S., C. A. Stedmon, and M. Søndergaard (2011). "Seasonal dynamics and conservative mixing of dissolved organic matter in the temperate eutrophic estuary Horsens Fjord." English. In: *Estuarine, Coastal and Shelf Science* 92.3, pp. 376–388.
- Massicotte, P. and J.-J. Frenette (2011). "Spatial connectivity in a large river system: resolving the sources and fate of dissolved organic matter." In: *Ecological Applications* 21.7, pp. 2600–2617.
- Nelson, N. B. and D. A. Siegel (2002). "Chromophoric DOM in the Open Ocean." In: *Biogeochemistry of Marine Dissolved Organic Matter*. Ed. by D. A. H. A. Carlson. San Diego: Elsevier, pp. 547–578.
- Norman, L., D. N. Thomas, C. a. Stedmon, M. a. Granskog, S. Papadimitriou, R. H. Krapp, K. M. Meiners, D. Lannuzel, P. van der Merwe, and G. S. Dieckmann (2011). "The characteristics of dissolved organic matter (DOM) and chromophoric

- dissolved organic matter (CDOM) in Antarctic sea ice." In: *Deep Sea Research Part II: Topical Studies in Oceanography* 58.9-10, pp. 1075–1091.
- Oestreich, W. K., N. K. Ganju, J. W. Pohlman, and S. E. Suttles (2016). "Colored dissolved organic matter in shallow estuaries: relationships between carbon sources and light attenuation." English. In: *Biogeosciences* 13.2, pp. 583–595.
- Osburn, C., X.-C. Wang, T. S. Bianchi, R. F. Chen, P. G. Coble, E. D'Sa, and G. B. Gardner (2007). *Geospatial Synthesis of Chromophoric (color-absorbing) Dissolved Organic Matter (CDOM) Distribution in the Gulf of Mexico*.
- Osburn, C. L., L. Retamal, and W. F. Vincent (2009). "Photoreactivity of chromophoric dissolved organic matter transported by the Mackenzie River to the Beaufort Sea." In: *Marine Chemistry* 115.1-2, pp. 10–20.
- Osburn, C. L. and C. A. Stedmon (2011). "Linking the chemical and optical properties of dissolved organic matter in the Baltic–North Sea transition zone to differentiate three allochthonous inputs." In: *Marine Chemistry* 126.1-4, pp. 281–294.
- Osburn, C. L., T. J. Boyd, M. T. Montgomery, T. S. Bianchi, R. B. Coffin, and H. W. Paerl (2016). "Optical Proxies for Terrestrial Dissolved Organic Matter in Estuaries and Coastal Waters." In: *Frontiers in Marine Science* 2, January.
- Retamal, L., W. F. Vincent, C. Martineau, and C. L. Osburn (2007). "Comparison of the optical properties of dissolved organic matter in two river-influenced coastal regions of the Canadian Arctic." In: *Estuarine, Coastal and Shelf Science* 72.1-2, pp. 261–272.
- Sickman, J. O., C. L. DiGiorgio, M. Lee Davisson, D. M. Lucero, and B. Bergamaschi (2010). "Identifying sources of dissolved organic carbon in agriculturally dominated rivers using radiocarbon age dating: Sacramento–San Joaquin River Basin, California." In: *Biogeochemistry* 99.1-3, pp. 79–96.
- Stedmon, C., R. Amon, A. Rinehart, and S. Walker (2011). "The supply and characteristics of colored dissolved organic matter (CDOM) in the Arctic Ocean: Pan Arctic trends and differences." In: *Marine Chemistry* 124.1-4, pp. 108–118.
- Stedmon, C. A., M. A. Granskog, and P. A. Dodd (2015). "An approach to estimate the freshwater contribution from glacial melt and precipitation in East Greenland shelf waters using colored dissolved organic matter (CDOM)." In: *Journal of Geophysical Research: Oceans* 120.2, pp. 1107–1117.
- Stedmon, C. A., D. N. Thomas, M. Granskog, H. Kaartokallio, S. Papadimitriou, and H. Kuosa (2007). "Characteristics of Dissolved Organic Matter in Baltic Coastal Sea Ice: Allochthonous or Autochthonous Origins?" English. In: *Environmental Science & Technology* 41.21, pp. 7273–7279.
- The Polaris project.*
- Wagner, S., R. Jaffé, K. Cawley, T. Dittmar, and A. Stubbins (2015). "Associations Between the Molecular and Optical Properties of Dissolved Organic Matter in the Florida Everglades, a Model Coastal Wetland System." In: *Frontiers in Chemistry* 3, November, pp. 1–14.
- Werdell, P. J., S. Bailey, G. Fargion, C. Pietras, K. Knobelspiesse, G. Feldman, and C. McClain (2003). "Unique data repository facilitates ocean color satellite validation." In: *Eos, Transactions American Geophysical Union* 84.38, p. 377.
- Zhang, Y. L., B. Q. Qin, W. M. Chen, and G. W. Zhu (2005). "A Preliminary Study of Chromophoric Dissolved Organic Matter (CDOM) in Lake Taihu, a Shallow Subtropical Lake in China." In: *Acta hydrochimica et hydrobiologica* 33.4, pp. 315–323.