
Tutorials Exercises W3Schools app iOS & Android NEW Sign In

C++ C# AWS W3.CSS HOW TO BOOTSTRAP REACT MYSQL JQUE



Git Cherry-pick & Patch

‹ Previous Next ›

What is Cherry-pick?

SHARE

Cherry-pick lets you copy a single commit from one branch to another. It's useful when you want just one (or a few) changes, not everything from another branch.

What is a Patch?

A **patch** is a file with changes from one or more commits. You can share a patch or apply it to another repository, even if it's unrelated to your own.

When to Use Each

- Use **cherry-pick** to copy a commit between branches in the same repository.
- Use **patches** to share changes as files, or when working across different repositories.

Tutorials Exercises W3Schools app iOS & Android NEW Sign In
C++ C# AWS W3.CSS HOW TO BOOTSTRAP REACT MYSQL JQUE

Example: Cherry-pick a Commit

```
[user@localhost] $ git cherry-pick abc1234
```

This creates a new commit on your branch with the same changes.



REMOVE ADS

Edit the Commit Message

Use `--edit` to change the commit message while cherry-picking:

Example: Edit Commit Message

```
[user@localhost] $ git cherry-pick abc1234 --edit
```

Apply Without Committing

Tutorials Exercises W3Schools app iOS & Android NEW Sign In
C++ C# AWS W3.CSS HOW TO BOOTSTRAP REACT MYSQL JQUE

Example: Cherry-pick Without Commit

```
[user@localhost] $ git cherry-pick abc1234 --no-commit
```

Add Commit Origin

Use `-x` to add a line to the commit message showing where the commit came from:

Example: Cherry-pick With Origin

```
[user@localhost] $ git cherry-pick abc1234 -x
```

Handling Conflicts

If there are conflicts, Git will pause and ask you to fix them. After fixing, run:

Example: Continue After Conflict

```
[user@localhost] $ git add .
[user@localhost] $ git cherry-pick --continue
```

To cancel the cherry-pick, use:

Example: Abort Cherry-pick

```
[user@localhost] $ git cherry-pick --abort
```

W3Schools app iOS & Android NEW Sign In
C++ C# AWS W3.CSS HOW TO BOOTSTRAP REACT MYSQL JQUE

Example: Create Patch

```
[user@localhost] $ git format-patch -1 abc1234
```

For multiple commits:

Example: Multiple Commits

```
[user@localhost] $ git format-patch HEAD~3
```

How to Apply a Patch

Apply a patch file to your current branch:

Example: Apply Patch

```
[user@localhost] $ git apply 0001-some-change.patch
```

Apply a Patch and Keep Metadata

Use `git am` to apply a patch and keep the original author and message:

Example: Apply Patch with Metadata

```
[user@localhost] $ git am 0001-some-change.patch
```

W3Schools app NEW iOS & Android
Sign In
C++ C# AWS W3.CSS HOW TO BOOTSTRAP REACT MYSQL JQUE

Undo the changes in a patch file:

Example: Reverse Patch

```
[user@localhost] $ git apply -R 0001-some-change.patch
```

Tip: Use **cherry-pick** for copying a single commit in the same repository.

Use **patches** to share changes as files or work across repositories.

If you want to keep commit history and authors, use `git am` instead of `git apply`.

Troubleshooting & Best Practices

- **Cherry-pick conflicts:** If you get conflicts, fix them, then run `git cherry-pick --continue`.
  Abort with `git cherry-pick --abort` if needed.
- **Patch doesn't apply cleanly:** Make sure the patch matches your codebase. Sometimes you may need to adjust manually.
- **Keep your branches up to date:** Before cherry-picking or applying patches, pull the latest changes.

Exercise

Drag and drop the correct argument to add a line to the commit message showing where the commit came from.

```
git cherry-pick
```

Submit Answer »

‹ Previous

Sign in to track progress

Next ›


Build skills.
Get hired.

$95 per paid course
one-time payment

Exam and certificate included.

Get started

For Adults



Take Test
TestLibrary

REMOVE ADS

FREE ACCOUNT
Track your progress

NEW
Learn in Adventure Mode



PLUS SPACES

GET CERTIFIED FOR TEACHERS

PRACTICE CONTACT US

Top Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
C++ Tutorial
jQuery Tutorial

Top References

HTML Reference
CSS Reference
JavaScript Reference
SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference

Tutorials Exercises W3Schools app iOS & Android NEW Sign In

C++ C# AWS W3.CSS HOW TO BOOTSTRAP REACT MYSQL JQUE

Top Examples

HTML Examples
CSS Examples
JavaScript Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples
Bootstrap Examples
PHP Examples
Java Examples
XML Examples
jQuery Examples

Get Certified

HTML Certificate
CSS Certificate
JavaScript Certificate
Front End Certificate
SQL Certificate
Python Certificate
PHP Certificate
jQuery Certificate
Java Certificate
C++ Certificate
C# Certificate
XML Certificate

FORUM ABOUT CAMPUS

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning.
Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness
of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookies and privacy policy.

Copyright 1999-2026 by Refsnes Data. All Rights Reserved. W3Schools is Powered by W3.CSS.