Tutorials Exercises W3Schools app iOS & Android NEW Sign In
C++ C# AWS W3.CSS HOW TO BOOTSTRAP REACT MYSQL JQUE

Git Getting Started

‹ Previous Next ›

Get Started with Git

SHARE

Now that Git is installed, and it knows who you are, you can start using Git.

Lets create our first repository

Change Platform:
GitHub
Bitbucket
GitLab

Key Steps to Get Started

- Create a project folder
- Navigate to the folder
- Initialize a Git repository

Creating Git Folder

Tutorials Exercises W3Schools app iOS & Android NEW Sign In
C++ C# AWS W3.CSS HOW TO BOOTSTRAP REACT MYSQL JQUE

Example

```
[user@localhost] $ mkdir myproject
[user@localhost] $ cd myproject
```

`mkdir` creates a new directory.

`cd` changes our working directory.

Now we are in the correct directory and can initialize Git!

Note: Open Git Bash Here (Windows)

If you're using Windows, you can open Git Bash directly in your project folder:

- Right-click the folder in File Explorer
- Select **Git Bash Here**

This opens a terminal window in the correct location.

Tutorials Exercises W3Schools app iOS & Android NEW Sign In
C++ C# AWS W3.CSS HOW TO BOOTSTRAP REACT MYSQL JQUE

Initialize Git

Now that we are in the correct folder, we can initialize Git on that folder:

Example

```
[user@localhost] $ git init
Initialized empty Git repository in /Users/user/myproje
```

You just created your first Git Repository!

What is a Repository?

A Git **repository** is a folder that Git tracks for changes.

The repository stores all your project's history and versions.

What Happens When You Run `git init`?

Git creates a hidden folder called `.git` inside your project.

This is where Git stores all the information it needs to track your files and history.

Example: Show Hidden .git Folder (Linux/macOS)

```
[user@localhost] $ ls -a
.  ..  .git
```

On Windows, you may need to enable "Show hidden files" in File Explorer to see the `.git` folder.

Tutorials Exercises W3Schools app iOS & Android NEW Sign In
C++ C# AWS W3.CSS HOW TO BOOTSTRAP REACT MYSQL JQUE

- **git: command not found**
  Solution: Make sure Git is installed and added to your PATH. Restart your terminal if needed.
- **Permission denied**
  Solution: Try running your terminal as administrator (Windows) or use `sudo` (macOS/Linux) if needed.

Exercise ?

Drag and drop the correct command to change into your new project directory.

myproject

cd rm ls

Submit Answer »

‹ Previous Sign in to track progress Next ›

Tutorials Exercises
W3Schools app NEW iOS & Android
Sign In
C++ C# AWS W3.CSS HOW TO BOOTSTRAP REACT MYSQL JQUE




REMOVE ADS

W3Schools
Tutorials Exercises
W3Schools app iOS & Android NEW
Sign In
C++ C# AWS W3.CSS HOW TO BOOTSTRAP REACT MYSQL JQUE

FREE ACCOUNT
Track your progress
XP earned 0
Day streak 0
Spaces 0
League —
Sign in to track progress

NEW
Learn in Adventure Mode
Coding fundamentals as bite-sized lessons and challenges.
Download on the App Store
GET IT ON Google Play
Learn more about Adventure Mode >



W3Schools
PLUS
SPACES
GET CERTIFIED
FOR TEACHERS
PRACTICE
CONTACT US

Top Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
C++ Tutorial
jQuery Tutorial

Tutorials Exercises W3Schools app iOS & Android NEW Sign In

C++ C# AWS W3.CSS HOW TO BOOTSTRAP REACT MYSQL JQUE

SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors
Java Reference
AngularJS Reference
jQuery Reference

Top Examples

HTML Examples
CSS Examples
JavaScript Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples
Bootstrap Examples
PHP Examples
Java Examples
XML Examples
jQuery Examples

Get Certified

HTML Certificate
CSS Certificate
JavaScript Certificate
Front End Certificate
SQL Certificate
Python Certificate
PHP Certificate
jQuery Certificate
Java Certificate
C++ Certificate
C# Certificate
XML Certificate

FORUM ABOUT CAMPUS

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning.
Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness
of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookies and privacy policy.

Copyright 1999-2026 by Refsnes Data. All Rights Reserved. W3Schools is Powered by W3.CSS.