W3Schools
Tutorials Exercises
W3Schools app iOS & Android NEW
Sign In
C++ C# AWS W3.CSS HOW TO BOOTSTRAP REACT MYSQL JQUE

Git GitHub Flow

‹ Previous
Next ›

What is the GitHub Flow?

SHARE

The GitHub Flow is a simple, effective workflow for collaborating on code using Git and GitHub.

It helps teams work together smoothly, experiment safely, and deliver new features or fixes quickly.

Here's how the GitHub Flow works, step by step:

- **Create a Branch**: Start new work without affecting the main code.
- **Make Commits**: Save progress as you make changes.
- **Open a Pull Request**: Ask others to review your work.
- **Review**: Discuss and improve the changes together.
- **Deploy**: Test your changes before merging.
- **Merge**: Add your finished work to the main branch.

Change Platform:
GitHub
Bitbucket
GitLab

Tutorials Exercises W3Schools app iOS & Android NEW Sign In
C++ C# AWS W3.CSS HOW TO BOOTSTRAP REACT MYSQL JQUE

Create a New Branch

Branching is the key concept in Git. And it works around the rule that the master branch is ALWAYS deployable.

That means, if you want to try something new or experiment, you create a new branch!

Branching gives you an environment where you can make changes without affecting the main branch.

When your new branch is ready, it can be reviewed, discussed, and merged with the main branch when ready.

When you make a new branch, you will (almost always) want to make it from the master branch.

Note: Keep in mind that you are working with others.

Using descriptive names for new branches, so everyone can understand what is happening.

Make Changes and Add Commits

After the new branch is created, it is time to get to work.

Make changes by adding, editing and deleting files.

Whenever you reach a small milestone, add the changes to your branch by commit.

Adding commits keeps track of your work.

Each commit should have a message explaining what has changed and why.

Each commit becomes a part of the history of the branch, and a point you can revert back to if you need to.

Tutorials Exercises W3Schools app iOS & Android NEW Sign In
C++ C# AWS W3.CSS HOW TO BOOTSTRAP REACT MYSQL JQUE

REMOVE ADS

Open a Pull Request

Pull requests are a key part of GitHub.

A Pull Request notifies people you have changes ready for them to consider or review.

You can ask others to review your changes or pull your contribution and merge it into their branch.

Review

When a Pull Request is made, it can be reviewed by whoever has the proper access to the branch.

This is where good discussions and review of the changes happen.

Tutorials Exercises W3Schools app iOS & Android NEW Sign In
C++ C# AWS W3.CSS HOW TO BOOTSTRAP REACT MYSQL JQUE

new commits, making further reviews possible.

Note: GitHub shows new commit and feedback in the "unified Pull Request view".

Deploy

When the pull request has been reviewed and everything looks good, it is time for the final testing.

GitHub allows you to deploy from a branch for final testing in production before merging with the master branch.

If any issues arise, you can undo the changes by deploying the master branch into production again!

Note: Teams often have dedicated testing environments used for deploying branches.

Merge

After exhaustive testing, you can merge the code into the master branch!

Pull Requests keep records of changes to your code, and if you commented and named changes well, you can go back and understand why changes and decisions were made.

Note: You can add keywords to your pull request for easier searching!

Tutorials Exercises
W3Schools app iOS & Android NEW
Sign In
C++ C# AWS W3.CSS HOW TO BOOTSTRAP REACT MYSQL JQUE




REMOVE ADS

Tutorials Exercises
W3Schools app NEW iOS & Android
Sign In
C++ C# AWS W3.CSS HOW TO BOOTSTRAP REACT MYSQL JQUE

FREE ACCOUNT
Track your progress
XP earned 0
Day streak 0
Spaces 0
League —
Sign in to track progress

NEW
Learn in Adventure Mode
Coding fundamentals as bite-sized lessons and challenges.
Download on the App Store
GET IT ON Google Play
Learn more about Adventure Mode >



PLUS SPACES
GET CERTIFIED FOR TEACHERS
PRACTICE CONTACT US
Top Tutorials

W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
C++ Tutorial
jQuery Tutorial

Top References

HTML Reference
CSS Reference
JavaScript Reference
SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors
Java Reference
AngularJS Reference
jQuery Reference

Top Examples

HTML Examples
CSS Examples
JavaScript Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples
Bootstrap Examples
PHP Examples
Java Examples
XML Examples
jQuery Examples

Get Certified

HTML Certificate
CSS Certificate
JavaScript Certificate
Front End Certificate
SQL Certificate
Python Certificate
PHP Certificate
jQuery Certificate
Java Certificate
C++ Certificate
C# Certificate
XML Certificate

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning.
Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness
of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookies and privacy policy.

Copyright 1999-2026 by Refsnes Data. All Rights Reserved. W3Schools is Powered by W3.CSS.

Tutorials Exercises
W3Schools app NEW iOS & Android
Sign In
C++ C# AWS W3.CSS HOW TO BOOTSTRAP REACT MYSQL JQUE

