Tutorials Exercises W3Schools app iOS & Android NEW Sign In
C++ C# AWS W3.CSS HOW TO BOOTSTRAP REACT MYSQL JQUE

Git Merge Conflicts

‹ Previous Next ›

What is a Merge Conflict?

SHARE

A **merge conflict** happens when two branches change the same part of a file.

Git can't decide which change to keep, so you have to choose.

You must resolve the conflict before you can finish the merge.

Why Do Merge Conflicts Happen?

Merge conflicts usually happen when you merge branches that changed the same lines in a file.

This is common in collaborative projects or when working on long-lived branches.

How to See and Resolve Merge Conflicts

Tutorials Exercises W3Schools app iOS & Android NEW Sign In
C++ C# AWS W3.CSS HOW TO BOOTSTRAP REACT MYSQL JQUE

Example: Merge a Branch

```
[user@localhost] $ git merge feature-branch
```

If there are conflicts, Git will tell you which files are affected.

See Which Files Have Conflicts

Use `git status` to see which files need your attention:

Example: Check Status

```
[user@localhost] $ git status
```

REMOVE ADS

See the Differences

Use `git diff` to see what changed and help you decide how to resolve the conflict:

Example: See Differences

```
[user@localhost] $ git diff
```

Edit the Conflict Markers

Tutorials Exercises W3Schools app iOS & Android NEW Sign In
C++ C# AWS W3.CSS HOW TO BOOTSTRAP REACT MYSQL JQUE

```
<<<<<<< HEAD
Your changes here
=======
Other branch's changes
>>>>>>> feature-branch
```

Edit the file to keep what you want, then remove the conflict markers (`<<<<<<<`, `=======`, `>>>>>>>`).

Mark as Resolved

After fixing the file, mark it as resolved:

Example: Mark Resolved

```
[user@localhost] $ git add filename.txt
```

Complete the Merge

Finish the merge with a commit (if Git doesn't do it automatically):

Example: Finish Merge

```
[user@localhost] $ git commit
```

Cancel the Merge

Tutorials Exercises W3Schools app iOS & Android NEW Sign In
C++ C# AWS W3.CSS HOW TO BOOTSTRAP REACT MYSQL JQUE

Example: Abort Merge

```
[user@localhost] $ git merge --abort
```

Use a Visual Merge Tool

If you prefer, you can use a visual tool to resolve conflicts:

Example: Use Mergetool

```
[user@localhost] $ git mergetool
```

Pick One Side's Changes

If you want to keep only your changes or only the other branch's changes:

Example: Keep Our Changes

```
[user@localhost] $ git checkout --ours filename.txt
```

Example: Keep Their Changes

```
[user@localhost] $ git checkout --theirs filename.txt
```


Troubleshooting & Best Practices

- If you're stuck, you can always use `git merge --abort` to start over.


Tutorials Exercises W3Schools app iOS & Android NEW Sign In

C++ C# AWS W3.CSS HOW TO BOOTSTRAP REACT MYSQL JQUE

‹ Previous Sign in to track progress Next ›



REMOVE ADS



Tutorials Exercises
W3Schools app iOS & Android NEW
Sign In
C++ C# AWS W3.CSS HOW TO BOOTSTRAP REACT MYSQL JQUE
Sign in to track progress

PLUS SPACES
GET CERTIFIED FOR TEACHERS
PRACTICE CONTACT US

Top Tutorials
HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
C++ Tutorial
jQuery Tutorial

Top References
HTML Reference
CSS Reference
JavaScript Reference
SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors
Java Reference
AngularJS Reference
jQuery Reference

Top Examples

Tutorials Exercises W3Schools app iOS & Android NEW Sign In

C++ C# AWS W3.CSS HOW TO BOOTSTRAP REACT MYSQL JQUE

W3.CSS Examples
Bootstrap Examples
PHP Examples
Java Examples
XML Examples
jQuery Examples

Front End Certificate
SQL Certificate
Python Certificate
PHP Certificate
jQuery Certificate
Java Certificate
C++ Certificate
C# Certificate
XML Certificate

FORUM ABOUT CAMPUS

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning.
Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness
of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookies and privacy policy.

Copyright 1999-2026 by Refsnes Data. All Rights Reserved. W3Schools is Powered by W3.CSS.