Tutorials Exercises W3Schools app iOS & Android NEW Sign In
C++ C# AWS W3.CSS HOW TO BOOTSTRAP REACT MYSQL JQUE

Git Rebase

‹ Previous Next ›

What is Git Rebase?

SHARE

Rebasing moves or combines a sequence of commits to a new base commit.

It is often used to keep a clean, linear project history.

Rebasing can make your commit history easier to read by avoiding unnecessary merge commits.

When to Use Git Rebase

Use Git Rebase to:

- Keep a clean, linear project history
- Avoid unnecessary merge commits
- Combine multiple commits into one
- Edit or reorder commits

Tutorials Exercises W3Schools app iOS & Android NEW Sign In
C++ C# AWS W3.CSS HOW TO BOOTSTRAP REACT MYSQL JQUE

To move your current branch on top of another branch (e.g., update your feature branch with latest main):

Example: Rebase onto main

```
[user@localhost] $ git checkout feature-branch
[user@localhost] $ git rebase main
```

This reapplies your feature branch changes on top of the latest `main` branch.

REMOVE ADS

Interactive Rebase

`git rebase -i <base>` lets you edit, reorder, squash, or fix up commits before a certain point.

This is useful for cleaning up your commit history before sharing it with others.

Tutorials Exercises W3Schools app iOS & Android NEW Sign In
C++ C# AWS W3.CSS HOW TO BOOTSTRAP REACT MYSQL JQUE

This opens an editor where you can:

- **pick**: keep the commit as is
- **squash**: combine commits together
- **edit**: pause to change a commit
- **reword**: change just the commit message

Follow these steps:

1. Edit the commit message or choose an action (pick, squash, edit, reword)
2. Save and close the editor
3. Git will apply the changes and let you review the results

Continue, Abort, or Skip

If you hit a conflict or need to finish editing a commit, use `git rebase --continue` after resolving the issue.

This tells Git to keep going with the rebase process.

Example

```
[user@localhost] $ git add fixed_file.txt
[user@localhost] $ git rebase --continue
```

If something goes wrong or you want to stop the rebase, use `git rebase --abort`.

This will put your branch back to how it was before you started rebasing.

Example

Tutorials Exercises W3Schools app iOS & Android NEW Sign In
C++ C# AWS W3.CSS HOW TO BOOTSTRAP REACT MYSQL JQUE

skip it with `git rebase --skip`.

Git will leave out that commit and move on to the next one.

Example

```
[user@localhost] $ git rebase --skip
```

Review Changes

After completing the rebase, review your changes to ensure everything is correct.

Tips & Best Practices

Rebasing rewrites commit history.

Avoid rebasing commits that you have already pushed to a shared repository.

Use `git rebase -i` to edit, reorder, squash, or fix up commits before a certain point.

Use `git rebase --continue` to continue a rebase after resolving conflicts.

Use `git rebase --abort` to cancel a rebase in progress.

Troubleshooting

If you encounter conflicts during a rebase, resolve them and then use `git rebase --continue` to continue the rebase process.

If you can't fix a commit during a rebase, use `git rebase --skip` to skip it.

Tutorials Exercises W3Schools app iOS & Android NEW Sign In

C++ C# AWS W3.CSS HOW TO BOOTSTRAP REACT MYSQL JQUE

Avoid rebasing commits that you have already pushed to a shared repository.

‹ Previous

Sign in to track progress

Next ›




REMOVE ADS

Tutorials Exercises
W3Schools app NEW iOS & Android
Sign In
C++ C# AWS W3.CSS HOW TO BOOTSTRAP REACT MYSQL JQUE

FREE ACCOUNT
Track your progress
XP earned 0
Day streak 0
Spaces 0
League —
Sign in to track progress

NEW
Learn in Adventure Mode
Coding fundamentals as bite-sized lessons and challenges.
Download on the App Store
GET IT ON Google Play
Learn more about Adventure Mode >



Tutorials Exercises W3Schools app iOS & Android NEW Sign In

C++ C# AWS W3.CSS HOW TO BOOTSTRAP REACT MYSQL JQUE

GET CERTIFIED FOR TEACHERS

PRACTICE CONTACT US

Top Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
C++ Tutorial
jQuery Tutorial

Top References

HTML Reference
CSS Reference
JavaScript Reference
SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors
Java Reference
AngularJS Reference
jQuery Reference

Top Examples

HTML Examples
CSS Examples
JavaScript Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples
Bootstrap Examples
PHP Examples
Java Examples

Get Certified

HTML Certificate
CSS Certificate
JavaScript Certificate
Front End Certificate
SQL Certificate
Python Certificate
PHP Certificate
jQuery Certificate
Java Certificate
C++ Certificate

Tutorials Exercises W3Schools app iOS & Android NEW Sign In

C++ C# AWS W3.CSS HOW TO BOOTSTRAP REACT MYSQL JQUE

FORUM ABOUT CAMPUS

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning.
Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness
of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookies and privacy policy.

Copyright 1999-2026 by Refsnes Data. All Rights Reserved. W3Schools is Powered by W3.CSS.