Tutorials Exercises W3Schools app iOS & Android NEW Sign In
C++ C# AWS W3.CSS HOW TO BOOTSTRAP REACT MYSQL JQUE

Git and GitHub Introduction

‹ Previous Next ›

What is Git?

SHARE

Git is a popular version control system.

It was created by Linus Torvalds in 2005, and has been maintained by Junio Hamano since then.

It is used for:

- Tracking code changes
- Tracking who made changes
- Coding collaboration

Key Git Concepts

- **Repository:** A folder where Git tracks your project and its history.
- **Clone:** Make a copy of a remote repository on your computer.
- **Stage:** Tell Git which changes you want to save next.

Tutorials Exercises W3Schools app iOS & Android NEW Sign In
C++ C# AWS W3.CSS HOW TO BOOTSTRAP REACT MYSQL JQUE

- **Pull:** Get the latest changes from a remote repository.
- **Push:** Send your changes to a remote repository.

Working with Git

- Initialize Git on a folder, making it a **Repository**
- Git now creates a hidden folder to keep track of changes in that folder
- When a file is changed, added or deleted, it is considered **modified**
- You select the modified files you want to **Stage**
- The **Staged** files are **Committed**, which prompts Git to store a **permanent** snapshot of the files
- Git allows you to see the full history of every commit.
- You can revert back to any previous commit.
- Git does not store a separate copy of every file in every commit, but keeps track of changes made in each commit!

REMOVE ADS

Why Git?

Note: Most Git actions (like staging, committing, and viewing history) happen on your own computer.

Only **Push** and **Pull** interact with remote servers like GitHub, GitLab, or Bitbucket to upload or download changes.

What is GitHub?

- Git is not the same as GitHub.
- GitHub makes tools that use Git.
- GitHub is the largest host of source code in the world, and has been owned by Microsoft since 2018.
- In this tutorial, we will focus on using Git with GitHub.

Change Platform:

GitHub

Bitbucket


GitLab

‹ Previous

Sign in to track progress

Next ›

Tutorials Exercises
W3Schools app NEW iOS & Android
Sign In
C++ C# AWS W3.CSS HOW TO BOOTSTRAP REACT MYSQL JQUE




REMOVE ADS

W3Schools
Tutorials Exercises
W3Schools app NEW
iOS & Android
Sign In

C++ C# AWS W3.CSS HOW TO BOOTSTRAP REACT MYSQL JQUE

FREE ACCOUNT
Track your progress
XP earned 0
Day streak 0
Spaces 0
League —
Sign in to track progress

NEW
Learn in Adventure Mode
Coding fundamentals as bite-sized lessons and challenges.
Download on the App Store
GET IT ON Google Play



W3Schools
PLUS
SPACES
GET CERTIFIED
FOR TEACHERS
PRACTICE
CONTACT US

Top Tutorials
HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
C++ Tutorial
jQuery Tutorial

Tutorials Exercises W3Schools app iOS & Android NEW Sign In

C++ C# AWS W3.CSS HOW TO BOOTSTRAP REACT MYSQL JQUE

SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors
Java Reference
AngularJS Reference
jQuery Reference

Top Examples

HTML Examples
CSS Examples
JavaScript Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples
Bootstrap Examples
PHP Examples
Java Examples
XML Examples
jQuery Examples

Get Certified

HTML Certificate
CSS Certificate
JavaScript Certificate
Front End Certificate
SQL Certificate
Python Certificate
PHP Certificate
jQuery Certificate
Java Certificate
C++ Certificate
C# Certificate
XML Certificate

FORUM ABOUT CAMPUS

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning.
Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness
of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookies and privacy policy.

Copyright 1999-2026 by Refsnes Data. All Rights Reserved. W3Schools is Powered by W3.CSS.