Welcome to your next lesson: Basic types & strings.

I'm getting your personalized lesson ready — based on what you've learned, what's ahead, and the best way to support your progress.

Step by step, you’re moving forward.

Ron, let’s bridge your Python knowledge into JavaScript step by step 🧠✨

In Python you already know:

"hello" → type is str
5 or 5.5 → type is int or float
True / False → type is bool

In JavaScript, the ideas are the same, but the names are different:

Python str → JavaScript String
Python int + float → JavaScript one single type: Number
Python bool → JavaScript Boolean

We’ll play with those directly in code.

First tiny step 👇

In the code editor for this lesson, write JavaScript that:

Creates:
a string variable with your name
a number variable with your age (any number is fine)
a boolean variable for something like “I like coding” (true or false)
Logs them with console.log(...) on separate lines.

Example shape (don’t copy this exactly, make your own values):

Javascript

```
let myName = "Alice";
let myAge = 30;
let likesCoding = true;

console.log(myName);
console.log(myAge);
console.log(likesCoding);
```

Run it, then Submit code, and I’ll check it.

i also notice the constants True and False are true and false in javascript

Exactly 👌 — great observation.

In Python you write True / False (capital first letter).

In JavaScript they’re:

```
true
false
```

All lowercase, and they’re values of type Boolean.

Let’s make this concrete in code 💻

In the code editor, create:

one variable set to true
one variable set to false
log both with console.log(...)

Example shape (don’t copy exactly):

Javascript

```
let isStudent = true;
let isRetired = false;

console.log(isStudent);
console.log(isRetired);
```

Run it, then Submit code, and I’ll look at what you wrote.

Javascript
```
let myName = "Ron";
let myAge = 59;
let likesCoding = true;

console.log(myName);
console.log(myAge);
console.log(likesCoding);
```
Nice work, Ron — that’s exactly right ✅

So from this code:

Javascript
```
let myName = "Ron";      // String
let myAge = 59;          // Number
let likesCoding = true;  // Boolean
```
You’ve already used all three key JavaScript primitive types we care about in this lesson: String, Number, and Boolean 🎯

Next tiny step: I want to show you how JavaScript’s single Number type compares to Python’s int vs float.

Quick question first (no code yet):

In JavaScript, do you think 5 and 5.5 are:

two different number types (like Python’s int and float), or the same type (Number)?

Just tell me your guess, then we’ll prove it with code.

the same type

Nice, that’s exactly right ✅

In JavaScript, both:

Javascript
```
5      // no decimal
5.5    // with decimal
```

are type Number. There’s no separate int and `float like in Python — just one number type.

Let’s see that in action using typeof (JavaScript’s version of Python’s type()).

In the code editor, write code like this:

Javascript
let whole = 5;
let decimal = 5.5;

console.log(typeof whole);
console.log(typeof decimal);
Run it, then Submit code, and we’ll look at the output together 🔎

Javascript
let whole = 5;
let decimal = 5.5;

console.log(typeof whole);
console.log(typeof decimal);
Perfect ✅

You just confirmed with typeof that:

5 → number
5.5 → number

So JavaScript really does treat both whole numbers and decimals as the same Number type.

Next, let’s compare Python and JavaScript on a classic “gotcha” 👀

In Python:

Python
"5" + 1
causes a TypeError.

In JavaScript, "5" + 1 does not error — it does something different.

Before we test it, what's your guess about JavaScript's result for "5" + 1?

You can answer in words, like:

"51"
6
or "I'm not sure"

What do you think JavaScript gives?

"51"

Nice prediction — that's exactly what JavaScript does 🎯

In Python, "5" + 1 → TypeError
In JavaScript, "5" + 1 → "51" (JavaScript turns the 1 into a string and concatenates).

So JavaScript is more "loose" here: if one side is a string, + often means "stick them together as text".

Let's see it for real and also inspect the type.

In the code editor, write and run this:

Javascript
```
let result = "5" + 1;

console.log(result);
console.log(typeof result);
```
Then Submit code, and we'll interpret the output together.

Javascript
```
let result = "5" + 1;

console.log(result);
console.log(typeof result);
```
Great job, Ron 🌟

From your output:

result is 51
typeof result is "string"

So JavaScript:

Sees "5" (a string)
Sees 1 (a number)
Converts the number to a string
Glues them: "5" + "1" → "51" (type: string)

That’s a key difference from Python, where "5" + 1 would raise a TypeError instead of giving a string.

Next, I want to make sure typeof is solid for all three primitives you’ve used.

In the editor, can you write code that:

Reuses (or redeclares) your three variables: a string, a number, a boolean
Logs typeof for each one on its own line

Something like:

Javascript
```
let myName = "Ron";
let myAge = 59;
let likesCoding = true;

console.log(typeof myName);
console.log(typeof myAge);
console.log(typeof likesCoding);
```
Run it, then Submit code, and we’ll read the three type strings together 🔎

Javascript
```
let myName = "Ron";
let myAge = 59;
let likesCoding = true;
```

```
262
263 console.log(typeof myName);
264 console.log(typeof myAge);
265 console.log(typeof likesCoding);
266 Beautifully done, Ron 🎯
267
268
269 From your last run:
270
271
272 typeof myName → string
273 typeof myAge → number
274 typeof likesCoding → boolean
275
276 Across this lesson, you've:
277
278
279 Used String, Number, and Boolean in real code
280 Seen that 5 and 5.5 are both the same Number type in
    JavaScript
281 Compared Python's "5" + 1 error with JavaScript's "5" + 1 →
    "51" (a string)
282 Used typeof to inspect all these values
283
284 You've fully mastered the goals for Basic types & strings ✅
285
286
287 When you're ready, you can jump to the next lesson in the
    Learn tab — I'll be right here to keep going with you 💪
288
289
```