W3Schools app NEW iOS & Android
Sign In
Tutorials Exercises
CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

MySQL AVG() Function

‹ Previous
Next ›

MySQL AVG() Function

SHARE

The `AVG()` function returns the average value of a numeric column.

The `AVG()` function ignores NULL values in the column.

AVG() Syntax

```
SELECT AVG(column_name)
FROM table_name
WHERE condition;
```

Demo Database

Tutorials Exercises W3Schools app iOS & Android NEW Sign In

. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

1	Chais	1	1	10 boxes x 20 bags	18.00
2	Chang	1	1	24 - 12 oz bottles	19.00
3	Aniseed Syrup	1	2	12 - 550 ml bottles	10.00
4	Chef Anton's Cajun Seasoning	2	2	48 - 6 oz jars	22.00
5	Chef Anton's Gumbo Mix	2	2	36 boxes	21.35

REMOVE ADS

AVG() Example

The following SQL finds the average price of all products:

Tutorials Exercises W3Schools app iOS & Android NEW Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

```
SELECT AVG(Price)
FROM Products;
```

Try it Yourself »

Note: NULL values are ignored.

Add a WHERE Clause

You can add a `WHERE` clause to specify conditions:

Example

Return the average price of products in category 1:

```
SELECT AVG(Price)
FROM Products
WHERE CategoryID = 1;
```

Try it Yourself »

Tutorials Exercises
W3Schools app NEW iOS & Android
Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

Higher Than Average

To list all records with a higher price than average, we can use the `AVG()` function in a sub query:

Example

Return all products with a higher price than the average price:

```
SELECT * FROM Products
WHERE price > (SELECT AVG(price) FROM Products);
```

Try it Yourself »

‹ Previous
Sign in to track progress
Next ›

Tutorials Exercises
W3Schools app NEW iOS & Android
Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

career move.
Get every certification. One payment.


$499 Pay once. Learn for life.
Invest in your future

REMOVE ADS

W3Schools Tutorials Exercises W3Schools app iOS & Android NEW Sign In

CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

FREE ACCOUNT

Track your progress

XP earned 0

Day streak 0

Spaces 0

League —

Sign in to track progress


NEW

Learn in Adventure Mode

Coding fundamentals as bite-sized lessons and challenges.

Download on the App Store GET IT ON Google Play

Learn more about Adventure Mode >



W3Schools

PLUS SPACES

GET CERTIFIED FOR TEACHERS

PRACTICE CONTACT US

Top Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
C++ Tutorial
jQuery Tutorial

Tutorials Exercises
W3Schools app iOS & Android NEW
Sign In
CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors
Java Reference
AngularJS Reference
jQuery Reference

Top Examples

HTML Examples
CSS Examples
JavaScript Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples
Bootstrap Examples
PHP Examples
Java Examples
XML Examples
jQuery Examples

Get Certified

HTML Certificate
CSS Certificate
JavaScript Certificate
Front End Certificate
SQL Certificate
Python Certificate
PHP Certificate
jQuery Certificate
Java Certificate
C++ Certificate
C# Certificate
XML Certificate

FORUM ABOUT CAMPUS

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning.
Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness
of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookies and privacy policy.

Copyright 1999-2026 by Refsnes Data. All Rights Reserved. W3Schools is Powered by W3.CSS.