Tutorials Exercises W3Schools app iOS & Android NEW Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

MySQL EXISTS Operator

‹ Previous Next ›

The MySQL EXISTS Operator

SHARE

The `EXISTS` operator is used in a `WHERE` clause to check whether a subquery returns any rows.

The `EXISTS` operator evaluates to TRUE if the subquery returns at least one row, and FALSE otherwise..

EXISTS Syntax

```
SELECT column_name(s)
FROM table_name
WHERE EXISTS (subquery);
```

Tutorials Exercises W3Schools app iOS & Android NEW Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

ProductID	ProductName	SupplierID	CategoryID	Unit	Price
1	Chais	1	1	10 boxes x 20 bags	18.00
2	Chang	1	1	24 - 12 oz bottles	19.00
3	Aniseed Syrup	1	2	12 - 550 ml bottles	10.00
4	Chef Anton's Cajun Seasoning	2	2	48 - 6 oz jars	22.00
5	Chef Anton's Gumbo Mix	2	2	36 boxes	21.35

And a selection from the "Suppliers" table:

SupplierID	SupplierName	ContactName	Address	City	PostalCode	Countr
1	Exotic Liquid	Charlotte Cooper	49 Gilbert St.	London	EC1 4SD	UK
2	New Orleans Cajun Delights	Shelley Burke	P.O. Box 78934	New Orleans	70117	USA
3	Grandma Kelly's Homestead	Regina Murphy	707 Oxford Rd.	Ann Arbor	48104	USA
4	Tokyo Traders	Yoshi Nagase	9-8 Sekimai Musashino-shi	Tokyo	100	Japan

Tutorials Exercises W3Schools app iOS & Android NEW Sign In

. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

REMOVE ADS

MySQL EXISTS Examples

The following SQL checks if any suppliers has a product with a price lower than 20. If the subquery evaluates to TRUE; list the suppliers with a product price less than 20:

Example

Get your own SQL Server

```
SELECT SupplierName FROM Suppliers
WHERE EXISTS (
  SELECT ProductName
  FROM Products
  WHERE Products.SupplierID = Suppliers.supplierID AND Price < 20
);
```

Try it Yourself »

The following SQL checks if any suppliers has a product with a price equal to 22. If the subquery evaluates to TRUE; list the suppliers with a product price equal to 22:

Tutorials Exercises W3Schools app iOS & Android NEW Sign In

. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

```
SELECT SupplierName FROM Suppliers
WHERE EXISTS (
  SELECT ProductName
  FROM Products
  WHERE Products.SupplierID = Suppliers.supplierID AND Price = 22
);
```

Try it Yourself »

Sign in to track progress

‹ Previous Next ›



schools Tutorials Exercises W3Schools app iOS & Android NEW Sign In

. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

FREE ACCOUNT

Track your progress

XP earned 0

Day streak 0

Spaces 0

League —


NEW

Learn in Adventure Mode

Coding fundamentals as bite-sized lessons and challenges.

Download on the App Store GET IT ON Google Play

Learn more about Adventure Mode >



Tutorials Exercises
W3Schools app NEW iOS & Android
Sign In
CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS
PLUS SPACES
GET CERTIFIED FOR TEACHERS
PRACTICE CONTACT US

Top Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
C++ Tutorial
jQuery Tutorial

Top References

HTML Reference
CSS Reference
JavaScript Reference
SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors
Java Reference
AngularJS Reference
jQuery Reference

Top Examples

HTML Examples
CSS Examples
JavaScript Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples

Get Certified

HTML Certificate
CSS Certificate
JavaScript Certificate
Front End Certificate
SQL Certificate
Python Certificate
PHP Certificate

Tutorials Exercises W3Schools app iOS & Android NEW Sign In

. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

FORUM ABOUT CAMPUS

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning.
Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness
of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookies and privacy policy.

Copyright 1999-2026 by Refsnes Data. All Rights Reserved. W3Schools is Powered by W3.CSS.