W3Schools Tutorials Exercises
W3Schools app NEW iOS & Android
Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

MySQL Functions

‹ Previous Next ›

MySQL Functions Reference

SHARE

MySQL has many built-in functions.

This reference contains string, numeric, date, and some advanced functions in MySQL.

MySQL String Functions

Function	Description
ASCII	Returns the ASCII value for the specific character
CHAR_LENGTH	Returns the length of a string (in characters)
CHARACTER_LENGTH	Returns the length of a string (in characters)
CONCAT	Adds two or more expressions together

W3Schools Tutorials Exercises W3Schools app iOS & Android NEW Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

FIND_IN_SET	Returns the position of a string within a list of strings
FORMAT	Formats a number to a format like "#,###,###.##", rounded to a specified number of decimal places
INSERT	Inserts a string within a string at the specified position and for a certain number of characters
INSTR	Returns the position of the first occurrence of a string in another string
LCASE	Converts a string to lower-case
LEFT	Extracts a number of characters from a string (starting from left)
LENGTH	Returns the length of a string (in bytes)
LOCATE	Returns the position of the first occurrence of a substring in a string
LOWER	Converts a string to lower-case
LPAD	Left-pads a string with another string, to a certain length
LTRIM	Removes leading spaces from a string
MID	Extracts a substring from a string (starting at any position)
POSITION	Returns the position of the first occurrence of a substring in a string
REPEAT	Repeats a string as many times as specified
REPLACE	Replaces all occurrences of a substring within a string, with a new substring
REVERSE	Reverses a string and returns the result
RIGHT	Extracts a number of characters from a string (starting from right)
RPAD	Right-pads a string with another string, to a certain length
RTRIM	Removes trailing spaces from a string

W3Schools app NEW iOS & Android
Sign In
Tutorials Exercises
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

SUBSTR	Extracts a substring from a string (starting at any position)
SUBSTRING	Extracts a substring from a string (starting at any position)
SUBSTRING_INDEX	Returns a substring of a string before a specified number of delimiter occurs
TRIM	Removes leading and trailing spaces from a string
UCASE	Converts a string to upper-case
UPPER	Converts a string to upper-case

REMOVE ADS

MySQL Numeric Functions

Function	Description
ABS	Returns the absolute value of a number
ACOS	Returns the arc cosine of a number

Tutorials Exercises W3Schools app iOS & Android NEW Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

ATAN2	Returns the arc tangent of two numbers
AVG	Returns the average value of an expression
CEIL	Returns the smallest integer value that is >= to a number
CEILING	Returns the smallest integer value that is >= to a number
COS	Returns the cosine of a number
COT	Returns the cotangent of a number
COUNT	Returns the number of records returned by a select query
DEGREES	Converts a value in radians to degrees
DIV	Used for integer division
EXP	Returns e raised to the power of a specified number
FLOOR	Returns the largest integer value that is <= to a number
GREATEST	Returns the greatest value of the list of arguments
LEAST	Returns the smallest value of the list of arguments
LN	Returns the natural logarithm of a number
LOG	Returns the natural logarithm of a number, or the logarithm of a number to a specified base
LOG10	Returns the natural logarithm of a number to base 10
LOG2	Returns the natural logarithm of a number to base 2
MAX	Returns the maximum value in a set of values
MIN	Returns the minimum value in a set of values
MOD	Returns the remainder of a number divided by another number
PI	Returns the value of PI

Tutorials Exercises W3Schools app iOS & Android NEW Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

POWER	Returns the value of a number raised to the power of another number
RADIANS	Converts a degree value into radians
RAND	Returns a random number
ROUND	Rounds a number to a specified number of decimal places
SIGN	Returns the sign of a number
SIN	Returns the sine of a number
SQRT	Returns the square root of a number
SUM	Calculates the sum of a set of values
TAN	Returns the tangent of a number
TRUNCATE	Truncates a number to the specified number of decimal places

MySQL Date Functions

Function	Description
ADDDATE	Adds a time/date interval to a date and then returns the date
ADDTIME	Adds a time interval to a time/datetime and then returns the time/datetime
CURDATE	Returns the current date
CURRENT_DATE	Returns the current date
CURRENT_TIME	Returns the current time
CURRENT_TIMESTAMP	Returns the current date and time
CURTIME	Returns the current time

Tutorials Exercises W3Schools app iOS & Android NEW Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

DATE_ADD	Adds a time/date interval to a date and then returns the date
DATE_FORMAT	Formats a date
DATE_SUB	Subtracts a time/date interval from a date and then returns the date
DAY	Returns the day of the month for a given date
DAYNAME	Returns the weekday name for a given date
DAYOFMONTH	Returns the day of the month for a given date
DAYOFWEEK	Returns the weekday index for a given date
DAYOFYEAR	Returns the day of the year for a given date
EXTRACT	Extracts a part from a given date
FROM_DAYS	Returns a date from a numeric datevalue
HOUR	Returns the hour part for a given date
LAST_DAY	Extracts the last day of the month for a given date
LOCALTIME	Returns the current date and time
LOCALTIMESTAMP	Returns the current date and time
MAKEDATE	Creates and returns a date based on a year and a number of days value
MAKETIME	Creates and returns a time based on an hour, minute, and second value
MICROSECOND	Returns the microsecond part of a time/datetime
MINUTE	Returns the minute part of a time/datetime
MONTH	Returns the month part for a given date
MONTHNAME	Returns the name of the month for a given date

W3Schools Tutorials Exercises W3Schools app iOS & Android NEW Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

PERIOD_DIFF	Returns the difference between two periods
QUARTER	Returns the quarter of the year for a given date value
SECOND	Returns the seconds part of a time/datetime
SEC_TO_TIME	Returns a time value based on the specified seconds
STR_TO_DATE	Returns a date based on a string and a format
SUBDATE	Subtracts a time/date interval from a date and then returns the date
SUBTIME	Subtracts a time interval from a datetime and then returns the time/datetime
SYSDATE	Returns the current date and time
TIME	Extracts the time part from a given time/datetime
TIME_FORMAT	Formats a time by a specified format
TIME_TO_SEC	Converts a time value into seconds
TIMEDIFF	Returns the difference between two time/datetime expressions
TIMESTAMP	Returns a datetime value based on a date or datetime value
TO_DAYS	Returns the number of days between a date and date "0000-00-00"
WEEK	Returns the week number for a given date
WEEKDAY	Returns the weekday number for a given date
WEEKOFYEAR	Returns the week number for a given date
YEAR	Returns the year part for a given date
YEARWEEK	Returns the year and week number for a given date

W3Schools app NEW iOS & Android
Sign In
Tutorials Exercises
CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS
REMOVE ADS

MySQL Advanced Functions

Function	Description
BIN	Returns a binary representation of a number
BINARY	Converts a value to a binary string
CASE	Goes through conditions and return a value when the first condition is met
CAST	Converts a value (of any type) into a specified datatype
COALESCE	Returns the first non-null value in a list
CONNECTION_ID	Returns the unique connection ID for the current connection
CONV	Converts a number from one numeric base system to another
CONVERT	Converts a value into the specified datatype or character set
CURRENT_USER	Returns the user name and host name for the MySQL account that the server used to authenticate the current client
DATABASE	Returns the name of the current database
IF	Returns a value if a condition is TRUE, or another value if a condition is FALSE

W3Schools app iOS & Android NEW Sign In

. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

~~ISNULL~~	~~Returns 1 or 0 depending on whether an expression is NULL~~
LAST_INSERT_ID	Returns the AUTO_INCREMENT id of the last row that has been inserted or updated in a table
NULLIF	Compares two expressions and returns NULL if they are equal. Otherwise, the first expression is returned
SESSION_USER	Returns the current MySQL user name and host name
SYSTEM_USER	Returns the current MySQL user name and host name
USER	Returns the current MySQL user name and host name
VERSION	Returns the current version of the MySQL database


‹ Previous Sign in to track progress Next ›



Tutorials Exercises
W3Schools app NEW iOS & Android
Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

FREE ACCOUNT
Track your progress
XP earned 0
Day streak 0
Spaces 0
League —

NEW
Learn in Adventure Mode
Coding fundamentals as bite-sized lessons and challenges.
Download on the App Store
GET IT ON Google Play
Learn more about Adventure Mode >



Tutorials Exercises
W3Schools app NEW iOS & Android
Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS
PLUS SPACES
GET CERTIFIED FOR TEACHERS
PRACTICE CONTACT US

Top Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
C++ Tutorial
jQuery Tutorial

Top References

HTML Reference
CSS Reference
JavaScript Reference
SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors
Java Reference
AngularJS Reference
jQuery Reference

Top Examples

HTML Examples
CSS Examples
JavaScript Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples

Get Certified

HTML Certificate
CSS Certificate
JavaScript Certificate
Front End Certificate
SQL Certificate
Python Certificate
PHP Certificate

Tutorials Exercises
W3Schools app iOS & Android NEW
Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

FORUM ABOUT CAMPUS

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning.
Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness
of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookies and privacy policy.

Copyright 1999-2026 by Refsnes Data. All Rights Reserved. W3Schools is Powered by W3.CSS.