W3Schools Tutorials Exercises
W3Schools app NEW iOS & Android
Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS


MySQL INNER JOIN

‹ Previous Next ›

MySQL INNER JOIN

SHARE

The `INNER JOIN` clause returns only rows that have **matching values** in both tables.



INNER JOIN Syntax

```
SELECT table1.column1, table1.column2, ..., table2.column1, ...
FROM table1
```

Tutorials Exercises W3Schools app iOS & Android NEW Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

Note: The syntax combines two tables based on a **related column**, and the `ON` keyword is used to specify the matching condition.

MySQL INNER JOIN Example

Look at a product in the "Products" table:

ProductID	ProductName	CategoryID	Price
3	Aniseed Syrup	2	10.00

And look at a row in the "Categories" table:

CategoryID	CategoryName	Description
2	Condiments	Sweet and savory sauces, relishes, spreads, and seasonings

Here we see that the **related column** between the two tables above, is the "CategoryID" column.

Now we create an `INNER JOIN` on the "Products" table and the "Categories" table, via the CategoryID field:

Example

Get your own SQL Server

```
SELECT Products.ProductID, Products.ProductName, Categories.CategoryName
FROM Products
INNER JOIN Categories ON Products.CategoryID = Categories.CategoryID;
```

Tutorials Exercises W3Schools app iOS & Android NEW Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

Note: `INNER JOIN` returns only rows with a match in both tables. This means that if there is a product with no CategoryID, or with a CategoryID not present in the "Categories" table, that row will not be returned in the result.

REMOVE ADS

JOIN Multiple Tables

You can join more than two tables by adding multiple `INNER JOIN` clauses in your query.

The following SQL selects all orders with customer and shipper information:

Example


```
SELECT Orders.OrderID, Customers.CustomerName, Shippers.ShipperName
FROM Orders
```

Try it Yourself »

❮ Previous

Sign in to track progress

Next ❯




REMOVE ADS

W3Schools Tutorials Exercises
W3Schools app NEW iOS & Android
Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

FREE ACCOUNT
Track your progress
XP earned 0
Day streak 0
Spaces 0
League —
Sign in to track progress

NEW
Learn in Adventure Mode
Coding fundamentals as bite-sized lessons and challenges.
Download on the App Store
GET IT ON Google Play
Learn more about Adventure Mode >



W3Schools PLUS SPACES

Top Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
C++ Tutorial
jQuery Tutorial

Top References

HTML Reference
CSS Reference
JavaScript Reference
SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors
Java Reference
AngularJS Reference
jQuery Reference

Top Examples

HTML Examples
CSS Examples
JavaScript Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples
Bootstrap Examples
PHP Examples
Java Examples
XML Examples
jQuery Examples

Get Certified

HTML Certificate
CSS Certificate
JavaScript Certificate
Front End Certificate
SQL Certificate
Python Certificate
PHP Certificate
jQuery Certificate
Java Certificate
C++ Certificate
C# Certificate
XML Certificate

Tutorials Exercises W3Schools app iOS & Android NEW Sign In

. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

correctness
of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookies and privacy policy.

Copyright 1999-2026 by Refsnes Data. All Rights Reserved. W3Schools is Powered by W3.CSS.