W3Schools
Tutorials Exercises
W3Schools app NEW iOS & Android
Sign In
CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

MySQL INSERT INTO Statement

‹ Previous Next ›

SHARE

The MySQL INSERT INTO Statement

The `INSERT INTO` statement is used to insert new records in a table.

It is possible to write the `INSERT INTO` statement in two ways:

Syntax 1

Specify both the column names and the values to be inserted:

```
INSERT INTO table_name (column1, column2, column3, ...)
VALUES (value1, value2, value3, ...);
```

Tutorials Exercises W3Schools app iOS & Android NEW Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

However, the order of the values must be in the same order as the columns in the table:

```
INSERT INTO table_name
VALUES (value1, value2, value3, ...);
```

Demo Database

Below is a selection from the "Customers" table in the Northwind sample database:

CustomerID	CustomerName	ContactName	Address	City	PostalCode	Coun
89	White Clover Markets	Karl Jablonski	305 - 14th Ave. S. Suite 3B	Seattle	98128	USA
90	Wilman Kala	Matti Karttunen	Keskuskatu 45	Helsinki	21240	Finlar
91	Wolski	Zbyszek	ul. Filtrowa 68	Walla	01-012	Polan

Tutorials Exercises W3Schools app iOS & Android NEW Sign In

. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

REMOVE ADS

INSERT INTO Example

Here we insert values for ALL the columns of the table, so we omit the column names.

The following SQL inserts a new record in the "Customers" table:

Example

Get your own SQL Server

```
INSERT INTO Customers
VALUES ('Cardinal', 'Tom B. Erichsen', 'Skagen 21', 'Stavanger', '4006',
'Norway');
```

The last record in the "Customers" table will now look like this:

CustomerID	CustomerName	ContactName	Address	City	PostalCode	Coun
92	Cardinal	Tom B. Erichsen	Skagen 21	Stavanger	4006	Norw

Notice that we did not insert any number into the CustomerID field!

The CustomerID column is an auto-increment field and will be automatically generated when a new record is inserted.

Tutorials Exercises W3Schools app iOS & Android NEW Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

The following SQL inserts a new record - but only inserts data in the "CustomerName", "City", and "Country" columns (CustomerID will be updated automatically):

Example

```
INSERT INTO Customers (CustomerName, City, Country)
VALUES ('Cardinal', 'Stavanger', 'Norway');
```

The last record in the "Customers" table will now look like this:

CustomerID	CustomerName	ContactName	Address	City	PostalCode	Coun
92	Cardinal	null	null	Stavanger	null	Norw

REMOVE ADS

Tutorials Exercises W3Schools app iOS & Android NEW Sign In
CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

The following SQL statement will insert a new record, but only insert data in the "CustomerName", "City", and "Country" columns (CustomerID will be updated automatically):

Example

```
INSERT INTO Customers (CustomerName, City, Country)
VALUES ('Cardinal', 'Stavanger', 'Norway');
```

The selection from the "Customers" table will now look like this:

CustomerID	CustomerName	ContactName	Address	City	PostalCode	Co
89	White Clover Markets	Karl Jablonski	305 - 14th Ave. S. Suite 3B	Seattle	98128	US
90	Wilman Kala	Matti Karttunen	Keskuskatu 45	Helsinki	21240	Fin
91	Wolski	Zbyszek	ul. Filtrowa 68	Walla	01-012	Pol
92	Cardinal	null	null	Stavanger	null	No

Insert Multiple Rows

To insert multiple rows of data, we use the same `INSERT INTO` statement, but with multiple values:

The following SQL inserts three new records in the "Customers" table:

Tutorials Exercises W3Schools app iOS & Android NEW Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

```
INSERT INTO Customers (CustomerName, ContactName, Address, City, PostalCode,
Country)
VALUES
('Cardinal', 'Tom B. Erichsen', 'Skagen 21', 'Stavanger', '4006', 'Norway'),
('Greasy Burger', 'Per Olsen', 'Gateveien 15', 'Sandnes', '4306', 'Norway'),
('Tasty Tee', 'Finn Egan', 'Streetroad 19B', 'Liverpool', 'L1 0AA', 'UK');
```

Note: Make sure you separate each set of values with a comma `,`.

The last three records in the "Customers" table will now look like this:

CustomerID	CustomerName	ContactName	Address	City	PostalCode	Cou
92	Cardinal	Tom B. Erichsen	Skagen 21	Stavanger	4006	Nor
93	Greasy Burger	Per Olsen	Gateveien 15	Sandnes	4306	Nor
94	Tasty Tee	Finn Egan	Streetroad 19B	Liverpool	L1 0AA	UK

Exercise

Insert the correct keyword to make a legal insert statement.

```
[          ] Planets (PlanetName, Size) VALUES ('Jupiter', 69911)
```

INSERT | INSERT INTO | INSERT RECORD

Tutorials Exercises W3Schools app iOS & Android NEW Sign In

. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

Previous Sign in to track progress Next

Learn it.
Get certified.
Get hired.

$95 per course
one-time payment

Exam and certificate included.

Get started

REMOVE ADS

Tutorials Exercises W3Schools app iOS & Android NEW Sign In

. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

FREE ACCOUNT

Track your progress

XP earned 0

Day streak 0

Spaces 0

League —

Sign in to track progress


NEW

Learn in Adventure Mode

Coding fundamentals as bite-sized lessons and challenges.

Download on the App Store GET IT ON Google Play

Learn more about Adventure Mode >



PLUS SPACES

GET CERTIFIED FOR TEACHERS

Tutorials Exercises
W3Schools app NEW iOS & Android
Sign In
CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

Top Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
C++ Tutorial
jQuery Tutorial

Top References

HTML Reference
CSS Reference
JavaScript Reference
SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors
Java Reference
AngularJS Reference
jQuery Reference

Top Examples

HTML Examples
CSS Examples
JavaScript Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples
Bootstrap Examples
PHP Examples
Java Examples
XML Examples
jQuery Examples

Get Certified

HTML Certificate
CSS Certificate
JavaScript Certificate
Front End Certificate
SQL Certificate
Python Certificate
PHP Certificate
jQuery Certificate
Java Certificate
C++ Certificate
C# Certificate
XML Certificate

FORUM ABOUT CAMPUS

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning.
Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full

Tutorials Exercises
W3Schools app NEW
iOS & Android
Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

