Tutorials Exercises W3Schools app iOS & Android NEW Sign In
CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

MySQL UNIQUE Constraint

‹ Previous Next ›

MySQL UNIQUE Constraint

SHARE

The `UNIQUE` constraint ensures that all values in a column are unique.

Both the `UNIQUE` and `PRIMARY KEY` constraints provide a guarantee for uniqueness for a column or set of columns. However, you can have many `UNIQUE` constraints per table, but only one `PRIMARY KEY` constraint per table.

UNIQUE Constraint on CREATE TABLE

The following SQL defines a `UNIQUE` constraint for the "ID" column upon creation of the "Persons" table:

```
CREATE TABLE Persons (
    ID int NOT NULL,
```

Tutorials Exercises W3Schools app iOS & Android NEW Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

```
);
```

Naming a Unique Constraint

To name a `UNIQUE` constraint, and to define a `UNIQUE` constraint on multiple columns, use the following SQL syntax:

```
CREATE TABLE Persons (
    ID int NOT NULL,
    LastName varchar(255) NOT NULL,
    FirstName varchar(255),
    Age int,
    CONSTRAINT UC_Person UNIQUE (ID,LastName)
);
```

REMOVE ADS

Tutorials Exercises W3Schools app iOS & Android NEW Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

following SQL syntax:

```
ALTER TABLE Persons
ADD UNIQUE (ID);
```

Naming a Unique Constraint

To name a `UNIQUE` constraint, and to define a `UNIQUE` constraint on multiple columns, use the following SQL syntax:

```
ALTER TABLE Persons
ADD CONSTRAINT UC_Person UNIQUE (ID,LastName);
```

Drop a UNIQUE Constraint

To drop a `UNIQUE` constraint, use the following SQL:

```
ALTER TABLE Persons
DROP INDEX UC_Person;
```

Exercise

Drag and drop the correct keywords to add a named UNIQUE constraint on the 'ID' and 'LastName' columns.

Tutorials Exercises W3Schools app iOS & Android NEW Sign In

. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS


ADD DROP INDEX UNIQUE

Submit Answer »

Previous

Sign in to track progress

Next



REMOVE ADS

W3Schools
Tutorials Exercises
W3Schools app NEW iOS & Android
Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

FREE ACCOUNT
Track your progress
XP earned 0
Day streak 0
Spaces 0
League —
Sign in to track progress

NEW
Learn in Adventure Mode
Coding fundamentals as bite-sized lessons and challenges.
Download on the App Store
GET IT ON Google Play
Learn more about Adventure Mode >

Tutorials Exercises W3Schools app iOS & Android NEW Sign In

. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

GET CERTIFIED FOR TEACHERS

PRACTICE CONTACT US

Top Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
C++ Tutorial
jQuery Tutorial

Top References

HTML Reference
CSS Reference
JavaScript Reference
SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors
Java Reference
AngularJS Reference
jQuery Reference

Top Examples

HTML Examples
CSS Examples
JavaScript Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples
Bootstrap Examples
PHP Examples
Java Examples

Get Certified

HTML Certificate
CSS Certificate
JavaScript Certificate
Front End Certificate
SQL Certificate
Python Certificate
PHP Certificate
jQuery Certificate
Java Certificate
C++ Certificate

Tutorials Exercises



W3Schools app
iOS & Android
NEW

Sign In

. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS







FORUM ABOUT CAMPUS

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning.
Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness
of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookies and privacy policy.

Copyright 1999-2026 by Refsnes Data. All Rights Reserved. W3Schools is Powered by W3.CSS.