Tutorials Exercises W3Schools app iOS & Android NEW Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

MySQL UPDATE Statement

‹ Previous Next ›

The MySQL UPDATE Statement

SHARE

The `UPDATE` statement is used to update or modify one or more records in a table.

UPDATE Syntax

```
UPDATE table_name
SET column1 = value1, column2 = value2, ...
WHERE condition;
```

Note: Be careful when updating records in a table! Notice the `WHERE` clause in the `UPDATE` statement. The `WHERE` clause specifies which record(s) that should be updated. If you omit the `WHERE` clause, all records in the table will be updated!

Tutorials Exercises W3Schools app iOS & Android NEW Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

Demo Database

Below is a selection from the "Customers" table in the Northwind sample database:

CustomerID	CustomerName	ContactName	Address	City	PostalCode	Cou
1	Alfreds Futterkiste	Maria Anders	Obere Str. 57	Berlin	12209	Ger
2	Ana Trujillo Emparedados y helados	Ana Trujillo	Avda. de la Constitución 2222	México D.F.	05021	Mex
3	Antonio Moreno Taquería	Antonio Moreno	Mataderos 2312	México D.F.	05023	Mex
4	Around the Horn	Thomas Hardy	120 Hanover Sq.	London	WA1 1DP	UK

UPDATE Table

The following SQL updates the record with CustomerID = 1, with a new contact person AND a new city.

Example

Get your own SQL Server

```
UPDATE Customers
SET ContactName = 'Alfred Schmidt', City = 'Frankfurt'
WHERE CustomerID = 1;
```

Tutorials Exercises W3Schools app iOS & Android NEW Sign In

. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

1	Alfreds Futterkiste	Alfred Schmidt	Obere Str. 57	Frankfurt	12209	Ge
2	Ana Trujillo Emparedados y helados	Ana Trujillo	Avda. de la Constitución 2222	México D.F.	05021	Me
3	Antonio Moreno Taquería	Antonio Moreno	Mataderos 2312	México D.F.	05023	Me
4	Around the Horn	Thomas Hardy	120 Hanover Sq.	London	WA1 1DP	UK

REMOVE ADS

UPDATE Multiple Records

The `WHERE` clause determines which records that will be updated.

The following SQL will update the PostalCode to 00000 for ALL records where country is "Mexico":

Example

```
UPDATE Customers
SET PostalCode = 00000
WHERE Country = 'Mexico';
```

Tutorials Exercises W3Schools app iOS & Android NEW Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

1	Alfreds Futterkiste	Alfred Schmidt	Obere Str. 57	Frankfurt	12209	Ge
2	Ana Trujillo Emparedados y helados	Ana Trujillo	Avda. de la Constitución 2222	México D.F.	00000	Me
3	Antonio Moreno Taquería	Antonio Moreno	Mataderos 2312	México D.F.	00000	Me
4	Around the Horn	Thomas Hardy	120 Hanover Sq.	London	WA1 1DP	UK

Update Warning!

Be careful when updating records. If you omit the `WHERE` clause, ALL records will be updated!

The following SQL will update PostalCode to "00000" for ALL records:

Example

```
UPDATE Customers
SET PostalCode = 00000;
```

The selection from the "Customers" table will now look like this:

W3Schools Tutorials Exercises W3Schools app iOS & Android NEW Sign In
. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

	Futterkiste	Schmidt	57			
2	Ana Trujillo Emparedados y helados	Ana Trujillo	Avda. de la Constitución 2222	México D.F.	00000	Me
3	Antonio Moreno Taquería	Antonio Moreno	Mataderos 2312	México D.F.	00000	Me
4	Around the Horn	Thomas Hardy	120 Hanover Sq.	London	00000	UK

Exercise

Select the correct keywords to insert the value 'Oslo' in all the City fields.

```
[          ] Customers [          ] City = 'Oslo'
```

INSERT | INSERT INTO | GET | SET | PUT | UPDATE | SAVE

Submit Answer »

‹ Previous Next ›

Sign in to track progress

schools

Your next career move.

Get every certification. One payment.



$499 Pay once. Learn for life.

Invest in your future

REMOVE ADS

FREE ACCOUNT

Track your progress

XP earned	0
Day streak	0
Spaces	0
League	—


Sign in to track progress

NEW

Learn in Adventure Mode

Coding fundamentals as bite-sized lessons and challenges.

Download on the App Store GET IT ON Google Play



Tutorials Exercises W3Schools app iOS & Android NEW Sign In

. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

GET CERTIFIED FOR TEACHERS

PRACTICE CONTACT US

Top Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
Java Tutorial
C++ Tutorial
jQuery Tutorial

Top References

HTML Reference
CSS Reference
JavaScript Reference
SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors
Java Reference
AngularJS Reference
jQuery Reference

Top Examples

HTML Examples
CSS Examples
JavaScript Examples
How To Examples
SQL Examples
Python Examples
W3.CSS Examples
Bootstrap Examples
PHP Examples
Java Examples

Get Certified

HTML Certificate
CSS Certificate
JavaScript Certificate
Front End Certificate
SQL Certificate
Python Certificate
PHP Certificate
jQuery Certificate
Java Certificate
C++ Certificate

Tutorials Exercises

W3Schools app NEW
iOS & Android

Sign In

. CSS JAVASCRIPT SQL PYTHON JAVA PHP C C++ C# AWS

FORUM ABOUT CAMPUS

W3Schools is optimized for learning and training. Examples might be simplified to improve reading and learning.
Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness
of all content. While using W3Schools, you agree to have read and accepted our terms of use, cookies and privacy policy.

Copyright 1999-2026 by Refsnes Data. All Rights Reserved. W3Schools is Powered by W3.CSS.